DAILY RAINFALL SURREY 1911- 1920

ABINGER RECTORY	1911 - 1915
ABINGER HALL	1911 - 1920
ADDINGTON M. O.	1919 - 1920
ADDINGTON P. S.	1911 - 1920
ADDINGTON HILLS THE RESERVOIR	1911 - 1919
ALBURY	1912 - 1913
ANERLEY TOWN HALL	1911-12, 1916-19.
ASHTEAD THE HUT.	1911 - 1920
ASHTEAD ST GEORGES COTT	1911 - 1915
ASHTEAD OAKFIELD RD.	1911 - 1919
ASHTEAD D'ABERNON CHASE	1911 - 1918
ASHTEAD HILL FIELD	1911 - 1912
BANSTEAD THE HALL	1911 - 1920
BANSTEAD BASING HSE	1911 - 1912
BANSTEAD ASYLUM	1917 - 1920
BARNS	1916 - 1919
BEDDINGTON SEWAGE FARM	1911 - 1920
BEDDINGTON CORNER	1911 - 1920
BEDDINGTON FOXLEY LANE	1911
BEDDINGTON RIVERSIDE	1911 - 1912

P.T.O

BROADBRIDGE HEATH	1920.
BETCHWORTH SHOWER HILL	1913, 17, 19.
BETCHWORTH SANDHILLS	1917 19
BETCHWORTH THE HOLMES.	1911 - 1917
BLECHINGLEY HSE.	1911 - 1912
BOTLEYS PARK	1911 - 1920
BRAMLEY THE LIMES	1911 - 1920
BROCKHAM NTH LODGE.	1911 - 1920
BURGH HEATH RESERVOIR	1911 - 1920
BURGH HEATH	1911 - 1920
BURPHAM MARLYNS HSE	1911 - 1913
BUCKLAND	1913 - 1920
BYFLEET WEST END	1911 - 1920
BYFLEET	1912 - 1920
BYFLEET RECTORY	1913 - 1917
CAMBERLEY SPRINGFIELD LODGE	1915 - 1918
CAMBERLEY WAYS END	1918 - 1920
CARSHALTON S. W.	1911 - 1920
CATERHAM RESERVOIR	1911 - 1920
CATERHAM VALLEY THE DEPOT	1911 - 1920
CATERHAM ASYLUM	1911 - 1920
CATERHAM ASHFIELD	1911 - 1915
CATERHAM BRADENHURST	1911 - 1914

CATERHAM MOUNT VERNON	1912-15, 17-19
CHALDON RECTORY	1911 - 1919
CHARWOOD GREENINGS	1912 - 1917
CHARTHAM PARK	1915 - 1920
CHELSHAM & WOLDINGHAM W. W.	1915 - 1920
CHIDDINGFOLD ROVEHURST	1914.
CHIDDINGFOLD FAIRFIELD	1915
CHIPSTEAD NEPICAR	1911.
CHIPSTEAD EYHURST	1911 - 1920
CHIPSTEAD DIAL COTT	1912 - 1915
CHIPSTEAD WALPOLE AVE	1916 - 1920
CHOBHAM SANDPIT HALL	1911 - 1920
CHOBHAM	1911 - 1916
CHURT FURZE HILLS	1911 - 1916
CLAYGATE HERTSLETS	1911 - 1920
COBHAM HATCHFORD PARK	1911 - 1920
COBHAM MOORLANDS	1914
COBHAM COURT	1911 - 1915
COMPTON RECTORY	1911
CRANLEIGH SCH.	1912 - 1913
CRANLEIGH WARREN COTT	1912.
CRANLEIGH WINTERFOLD	1911 - 1914

P.T.O.

CRANLEIGH	STONEWALL	1916 - 1920
CRANLEIGH	COMMON	1911 - 1913.
CROOKSBURY		1911
CROYDON	AVONDALE RD	1911 - 1920
CROYDON	ASHBURTON RD	1914,
CROYDON	PARK HILL HSE	1911 - 1917
CROYDON	EDRIDGE RD.	1914 - 1916
CROYDON	CROHAM MANOR RD	1912 - 1916
CROYDON	NEWARK RD	1919 - 20
CROYDON	WADDON NEW RD.	1911 - 19
CROYDON	DUPPAS HILL	1913 - 14
CROYDON	PARK HILL RISE	1911 - 13
CROYDON	AERO CLUB	1920.
CROYDON	MENTAL HOS.	1917 - 20.
DORKING	DENBIES	1911 - 20
DORKING	ROSE HILL	1911 - 20
DORKING	HIGH ST.	1915 - 16
DORKING	PIXHAM FIRS	1911 - 20
DORMANS	PARK	1915 - 20
EARLSWOOD	S.W.	1911 - 20

EARLSWOOD	POPPYS CORNER	1917
EAST HORSLEY		1911 - 18
EAST MOLESEY	EMBER HSE	1913 - 19
EDENBRIDGE	LYDEN CROFT	1911 - 17
EGHAM		1911-15 18-20
ENGLEFIELD GREEN		1911 - 14
ENGLEFIELD GREEN		1914, 17 - 20
EPSOM	W. W.	1911- 13.
EPSOM		1916 - 20
EPSOM	THE DURDANS	1911 - 20
EPSOM		1917 - 20
EPSOM	ASHLEY RD	1911.
ESHER	S. W.	1911- 20
EWHURST	CONEY HURST	1911 - 20
EWHURST	GARLANDS	1911.
EWHURST	MALQUOITS	1911 - 14
EWHURST	DOWNHURST LODGE	1911 - 20
FARNHAM	CROOKBURY RIDGES	1911- 20
FARNHAM	SHORT HEATH LODGE	1911 - 20
FARNHAM	CHARLES HILL	1911 - 18
FARNHAM	HIGH PARK RD	1911 - 17

P.T.O.

FARNHAM CASTLE	1911
FARNHAM GONG HILL	1911.
FARNHAM LOWER BOURNE	1911 - 12
FARNHAM SHORTHEATH	1911 - 18
FARNHAM BOURNE CORNER	1911, 13-14, 16.
FRENSHAM HALL	1911 - 1919
FRENSHAM HALL GAUGE 2.	1914-15, 18, 20
FRIMLEY TOMLINSCOLE	1911 - 20
FRIMLEY GREEN RIDGEMOUNT	1911 - 20.
FRIMLEY GREEN W. W.	1911 - 20
FRIMLEY GREEN BROMPTON SANATORIUM	1914 - 20
GODALMING CHARTERHOUSE	1911 - 20
GODALMING HASCOMBE PLACE	1911 - 20
GODALMING TILTHAMS	1911 - 12
GODALMING MILFORD HSE	1916.
GODALMING WOODSIDE	1918 - 19
GODALMING ABBOTS WOOD	1916, 18.
GODALMING OCKFORD HSE	1914 - 15.
GOMSHALL BURROWSLEA	1911 - 16
GOMSHALL	1916.
GOMSHALL HAZEL HALL	1912

GRAFHAM GRANGE	1911 - 19
GREAT BOOKHAM SOLE FARM	1912 - 14
GUILDFORD CROSS LANES	1911 - 20
GUILDFORD MAORI RD	1914,
GUILDFORD SEWAGE FARM	1919 - 20
GUILDFORD MERROW NEAR	1911 - 12
GUILDFORD CRAIGIE MERROW	1911 - 18
GUILDFORD NEWLANDS CORNER	1912 - 20
GUILDFORD WARWICKS BENCH	1914
GUILDFORD ROYAL GRAMMAR SCH	1913 - 16
GUILDFORD HILLSIDE	1911
GUILDFORD PICCARDS ROUGH	1911 - 1920
GUILDFORD BRIARFIELD	1911
HASLEMERE U. D. C. DEPOT	1915 - 20
HASLEMERE COURT HILL	1911-16, 18-20
HASLEMERE GRAYSWOOD TOWER	1914, 15, 17
HASLEMERE HAZELHURST	1911 - 20
HASLEMERE BEECHSIDE COTT	1917 - 20
HASLEMERE "HANGERFIELD"	1917 - 20
HASLEMERE BEECH RD	1911 - 16

P.T.O

HASLEMERE RED COURT	1916, 1918.
HASLEMERE LOWDER MILL	1911.
HASLEMERE THE LAURELS	1911 -14
HASLEMERE WHITWELL HATCH	1911-12, 14-18.
HEADLEY RECTORY	1916 - 20
HEADLEY THE HURST	1911 - 20
HIGH ASHURST	1911 - 12.
HINDHEAD LINGHOLT SCH	1911.
HINDHEAD STOATLEY HALL	1911 - 18
HOLMBURY ST MARY	1919 - 20
HOOKHEATH RIDGE END	1915 - 20
HORSELL KETTLEWELL HILL	1911 -18
HORSELL	1911 - 14
HORSELL VICARAGE	1915 - 20
HORSELL THE GROVE	1920.
HOW GREEN RESERVOIR	1911 - 20
JOLDWYNDS	1911 - 20
KENLEY ELMHURST	1911 - 16
KENLEY P. S.	1911 -20
KENLEY HAZELEA	1911.
KENLEY SHORD HILL	1911 -15
KEW KEW GARDEN RD	1911 - 13

KEW	OBSERVATORY	1911 - 20
KINGSTON	S. W.	1911 - 20
KINGSTON	COUNTY HALL	1911 - 20
KINGSTON	UNION ST	1911 - 15
KINGSTON	HILL	1920.
KINGSWOOD	MARGERY HALL RES.	1913 - 20
KNAPPHILL	ULUNDI	1911 - 20
KNAPPHILL	HIGH ST	1919 - 20
KNAPPHILL	LYNBROOK	1919.
LEATHERHEAD	DOWNSIDE	1911 - 12
LEATHERHEAD	EMLYN HSE	1911 - 14
LIMPFIELD		1914 - 20
LONGCROSS	FLUTTERS HILL	1911 - 19
MALON & COMBE	S. W.	1911 - 20
MAYBURY	GROVE COTT.	1913 - 16.
MAYFORD		1914 - 18
MITCHAM	BROOK COTT	1917 - 20
MICKLEHAM	NORBURY PARK	1911 - 16
NETHERNE	SURREY COUNTY ASYLUM	1914 - 20
NEW MALDEN	EDENFIELD	1911 - 20
NORMANDY	THE MANOR HSE	1919 - 20
NORWOOD	AUCKLAND RD	1911 - 20

P. T. O

NUTFIELD	PRIORY	1911 - 20
NUTFIELD	PRIORY NEW GAUGE	1913 - 20
NUTFIELD	STH HALE EDGE	1911 - 20
NUTFIELD	HOLMESDALE	1911 - 16
OAKWOOD	VICARAGE	1911 - 18
OLD WOKING	THE GRANGE	1911 - 18
OTTERSHAW	QUEENSWOOD	1911 - 20
OUTWOOD	THE ORCHARDS	1911 - 20
OXSHOTT	OAKLANDS	1912 - 14
OXSHOTT	BEVENDEAN GD.	1920.
OXTED	STONE HALL	1912 - 1920
PEASLAKE	SOUTHCOES.	1915.
PENGE	RECREATION GROUND	1913 - 15
PEPER HAROW		1914 - 19
POLESDEN LACEY		1911 - 15
PURLEY	RIDDLSDOWN RD	1911 - 20
PURLEY	" " " NEW GAUGE	1911 - 20
PURLEY	OAKWOOD AVE	1915 - 20
PURLEY	P. S.	1911 - 20
PYRFORD	PYRFORD CROFT	1911 - 15
PYRFORD	"SOUTHBOURNE"	1913 - 17
PYRFORD	KELMARSH	1918, 1920

PYRFORD	WINTERGREEN WOOD	1917 - 20
RAYNES PARK	P.S.	1911 - 20
RAYNES PARK	P.S.	1919 - 20
RAYNES PARK	CARTERS SEED TESTING STN.	1911 - 15
REDHILL	WARWICK RD.	1911 - 20
REDHILL	LINKFIELD LANE	1911 - 14
REDHILL	"WIGMORE"	1911 - 19
REDHILL	STATION RD	1911 - 20
REIGATE	CASTLE GROUNDS	1911 - 20
REIGATE	GAS WORKS	1911 - 20
REIGATE	THE KNOWLE	1911 - 20
REIGATE	WRAY LODGE	1911 - 20
REIGATE	BEUFORT RD	1918 - 20
REIGATE	HOLMFELS	1911 - 13
REIGATE	BUCKLAND	1911 - 20
REIGATE	HATHERLOW	1912 - 14
REIGATE	COURLEIGH	1915
REIGATE	PARK RD.	1913
REIGATE		1915
REIGATE	CASTLE KEEP	1915
REIGATE	WRAY PARK RD.	1912, 1914 - 20

P.T.O.

RICHMOND	THE TERRACE	1911 - 20
RICHMOND	THE OLD PALACE	1911 - 16
RIPLEY		1911 - 15.
SANDERSTEAD	BEECHWOOD RD	1911 - 20
SEALE	GREAT DOWN	1911 - 18
SEALE		1911 - 16
SEND	SENDBARUS	1917,
SEALE		1917.
SHACKLEFORD	HALL PLACE	1918
SHAMLEY GREEN	LEE CROUCH	1912 - 18
SHERE	COOMBE END	1913 - 16
SHERE	DEWDNEY	1917 - 18
SHERE	THE MANOR HSE	1914 - 20
SMALLFIELD	TRIDDLES FARM	1917 - 20
STH NORWOOD	WOODVALE	1911
STH. NORWOOD	HOLMESDALE RD	1911 - 19
STH. NORWOOD	APOLEY	1911 - 17
SURBITON	M. W. B	1911 - 20
SURBITON	LOVELACE RD	1911 - 14
SURBITON	WORTHINGTON RD	1919 - 20
SUTTON	S. W.	1911 - 20
SUTTON	CAMBORNE RD	1911 - 20

SUTTON W. W.	1911 - 20
SUTTON HIGH SCH	1912 - 20
TADWORTH WARREN GATE	1914 - 17
UPPER GATTON	1911 - 18
VIRGINIA WATER HOLLOWAY SANATORIUM	1911 - 20
WALLINGTON	1911 - 14
WALLINGTON ALCESTER RD	1915 - 20
WALTON ON THE HILL THE MANOR	1911-15, 1917-20
WALTON ON THE HILL	1919 - 1920
WALTON ON THE HILL SHIRLEY	1911
WALTON ON THE HILL HEDGECROFT	1911 - 14
WALTON ON THAMES ASHDOWN	1915
WANBOROUGH SCH.	1919
WARLINGHAM THE LARCHES	1911 - 18
WARLINGHAM REDVERS RD.	1911 - 19
WARLINGHAM EGREMONT	1911 - 12
WARLINGHAM C. E. SCHOOL	1919 - 20
WEST BYFLEET "KILMEENA."	1912 - 20
WEST BYFLEET "HOLLYWOOD"	1911 - 19
WEST END MANOR HSE	1912 - 20
WEST HORSLEY WOODCOTE LODGE	1911 - 15
WEST MOLESEY	1911 - 20

P.T.O

WEYBRIDGE		1911 - 20
WEYBRIDGE	BURCOTE	1911 - 18
WEYBRIDGE	HEATH FIELD	1912 - 20
WEYBRIDGE	FIELD PLACE	1911 - 15
WEYBRIDGE	ST. MICHEALS HSE	1916 - 20
WEYBRIDGE	ST MARGARETS	1911 - 12
WEYBRIDGE	LYNCROFT	1911 - 15
WEYBRIDGE	ST GEORGES HILL	1914
WEYBRIDGE	STATION RD	1911 - 15, 17 - 20
WEYBRIDGE	SUMMERLEIGH	1919 - 20
WHITELEY	FOX OAK	1920
WIMBLEDON	THE DOWNS	1911 - 20
WIMBLEDON	PUMPING ST	1911 - 20
WIMBLEDON	KINGSTON RD	1911 - 20
WIMBLEDON	MERTON HALL RD	1915 - 20
WIMBLEDON	LEOPOLD RD	1911 - 13
WIMBLEDON	TRINITY RD	1912 - 20
WIMBLEDON	WORPLE RD	1911 - 15
WIMBLEDON	COMMON	1913 - 17
WIMBLEDON	PARK	1917 - 19
WINDLESHAM	WESTWOOD	1911

WINDLESHAM	THE CAMP	1911 - 17
WISLEY	R. H. S. GDNS	1911 [illegible] 20
WITLEY	GT. ROKE	1911 - 20
WITLEY	KING EDWARDS SCH	1911 - 20
WITLEY	THE MOUNT	1911 - 20
WITLEY	TIGBOURNE COURT	1914 - 15
WOKING	WORPLESDON HILL	1917 - 20
WOKING	WOODHAM HALL	1911 - 12
WOKING	NORMANHURST	1916 - 18.
WOKING	NORTHWOOD	1911, 1918, 1919
WOODSIDE	ST LUKES VICARAGE	1912 - 1919
WOKING	THE GREEN	1912, 16 - 20
WONERSH		1914

DL

20

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

ABINGER RECTORY
SURREY
1911 - 1915

RE

Kept at Abinger .... in.

in the County of W. .... Ground .... ft. .... in.

Sea Level .... ft.

by Miss Brodi...

Name ....

Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·38			·04	·04				·02	1
2	·21			·25	·33						·24	·16	2
3		·03			·20			·12			·10	·11	3
4	·03	·02	·06	·21					·02	·05	·38	·40	4
5	·03	·01		·03						·26	·06	·08	5
6	·39		·24	·02							·07	·45	6
7	·06		·03	·02						·15	·40	·35	7
8	·16		·28								·31	·45	8
9	·30		·03	·02							·05	·07	9
10	·03	·16	·15								1·00	·81	10
11	·52	—	·30		·03						·19		11
12	·02		·45						·08			·02	12
13			·07		·10				·20	·29		·36	13
14		·11			·28							·65	14
15		·07	·19							·03	·02	·06	15
16	·01					·65					·77	·10	16
17			·08			·09					·45	·42	17
18		·15	·11		·01	·09					·50	·66	18
19		·01				·30			·38	·24	·22	·24	19
20	·02	·04	·01					·07	·02	·08		1·02	20
21	·02	·18						·08		·45	·01	·29	21
22	·09		·35			·19				·56		·50	22
23		·24				·78			·26	·05	·05	·20	23
24		·17	·03			·09	·07	·03		1·45		·31	24
25	·02	·05		·10		·17	·34	·06					25
26		·01		·26		·14	·07	·01		·24	·02	·27	26
27		·40	·10	·30					·15	·20	·01	·19	27
28		·19	·17	·29				·22			·02	·01	28
29				·52		·15	·20		·19	·37			29
30				·02		·04		·18		·39		·02	30
31					·25							·02	31
Total	2·03	1·84	2·65	2·42 ~~1·79~~	1·20	2·69	·72	·81	1·30 ~~1·13~~	4·81	4·87	8·24	TOTAL for year 33·58 ~~32·95~~
No. of Rain Days	16	16	17	13 ~~11~~	7	11	5	9	8	15	20	28	165

9,000, IX. '10.

DL

RE

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

28

Kept at Abinger Rectory

in the County of W. Surrey 6

by Miss Brodie Hall

RAIN GAUGE
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·38			·04	·04				·02	1
2	·21			·25	·33						·24	·16	2
3		·03			·20			·12			·10	·11	3
4	·03	·02	·06	·21					·02	·05	·38	·40	4
5	·03	·01		·03						·26	·06	·08	5
6	·39		·24	·02							·07	·45	6
7	·06		·03	·02						·15	·40	·35	7
8	·16		·28								·31	·45	8
9	·30		·03	·02							·05	·07	9
10	·03	·16	·15								1·00	·81	10
11	·52		·30		·03						·19		11
12	·02		·45						·08			·02	12
13			·07		·10				·20	·29		·36	13
14		·11			·28							·65	14
15		·07	·19							·03	·02	·06	15
16	·01					·65					·77	·10	16
17			·08			·09					·45	·42	17
18		·15	·11		·01	·09					·50	·66	18
19		·01				·30			·38	·24	·22	·24	19
20	·02	·04	·01					·07	·02	·08		1·02	20
21	·02	·18						·08		·45	·01	·29	21
22	·09		·35			·19				·56		·50	22
23		·24				·78			·26	·05	·05	·20	23
24		·17	·03			·09	·07	·03		1·45		·31	24
25	·02	·05		·10		·17	·34	·06					25
26		·01		·26		·14	·07	·01		·24	·02	·27	26
27		·40	·10	·30					·15	·20	·01	·19	27
28		·19	·17	·29				·22			·02	·01	28
29				·52		·15	·20		·19	·37			29
30				·02		·04		·18		·39		·02	30
31					·25							·02	31
Total	2·03	1·84	2·65	2·42 ~~1·79~~	1·20	2·69	·72	·81	1·30 ~~1·13~~	4·81	4·87	8·24	TOTAL for year 33·58 ~~32·95~~
No. of Rain Days	16	16	17	13 ~~11~~	7	11	5	9	8	15	20	28	165

9,000, IX. '10.

82 40

FORM A2.
BRITISH RAINFALL.

21 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Abinger Rectory

in the County of Surrey 6

by W. L. Brodie Hall

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01	.43	.02		.08	.81		.02	.55		.26	1
2		.01	.20			.07	.36	.41		.03			2
3	.03	.03	.03			.25	.02	.38	.03			.10	3
4	.24		.73		.21	.24		.19			.29	.02	4
5	.20	.09	.17		.02			.41			.06	.02	5
6	.53	.15	.02					.35				.15	6
7	.02				.22	.41		.23				.08	7
8	.32	.48	.28	.03		.02		.30				.02	8
9		.17	.10			.10		.03				.18	9
10		.16						.21			.13	.26	10
11	.04	.43				.02		.07			.02	.33	11
12	.04	.12	.10		.02	.20		.19			.01	.01	12
13		.03	.02							.01	.14	.06	13
14		.01	.03		.02							.04	14
15	.03	.01	.10		.20	.71					.02	.32	15
16	.32		.27		.16	.05		.47		.10	.02		16
17	.48		.56			.04		.16			.05	.21	17
18	.07		.27				.20	.15				.09	18
19	.06	.16	.10					.85				.03	19
20	.01		.62					.09		.45	.08		20
21	.02	.07	.28		.16			.10		.15	.17		21
22		.40	.09		.08		.02	.28		.04			22
23	.60	.23	.43		.02	.11		.42		.09	.27	.17	23
24	.27	.06				.49		.42			.01	.17	24
25	.12	.02				.70		.95		.12	.33	.64	25
26	.03	.04						.25		.46	.78	.26	26
27						.12	.05			.33		.27	27
28		.03				.21	.25	.17	.23	.75	.64	.29	28
29		.06				.01	.30	.16	2.20	.09		.01	29
30					.35	.07	.15	.04	1.85	.25			30
31			.11				.33	.18		.02			31
Total	3.43	2.77	4.94	.05	1.46	3.90	2.49	7.46	4.33	3.44	3.02	3.99	TOTAL for year 41.28
No. of Rain Days.	19	22	21	2	11	19	10	26	5	15	16	24	190

W. 8,000, X. '11.

JJ

crd fr auth 6. 11. 14

REGISTER OF RAINFALL IN 1913

22 JAN 1914

43

FORM A.
BRITISH RAINFALL.

Kept at Abinger Rectory

in the County of Surrey

by W. L. Brodie Hall

6

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·31	·09	·11	·01				·33	·02	·21	·35	1
2	·08	·12		·01			·17		·13	·07	·07	·03	2
3	·05		·03	·09	·67					·11		·23	3
4	·52		·07	·02	·32				·23	·43	·06	·04	4
5	·60		·04		·01	·09	·09		·38	·02	·09	·04	5
6	·05	·31	·13		·04	·13	·15			·32	·09	·19	6
7	·01	·35			·15	·03				·77	·19		7
8		·01			·15	·07		·22		·21	·01		8
9		·14		·02	·07	·01	·19	·03	·17	·01	·02		9
10	·01			·04			·03				·33		10
11	·58			·46	·01		·01			·65	·40		11
12		·01			·25						·50		12
13	·13		·05					·03	·25		·33		13
14	·26	·03	·16	·04			1·45	·03	·19	·12	·05	·07	14
15	·16	·08	·25	·31			·47		·20		·02		15
16	·29		·46	·22			·02		·37				16
17	·05		·06	·12			·47		·01		·03		17
18	·01		·20				·09				·06		18
19	·31		·11			·09			·22				19
20	·24		·47	·10		·08				·53	·01		20
21			·14	·07			·05			·29	1·00		21
22	·38		·13	·06			·03	·20	·15				22
23			·18					·15	·01			·68	23
24	·06		·01	·07				·08			·04		24
25		·03		·23									25
26			·17	·16						·89		·22	26
27			·06	·08	·29					·07			27
28	·12		·45	·13						·18			28
29	·05		·06	·40	·45			·16		·09		·04	29
30	·43			·05				·37		·32			30
31	·01		·08					·73		·05			31
Total	4·42	1·39	3·40	2·79	2·42	·50	3·22	2·00	2·64	5·15	3·51	1·89 1·89	YEAR'S TOTAL 33·33
Rain Days.	23	10	22	21	12	7	13	10	13	19	19	10	179

W. 7,500, XI. 12

8L [illegible] 8.11.15 37

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Abinger Rectory

in the County of Surrey 6

by W. L. Brodie Hall

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·20			·07		1
2	·01					·04	·08	·09			·20	·26	2
3			·04	·03	·23		·08	·10			·06	·01	3
4	·06		·03	·27				·15			·46	·22	4
5	·10		·12	·40	·35	·08	·30	·32			·09	·02	5
6		·27	·05	·20	·03	·14		·02				·30	6
7		·72	·31	·19		·07	·18					·20	7
8	·10	·66	·36	·02	·03	·17		·30	·20			·20	8
9	·29		·73	·09		·05		·03				2·25	9
10	·05	·12	·04	·07	·09				·18		·14	·03	10
11		·78	·55	·03					·10			·36	11
12		·13	·10			·03	·71		·18	·02		·65	12
13	·03	·57	·25						·10	·05	·07	·87	13
14		·47	·25					·02		·40	·20	·46	14
15		·06	·19				·14	·05		·02	·68	·02	15
16			·01				·02		·05				16
17		·58	·15						·23			·28	17
18		·03	·29									·50	18
19		·12	·63				·24				·22	·26	19
20		·58	·33			·01			·16			·27	20
21		·71	·10							·09		·03	21
22		·05	·11		·34	·10	·13			·28			22
23		·07	·19		·03	·01							23
24			·11								·17		24
25			·23							·45	·03	·05	25
26			·18				·04	·19		·01	·04	·69	26
27								·15		·02	·05	·46	27
28		·06								·17	·79	·83	28
29	·25		·08							·42	·35		29
30	·02		·16							·19	·66	·58	30
31	·03				·16		·07			·05		·01	31
Total	·94	5·78 5·78	5·59	1·30	1·26 ~~1·00~~	·70	1·99	1·62	1·20	2·17	4·28	9·81	YEAR'S TOTAL 36·64
Rain Days.	10	17	26	9	8 7	10	11	12	8	13	17	25	166

W.7,000, XI. 13

81

257
36

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Abinger Rectory 6
in the County of Surrey
by Miss Brodie Hall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·74	22	·17		·02		·28	·01	·28	·05	·09	·74	1
2	·48	·27	·29	·03	·03			·63	·02	·08		·15	2
3	·52		·12	·17				·43	·03			·39	3
4	·02							·01				·53	4
5	·05	·53						·07		·03		·25	5
6	·53	·22	·03	·48			1·14	·02				·19	6
7	·58	·60	·01				·60	·01				·39	7
8	·07	1·02	·06	·03			·11	·11					8
9	·03	·12		·29		·09		·03			·50	·57	9
10	·19			·01								·25	10
11			·08							·06	·77	·04	11
12	·05	·10	·02	·42	·40			·11			·52		12
13		·81			1·12				·02				13
14		·06					·07	·09	·03			·54	14
15	·13	·05			·05		·03	·04	·01		·14	·38	15
16		·65			·07		1·06	·10				·13	16
17		·55			1·47		·02	·33					17
18		·27	·06		·12								18
19		·37			·01		05			·01			19
20	·31			·02	·02							·19	20
21		·03					·02			·03		·05	21
22	1·50	·09	·05				·90					·31	22
23		·13	·10				·20		·11	·47		·13	23
24				·01			·15		·44	·37		·36	24
25				·07			·14					·23	25
26		·08				·43	·12		·06			·63	26
27		·05				·20			·01	·40		·06	27
28		·06				·10			1·23	·13			28
29						·33	·21	·12	·02			·03	29
30	·15					·59	·05		·01	·36	·96	·06	30
31	·08							·06		1·20		·40	31
Total	5·43	6·28	·99	1·53	3·31	1·74	5·15	2·17	2·27	3·19	2·98	7·00	YEAR'S TOTAL 42·04
Rain Days.	17	21	11	10	10	6	17	16	13	12	7	24	164

W. 8,000. X. 14.

Dl
Ser

RE

FORM A2.
BRITISH RAINFALL.
23 JAN 1912
29

Kept at Abinger

in the County of W.

by Lord Farrer

ABINGER ~~HALL~~

SURREY

1911 - 1920

in.
Ground ft. in.
Sea Level ft.
Name
Distance Direction

IMPORTANT NOTE previous day. If an Ob requested to add the read for it at the end of this the selection and placing Organization are given in Dr. H. R. Mill, 62, Camden Square, London, N.W.

the result entered to the ersal rule, he is earnestly in the space provided nt of rain, sh Rainfall plication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·38	·01			·09			·06		1
2	·19			·30	·33						·23	·24	2
3		·04			·18			·02			·10	·04	3
4	·06	·02	·08	·16					·01	·05	·28	·48	4
5	·02	·01		·03						·34	·08	·08	5
6	·46		·28								·06	·80	6
7	·06									·18	·43	·41	7
8	·16		·26								·29	·54	8
9	·29		·03	·05							·04	·15	9
10		·18	·18								·03	1·05	10
11	·49		·01		·02					·01	·92		11
12	·02		·62		·01				·08		·25	·01	12
13			·09		·13				·11	·28	·01	·45	13
14		·11			·29							·73	14
15		·08	·22							·03	·11	·07	15
16			·01			·71					·53	·38	16
17			·08			·06					·42	·18	17
18		·17	·09	·03		·08					·60	·70	18
19					·01	·33			·42	·30	·12	·27	19
20	·02		·03					·13	·01	·11		1·01	20
21	·01	·19						·10		·64		·29	21
22	·09		·28			·16				·27		·63	22
23		·24				·78			·25	·09		·20	23
24		·19	·02			·09	·08			1·50		·29	24
25	·01	·08		·10	·01	·19	·38	·04	·04	·01	·05		25
26		·01	·18	·25	·04	·16	·11	·01		·29	·01	·26	26
27		·36	·23	·23					·08	·20	·02	·21	27
28		·22		·30				·21			·04		28
29				·38		·16	·17		·22	·34			29
30				·03	·05	·04		·15		·36		·04	30
31					·26					·05			31
Total	1·95	1·90	2·69	2·24	1·34	2·76	·74	·75	1·22	5·05	4·68	9·51	TOTAL for year 34·83
No. of Rain Days	14	14	17	12	12	11	4	8	9	18	22	25	166

9,000, IX. '10.

Dl
Sea

FORM A2. BRITISH RAINFALL. 23 JAN 1912

29

RE

Kept at Abinger Hall

in the County of W. Surrey 6

by Lord Farrer G. Payne

...in.

GAUGE Height of top above Ground ...ft. ...in.

" " " Sea Level ...ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·38	·01			·09			·06		1
2	·19			·30	·33						·23	·24	2
3		·04			·18			·02			·10	·04	3
4	·06	·02	·08	·16					·01	·05	·28	·48	4
5	·02	·01		·03						·34	·08	·08	5
6	·46		·28								·06	·80	6
7	·06									·18	·43	·41	7
8	·16		·26								·29	·54	8
9	·29		·03	·05							·04	·15	9
10		·18	·18								·03	1·05	10
11	·49		·01		·02					·01	·92		11
12	·02		·62		·01				·08		·25	·01	12
13			·09		·13				·11	·28	·01	·45	13
14		·11			·29							·73	14
15		·08	·22							·03	·11	·07	15
16			·01			·71					·53	·38	16
17			·08			·06					·42	·18	17
18		·17	·09	·03		·08					·60	·70	18
19					·01	·33			·42	·30	·12	·27	19
20	·02		·03					·13	·01	·11		1·01	20
21	·01	·19						·10		·64		·29	21
22	·09		·28			·16				·27		·63	22
23		·24				·78			·25	·09		·20	23
24		·19	·02			·09	·08			1·50		·29	24
25	·01	·08		·10	·01	·19	·38	·04	·04	·01	·05		25
26		·01	·18	·25	·04	·16	·11	·01		·29	·01	·26	26
27		·36	·23	·23					·08	·20	·02	·21	27
28		·22		·30				·21			·04		28
29				·38		·16	·17		·22	·34			29
30				·03	·05	·04		·15		·36		·04	30
31					·26					·05			31
Total	1·95	1·90	2·69	2·24	1·34	2·76	·74	·75	1·22	5·05	4·68	9·51	TOTAL for year 34·63
No. of Rain Days	14	14	17	12	12	11	4	8	9	18	22	25	166

9,000, IX. '10.

82 Bayard made

cor by Bayard 3.11.13 ~~E.H.~~ 17 Feb Oct–Dec from Bayard

FORM A2.
BRITISH RAINFALL.

12 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Abinger Hall

in the County of Surrey 6

by G. Payne

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 320 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.01	.24			.06	.52		.02	.53		.26	1
2		.01	.41			.11	.37	.41					2
3		.03	.01			.20	.01	.38	.01			.08	3
4	.23		.70		.22	.25		.21			.31	.01	4
5	.23	.09	.15					.36	.01		.07	.02	5
6	.58	.15	.02		.03			.30				.10	6
7	.02				.18	.36		.23				.11	7
8	.40	.49	.32			.02	.01	.30	.03	.01		.01	8
9		.19	.12	.03		.12	.02	.01		.01		.17	9
10	.01	.15						.21			.14	.26	10
11	.06	.45	.03					.07	.02		.01	.34	11
12	.03	.16	.10		.08	.21	.01	.19		.01		.01	12
13		.01	.01				.01				.13	.02	13
14					.05			.22		.05			14
15		.01	.13		.22	.69					.03	.34	15
16	.36		.31		.23	.02		.37		.06	.07		16
17	.46		.47			.04		.18				.19	17
18	.10		.31					.15		.03	.02	.12	18
19	.08	.14	.08				.17	.76				.04	19
20	.03	.01	.70					.12		.37	.05		20
21	.01	.06	.28		.23			.06		.22	.19		21
22		.31	.13		.11			.29				.05	22
23	.63	.31	.39		.02	.03 .30		.38		.12	.25	.15	23
24	.30	.04				.45		.39				.19	24
25	.14					.55		.85		.05	.30	.69	25
26	.01	.05						.34		.41	.72	.30	26
27			.01			.11	.11			.31		.25	27
28		.04				.28	.25	.20	.25	.63	.77	.29	28
29		.07					.43	.19	2.30	.11	.07		29
30					.33	.11	.06	.12	1.91	.35			30
31	.01		.14				.31	.14		.01			31
Total	3.70	2.78	5.06	.03	1.70	3.61	2.28	7.43	4.55	3.28	3.13	4.00	TOTAL for year 41.55
No. of Rain Days.	20	21	22	1	11	17	13	27	8	17	15	23	195

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 MAR 1914

Kept at Abinger The Hall [illegible]

in the County of Surrey 6 6

by F C Bayard Lord Farrer

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.30	.13	.13					.41	.03	.04	.35	1
2	.15	.12		.02			.13		.13	.06	.29	01	2
3	.06		.02	.18	.65					.14		.18	3
4	.50		.06	.04	.34				19	.69	.05	.01	4
5	.51		.04		.01	.13	.10		.44	.01	.06	.08	5
6	.05	.26	.14		.06	.11	.12			.40	.18	.22	6
7		.32			.16	.01				.65	.25		7
8		.04	.01		.19	.05		.05		.20	.01		8
9		.12		.03	.17	.01	.22	.03	.20		.02	.03	9
10				.05			.02	.02			.36		10
11	.73			.40	.01					.61	.37		11
12		.01			.29					.01	.42		12
13	.13		.05					.04	24	.01	.30		13
14	.28	.02	.15	.09			1.70	.01	.18	.14	.10	.04	14
15	.24	.09	.25	.35			.45		.15				15
16	.27		.46	.23			.02		.33				16
17	.06	.03	.07	.07			.44				.02	.01	17
18			.22	.11			.01				.02		18
19	.38		.15			.11	.17		.22				19
20	.30		.43	.12		.10				.31	.01		20
21	.01		.28	.07	.01		.02			.84	.88		21
22	.40		.15	.05			.01	.11	.18	.01		.01	22
23			.09			.04	.03	.25	.01			.70	23
24	.04			.08				.10			.02		24
25		.01		.25									25
26			.21	.21				.07		.88		.20	26
27	.02		.12	.07	1.11					.08	.01		27
28	.10		45	.15						.25			28
29	.06		.08	.46	.60			.15		.13		.02	29
30	.42			.05				.36		.28			30
31			.10					.75		.09			31
Total	4.73	1.32	3.66	3.21	3.60	.56	3.44	1.94	2.68	5.82	3.41	1.86	YEAR'S TOTAL 36.23
Rain Days.	21	11	22	22	12	8	14	12	12	21	19	13	187

W.7,000, XI. 13

Cndy B sly own stats. St R1

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 3 - MAR 1915

Kept at Abinger Hall

in the County of Surrey 6

by Lord Farrer F C Bayard

Lat. Long. —

Time of Observation

Nearest Railway Station —

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01					.32			.09		1
2						.04	.06	.09			.19	.28	2
3			.08	.02	.26		.08	.05			.06		3
4	.07		.05	.35	.06		.01	.13			.46	.21	4
5	.11		.10	.39	.48	.09	.26	.34				.03	5
6		.28	.06	.18	.06	.18	.01	.01			.02	.24	6
7		.80	.36	.22	.01	.13	.25					.11	7
8	.09	.60	.29		.03	.21	.08	.27				.06	8
9	.30	.01	.75	.14		.06			.13			2.00	9
10	.01	.17	.05	.12	.09	—			.26				10
11		.80	.50			.04			.13		.24	.26	11
12	.01	.15	.11				.65		.30	.03		.55	12
13		.50	.32			.02			.12	.03	.09	.64	13
14		.40	.28				.06			.46	.21	.46	14
15		.03	.19				.08	.05			.65	.02	15
16	.01						.01		.07				16
17		55	.21				—		.13			.16	17
18		.03	.27									(.52)	18
19		.10	.38	—			.29				.17	.13	19
20		.38	.64						.15			.12	20
21		.75	.14							.19		.01	21
22		.05	.20		.23	.12	.19	.09		.28			22
23	—	10	.21	—	.01					.02			23
24			.14								.20		24
25	.01		.23					.13		.36		.08	25
26			22				.05	.13		.06	.26	.48	26
27	.07									.02	.07	(.28)	27
28	.20	.06			.05					.10	.39	.60	28
29	.01		.09							.35	30		29
30	.01	X	.11							.08	.45	.67	30
31	.03	X		X	.20	X	.10		X	.02	X	.05	31
Total	.93	5.76	5.99	1.42	1.48	.89	2.18	1.61	1.29	2.00	3.85	7.96	YEAR'S TOTAL 35.36
Rain Days.	13	18	26	7	11	9	15	11	8	13	16	23	170

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
14 MAR 1916

Kept at Abinger Hall
in the County of Surrey 6
by Lord Farrer for Croydon Nat! His' Soc

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.43	.16	.21		.05		.67		.25	.05	.19	.59	1
2	.38	.16	.18	.09		.04		.80	.02	.09	.01	.14	2
3	.01		.03	.19	.01			.37	.02			.46	3
4												.38	4
5	.31	.25						.08		.05		.42	5
6	.05	.06		.49			1.07					.20	6
7	.06	.20	.07				.83					.34	7
8	.02	.57		.02			.12	.13			.01		8
9		.11	.01	.35		.06		.03			.45	.58	9
10			.02									.29	10
11	.05		.06							.07	.83	.06	11
12	.01	.22		.45	.41						.45	.03	12
13		.63			1.17				.03	.01			13
14	.04						.07	.08	.03			.57	14
15					.05		.02	.11	.01		.19	.42	15
16		.70			.08		1.05	.29				.30	16
17					1.42		.02	.35					17
18		.27	.07		.18						.09		18
19	.02				.02		.05			.02			19
20	.04			.02	.01							.21	20
21	.10	.05					.02			.03		.06	21
22	1.27	.10	.10	.01			.84					.21	22
23		.13	.06			.05	.37		.21	.49		.27	23
24							.15		.50	.45		.58	24
25				.08		.07	.15					.24	25
26		.10				.28	.18		.01			.75	26
27		.02				.27				.42		.08	27
28		.09				.11			1.57	.23	.02		28
29						.04	.18	.08	.01		.49	.02	29
30	.05					1.98	.10			.45	.82	.08	30
31	.01							.20		1.35		.36	31
Total	2.85?	3.82?	81?	1.70	3.40	2.90	5.89	2.52	2.66	3.71	3.55	7.64	YEAR'S TOTAL 41.45?
Rain Days.	16	17	10	9	10	9	17	11	11	13	11	25	159

W. 8,000. X. 15.

Exd P4E

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

16 JAN 1917

Kept at Abinger Hall Gardens
in the County of Surrey
by Geo Payne.

Lat. Long. —
Time of Observation 9 am
Nearest Railway Station Gomshall
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 320. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0-22	0-07	0-07	—	0-17	0-02	—	—	0-46	0-09	0-27	—	1
2	0-30	0-21	0-18	—	0-34	—	—	—	0-03	0-66	0-05	—	2
3	0-02	1-18	0-48	—	—	—	0-05	—	0-17	0-56	0-89	—	3
4	0-16	0-12	—	—	—	0-37	—	—	0-26	0-02	0-60	—	4
5	0-04	0-03	0-02	0-02	0-31	0-19	0-07	—	—	0-11	0-85	—	5
6	0-07	0-12	0-31	0-11	0-05	0-20	0-62	—	0-07	0-23	0-82	—	6
7	0-13	—	0-72	—	0-22	0-11	0-25	—	—	0-07	1-23	0-09	7
8	—	—	0-07	—	0-31	—	—	—	—	—	—	0-45	8
9	—	—	0-02	—	0-60	0-07	—	—	—	0-04	—	0-22	9
10	—	0-36	0-11	0-10	0-02	0-13	0-09	—	—	0-11	0-02	0-14	10
11	0-05	0-22	0-05	0-22	0-07	0-20	—	—	—	—	—	0-05	11
12	0-05	0-05	0-02	0-05	0-18	0-23	0-06	0-02	0-03	0-09	—	—	12
13	—	0-26	0-83	0-16	0-09	0-08	0-04	0-06	—	0-05	—	—	13
14	—	0-71	0-18	—	0-13	—	—	—	—	—	—	0-04	14
15	—	0-10	0-26	—	—	—	—	0-34	—	0-12	—	—	15
16	0-07	0-05	0-57	0-21	—	—	0-24	0-73	—	—	—	—	16
17	0-22	0-20	—	0-07	—	—	0-07	0-19	0-28	0-88	—	—	17
18	0-05	0-14	0-04	0-05	—	—	—	0-49	0-41	0-28	0-83	0-19	18
19	0-22	—	0-18	0-34	—	0-17	—	0-12	0-08	—	0-41	—	19
20	0-16	—	0-23	0-07	—	—	—	—	—	—	0-06	0-89	20
21	0-07	—	0-36	0-07	—	—	0-02	—	—	—	—	0-30	21
22	0-07	0-04	0-08	—	—	—	—	—	—	0-04	0-07	0-66	22
23	0-05		0-03	—	—	0-07	—	0-07	—	—	0-10	0-07	23
24	—	0-72	—	—	0-14	0-06	—	0-02	—	0-36	0-11	0-42	24
25	—	0-95	0-21	—	~~0-14~~	—	—	0-41	—	0-04	0-12	—	25
26	—	0-45	0-03	—	—	0-22	—	—	0-10	0-43	—	—	26
27	0-04	0-04	1-12	—	—	0-21	—	0-31	0-13	0-68	—	0-07	27
28	—	0-70	0-26	—	—	0-20	—	0-13	0-15	0-08	0-02	0-14	28
29	—	0-28	0-07	—	—	0-29	—	0-94	0-11	0-42	—	0-25	29
30	—	X	—	—	0-04	—	—	0-18	—	0-43	—	—	30
31	—	X	—	X	—	X	—	0-07	X	0-13	X	0-04	31
Total	1-75	6-94	6-38	1-41	2-61	2-70	1-45	3-96	2-22	5-92	6-38	3-95	YEAR'S TOTAL 45-67
Rain Days.	18	22	26	12	14	17	10	15	13	23	16	16	202

W. 8,000, VIII. 16

870.

243

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

21 MAR 1918

Kept at Abinger Hall

in the County of Surrey

by The Lord Farrer per FG Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·25	–	–	–	1·63	·13	–	·12	–	1
2	–	–	–	·38	–	–	–	17	–	–	·12	–	2
3	–	–	–	·19	–	–	·85	50	–	·13	–	–	3
4	–	·38	·23	–	–	–	·28	·37	–	·32	–	–	4
5	·34	–	·09	·53	–	·01	–	–	·17	·35	·15	–	5
6	–	–	·38	·03	–	·09	–	–	·24	·01	·08	–	6
7	31	–	–	–	–	–	·18	–	–	·26	–	·04	7
8	·21	–	·04	·07	–	–	·50	·12	·05	·27	·29	·38	8
9	–	–	·08	·04	·02	–	·29	·25	·04	–	·04	·82	9
10	·26	–	·29	·32	–	·04	–	·11	–	–	·03	·04	10
11	·20	–	·28	·25	–	–	–	·04	·63	26	–	–	11
12	·13	–	·07	·01	–	–	–	·05	–	·38	–	–	12
13	·15	–	·17	·08	–	–	–	·08	05	·16	–	–	13
14	–	–	·02	·18	–	–	–	·07	·01	–	–	03	14
15	·01	–	–	–	–	–	·13	·20	–	05	–	12	15
16	·05	·19	–	·20	·07	·01	–	–	–	48	–	1·14	16
17	–	·01	–	·15	·30	–	·26	20	·43	20	–	–	17
18	·07	·02	–	13	·19	–	·22	·02	·35	06	–	–	18
19	·01	·12	28	–	·01	–	–	–	·10	–	–	–	19
20	·01	13	07	–	·71	–	·19	–	–	–	·05	–	20
21	–	–	·08	01	–	–	–	–	–	·02	·06	–	21
22	·01	–	·11	–	–	·14	–	·17	–	13	·01	–	22
23	–	·20	–	–	·20	·03	–	14	–	–	–	08	23
24	–	·07	–	–	–	·11	·11	01	–	·18	–	·03	24
25	–	·11	·02	–	–	–	–	–	–	–	–	–	25
26	–	–	·05	–	–		–	38	06	07	·41	–	26
27	–	–	–	–	·23	–	–	1·45	–	–	–	·04	27
28	–	·05	·08	–	–	·93	–	·14	–	–	–	·09	28
29	–	X	·04	–	19	·17	07	·01	–	·45	–	·15	29
30	·01	X	38		–	–	1·67	·09	–	·04	–	09	30
31	·05	X	·09	X	–	X	·36	·03	X	–	X	06	31
Total	1·82	1·28	2·79	2·82	1·92	1·53	5·11	6·23	2·26	3·82	1·30	3·11	YEAR'S TOTAL 33·99
Rain Days.	15	10	20	16	9	9	13	23	12	19	11	14	173

W. 8,000, IX. 17.

from A1.8. Exd C&E 156

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
10 4·19

Kept at Abinger The Hall
in the County of Surrey
by The Lord Farrer per F.C. Bayard

Lat. .... Long. —
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·01			·02			·45	·14	1
2		·10		·08				·27	·01	·03	·36	·16	2
3			·11	·11	·66			·04			·52	·01	3
4		·28	·22	·04				·17	·16		·86	·03	4
5		·07			·08			·24	·06	·15		·02	5
6	24	·17		·28	·22			·13		·04		·07	6
7	·03	·14		·36	·26			·01	·18	·07	·07		7
8		·28							·20	·08	·14	·04	8
9	·02	·01		·23		·25	·23		·66	·18		·49	9
10				·09			·44		·18	·06	·06	·33	10
11				·01			33		·03	·27	·14	·20	11
12		06			·33		·27		·09	·01			12
13	·14	·01		·01	·10		·04		·21			·01	13
14	·20		·11		·01	·20	·12		·20	·14		·25	14
15	1·29			·88		·01	·35					·22	15
16	·40			·14		·21			·33				16
17	·28		·02	·24			·37	·04				·24	17
18	·50					·49			·63			·05	18
19	·13		·10	·12		27	·21		·06	·11		·05	19
20	·09	·17		·88		·04	·19		42	·26			20
21	·28	·02		1·55			·05		·30	·06	·01	·01	21
22	·18				·36		·24		·14			·18	22
23	·06			·01	·04		·87	·05	·15				23
24		·42				·06	·01		·21		·10		24
25				·16		·01	·18	·16		·06	·01		25
26							·66		·02	·05	·17	·24	26
27		·10	·01	·16			·08	·21	·02		·17		27
28	·01	·04	·30	·04				·07			·17	·03	28
29									1·17		·12		29
30		X	·35						·12	·04		·15	30
31		X	·20	X		X			X	·13	X		31
Total	3·85 ✓	1·87 ✓	1·42 ✓	5·39 ✓	2·07 ✓	1·54 ✓	4·64 ✓	1·41 ✓	5·55 ✓	1·74 ✓	3·35 ✓	2·92 ✓	YEAR'S TOTAL 35·75 ✓
Rain Days.	15 ✓	14 ✓	9 ✓	19 ✓	10 ✓	9 ✓	17 ✓	12	23 ✓	17 ✓	15 ✓	21 ✓	181 ✓

W, 6,500, VII. 18. W W C

5 B2

2 25

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Abinger, The Hall

in the County of Surrey

by The Lord Farrer per Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	
1	·37	·03	·05	·09	·02	..	·23	..	..	·06	·05	1·24	1
2	·41	..	·02	..	·03	..	·13	..	·21	·05	·12	·05	2
3	·42	..	·65	..	·01	..	·14	..	·11	..	·05	·38	3
4	·23	·04	·45	..	..	·05	·27	·09	·05	..	·04	·13	4
5	..	·41	·94	..	..	..	·05	..	·08	..	·12	·34	5
6	·32	..	·05	..	..	..	..	..	..	..	..	·02	6
7	·07	..	·41	..	..	..	·01	..	..	..	·05	..	7
8	·20	..	·12	·06	..	..	..	..	..	..	..	..	8
9	·24	..	·08	·04	..	..	..	..	..	..	·17	..	9
10	·70	..	·10	·01	..	..	..	..	..	·04	·05	·23	10
11	·20	..	·11	·30	·01	..	·18	..	..	..	..	·05	11
12	·25	..	·09	·08	..	..	·14	..	..	·16	·08	·01	12
13	·04	..	..	·67	..	..	..	..	..	·01	..	·05	13
14	·40	·01	..	·41	..	..	·14	..	·75	·01	..	·07	14
15	·25	·01	·25	·03	..	..	..	..	..	·01	..	·70	15
16	·08	·72	..	..	..	..	..	..	..	..	·11	..	16
17	..	·16	..	·03	..	..	..	..	..	..	·13	·04	17
18	..	·57	·09	..	..	..	..	·01	·04	..	·06	·01	18
19	·03	·26	1·12	..	..	·21	·65	·18	..	..	·02	·03	19
20	·35	·13	·24	..	..	·57	·18	·20	..	..	..	·02	20
21	·15	·46	·02	..	..	·05	·02	..	·01	..	·02	·05	21
22	..	·01	·02	..	..	..	·28	..	·35	..	·01	·34	22
23	..	..	..	..	..	..	·01	·04	·08	·03	·02	·03	23
24	..	..	..	·20	..	·08	·09	·02	..	·26	·08	·01	24
25	·05	·05	..	..	·02	·05	..	·29	..	..	..	..	25
26	·07	·20	·10	·06	..	..	..	·18	·13	..	..	·49	26
27	·50	·05	·01	1·32	..	..	..	·42	..	..	·17	·05	27
28	..	..	·35	·01	..	..	..	·87	..	·01	·41	·35	28
29	·05		..	·06	..	..	..	·34	..	·38	..	·11	29
30	..		..	·36	..	·10	..	·37	..	·05	·37	·95	30
31	·04		·02		..		·02	..		..		·08	31
TOTAL	5·42 ..	3·11 8·53	5·29 13·82	3·73 17·55	·09 17·64	1·11 18·75	2·54 21·29	3·01 24·30	1·81 26·11	1·07 27·18	2·13 29·31	5·83 35·14	YEAR'S TOTAL 35·14
Days with ·01 in. or more	23	15	22	16	5	7	16	12	10	12	20	26	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Expt

212

Copy by B.R.O.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Abinger The Hall

in the County of

by per Bayard, The Lord Farrer

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	Abinger (The Hall) IN.	
1	·06	..	..	·42	·10	..	·48	..	..	·42	·07	·20	1
2	..	..	·07	..	·02	..	·01	·26	·23	·09	..	·14	2
3	·09	·02	..	·04	·07	..	·02	..	..	·25	..	·14	3
4	..	·06	..	·23	·01	..	1·32	·18	..	·28	..	·05	4
5	..	..	·16	·05	..	..	·76	·30	·01	·01	..	·07	5
6	..	..	·24	..	·10	..	·30	..	..	..	..	·03	6
7	·04	·02	·02	·16	·09	..	·27	..	..	..	..	..	7
8	..	..	..	·05	·24	..	·23	..	..	..	..	..	8
9	·25	·02	·01	·11	..	..	·05	..	..	..	..	..	9
10	·53	·06	·13	..	..	·06	·21	..	..	..	·02	..	10
11	·30	..	·11	·32	..	·10	·36	..	..	..	..	·30	11
12	·04	·02	·01	·38	..	·62	..	..	..	..	·05	..	12
13	·24	..	·26	·20	..	..	..	..	..	..	·08	..	13
14	..	·02	·40	·37	..	·07	..	..	·09	·07	·38	..	14
15	·03	·01	·10	·16	..	..	..	..	·59	·10	·15	..	15
16	..	·01	·03	·21	..	..	..	..	·47	..	..	·03	16
17	·02	..	..	·01	·14	..	·01	..	·76	..	..	·12	17
18	·08	..	·03	·05	·04	..	..	·97	..	..	..	·13	18
19	·08	..	..	·28	..	·05	..	..	..	..	..	·02	19
20	·12	·30	..	·28	..	·62	..	..	·05	..	..	·02	20
21	..	..	..	·01	..	..	·62	..	·49	..	..	·16	21
22	·04	..	..	·42	..	..	..	·02	·16	..	..	·46	22
23	·01	·01	..	..	..	..	·38	·09	..	..	..	·37	23
24	·02	·02	·12	..	..	..	..	..	..	..	·05	·06	24
25	..	·01	..	·01	..	..	·38	..	..	..	..	·05	25
26	·12	..	·46	·02	..	·01	·12	..	..	..	..	·10	26
27	·55	·06	·03	·17	..	·08	·16	..	..	..	·75	·27	27
28	·51	..	·16	·06	·11	..	·16	..	..	..	·04	·03	28
29	·66	..	·03	·02	..	..	..	..	..	..	·22	·25	29
30	·03		..	·02	..	·02	·25	..	·20	..	·20	·25	30
31	·01		·08		·01		..	..		1·24		·16	31
Total	3·83	·64	2·45	4·05	·93	1·63	6·09	1·82	3·05	2·46	2·01	3·41	**Year's Total**
	..	4·47	6·92	10·97	11·90	13·53	19·62	21·44	24·49	26·95	28·96	32·37	32·37
Days with ·01 in. or more	22	13	19	25	11	9	19	6	10	8	11	23	176
Days with ·04 in. or more	16	4	12	19	8	7	16	5	9	7	10	18	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

36

FORM A. 2. METEOROLO ANIZATION.

REG

Kept at Croydon (Add

in the County of S

by The Borough Eng

IMPORTANT NOTE.—

If an Observer prefers not to the reading at 9 a.m. on 1st this paragraph. Full instructi and particulars as to the Bri sent post-free on application Square, London, N.W. 1.

R

ADDINGTON

M.O.

SURREY

1919 - 1920

°4′W

M.T

Gauge 8 in.

Ground ft. in.

Sea Level ft.

ered to the previous day.

ted to add the end of ain gauges, *Observers,"* 2, Camden

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·1	2·3	0·3	0·5	0·5	-	4·3	-	0·5	2·3	2·8	22·1	1
2	5·6	-	0·5	-	1·3	-	7·9	-	0·3	1·3	3·3	5·8	2
3	7·6	-	0·8	-	6·3	-	1·3	-	2·3	0·3	1·5	10·4	3
4	3·3	1·8	13·2	-	0·3	2·0	3·0	1·3	0·5	-	1·0	4·1	4
5	0·5	6·6	15·7	-	-	-	-	-	0·8	-	1·3	6·9	5
6	1·5	-	1·3	-	-	-	-	-	-	0·5	0·5	3·6	6
7	1·0	-	7·6	-	-	-	-	-	-	-	1·5	-	7
8	7·1	-	1·3	1·5	0·3	-	-	-	-	-	0·8	-	8
9	9·7	-	0·5	1·3	0·3	-	-	-	-	-	2·0	0·3	9
10	4·3	-	1·3	0·8	0·3	-	-	-	-	0·5	0·3	0·8	10
11	2·0	-	2·8	9·9	0·5	-	6·1	-	-	0·3	-	0·5	11
12	1·0	-	1·8	0·8	-	0·3	3·6	-	-	2·3	0·5	0·3	12
13	0·8	0·3	-	11·7	-	-	-	-	1·0	1·0	-	1·0	13
14	8·4	0·3	-	8·4	-	-	2·0	-	14·2	0·3	-	1·3	14
15	4·6	0·5	4·6	2·5	-	-	-	-	-	-	-	11·2	15
16	2·3	11·4	-	0·5	-	-	0·3	-	-	-	2·5	1·5	16
17	0·5	9·7	1·3	0·8	-	-	-	-	-	0·3	4·1	0·5	17
18	0·5	8·9	1·5	-	-	-	-	-	1·3	0·3	1·8	1·0	18
19	0·5	2·3	13·5	0·3	-	5·3	8·4	7·4	0·8	0·5	2·0	0·5	19
20	3·8	3·0	1·3	-	-	17·8	7·1	3·8	0·3	-	0·5	0·5	20
21	4·1	9·1	0·8	-	-	2·3	2·8	-	-	0·5	0·8	0·5	21
22	0·3	1·8	1·0	-	-	-	5·6	0·3	9·7	0·3	0·8	6·6	22
23	-	-	-	-	-	1·3	0·5	1·3	3·0	0·3	0·5	0·8	23
24	-	-	-	5·8	-	0·5	2·0	0·8	-	3·8	2·0	0·3	24
25	0·5	0·5	-	-	-	-	-	3·6	-	-	0·3	0·8	25
26	1·8	6·9	2·8	1·3	-	-	-	3·6	3·3	-	0·8	7·1	26
27	8·6	2·3	0·8	21·6	-	-	0·5	8·9	-	-	0·5	1·5	27
28	-	0·3	7·6	1·0	-	0·3	1·8	19·8	0·3	-	8·4	6·6	28
29	1·8		-	0·8	-	-	-	14·2	-	8·4	1·3	1·8	29
30	0·5		0·8	6·6	-	3·0	-	8·6	-	2·8	4·6	15·7	30
31	3·0		3·0		-		0·8	-		0·8		2·3	31
TOTAL	93·7	68·0	86·1	76·1	3·8	32·8	58·0	73·6	38·3	26·8	46·4	116·3	YEAR'S TOTAL 719·9
Days with 0·2 mm. or more	28	17	24	18	8	9	17	12	14	19	26	29	221

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202.

86

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH [illegible] NIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Croydon (Addington of M.W.R.) [M.O.]
in the County of Surrey
by The Borough Engineer, Croydon.

Lat. 51° 22′ Long. 0° 4′ W
Time of Observation 9h G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·1	2·3	0·3	0·5	0·5	-	4·3	-	0·5	2·3	2·8	22·1	1
2	5·6	-	0·5	-	1·3	-	7·9	-	0·3	1·3	3·3	5·8	2
3	7·6	-	0·8	-	6·3	-	1·3	-	2·3	0·3	1·5	10·4	3
4	3·3	1·8	13·2	-	0·3	2·0	3·0	1·3	0·5	-	1·0	4·1	4
5	0·5	6·6	15·7	-	-	-	-	-	0·8	-	1·3	6·9	5
6	1·5	-	1·3	-	-	-	-	-	-	0·5	0·5	3·6	6
7	1·0	-	7·6	-	-	-	-	-	-	-	1·5	-	7
8	7·1	-	1·3	1·5	0·3	-	-	-	-	-	0·8	-	8
9	9·7	-	0·5	1·3	0·3	-	-	-	-	-	2·0	0·3	9
10	4·3	-	1·3	0·8	0·3	-	-	-	-	0·5	0·3	0·8	10
11	2·0	-	2·8	9·9	0·5	-	6·1	-	-	0·3	-	0·5	11
12	1·0	-	1·8	0·8	-	0·3	3·6	-	-	2·3	0·5	0·3	12
13	0·8	0·3	-	11·7	-	-	-	-	1·0	1·0	-	1·0	13
14	8·4	0·3	-	8·4	-	-	2·0	-	14·2	0·3	-	1·3	14
15	4·6	0·5	4·6	2·5	-	-	-	-	-	-	-	11·2	15
16	2·3	11·4	-	0·5	-	-	0·3	-	-	-	2·5	1·5	16
17	0·5	9·7	1·3	0·8	-	-	-	-	-	0·3	4·1	0·5	17
18	0·5	8·9	1·5	-	-	-	-	-	1·3	0·3	1·8	1·0	18
19	0·5	2·3	13·5	0·3	-	5·3	8·4	7·4	0·8	0·5	2·0	0·5	19
20	3·8	3·0	1·3	-	-	17·8	7·1	3·8	0·3	-	0·5	0·5	20
21	4·1	9·1	0·8	-	-	2·3	2·8	-	-	0·5	0·8	0·5	21
22	0·3	1·8	1·0	-	-	-	5·6	0·3	9·7	0·3	0·8	6·6	22
23	-	-	-	-	-	1·3	0·5	1·3	3·0	0·3	0·5	0·8	23
24	-	-	-	5·8	-	0·5	2·0	0·8	-	3·8	2·0	0·3	24
25	0·5	0·5	-	-	-	-	-	3·6	-	-	0·3	0·8	25
26	1·8	6·9	2·8	1·3	-	-	-	3·6	3·3	-	0·8	7·1	26
27	8·6	2·3	0·8	21·6	-	-	0·5	8·9	-	-	0·5	1·5	27
28	-	0·3	7·6	1·0	-	0·3	1·8	19·8	0·3	-	8·4	6·6	28
29	1·8		-	0·8	-	-	-	14·2	-	8·4	1·3	1·8	29
30	0·5		0·8	6·6	-	3·0	-	8·6	-	2·8	4·6	15·7	30
31	3·0		3·0		-		0·8	-		0·8		2·3	31
Total	93·7	68·0	86·1	76·1	3·8	32·8	58·0	73·6	38·3	26·8	46·4	116·3	Year's Total 719·9
Days with 0·2 mm. or more	28	17	24	18	8	9	17	12	14	19	26	29	221

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202.

read in inches [illegible] mm [illegible]

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Croydon (Addington of M.W.R.) (M.O.)
in the County of Surrey
by The Borough Engineer, Croydon

Lat. 51° 22′ Long. 0° 4′ W.
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·5	-	-	7·4	0·8	-	9·1	0·5	0·3	14·2	0·5	7·6	1
2	-	-	2·5	-	0·5	-	0·5	8·1	2·0	1·8	0·3	2·0	2
3	0·3	1·5	-	0·8	-	1·3	-	-	0·8	1·8	0·5	2·3	3
4	-	2·5	0·3	3·8	-	-	22·6	1·5	0·3	3·3	0·5	0·5	4
5	-	0·5	2·5	0·3	1·3	-	15·0	2·3	1·0	-	0·5	0·8	5
6	-	0·3	9·7	-	3·8	-	5·8	-	-	-	-	1·8	6
7	0·5	-	-	3·6	1·5	-	6·9	-	-	0·3	0·3	0·8	7
8	-	0·5	0·3	2·5	1·8	-	8·6	-	-	0·5	-	-	8
9	6·1	1·3	-	0·5	-	-	0·8	0·3	-	-	-	0·5	9
10	10·4	2·0	1·8	0·8	-	4·8	5·1	-	-	-	1·8	0·5	10
11	4·3	-	2·0	6·4	0·3	1·3	8·1	-	-	0·5	0·5	4·6	11
12	1·8	0·5	0·5	5·3	-	33·8	0·5	-	-	0·3	0·5	-	12
13	3·8	0·3	4·1	3·0	-	-	-	-	-	-	0·8	0·3	13
14	-	0·5	8·9	6·6	-	2·8	-	-	2·8	2·3	5·6	0·8	14
15	0·8	0·3	1·3	7·6	-	-	-	-	32·3	1·3	2·3	0·5	15
16	0·3	0·3	0·5	3·3	-	1·8	-	-	2·8	0·5	0·5	0·3	16
17	0·8	-	-	0·8	3·0	-	0·5	-	10·9	-	-	2·3	17
18	1·3	-	0·3	1·0	1·0	-	-	38·0	2·5	-	0·5	2·3	18
19	3·0	0·3	-	8·1	-	1·3	-	0·3	-	-	0·8	2·5	19
20	1·5	5·1	0·3	7·4	-	10·9	-	-	3·8	-	0·5	0·5	20
21	0·3	-	-	0·5	-	-	17·5	0·5	15·5	-	0·3	2·3	21
22	0·3	0·3	-	8·1	-	-	0·3	0·8	8·4	-	0·8	7·9	22
23	0·3	0·5	-	0·8	-	-	10·7	0·5	-	0·3	-	6·9	23
24	-	0·8	1·5	0·5	-	-	-	-	0·5	-	0·3	1·0	24
25	-	0·3	0·3	1·0	-	-	5·6	-	0·5	0·5	0·5	-	25
26	1·0	-	6·9	0·8	-	-	0·8	-	0·3	0·5	-	0·8	26
27	8·9	1·3	0·5	5·3	-	3·0	3·0	-	0·3	0·5	8·9	3·8	27
28	11·7	0·3	4·6	1·8	2·0	-	2·0	-	-	0·5	0·8	1·0	28
29	16·0	-	2·8	0·3	-	-	0·5	-	0·3	-	1·8	4·8	29
30	0·8	×	-	0·3	0·8	1·0	3·6	-	6·9	0·3	6·4	3·5	30
31	0·3	×	-	×	1·5	×	-	-	×	10·7	×	2·5	31

(read in inches)

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	76·0 ✓	19·4 ✓	51·6 ✓	88·6 ✓	18·3 ✓	62·0 ✓	127·5 ✓	52·8 ✓	92·2 ✓	40·1 ✓	36·2 ✓	65·4 ✓	~~730·1~~
Days with 0·2 mm. or more	23 ✓	20 ✓	20 ✓	28 ✓	12 ✓	10 ✓	21 ✓	10 ✓	19 ✓	18 ✓	24 ✓	28 ✓	233
	3	6	12	17	6	10	14	4	11	6	6	17	124

(44,284). Wt. 21,958—21[illegible]. 500. 10/19. Gp.132. A.&E.W.

copied from M.O. form 3202

59

ADDINGTON

PUMPING STA.

SURREY

1911 - 1920

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

RE

Kept at Addington

in the County of Surr

by F. C. Bayard

in.

round 1 ft. 0 in.

ea Level 331 ft.

ame

stance Direction

IMPORTANT NOTE … the result entered to the previous day. If an Obs… rsal rule, he is earnestly requested to add the readi… in the space provided for it at the end of this … nt of rain, the selection and placing … sh Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·98				·03			·01		1
2	·17			·16	·20		·02				·31	·13	2
3	·01	·02			·16						·08	·19	3
4	·05	·01	·08	·08					·02	·10	·24	·40	4
5	·01	·01		·03						·30	·05	·15	5
6	·38		·19									·43	6
7	·03			·05						·19	·48	·28	7
8	·09		·14								·30	·51	8
9	·22		·02	·04							·01	·08	9
10		·10	·12								·03	·92	10
11	·35				·03						·75		11
12	·01		·48		·10	·01			·02		·18		12
13			·06		·18				·20	·09	·03	·23	13
14		·08			·22							·68	14
15		·04	·32							·03	·08	·03	15
16						·43					·70	·11	16
17			·02			·05					·47	·25	17
18		·16		·01							·70	·36	18
19					·01	·19			·32	·24	·22	·19	19
20	·01	·01	·02			·03		·19		·12	·01	·80	20
21	·01	·08						·09		·75		·16	21
22	·02		·19			·06		·03		·14		·49	22
23		·18	·03			·76			·24	·01	·02	·15	23
24		·13				·05	·04	·01		1·18		·20	24
25		·06		·04		·10	·01	·01	·02	·06			25
26		·01	·14	·20	·09	·24				·16	·01	·22	26
27		·26	·16	·06					·13	·06	·04	·08	27
28		·15		·29				·08			·01		28
29				·30		·20	·27	·01	·11	·22	·01		29
30								·18	·03	·28			30
31					·10								31
Total	1·40	1·30	1·97	2·24	1·09	2·12	·34	·63	1·09	3·93	4·74	7·04	TOTAL for year 27·89
No. of Rain Days	14	15	14	12	9	11	4	9	9	16	23	23	159

9,000, IX. '10.

59

REGISTER

Form A2.
British Rainfall.

20 FEB 1912

Kept at Addington, Pumping Station

in the County of Surrey 3

by F. C. Bayard, Croydon Corporation

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 331 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·98				·03			·01		1
2	·17			·16	·20		·02				·31	·13	2
3	·01	·02			·16						·08	·19	3
4	·05	·01	·08	·08					·02	·10	·24	·40	4
5	·01	·01		·03						·30	·05	·15	5
6	·38		·19									·43	6
7	·03			·05						·19	·48	·28	7
8	·09		·14								·30	·51	8
9	·22		·02	·04							·01	·08	9
10		·10	·12								·03	·92	10
11	·35				·03						·75		11
12	·01		·48		·10	·01			·02		·18		12
13			·06		·18				·20	·09	·03	·23	13
14		·08			·22							·68	14
15		·04	·32							·03	·08	·03	15
16						·43					·70	·11	16
17			·02			·05					·47	·25	17
18		·16		·01							·70	·36	18
19					·01	·19			·32	·24	·22	·19	19
20	·01	·01	·02			·03		·19		·12	·01	·80	20
21	·01	·08						·09		·75		·16	21
22	·02		·19			·06		·03		·14		·49	22
23		·18	·03			·76			·24	·01	·02	·15	23
24		·13				·05	·04	·01		1·18		·20	24
25		·06		·04		·10	·01	·01	·02	·06			25
26		·01	·14	·20	·09	·24				·16	·01	·22	26
27		·26	·16	·06					·13	·06	·04	·08	27
28		·15		·29				·08			·01		28
29				·30		·20	·27	·01	·11	·22	·01		29
30								·18	·03	·28			30
31					·10								31
Total	1·40	1·30	1·97	2·24	1·09	2·12	·34	·63	1·09	3·93	4·74	7·04	TOTAL for year 27·89
No. of Rain Days	14	15	14	12	9	11	4	9	9	16	23	23	159

9,000, IX. '10.

K. made

Ex 38

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

12 FEB 1913

Kept at Addington, Pumping Station
in the County of Surrey 3
by F. C. Bayard, Croydon Corporation

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14			·10	·22		·05	·58		·24	1
2		·01	·38	·05			·33	·08	·02	·05			2
3	·05	·08	·14			·15	·04	·39				·09	3
4	·20		·61		·17	·21		·06			·19		4
5	·16	·02	·14					·32			·08	·01	5
6	·42	·05			·01			·07				·25	6
7			·03		·10	·54	·09	·16				·05	7
8	·31	·49	·29	·01			·01	·52	·03			·01	8
9		·10		·04		·32	·02	·01				·09	9
10		·06						·40			·03	·25	10
11	·03	·33				·02		·11	·03	·01		·27	11
12	·01	·16	·04		·15	·08		·05			·01	·03	12
13		·01						·01			·10		13
14			·02		·01			·04		·05	·01	·02	14
15	·01		·24		·23	·70					·04	·33	15
16	·20		·06		·03	·13		·11		·06	·08		16
17	·33		·43			·02		·05			·02	·10	17
18	·15		·20					·21		·04	·02	·11	18
19	·12	·11	·15				·05	·22				·01	19
20		·02	·63			·01		·07		·41	·04		20
21	·01	·02	·24		·01			·05		·09	·03		21
22	·13	·18	·13		·03		·05	·15		·05		·05	22
23	·45	·40	·30		·03			·42		·07	·20	·08	23
24	·14	·01				·16	·04	·23				·15	24
25	·19					·37		·83			·23	·48	25
26	·01	·01						·57		·26	·54	·38	26
27			·01				·03			·15		·18	27
28		·06					·15	·07	·04	·63	·63	·18	28
29		·04				·08	·26	·14	1·61	·16	·08		29
30					·33	·11	·01	·02	1·74	·22			30
31			·08				·15	·10		·02			31
Total	2·92	2·16	4·26	·10	1·10	3·00	1·45	5·46	3·52	2·85	2·33	3·36	YEAR'S TOTAL 32·51
Rain Days.	18	19	20	3	11	15	14	28	7	16	17	22	190

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Addington Pumping Station

in the County of Surrey 3

by F C Bayard Croydon Corporation

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.30	.06	.27					.16	.05	05	.12	1
2	.07	.15					.11			.04	.15		2
3	.01		.06	.37	.28					.02		.16	3
4	.36		.02	.04	.15		.07			.07	.02	.05	4
5	.40		.01			.09	.06		.38		.04	.02	5
6	.15	05	.13		.01	.08	.09			.26	.18	.08	6
7		.21			.06		.01	.10		.48	.12		7
8		.02	.04		.16	.04				.08	.05		8
9		.10		.01	.04	.01			.14		.02	.02	9
10			.08	.14			.01	.02			.34		10
11	.50			.35						.64	.18		11
12		.01			.01						.37		12
13	.10		.03					02			.22		13
14	.12		.12	.07			.38	.08	.03	.17	.05		14
15	.40	.07	28	.29			.31		.05				15
16	.15		.38	.21					.63				16
17	01	03	.09	.06			.20	.01					17
18			.10	.09							.02		18
19	.32		.11		.02	.05	.12						19
20	.33		.44	.07		.04				.64	.01		20
21	.01		.17	.02			.08			.25	.86		21
22	.33		.21	.29				.01	.13		.01		22
23			.07			.03	.01	.24				.41	23
24	.03			.02							.03		24
25				.30		.01						.01	25
26		01	.17	.05			.01	.27		.91		.21	26
27			.07	.15	.03					.04			27
28	.20		.29	.05						.20			28
29	.04		.03	.38	.35			.07		.03			29
30	.41			.10				.14		.15			30
31			.02					.75		.05			31
Total	3.95	.95	2.98	3.33	1.11	.35	1.46	1.71	1.52	4.08	2.72	1.08	YEAR'S TOTAL 25.24
Rain Days.	20	10	23	21	10	8	13	11	7	17	18	9	167

W.7,000, XI. 13

Slip made 3/3/15

Ex LMcC

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

REGISTER OF RAINFALL IN 19 14

Kept at Addington Pumping Station

in the County of Surrey. 3

by Engine Driver.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station —

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	–	·21	–	–	·01	–	1
2	·01	–	–	–	–	·01	·08	·09	–	–	·13	·28	2
3	–	–	·07	·05	·18	–	·10	·01	–	–	·01	–	3
4	·05	–	·02	·21	–	–	–	–	–	–	·25	·30	4
5	·13	–	·05	·25	·26	·05	·21	·40	–	–	·05	–	5
6	–	·14	·02	·10	·01	·26	–	–	–	–	·03	·23	6
7	–	·59	·24	·16	·35	·37	·06	–	–	–	–	·15	7
8	·07	·59	·45	·01	·01	·10	·05	·12	·02	–	–	·05	8
9	·24	–	·80	·11	–	·05	–	–	·05	–	–	1·50	9
10	–	·08	·03	·04	·06	–	–	–	·05	–	·01	·02	10
11	–	·69	·41	–	·01	·01	–	–	·19	–	·18	·32	11
12	·01	·05	·08	–	·01	–	·16	–	·16	·01	·01	·71	12
13	–	·30	·20	–	–	–	–	–	·13	·06	·10	·94	13
14	–	·18	·23	–	–	–	·30	–	–	·40	·10	·64	14
15	·04	·01	·19	–	–	–	·16	·04	–	–	1·13	·03	15
16	·02	–	·04	–	–	–	–	–	·06	–	–	–	16
17	–	·35	·20	–	–	–	–	–	·03	–	–	·16	17
18	–	·09	·20	–	–	–	–	–	–	–	·01	·43	18
19	–	·05	·43	–	–	–	·14	–	–	·02	·22	·23	19
20	–	·20	·40	–	–	·03	–	–	·04	·02	–	·09	20
21	–	1·00	·12	–	–	–	–	·07	–	·01	–	·04	21
22	–	·04	–	·03	·27	·10	·20	·02	–	·16	–	–	22
23	–	–	·11	–	·07	·10	·03	–	–	·01	–	·07	23
24	–	–	·05	–	–	–	·01	–	–	–	·09	–	24
25	·02	–	·24	–	–	–	·02	·08	–	·39	·01	·13	25
26	–	–	·14	–	–	–	·10	·10	–	·05	·25	·71	26
27	–	–	·02	–	–	–	–	·02	–	–	·05	·29	27
28	·01	·01	–	–	–	–	–	–	–	·08	·37	·65	28
29	·05	–	·04	–	–	–	–	–	–	·47	·25	–	29
30	–	✕	·04	–	·01	–	–	–	–	·06	·62	·29	30
31	·01	✕	–	✕	·20	✕	–	–	✕	–	✕	·05	31
Total	·66	4·37	4·82	·96	1·44	1·08	1·62	1·16	·73	1·74	3·88	8·31	YEAR'S TOTAL 30·77 ✓
Rain Days.	12	16	26	9	12	10	14	11	9	13	21	24	177 ✓

W. 8,000. X. 14.

102

FORM A.
BRITISH RAINFALL.
6. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Addington Pumping Station
in the County of Surrey 3
by Resident Engine Driver

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Hayes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·70	·12	·04	–	·05	–	–	·02	·09	·02	·28	·50	1
2	·13	·23	·20	·15	–	·01	–	·80	·11	·05	·01	·06	2
3	·38	–	·04	·19	·04	–	–	·27	·01	–	–	·49	3
4	·10	–	–	–	–	–	–	–	–	–	–	·25	4
5	·03	·64	–	·01	–	–	–	·02	–	·05	·01	·33	5
6	·35	·05	·03	·46	–	–	·37	–	–	–	–	·08	6
7	·42	·42	·03	–	–	·01	·26	·01	–	–	–	·20	7
8	·08	·75	–	·08	–	–	·10	·13	–	–	–	–	8
9	–	·05	–	·13	–	·15	–	·05	–	·03	·30	·40	9
10	·25	–	–	–	–	–	–	–	–	–	–	·28	10
11	–	–	–	–	–	–	–	–	–	–	·61	·08	11
12	05	·07	–	·45	·39	–	–	·34	–	·03	·46	·01	12
13	–	·75	–	–	1·23	–	–	–	–	–	–	–	13
14	–	·04	–	–	–	–	·10	·12	·02	–	·01	·42	14
15	·22	–	–	–	·05	–	·06	–	–	–	·19	·16	15
16	–	·69	–	·01	·03	–	·72	·08	–	–	–	·44	16
17	–	·57	–	–	1·00	–	·04	·03	–	–	–	–	17
18	–	·12	·09	–	·21	–	–	–	–	–	·10	–	18
19	–	·34	–	–	·02	–	·10	–	–	·03	–	–	19
20	·25	–	–	·03	–	–	–	–	–	–	–	·24	20
21	·21	·02	–	–	–	–	·01	–	–	·03	–	·08	21
22	·95	·15	·06	·01	–	–	·70	–	–	–	–	·12	22
23	–	·26	·03	·01	–	·05	·19	–	·01	·30	–	·27	23
24	·01	–	·01	·02	–	–	·07	–	·18	·18	–	·32	24
25	–	–	·04	·13	–	–	·27	–	–	–	–	·33	25
26	·01	·05	–	–	–	·20	·03	–	–	–	–	·49	26
27	–	·02	–	–	–	·24	·14	–	–	·33	–	·05	27
28	–	·04	–	–	–	·09	–	–	1·58	·13	–	–	28
29	–	X	–	–	–	·02	·29	·15	–	·01	·19	–	29
30	·03	X	–	–	–	·01	–	·01	·01	·03	·51	02	30
31	·01	X	–	X	–	X	–	·08	X	1·09	X	·40	31
Total	4·18	5·38	0·57	1·68	3·02	0·78	3·45	2·11	2·01	2·31	2·67	6·02	YEAR'S TOTAL 34·18
Rain Days.	18	20	10	13	9	9	16	14	8	14	11	24	166

W. 8,000. X. 15.

9·4

FORM A.
BRITISH RAINFALL.

13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Addington Pumping Station

in the County of Surrey

by F. C. Bayard, Croydon Corporation

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10				·46				·21	·05	·35		1
2	·30	·11	·12		·32		·02		·05	·29	·06		2
3		·77	·32				·01		·15	·33	·72		3
4	21	·16		·05		·31			·13	·01	·53		4
5	·01		·01		·16	·21	·07			·05	·62	03	5
6		·14	·25	·36	·05	·11	·31			·07	·75		6
7	06		·70	·01	·26	·03	·30			·02	·96	04	7
8					·29							·45	8
9					·28		·02			·04		·18	9
10		·16	·11	·07		·52	·08		·01			·11	10
11	·03	·13	·04	·14		·30			01			·01	11
12	·02	·03	·01	·06	·27	·25	·02	·02		·08	·01		12
13	·02	·21	·29	·19	·02	·02	·14	·01	·01	·08			13
14		·42	·02	·02	·11							·05	14
15		·11	·22				·05	·29		·02			15
16	01	·03	·13	17			·20	·11		·01		·01	16
17	·10	·12		·03			·02	·25	·35	·55		·02	17
18	·01	·08	·02	·21				·24	·10	·30	·73		18
19	·09	·08	·13	·20					·08		·70	·05	19
20	·14		·20	·03							·13	·53	20
21	·03		·35				·24				·01	·33	21
22		·01	·11		·01					·02		·44	22
23	·02	·45	·03			·06		·01		·08	·05	·10	23
24		·05	·01		·06	·09		·02		·21	·06	·30	24
25		·55	·18					·20		·18	·07		25
26		·18	·02			·25			·01	·18			26
27	03		·77			1·31		·77	·04	1·06			27
28		·39	·29			·01		·05	·07	·02	·01	·12	28
29		·12				·20		·83	·03	·35		·18	29
30					·08			·18		·31			30
31								·03		·11		·02	31
													YEAR'S TOTAL
Total	1·18	4·30	4·33	1·54	2·37	3·67	1·48	3·01	1·25	4·42	5·76	2·97	36·28
Rain Days.	16	21	23	13	13	14	13	14	14	24	16	18	199

W.7,000, XI. 13

Shade

90

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Addington Pumping Stn Hares Bank
in the County of Surrey.
by Croydon Corpn

Lat. Long.
Time of Observation 9. am
Nearest Railway Station East Croydon
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 12. ft. in.
" " " " Sea Level 331·0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·02	·01	·22	–	–	–	1·61	·03	–	·07	·01	1
2	–	–	–	48	–	–	–	·20	–	–	·11	–	2
3	·01	–	–	·13	–	–	·06	·47	–	·12	·12	–	3
4	–	·25	·05	–	–	–	·67	·13	–	·38	·01	–	4
5	·21	–	·02	·35	–	–	–	–	·84	·15	·10	–	5
6	–	–	·07	07	–	·06	–	–	·29	·02	·06	–	6
7	·27	–	–	–	–	–	·20	–	–	·57	–	·02	7
8	·10	–	–	·07	–	–	·69	·27	·03	·24	·20	·25	8
9	·02	–	·03	·08	–	–	·16	·06	·03	–	·12	·67	9
10	·17	–	·11	·13	–	·01	–	·06	–	–	–	·09	10
11	·10	·01	·23	·20	–	–	–	·01	·29	·22	–	–	11
12	·05	–	·03	·02	–	–	–	·03	–	·45	·02	·01	12
13	·67	–	·07	·01	–	–	–	·01	·03	·24	–	–	13
14	–	–	·02	·15	–	–	–	·01	–	·01	·01	–	14
15	·05	–	–	–	–	–	·03	·18	–	·05	·01	·06	15
16	·05	·13	–	·11	·20	·01	·12	–	–	·38	·01	·57	16
17	·01	–	–	·11	·55	–	·19	·13	·34	·12	–		17
18	·05	·07	–	·12	·04	·01	·19	·02	·18	·05	–		18
19		·07	·05	–	·07	·04	–	–	·10	–	–		19
20		·06	·05	–	·68	–	·03	–	·01	–	·05		20
21		·01	·05	·03	–	·02	–	–	–	–	·02		21
22		–	·01	–	–	–	–	·18	–	·10	·01		22
23		·13	·01	–	·21	·08	–	·20	–	·13	–	·03	23
24		·02	–	–		·08	·01	·01	–	·12	01	·02	24
25		·04	·02	–	–	·01	–		–	·03	06	–	25
26		–	·05	–	–	–	–	·33	·02	·03	·62	·01	26
27		–	·01	–	–	–	–	1·08	–	–	–	·01	27
28		·01	–	–	–	1·33	–	·14	–	01	–	·05	28
29			·01	–	·08	·13	·08	·02	–	·33	–	·15	29
30	·01	✗	·25	–	–		2·00	·08	–	·03	–	·04	30
31	07	✗	·04	✗	–	✗	·62	·01	✗	·01	✗	–	31
Total	1·24	·82	1·19	2·28	1·83	1·78	5·05	5·24	2·19	3·73	1·61	1·99	YEAR'S TOTAL 28·95
Rain Days.	15	12	21	16	7	11	14	23	12	23	18	15	187

W. 8,000, IX. 17.

Smade

W. D L and by Bayard

13

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
5. 2. 19

Kept at Addington Well

in the County of Surrey.

by Croydon Corpn.

Lat. .... Long. ——

Time of Observation 9. am

Nearest Railway Station ~~W~~ Hayes.

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·01	·01	—	—	·03	—	—	·26	·04	1
2	—	·03	—	·04	—	—	—	·16	—	—	·15	·17	2
3	—	—	·14	·05	·90	—	—	—	—	·01	·50	·01	3
4	—	·19	·12	·01	·02	—	—	·03	·22	—	·62	·01	4
5	—	·03	·01	—	·15	—	—	·07	·82	·04	—	·02	5
6	·18	·18	—	·22	·25	—	—	·04	·02	·05	—	·06	6
7	·05	·05	—	·12	·38	·01	—	·02	·10	·07	·06	·02	7
8	—	·11	—	—	—	—	—	·01	·12	·03	·10	·08	8
9	·01	·01	—	·09	—	·05	·19	—	·55	·11	—	·29	9
10	—	—	—	·14	—	—	·53	—	·07	·09	·02	·31	10
11	·01	—	—	·03	·02	—	·52	—	·02	·27	·11	·13	11
12	—	·04	—	—	·17	—	·13	—	·03	·01	·01	·03	12
13	—	·02	—	·02	·08	—	·10	—	·07	·01	—	·01	13
14	·11	—	·01	·02	—	·55	·02	—	·08	·16	·01	·14	14
15	1·21	—	—	·75	—	·01	·09	—	—	—	·01	·14	15
16	·36	—	—	·20	—	·04	·01	—	·07	·01	—	·01	16
17	·26	—	·01	·11	·04	—	·90	·06	—	—	—	·15	17
18	·47	—	—	—	—	·18	·12	—	·53	·26	—	·08	18
19	·10	—	·07	·10	·04	·03	·11	—	—	·15	—	·07	19
20	·04	·15	—	·69	—	·03	·22	—	·32	·45	—	·02	20
21	·13	·01	—	·60	—	—	·07	—	·29	·12	·02	·01	21
22	·04	—	—	·01	·92	—	·34	—	·18	·01	·01	·18	22
23	·03	—	—	·02	·16	·03	·60	·10	·12	—	—	·07	23
24	—	·28	—	—	—	·13	·28	—	·13	—	·03	—	24
25	—	·01	—	·29	—	·02	·30	·18	—	·03	·03	—	25
26	—	—	—	—	—	—	·63	·10	—	·03	·07	·12	26
27	—	·03	·02	·17	—	—	·05	·16	·09	—	·10	·02	27
28	·02	·01	·28	·04	—	·02	—	·02	—	—	·24	·08	28
29	·01		·02	·02	—	—	—	—	·96	—	·01	—	29
30	·01	X	·32	—	—	—	—	—	·04	·04	·01	·17	30
31		X	·06	X	—	X	—	—	X	·07	X	·02	31
Total	3·04	1·16	1·06	3·75	2·14	1·10	5·21 ✓	·98	9·83	2·02	2·37	2·46	YEAR'S TOTAL 30·11
Rain Days.	17	16	11	23	13	12	19	13	21	21	20	28	214

W, 6,500, VII. 18. W W C

6 X 9 M X 85

Form A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

17 MAR 20

REGISTER OF RAINFALL IN 1919.

Kept at Addington, Pumping Station

in the County of Surrey

by Croydon Corporation, per Bayard

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	
1	·37	·11	·01	..	·02	..	·15	..	..	·07	·10	·91	1
2	·26	·01	·02	..	·05	..	·28	·01	·01	·05	·13	·13	2
3	·29	..	·44	..	·01	..	·10	..	·08	·01	·04	·15	3
4	·15	·05	·44	..	..	·08	·12	·04	·01	..	·04	·15	4
5	·02	·19	·74	..	·01	..	..	·01	·02	·01	·03	·28	5
6	·07	·01	·05	..	..	..	..	..	..	·01	·02	·15	6
7	·04	..	·33	..	..	..	..	..	..	..	·06	..	7
8	·22	..	·06	·03	..	..	..	..	..	..	·01	..	8
9	·38	..	·02	·06	·01	..	..	..	..	..	·10	..	9
10	·22	..	·05	..	..	..	..	..	..	·02	·01	·02	10
11	·07	..	·13	·27	·01	..	·23	..	..	..	..	·02	11
12	·05	..	·11	·02	..	·01	·15	..	..	·10	..	..	12
13	·03	·01	..	·44	..	..	..	..	·03	·04	·01	·01	13
14	·37	..	..	·40	..	..	·08	..	·60	·01	..	·03	14
15	·17	·02	·14	·09	..	..	..	..	..	·01	..	·22	15
16	·10	·39	..	·01	..	..	·02	..	·03	..	·10	·04	16
17	·03	·35	·05	·02	..	..	..	..	..	·01	·17	·02	17
18	·01	·44	·06	..	..	..	..	·01	..	..	·07	·04	18
19	·02	·10	·56	..	..	·20	·33	·26	·04	..	·07	·01	19
20	·17	·11	·06	..	..	·65	·28	·16	..	·02	·02	..	20
21	·13	·40	·03	..	..	·23	·07	..	..	·01	·03	·01	21
22	·02	·07	·01	..	..	..	·25	..	·35	·01	·01	·25	22
23	..	..	..	..	..	·05	·03	·04	·10	..	·02	·02	23
24	..	..	..	·28	..	·02	·05	·02	..	·12	·07	..	24
25	·02	·01	..	..	..	..	..	·13	..	..	..	·03	25
26	·08	·37	·12	·08	..	..	..	·02	·12	..	..	·31	26
27	·36	·12	·04	1·20	..	..	·01	·39	..	..	·03	·05	27
28	·02	·01	·30	·04	..	..	·05	·80	·01	..	·35	·27	28
29	·06		..	·04	..	..	..	·39	..	·42	·06	·09	29
30	·01		·02	·26	..	·13	..	·36	..	·09	·19	·68	30
31	·09		·14		..		·03	..		·02		·11	31
TOTAL	3·83	2·77	3·93	3·24	·11	1·37	2·23	2·64	1·40	1·03	1·74	4·00	YEAR'S TOTAL
	..	6·60	10·53	13·77	13·88	15·25	17·48	20·12	21·52	22·55	24·29	28·29	28·29
Days with ·01 in. or more	29	18	24	15	6	8	17	14	12	18	24	25	210

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

18

Ex Dh 85

Copy by B.R.O.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Addington, Pumping Station
in the County of
by per J. Bayard, Croydon Corporation

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	Addington (Pump. St.) IN.	
1	·07	..	..	·24	·05	..	·36	..	·01	·44	·01	·33	1
2	..	..	·06	..	·02	..	·03	·27	·08	·12	·01	·07	2
3	·01	·05	·01	·03	..	·04	..	..	·03	·06	·01	·06	3
4	..	·10	·01	·15	..	..	1·00	·09	·01	·10	·02	·04	4
5	..	·01	·10	..	·05	..	·50	·12	·04	..	..	·01	5
6	..	·01	·27	..	·14	..	·20	..	..	..	..	·03	6
7	·01	..	·01	·18	·03	..	·29	..	..	·02	·01	·02	7
8	..	·02	..	·11	·11	..	·39	..	..	·01	..	..	8
9	·26	·05	·01	·02	·01	..	·06	..	..	..	..	..	9
10	·45	·06	·06	·02	..	·11	·18	..	..	..	·04	..	10
11	·18	..	·06	·27	·01	·03	·20	..	..	·01	·02	·17	11
12	·07	·01	·02	·18	..	1·27	..	..	..	..	·02	..	12
13	·23	..	·16	·11	..	..	..	..	..	..	·04	..	13
14	..	·02	·34	·31	..	·11	..	..	·12	·19	·23	..	14
15	·02	·01	·04	·22	..	..	..	..	1·21	·03	·08	..	15
16	..	..	·01	·21	·01	·07	..	..	·10	..	·01	..	16
17	·01	..	..	·02	·13	..	..	..	·58	..	·01	·08	17
18	·04	..	..	·01	·03	..	·01	·87	·21	..	·01	·08	18
19	·12	·01	..	·35	..	·04	..	·01	·01	..	·01	·07	19
20	·05	·19	..	·28	..	·41	..	..	·14	·01	..	·01	20
21	·01	..	·01	·02	..	..	·62	·02	·59	·01	..	·09	21
22	·01	·02	..	·33	..	..	..	·02	·15	·01	..	·30	22
23	..	·01	..	..	..	..	·40	·01	..	·01	..	·30	23
24	..	·02	·05	..	..	..	..	..	·03	·01	·01	·02	24
25	..	..	·01	·02	..	..	·29	..	·01	·01	·01	..	25
26	·03	·02	·16	·03	..	..	·02	..	..	·01	..	·02	26
27	·39	·04	..	·21	..	·10	·08	..	·01	·02	·38	·14	27
28	·57	..	·17	·05	·09	..	·07	..	..	·01	·03	·03	28
29	·71	..	·08	·01	..	..	·01	..	..	·01	·07	·20	29
30	·02		..	·03	·02	·05	·13	..	·27	·01	·32	·15	30
31	·01		..		·05		..	..		·42		·16	31
TOTAL	3·27	·65 3·92	1·64 5·56	3·41 8·97	·75 9·72	2·23 11·95	4·84 16·79	1·41 18·20	3·60 21·80	1·52 23·32	1·35 24·67	2·38 27·05	YEAR'S TOTAL 27·05
Days with ·01 in. or more	21	17	20	25	14	10	19	8	18	21	21	22	216
Days with ·04 in. or more	12	6	12	15	7	9	15	4	11	6	7	15	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Sa

ADDINGTON HILLS

THE RESERVOIR

SURREY

1911 - 1929

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

REGIST

Kept at Addington Hill
ft. 9 in.

in the County of Surrey
1 473 ft.

by F. C. Bayard, Cro

Direction

IMPORTANT NOTE.—Ra … sult entered to the
previous day. If an Observer … ule, he is earnestly
requested to add the reading at … he space provided
for it at the end of this para … rain,
the selection and placing of … ainfall
Organization are given in "*Rules for Rainfall Observers*," … ion to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·94				·03			·02		1
2	·19			·17	·19		·02				·24	·11	2
3		·03			·15						·09	·14	3
4	·04	·01	·09	·11					·03	·10	·20	·38	4
5	·02	·01		·01						·30	·05	·15	5
6	·30		·23									·39	6
7	·04		·01	·04						·20	·54	·22	7
8	·09		·14								·31	·42	8
9	·21		·02	·03							·02	·09	9
10		·09	·11	·01							·04	·87	10
11	·29		·01		·01						·71		11
12	·01		·46		·41	·01			·03		·15		12
13			·06		·18				·12	·16	·02	·20	13
14		·07			·22							·63	14
15		·04	·24							·04	·07	·06	15
16						·41					·65	·08	16
17			·02			·02					·43	·25	17
18		·15	·02								·58	·35	18
19					·02	·26			·28	·33	·20	·18	19
20	·02		·02			·04		·26	·01	·08	·02	·75	20
21	·01	·07						·33	·03	·74		·17	21
22	·02		·21			·06		·01		·13		·45	22
23		·16	·04			·81			·24	·02	·03	·16	23
24		·12				·02	·05	·02		1·08		·17	24
25		·05		·03		·12	·02	·03	·02	·03			25
26			·12	·18	·16	·21	·01			·17	·01	·20	26
27		·25	·13	·05					·14	·02	·06	·09	27
28		·13		·23				·09			·05	·01	28
29				·22		·22	·23		·11	·20			29
30				·01		·01		·24	·03	·24			30
31					·07								31
Total	1·28	1·18	1·93	2·03	1·41	2·19	·33	1·01	1·04	3·84	4·49	6·52	TOTAL for year 27·25
No. of Rain Days	13	13	17	13	9	12	5	8	11	16	22	24	163

9,000, IX. '10.

5a

REGISTER OF RAIN

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Addington Hills, The Reservoir

in the County of Surrey 3

by F. C. Bayard, Croydon Corporation

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 473 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·94				·03			·02		1
2	·19			·17	·19		·02				·24	·11	2
3		·03			·15						·09	·14	3
4	·04	·01	·09	·11					·03	·10	·20	·38	4
5	·02	·01		·01						·30	·05	·15	5
6	·30		·23									·39	6
7	·04		·01	·04						·20	·54	·22	7
8	·09		·14								·31	·42	8
9	·21		·02	·03							·02	·09	9
10		·09	·11	·01							·04	·87	10
11	·29		·01		·01						·71		11
12	·01		·46		·41	·01			·03		·15		12
13			·06		·18				·12	·16	·02	·20	13
14		·07			·22							·63	14
15		·04	·24							·04	·07	·06	15
16						·41					·65	·08	16
17			·02			·02					·43	·25	17
18		·15	·02								·58	·35	18
19					·02	·26			·28	·33	·20	·18	19
20	·02		·02			·04		·26	·01	·08	·02	·75	20
21	·01	·07						·33	·03	·74		·17	21
22	·02		·21			·06		·01		·13		·45	22
23		·16	·04			·81			·24	·02	·03	·16	23
24		·12				·02	·05	·02		1·08		·17	24
25		·05		·03		·12	·02	·03	·02	·03			25
26			·12	·18	·16	·21	·01			·17	·01	·20	26
27		·25	·13	·05					·14	·02	·06	·09	27
28		·13		·23				·09			·05	·01	28
29				·22		·22	·23		·11	·20			29
30				·01		·01		·24	·03	·24			30
31					·07								31
Total	1·28	1·18	1·93	2·03	1·41	2·19	·33	1·01	1·04	3·84	4·49	6·52	TOTAL for year 27·25
No. of Rain Days	13	13	17	13	9	12	5	8	11	16	22	24	163

9,000, IX. '10.

Cor^d by Bayard 8.11.13

FORM A. BRITISH RAINFALL.

7 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Addington Hills

in the County of Surrey 3

by Borough Engineer (Geo. F. Carter M.I.C.E.) Croydon

Lat. 51. 21. 35" Long. 3'. 50" West.

Time of Observation 9 a.m.

Nearest Railway Station Coombe Lane Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level 472.75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	.14	01	—	.10	30	—	.07	.70	—	.22	1
2	—	.01	.37	.05	—	.02	36	.03	.02	.05	—	—	2
3	.06	.10	.10	—	—	.11	05	.36	—	—	—	.09	3
4	.20	—	.67	—	.19	.18	—	.04	—	—	.18	—	4
5	.19	.03	.09	—	—	—	—	.40	—	—	.07	.02	5
6	.40	.04	—	—	—	—	—	.12	.01	.01	.01	.17	6
7	—	—	.03	—	.10	.74	.17	.29	—	—	—	.06	7
8	.26	.44	.25	.02	—	.01	.03	.31	.01	—	.01	.02	8
9	—	.08	—	.04	—	.48	.02	—	—	—	—	.08	9
10	—	.09	—	—	—	—	—	.33	.02	.02	.05	.26	10
11	.05	.26	—	—	—	.02	—	.10	.02	—	.01	.24	11
12	.02	.13	.04	—	.18	.10	—	.03	—	—	.02	.02	12
13	.01	.01	.01	—	—	—	—	.01	—	—	.10	—	13
14	—	—	.02	—	03	—	—	.02	—	.08	.01	.02	14
15	.01	—	.18	—	23	.73	—	—	—	—	.04	.35	15
16	.30	—	.05	—	03	.14	—	.13	—	.06	.12	—	16
17	.36	—	.38	—	—	.02	—	.06	—	—	.02	.17	17
18	.13	—	.15	—	—	—	—	.11	—	.05	.02	.11	18
19	.11	.12	.12	—	—	.01	.04	.21	—	—	.01	.01	19
20	.01	.03	.52	—	—	—	—	.05	—	(.40)	.04	—	20
21	.01	.02	.28	—	.01	—	—	.07	—	(.08)	.05	—	21
22	.17	.15	.16	—	.03	—	.06	.13	—	(.04) No record	—	.05	22
23	.39	.35	.29	—	.02	—	—	.42	—	(.06)	.20	.10	23
24	.28	.01	—	—	—	.16	.03	.19	—		—	.15	24
25	.21	—	—	—	—	.28	—	.88	—		.26	.53	25
26	—	.03	—	—	—	—	—	.52	—	(.24) 82	.53	.31	26
27	—	—	.01	—	—	—	.04	—	—	.14	—	.16	27
28	—	.06	—	.02	—	.02	.16	.09	.11	.47	.64	.17	28
29	—	.04	—	—	—	.03	.37	.17	1.54	.11	.07	—	29
30	—		—	—	.34	.22	.02	.07	1.67	.23	—	—	30
31	.02		.06		—		.13	.10				—	31
Total	3.20	2.00	3.92	.14	1.16	3.37	1.78	5.24	3.47	2.74	2.46	3.31	YEAR'S TOTAL 32.79 32.59
Rain Days.	21	19	21	5	10	18	14	27	9	~~12~~?	21	22	~~199~~

2.74
(16)

203

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Ex Rl

Kept at Addington Hills The Reservoir

in the County of Surrey

3

by J C Bayard Croydon Corpn

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 9 in.

" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.25	.04	.14					.40	.05	.05	.15	1
2	07	.14					.10			.06	.06	.01	2
3			.08	.34	.26					.01		.15	3
4	.35		.02	.04	.19		.08			.11	.03	.06	4
5	.38		.01			.05	.07		.42	.01	.04	.02	5
6	.07	.02	.12		.02	.07	.11		.02	.19	.17	.10	6
7		.17	.01		.02		.02	.18		.48	.10	.01	7
8		.02	.03		.19	.02				.09	.04		8
9		.11		.01	.03				.12		.04	.04	9
10			.11	.09			.03	.02			.40		10
11	.44			.35	.02			.01		.65	.19		11
12		.01			.01			.01			.37		12
13	.08		.04					.02	.02		.20		13
14	.10		.12	.07			.42	.12	.05	.16	.04		14
15	.41	.07	.23	.29			.24		.10				15
16	.16		.37	.16			.01		.39				16
17	.02	.06	.07	.17			.18						17
18			.11	.10	.01		.01				.02		18
19	.28		.12	.01		.04	.14		.09			.01	19
20	.27		.51	.05		.02				.55	.03		20
21	.02		.14	.06			.08			.28	.92		21
22	.28		.26	.18			.01	.03	.14		.02		22
23			.11			.02	.01	.25	.01			.42	23
24	.05		.01	.03				.01			.03		24
25				.24		.02							25
26			.15	.07			.02	.25		.85		.22	26
27		.01	.09	.20						.03			27
28	.26		.26	.04						.20		.01	28
29	.03		.04	.38	.40			.07		.05			29
30	.35			08				.12		.17			30
31			.02					1.06		.09			31
Total	3.63	.86	3.07	3.10	1.15	.24	1.53	2.15	1.76	4.03	2.75	1.20	YEAR'S TOTAL 25.47
Rain Days.	19	10	25	22	10	7	16	13	11	18	18	12	181

W.7,000, XI. 13

from Croydon Tables

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

3 - MAR 1915

Kept at Addington Hills Reservoir

in the County of Surrey

3

by F C Bayard Croydon Corporation

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.20			.02		1
2							.14	.26			.19	.24	2
3	.01		.09	.02	.17		.11	.12					3
4	.05		.02	.18				.08			.26	.30	4
5	.12		.05	.22	.24	.05	.25	.62			.04		5
6		.11	.02	.13		.26	.01	.01			.02	.20	6
7		.61	.23	.17	.14	.21	.09					.11	7
8	.08	.58	.51		.01	.10	.11	.12	.04			.06	8
9	.22		.81	.10		.06		.01	.03			1.51	9
10		.09	.02	.03	.05				.10		.02	.03	10
11		.65	.31	.01	.02	.02			.16		.19	.28	11
12	.01	.08	.09				.17		.15	.01	.02	.52	12
13		.28	.18						.13	.06	.09	.95	13
14		.15	.20			.02	.29			.40	.06	.44	14
15	.05	.02	.19				.20	.04		.01	1.16	.04	15
16	.01		.03						.05				16
17		.29	.13						.03			.15	17
18		.07	.18									.37	18
19		.05	.26			.20	.13		.01		.25	.22	19
20		.23	.35			.05			.03	.02		.09	20
21		.91	.10			.02		.01				.05	21
22		.08		.03	.22	.05	.28	.02		.11			22
23			.12	.02	.07	.18	.04			.02		.03	23
24			.06	.02						.01	.10		24
25	.03		.24				.03	.09		.33			25
26			.12				.07	.10		.06	.23	.73	26
27	.03		.02					.02		.01	.05	.29	27
28	.01	.02			.01					.07	.35	.64	28
29	.04		.05							.47	.23		29
30	.01		.04							.07	.57	.26	30
31	.02				.20		.01					.04	31
Total	.69	4.17	4.42	93	1.13	1.22	1.93	1.70	.73	1.65	3.85	7.55	YEAR'S TOTAL 29.97
Rain Days.	14	16	26	11	10	12	15	14	10	14	18	23	183

W. 8,000. X. 14.

E4 RR

103

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
14 MAR 1916

Kept at Addington Hills The Reservoir
in the County of Surrey 3
by Croydon Corpn per Croydon Nat His Soc

Lat. Long.
Time of Observation
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.70	.12	.03		.04				.06	.02	.34	.46	1
2	.19	.24	.18	.13	.02	.02		.85	.06	.05		.08	2
3	.26	—	.05	.18	.04	—		.34	.04		.02	.51	3
4	.19		—									.24	4
5	.04	.63		.02	.03			.02		.07	.01	.30	5
6	.37	.06	.03	.39			.42					.08	6
7	.38	.45	.02				.19	.03				.23	7
8	.08	.71	.01	.07			.07	.25				.01	8
9	.02	.04		.12		.12		.05		.04	.31	.49	9
10	.24					.01				.01		.25	10
11			.02						.02	.01	.60	.06	11
12	.06	.09		.40	.40			.59		.05	.46	.02	12
13		.65			1.28							.02	13
14		.04					.14	.08	.03		.01	.40	14
15	.23				.05		.02	.02			.19	.18	15
16		.65		.01			.61	.01				.26	16
17		.48			1.10		.04	.23					17
18		.09	.08		.21						.08	.01	18
19		.27			.03		.06			.03	.01		19
20	.26			.02								.23	20
21	.21						.03			.04		.08	21
22	.87	.10	.09	.01			.69			.01		.10	22
23	.04	.40	.05			.05	.18		.04	.37	.01	.29	23
24		.02	.01			.01	.02		.16	.21		.38	24
25			.05	.19			.22		.01			.28	25
26		.05				.11	.03				.02	.51	26
27		.02				.20	.13			.30		.08	27
28		.04				.09			1.58	.16			28
29			.02				.23	.17		.01	.17	.01	29
30	.03	X							.01	.04	.46	.02	30
31		X		X		X		.05	X	1.18	X	.35	31
Total	4.17	5.15	.64	1.54	3.20	.61	3.08	2.69	2.01	2.60	2.69	5.93	YEAR'S TOTAL 34.31
Rain Days.	17	20	13	11	10	8	16	13	10	17	14	28	177

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Addington Hills, The Reservoir

in the County of Surrey

by F. C. Bayard, Croydon Corporation

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15		·02		·54	·01			·24	·06	·28		1
2	·28	·15	·07		·33		·02		·07	·32	·10		2
3		·91	·27				·01		·12	·28	·68	·02	3
4	·23	·10	·01	·01	·01	·31			·14	·02	·54		4
5	·01	·01			·16	·26	·02			·06	·69	·02	5
6		·10	·26	·34	·04	·05	·30		·01	·07	·73		6
7	·06		·75		·22	·06	·18			·02	·88	·05	7
8	·01		·03		·28							·44	8
9					·27		·02			·04		·13	9
10		·17	·14	·07		·44	·04				·01	·12	10
11	·03	·17	·05	·13	·01	·53			01		·02	·02	11
12	·03	·04	·01	·06	·35	·25	·02	·03	·02	·07	·02		12
13	·02	·25	·33	·19	·04	·03	·14	·03		·06	·01		13
14		·38	·02	·03	·11			·02		·01		·08	14
15		·13	·22	·01			·06	·30		·02		·05	15
16	·02	·04	·14	·15			·19	·12					16
17	·10	·10		·03			·03	·20	34	·56			17
18	·02	·09	·02	·22				·23	·12	·30	·76	·03	18
19	·08	·09	·13	·18		·01			·09		·69	·06	19
20	·14		·19	·08							·09	·48	20
21	·01		·39				·18			·01	·02	·43	21
22	·01	·02	·08		03	·01				·02	·01	·45	22
23		·56	·05			·06		·02		·06	·06	·09	23
24	·02	·05	·01		·05	·04		·03		21	·09	·33	24
25		·65	·14					·26		·11	·06		25
26		·20	·04			·15		·02	·01	·19	·01		26
27	·01	·01	·84			·60		·33	·05	·99		·02	27
28		·38	·23			·03		·05	·09	·02	·02	·11	28
29		·12				·20		·96	·04	·32		·20	29
30								·20		·32			30
31								·03		·10		·03	31
Total	1·23	4·72	4·44	1·50	2·44	3·04	1·21	2·83	1·35	4·24	5·77	3·16	YEAR'S TOTAL 35·93
Rain Days.	18	23	25	13	14	17	13	16	14	25	21	20	219

W.7,000, XI. 13

5 made

91

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
16. JAN 1918

Kept at Addington Hills
in the County of Surrey
by Croydon Corpn.

Lat. 51.21.35" Long. 3.50" W
Time of Observation 9 a.m.
Nearest Railway Station East Croydon LB&SC.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 972. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·05	·01	·23	–	–	–	1·55	·03	–	·07	·01	1
2	–	–	–	·47	–	·01	–	·16	·01	–	·08	–	2
3	·01	–	–	·15	–	–	·06	·12	·01	·12.	·08	–	3
4	–	·23	·09	–	–	–	·69	·18	–	·38	·01	–	4
5	·21	–	·06	·36	–	–	–	–	·89	·16	·07	–	5
6	–	–	·10	·07	–	·07	·01	–	·26	·02	·06	·01	6
7	·20	–	–	–	–	–	·22	–	·01	·38	–	·04	7
8	·08	–	–	·08	–	–	·78	·30	·05	·26	·18	·25	8
9	·03	–	·03	·08	–	–	·10	·06	·04	–	·11	48	9
10	·20	–	·11	·14	–	–	–	·08	–	–	·01	·09	10
11	·08	–	143	·19	–	–	–	·01	·20	·21	–	–	11
12	·05	·03	·03	·04	–	–	–	·03	–	148	·02	·02	12
13	·06	–	·08	·01	–	–	–	·04	·04	·19	·01	·01	13
14	·01	–	·03	·10	–	–	–	·02	·01	·01	·01	–	14
15	·08	–	–	·01	–	–	·02	·05	–	·06	·01	07	15
16	·06	·17	–	·10	·21	–	·08	·01	–	·34	·02	·75	16
17	·01	·01	–	·10	·59	–	·24	·14	·34	·14.	–	–	17
18	·05	·08	–	·14	·04	–	·30	·02	·19	·07	–	·02	18
19	·01	·10	·07	·01	·19	·03	–	–	·12	·01	–	–	19
20	·04	·08	·04	–	·72	–	·03	·01	·02	–	·06	·02	20
21	·03	·03	·07	·03	–	·03	–	–	·01	·01	·03	·01	21
22	·01	–	·01	–	·01	–	–	·20	–	·10	·01	·01	22
23	–	14	·01	–	19	·11	–	·11	–	·13	–	·03	23
24	–	·03	–	–	–	·08	·02	·03	·01	·11	·03	·05	24
25	–	·03	·04	–	–	·01	–	–	–	·05	·04	–	25
26	–	·01	·03	–	–	–	–	·38	·03	·02	·58	–	26
27	–	–	·02	–	–	–	–	1·16	·01	·02	–	·02	27
28	–	·02	–	–	–	1·53	–	·06	–	–	–	·08	28
29	–		·02	–	·09	·23	·10	·03	·01	·39	–	·15	29
30	~~1·20~~ ·02	╳	·25	–	–	–	2·10	·07	·01	·04	·01	·05	30
31	·10	╳	06	╳	–	╳	·63	·02	╳	·02	╳	·06	31
Total	1·34	1·01.	1·59	2·31	2·04	2·10	5·38	4·84	2·30	3·72	1·50	2·23	YEAR'S TOTAL 30·36
Rain Days.	20	14	21	18	8	9	15	25	21	25	21	21	218

4·66

W. 8,000, IX. 17.

Smade

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
5 2. 19

Kept at Addington Hills
in the County of Surrey.
by Croydon Corporation

Lat. 51°·21′·35″ Long. 3′·50″ west.
Time of Observation 9·a.m
Nearest Railway Station East Croydon
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 472 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·02	—	—	—	·04	—	—	·23	·05	1
2	·01	·04	—	·04	—	—	—	·18	—	—	·17	·16	2
3	—	—	·13	·06	·37	—	—	·01	—	·01	·44	·02	3
4	·01	·18	·12	·02	·01	—	—	·03	·29	—	·75	·01	4
5	—	·04	·02	—	·19	—	—	·15	1·61	·05	—	·02	5
6	·22	·17	—	·23	·26	—	—	·06	·04	·04	—	·08	6
7	·03	·06	—	·12	·39	·02	—	·02	·07	·09	·06	·02	7
8	—	·08	·01	—	—	—	—	·02	·05	·03	·11	·07	8
9	·02	·02	—	·11	—	·03	·21	—	·49	·10	·01	·32	9
10	·01	—	—	·15	—	—	·55	—	·07	·06	·02	·33	10
11	·02	—	—	·03	·02	—	·58	—	·01	·28	·13	·14	11
12	—	·04	—	—	·22	—	·23	—	·06	·02	—	·03	12
13	·06	·03	—	·03	·10	—	·05	—	·06	—	·01	·01	13
14	·11	·01	·02	·01	·01	·49	·04	—	·08	·20	—	·17	14
15	1·24	—	—	·62	—	·01	·79	—	·03	·04	·01	·12	15
16	·37	—	—	·19	—	·06	·02	—	·05	·02	—	·01	16
17	·27	—	·01	·13	05	—	1·08	·07	—	·01	—	·11	17
18	·46	—	—	—	—	·16	·12	—	·57	·26 ·26	—	·13	18
19	·10	—	·07	·10	·07	·06	·11	—	—	·15	·01	·06	19
20	·05	·13	—	·61	—	·03	·23	—	·39	·45	·02	·02	20
21	·14	·01	—	·62	—	—	·02	—	·28	·09	·02	·02	21
22	·04	—	—	·01	·38	—	·36	—	·19	·02	·01	·16	22
23	·03	—	—	·02	·16	·04	·62	·10	·06	—	—	·07	23
24	—	·25	—	—	—	·15	·44	—	·17	·01	·02	—	24
25	—	—	—	·46	—	—	·53	·17	—	·02	·04	·01	25
26	—	—	—	·01	—	—	·42	·11	·01	·02	·11	·10	26
27	01	·04	·02	·14	—	—	·10	·13	·07	—	·09	·04	27
28	01	·02	·25	·07	—	·01	—	·02	—	—	·25	·09	28
29	·01		·02	·02	—	—	—	—	1·04	·01	·01	—	29
30	—		·36	—	—	—	—	—	·03	·04	·02	·17	30
31	—		·09		—		—	—		·06		·01	31
Total	3·22	1·13	1·12	3·82	2·23	1·06	6·50	1·11	5·66	2·05	2·54	2·55	YEAR'S TOTAL 32·99
Rain Days.	21	16	12	24	13	11	19	14	23	24	22	29	228

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

26 MAR 20

Kept at Addington Hills, The Reservoir

in the County of Surrey

by Croydon Corporation, per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft 9 in.

„ „ „ „ Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Addington Hills IN.	Addington Hills IN.	Addington Hills IN.	Addington Hills IN.	Addington Hills IN.	Addington Hills IN.	Addington Hills IN.	Addington Hills IN.	Addington Hills IN.	Addington Hills IN.	Addington Hills IN.	Addington Hills IN.	
1	·32	·09	·01	·02	·02	..	·17	..	·02	·09	·11	·87	1
2	·22	..	·02	..	·05	..	·31	..	·01	·05	·13	·23	2
3	·30	..	·03	..	·01	..	·05	..	·09	·01	·06	·41	3
4	·13	·07	·52	..	·01	·08	·12	·05	·02	..	·04	·16	4
5	·02	·26	·62	..	..	..	..	..	·03	..	·05	·27	5
6	·06	..	·05	..	..	..	..	..	..	·02	·02	·14	6
7	·04	..	·30	..	..	..	..	..	..	..	·06	..	7
8	·28	..	·05	·06	·01	..	..	..	..	..	·03	..	8
9	·38	..	·02	·05	·01	..	..	..	..	..	·08	·01	9
10	·17	..	·05	·03	·01	..	..	..	..	·02	·01	·03	10
11	·08	..	·11	·39	·02	..	·24	..	..	·01	..	·02	11
12	·04	..	·07	·03	..	·01	·14	..	..	·09	·02	·01	12
13	·03	·01	..	·46	..	..	..	..	·04	·04	..	·04	13
14	·33	·01	..	·33	..	..	·08	..	·56	·01	..	·05	14
15	·18	·02	·18	·10	..	..	..	..	..	..	..	·44	15
16	·09	·45	..	·02	..	..	·01	..	..	..	·10	·06	16
17	·02	·38	·05	·03	..	..	..	..	..	·01	·16	·02	17
18	·02	·35	·06	..	..	..	..	..	·05	·01	·07	·04	18
19	·02	·09	·53	·01	..	·21	·33	·29	·03	·02	·08	·02	19
20	·15	·12	·05	..	..	·70	·28	·15	·01	..	·02	·02	20
21	·16	·36	·03	..	..	·09	·11	..	..	·02	·03	·02	21
22	·01	·07	·04	..	..	..	·22	·01	·38	·01	·03	·26	22
23	..	..	..	..	..	·05	·02	·05	·12	·01	·02	·03	23
24	..	..	..	·23	..	·02	·08	·03	..	·15	·08	·01	24
25	·02	·02	..	..	..	..	..	·14	..	..	·01	·03	25
26	·07	·27	·11	·05	..	..	..	·14	·13	..	·03	·28	26
27	·34	·09	·03	·85	..	..	·02	·35	..	..	·02	·06	27
28	..	·01	·30	·04	..	·01	·07	·78	·01	..	·33	·26	28
29	·05		..	·03	..	..	..	·56	..	·33	·05	·07	29
30	·02		·03	·26	..	·12	..	·34	..	·11	·18	·62	30
31	·12		·12		..		·03	..		·03		·09	31
	3·67	2·67	3·38	2·99	·14	1·29	2·28	2·89	1·50	1·04	1·82	4·57	YEAR'S TOTAL
TOTAL	..	6·34	9·72	12·71	12·85	14·14	16·42	19·31	20·81	21·85	23·67	28·24	28·24
Days with ·01 in. or more	28	17	24	18	8	9	17	12	14	19	26	29	221 ~~219~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

17 APR 1913

REGIST

ALBURY

SURREY

1912 - 13

Kept at Albury

in the County of Sur

by Harold

A.M.

hilworth

in.

round 1 ft. in.

ea Level 220 ft.

IMPORTANT NOTE.- e result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the reading in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	·30	·02	0	·12	·55	0	·03	·56	0	·18	1
2	0	0	·62	0	0	·06	·42	·23	0	·04	0	0	2
3	·01	0	0	0	0	·12	0	·35	0	0	0	·06	3
4	·19	·02	·72	0	·16	·23	0	·08	0	0	·20	0	4
5	·14	·04	·14	0	0	0	0	·51	0	0	·18	·03	5
6	·49	·08	·01	0	·01	0	0	·25	0	0	0	·04	6
7	·01	0	0	0	·14	·60	0	·27	0	0	0	·10	7
8	·30	·45 ·54	·30	0	0	·02	·01	·38	0	0	0	0	8
9	0	·17	·06	·02	0	·01	·02	·04	0	0	0	·15	9
10	0	·11	0	0	0	·03	0	·27	0	0	·08	·25	10
11	·05	·26	·64 ·04	0	0	·01	0	·03	0	0	·01	·28	11
12	·02	·11	·08	0	·12	·17	·02	·11	0	0	·03	0	12
13	·01	·01	0	0	0	0	·05	0	0	·01	·05	·03	13
14	0	0	·02	0	·03	0	0	·17	0	·01	0	·02	14
15	·02	·02	·07	0	·15	·57	0	0	0	0	·01	·30	15
16	·18	·02	·18	0	·23	·09	0	·12	0	·06	·04	0	16
17	·43	0	·26	0	0	·04	0	·17	0	0	0	·20	17
18	·09	0	·38	0	0	0	0	·25	0	·01	·02	·10	18
19	·01	·07	·07	0	0	0	·14	·90	0	0	0	·02	19
20	·05	·01	·56	0	0	0	0	·15	0	·39	·02	0	20
21	0	·03	·21	0	·20	0	0	·03	0	·13	·16	0	21
22	·11	·26	·06	0	·08	0	0	·25	0	·01	0	·06	22
23	·43	·37	·36	0	0	·02	0	·34	0	·06	·18	·18	23
24	·40	·02	0	0	0	·49	0	·33	0	0	0	·16	24
25	·14	0	0	0	0	·40	0	·80	0	·04	·28	·60	25
26	0	·05	0	0	0	0	0	·26	0	·36	·50	·27	26
27	0	0	·02	0	0	·06	0	0	0	·29	0	·22	27
28	0	·05	0	0	0	·48	·54	·09	·22	·69	·51	·20	28
29	0	·05	0	0	0	·12	·43	·27	1·95	·36	·08	0	29
30	0		0	0	·22	·05	·03	·14	1·49	·20	0	0	30
31	0		·09		0		·26	·13		·01		0	31
Total	3·08	2·20	4·55	·04	1·34	3·69	2·47	6·92	3·69	3·23	2·35	3·45	YEAR'S TOTAL 37·01
Rain Days.	19	20	21	2	10	20	11	27	4	17	16	21	188

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

17 APR 1913

REGIS

Kept at Albury DALTON HILL
in the County of Surrey 6
by Harold Agar

Lat.
Time of Observation 8·45 A.M.
Nearest Railway Station Chilworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0	0	·30	·02	0	·12	·55	0	·03	·56	0	·18	1
2	0	0	·62	0	0	·06	·42	·23	0	·04	0	0	2
3	·01	0	0	0	0	·12	0	·35	0	0	0	·06	3
4	·19	·02	·72	0	·16	·23	0	·08	0	0	·20	0	4
5	·14	·04	·14	0	0	0	0	·51	0	0	·18	·03	5
6	·49	·08	·01	0	·01	0	0	·25	0	0	0	·04	6
7	·01	0	0	0	·14	·60	0	·27	0	0	0	·10	7
8	·30	·45 ·54	·30	0	0	·02	·01	·38	0	0	0	0	8
9	0	·17	·06	·02	0	·01	·02	·04	0	0	0	·15	9
10	0	·11	0	0	0	·03	0	·27	0	0	·08	·25	10
11	·05	·26	·64 ·04	0	0	·01	0	·03	0	0	·01	·28	11
12	·02	·11	·08	0	·12	·17	·02	·11	0	0	·03	0	12
13	·01	·01	0	0	0	0	·05	0	0	·01	·05	·03	13
14	0	0	·02	0	·03	0	0	·17	0	·01	0	·02	14
15	·02	·02	·07	0	·15	·57	0	0	0	0	·01	·30	15
16	·18	·02	·18	0	·23	·09	0	·12	0	·06	·04	0	16
17	·43	0	·26	0	0	·04	0	·17	0	0	0	·20	17
18	·09	0	·38	0	0	0	0	·25	0	·01	·02	·10	18
19	·01	·07	·07	0	0	0	·14	·90	0	0	0	·02	19
20	·05	·01	·56	0	0	0	0	·15	0	·39	·02	0	20
21	0	·03	·21	0	·20	0	0	·03	0	·13	·16	0	21
22	·11	·26	·06	0	·08	0	0	·25	0	·01	0	·06	22
23	·43	·37	·36	0	0	·02	0	·34	0	·06	·18	·18	23
24	·40	·02	0	0	0	·49	0	·33	0	0	0	·16	24
25	·14	0	0	0	0	·40	0	·80	0	·04	·28	·60	25
26	0	·05	0	0	0	0	0	·26	0	·36	·50	·27	26
27	0	0	·02	0	0	·06	0	0	0	·29	0	·22	27
28	0	·05	0	0	0	·48	·54	·09	·22	·69	·51	·20	28
29	0	·05	0	0	0	·12	·43	·27	1·95	·36	·08	0	29
30	0		0	0	·22	·05	·03	·14	1·49	·20	0	0	30
31	0		·09		0		·26	·13		·01		0	31
Total	3·08	2·20	4·55	·04	1·34	3·69	2·47	6·92	3·69	3·23	2·35	3·45	YEAR'S TOTAL 37·01
Rain Days.	19	20	21	2	10	20	11	27	4	17	16	21	188

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
26 JAN 1914
S.

REGISTER OF RAINFALL IN 1913

Kept at Neston Lodge, Albury
in the County of Surrey 6
by Harold Agar.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Chilworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·27	·08	·11	0	0	0	0	·63	0	·12	·36	1
2	·07	·10	0	·01	0	0	·16	0	·06	·04	·05	·02	2
3	·05	0	·02	·17	·61	0	0	0	0	·03	0	·14	3
4	·40	0	·02	·02	·30	0	0	0	·15	·29	·02	·03	4
5	·41	0	·02	0	0	·08	·05	0	·41	·01	·03	·03	5
6	·05	·17	·13	0	·04	·11	·16	0	0	·42	·06	·22	6
7	0	·27	0	0	·08	·03	0	0	0	·63	·23	0	7
8	0	·04	·02	·01	·17	·13	0	0	0	·20	0	0	8
9	0	·14	0	0	·05	0	·13	·05	·18	·02	0	·02	9
10	·01	0	0	·07	0	0	·03	0	0	0	·42	0	10
11	·58	0	0	·35	·01	0	0	0	0	·71	·21	0	11
12	0	·02	0	0	·24	0	0	0	0	0	·32	0	12
13	·09	0	·03	0	0	0	0	·04	·24	0	·20	0	13
14	·21	·01	·10	·05	0	0	·90	·03	0	·09	·13	·04	14
15	·28	·07	·22	·26	0	0	·38	0	·18	0	0	0	15
16	·22	0	·43	·15	0	0	·01	0	·25	0	0	0	16
17	·04	·04	·05	·05	0	0	·37	0	0	0	·01	·02	17
18	·01	0	·19	·08	0	0	·03	0	0	0	·03	0	18
19	·27	0	·13	0	0	·10	·14	0	·25	0	0	0	19
20	·25	0	·35	·09	·03	·17	0	0	0	·58	0	0	20
21	0	0	·28	·06	0	0	0	0	0	·24	·84	0	21
22	·32	0	·18	·04	0	0	·02	·22	·13	0	0	0	22
23	0	0	·01	0	0	·03	·01	·13	0	0	0	·64	23
24	·02	0	0	·06	0	0	0	0	0	0	·02	0	24
25	0	·01	0	·18	0	0	0	0	0	0	0	·02	25
26	0	·02	·15	·14	0	0	0	·08	0	·68	0	·17	26
27	0	·01	·04	·10	0	0	0	0	0	·04	0	0	27
28	·13	0	·56	·14	0	0	0	0	0	·22	0	0	28
29	·05		·06	·54	·61	0	0	·11	0	·10	0	·02	29
30	·38		0	·04	0	0	0	·31	0	·23	0	0	30
31	0		·10		0		0	·94		·05		0	31
Total	3·85	1·17	3·17	2·72	2·14	·65	2·39	1·91	2·48	4·58	2·69	1·73	YEAR'S TOTAL 29·48
Rain Days.	21	13	22	22	10	7	13	9	10	18	15	13	173

W.7,000, XI. 13

Sa
Bayard
Smale

ANERLEY
TOWN HALL
SURREY
1911-12, 16-19

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Pe ...sford.

...in.

...ound ... ft. ... in.

in the County of ... ...a Level ... ft.

...me

by Penge Urban ... ...tance ... Direction

IMPORTANT N... ...e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	-	-	·84	-	-	·03	·05	-	-	-	-	1
2	·16	-	·005	-	·005	-	-	-	-	-	·16	·05	2
3	-	·01	-	·19	·13	-	-	-	-	-	·06	·07	3
4	·03	-	·09	·07	-	-	-	-	-	-	·15	·25	4
5	·02	·02	-	·03	-	-	-	-	-	·21	·02	·15	5
6	·19	-	·25	-	-	-	-	-	-	-	-	·22	6
7	·02	-	-	-	-	-	-	-	-	·16	·32	·12	7
8	·09	-	·09	-	-	-	-	-	-	-	·28	·29	8
9	·19	-	·03	·04	-	-	-	-	-	-	-	·10	9
10	-	·10	·04	-	-	-	-	-	-	-	·07	·62	10
11	·27	-	-	-	-	-	-	-	-	-	·60	-	11
12	·03	-	·06	-	·50	-	-	-	·03	-	·12	-	12
13	-	-	·52	-	·18	-	-	-	·22	·15	·63	·16	13
14	-	·07	-	-	·18	-	-	-	-	-	-	·45	14
15	-	·02	·26	-	-	-	-	-	-	·03	·02	·02	15
16	-	-	-	-	-	·53	-	-	-	-	·47	·02	16
17	-	-	-	-	-	-	-	-	-	-	·27	·15	17
18	-	·10	·02	-	-	·01	-	-	-	-	·55	·25	18
19	-	-	-	-	·02	·13	-	-	·26	-	·17	·12	19
20	-	·01	·02	-	-	-	-	·19	-	·03	-	·56	20
21	-	·10	-	-	-	-	-	1·14	-	·64	-	·10	21
22	·04	-	·19	-	-	·02	-	-	-	·03	-	·39	22
23	-	·11	·05	-	-	·81	-	-	·32	-	·03	·06	23
24	-	·11	-	-	-	-	·03	-	-	1·40	-	·24	24
25	-	-	-	·02	-	·13	·12	-	·01	·04	-	-	25
26	-	·02	·13	·16	·04	·16	-	-	-	·10	·02	·06	26
27	-	·31	·10	·08	-	-	-	-	·14	·01	·03	·25	27
28	-	·09	-	·19	-	·005	·15	·10	-	-	·02	-	28
29	-	-	-	·22	-	·19	-	-	·12	·19	-	-	29
30	-	-	-	-	-	·02	·13	1·02	·03	-	-	-	30
31	-	-	-	-	·21		-	-	-	·01	-	-	31
Total	1·09	1·07	1·855	1·84	1·265	2·005	·46	2·50	1·13	3·00	3·39	4·70	TOTAL for year
No. of Rain Days.	11	13	15	10	8	10	5	5	8	13	19	23	24·305

W. 8,000, X. '11.

139

Sa
Bayard's
Smale

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Pe

in the County of Kent Surrey 3

by Penge Urban District Council.

RAIN GAUGE	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " Sea Level	ft.
Time of Observation		
Nearest Railway Station	Name	
	Distance	Direction

Same details as before.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	–	–	·84	–	–	·03	·05	–	–	–	–	1
2	·16	–	·005	–	·005	–	–	–	–	–	·16	·05	2
3	–	·01	–	·19	·13	–	–	–	–	–	·06	·07	3
4	·03	–	·09	·07	–	–	–	–	–	–	·15	·25	4
5	·02	·02	–	·03	–	–	–	–	–	·21	·02	·15	5
6	·19	–	·25	–	–	–	–	–	–	–	–	·22	6
7	·02	–	–	–	–	–	–	–	–	·16	·32	·12	7
8	·09	–	·09	–	–	–	–	–	–	–	·28	·29	8
9	·19	–	·03	·04	–	–	–	–	–	–	–	·10	9
10	–	·10	·04	–	–	–	–	–	–	–	·07	·62	10
11	·27	–	–	–	–	–	–	–	–	–	·60	–	11
12	·03	–	·06	–	·50	–	–	–	·03	–	·12	–	12
13	–	–	·52	–	·18	–	–	–	·22	·15	·03	·16	13
14	–	·07	–	–	·18	–	–	–	–	–	–	·45	14
15	–	·02	·26	–	–	–	–	–	–	·03	·02	·02	15
16	–	–	–	–	–	·53	–	–	–	–	·47	·02	16
17	–	–	–	–	–	–	–	–	–	–	·27	·15	17
18	–	·10	·02	–	–	·01	–	–	–	–	·55	·25	18
19	–	–	–	–	·02	·13	–	–	·26	–	·17	·12	19
20	–	·01	·02	–	–	–	–	·19	–	·03	–	·56	20
21	–	·10	–	–	–	–	–	1·14	–	·64	–	·10	21
22	·04	–	·19	–	–	·02	–	–	–	·03	–	·39	22
23	–	·11	·05	–	–	·81	–	–	·32	–	·03	·06	23
24	–	·11	–	–	–	–	·03	–	–	1·40	–	·24	24
25	–	–	–	·02	–	·13	·12	–	·01	·04	–	–	25
26	–	·02	·13	·16	·04	·16	–	–	–	·10	·02	·06	26
27	–	·31	·10	·08	–	–	–	–	·14	·01	·03	·25	27
28	–	·09	–	·19	–	·005	·15	·10	–	–	·02	–	28
29	–	–	–	·22	–	·19	–	–	·12	·19	–	–	29
30	–	–	–	–	–	·02	·13	1·02	·03	–	–	–	30
31	–	–	–	–	·21		–	–	–	·01	–	–	31
Total	1·09	1·07	1·855	1·84	1·265	2·005	·46	2·50	1·13	3·00	3·39	4·70	TOTAL for year
No. of Rain Days.	11	13	15	10	8	10	5	5	8	13	19	23	24·305

W. 8,000, X. '11.

Amade ✓

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Town Hall Anerley Eng R/1

in the County of ~~Kent~~ Surrey 3

by Penge Urban District Council

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

all as before

Nearest Railway Station { Name
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·09	-	-	·09	·27	-	·06	·49	-	·16	1
2	-	-	·35	-	-	·01	·33	·02	-	·03	-	·005	2
3	·05	-	·04	-	-	·07	·03	·03	-	-	-	·07	3
4	·20	-	·58	-	·15	·16	-	·33	-	-	·15	-	4
5	·12	-	·06	-	-	-	-	·20	-	-	·06	·005	5
6	·45	·12	-	-	-	-	-	·11	-	-	-	·09	6
7	-	-	-	-	-	·71	·10	·34	-	-	-	-	7
8	·23	·30	·19	-	·07	·02	-	·21	-	-	-	-	8
9	-	·06	-	·04	-	·83"	·03	·01	-	-	·03	·09	9
10	-	·03	-	-	-	-	-	·09	·03	-	·14	·23	10
11	·03	·32	-	-	-	·03	-	·18	·02	-	-	·17	11
12	·03	·08	·05	-	·17	·15	-	·08	-	-	·01	·02	12
13	-	·01	·005	-	-	-	-	·11	-	·01	·06	-	13
14	-	-	-	-	·03	-	-	·01	-	·06	-	·02	14
15	·01	·01	·16	-	·45	·66	-	-	-	-	·04	·37	15
16	·33	-	·03	-	·03	·03	-	·07	-	·02	-	-	16
17	·46	-	·23	-	-	·03	-	·07	-	-	-	·03	17
18	·07	-	·14	-	-	-	-	·03	-	·05	·03	·11	18
19	·12	·10	·11	-	-	-	-	·37	-	-	-	-	19
20	-	-	·30	-	-	-	-	·07	-	·41	·01	-	20
21	-	·04	·16	-	·02	-	-	·11	-	-	-	-	21
22	·17	·13	·03	-	·01	-	·12	·15	-	-	-	·02	22
23	·37	·37	·30	-	·01	-	-	·38	-	·06	·16	·10	23
24	·31	·04	-	-	-	-	-	·19	-	-	-	·13	24
25	-	·04	-	-	-	·10	-	·84	-	-	·30	·44	25
26	-	-	·01	-	-	·13	-	·35	-	·23	·44	·26	26
27	-	-	-	-	-	-	-	-	-	·10	-	·12	27
28	-	·07	-	-	-	·01	·09	·02	·08	·37	·45	·08	28
29	-	·01	-	-	-	-	·25	·13	1·13	·15	·06	-	29
30	-		-	-	·35	·04	-	·07	1·36	·09	-	-	30
31	-		·05		-	-	·08	·10		·03	-	-	31
Total	2·95	1·72	2·875	·04	1·29	3·07	1·30	4·67	2·68	2·10	1·94	2·52	TOTAL for year
No. of Rain Days.	15	16	19	1	10	16	9	28	6	14	14	~~20~~ 19	27·155 inches

W. 8,000, X. '11.

167

✓ Exd E.F. 99

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Penge

in the County of Kent Surrey

by Penge Urban Dist. Council

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Penge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 122 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·02	/	/	·53	/	/	/	·17	·04	·21	/	1
2	·25	·06	·08	/	·32	/	/	/	·13	·32	·03	/	2
3	/	·78	·21	/	/	/	·02	/	·11	·17	·58	/	3
4	·19	·16	·02	/	/	·25	/	/	·09	/	·43	/	4
5	/	/	/	·02	/	·16	/	/	/	·06	·50	/	5
6	/	·05	·01	·34	/	·24	·21	/	/	/	·47		6
7	·06	/	·76	/	·19	/	·67	/	/	/	·76	·06	7
8	/	/	·20	/	·21	/	/	/	/	·03	/	·26	8
9	/	/	/	/	/	/	/	/	/	·09	/	·09	9
10	/	·18	·12	/	/	·26	·11	/	/	/	/	·13	10
11	·04	·17	·25	·07	/	·38	/	/	/	/	/	/	11
12	·02	·19	/	·11	·26	·19	/	·04	/	·07	/	/	12
13	/	·05	·26	·06	·02	·04	/	·05	/	·04	/	/	13
14	/	·33	·01	/	·10	/	/	·18	/	/	/	·07	14
15	/	·15	·22	/	/	/	/	·24	/	/	/	/	15
16	/	·04	·12	·17	/	/	·22	·05	/	/	/	/	16
17	·06	·10	/	·02	/	/	·02	·32	·33	·44	/	/	17
18	/	·10	·02	·41	/	/	/	·42	·08	·22	·40	·04	18
19	·07	·07	·15	·10	/	/	/	/	·09	/	·48	/	19
20	·12	/	·32	/	/	/	/	/	/	/	·07	·33	20
21	/	/	·41	/	/	·01	·08	/	/	/	/	·38	21
22	/	/	·09	/	/	/	/	/	/	·02	/	·36	22
23	/	/	·01	/	/	·03	/	/	/	·01	·03	·19	23
24	·04	·44	/	/	/	·04	/	/	/	·11	·04	·29	24
25	/	·19	·10	/	·03	/	/	/	/	·08	·05	/	25
26	/	·62	·09	/	/	·09	/	·56	/	·09	/	/	26
27	·03	·02	·68	/	/	·63	/	·40	·04	·49	/	/	27
28	/	·33	/	/	/	/	/	/	·04	/	/	·13	28
29	/	·06	/	/	/	·16	/	·97	/	·22	/	·13	29
30	/	╳	/	/	/	/	/	/	·14	·32	/	/	30
31	/	╳	/	╳	/	╳	/	·06	╳	·08	╳	·02	31
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	YEAR'S TOTAL
Total	·93	4·11	4·13	1·30	1·66	2·48	1·33	3·29	1·22	2·90	4·65	2·48	30·48
Rain Days.	11	21	21	9	8	13	7	11	10	19	13	14	157

This is not strictly accurate owing to bottle being broken

W. 8,000, VIII. 16

96

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Anerley, The Town Hall

in the County of Surrey

by F. C. Bayard, H. W. Longdin

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 40 ft. — in.

" " " " Sea Level 191 ft.

28 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·14				1·67	·06		·09		1
2				·39				·14			·20		2
3	·04			·06			·02	·36		·12	·16		3
4		·19	·01				·30	·15		·41	·04		4
5	·24		·10	·20					·70	·20			5
6			·05	·10		·04			·17	·01	·11		6
7	·12						·14			·19		·01	7
8	·08			·04			·67	·18	·05	·21	·16	·30	8
9	·02			·09			·05	·07	·03		·05		9
10	·07		·07	·04				·05					10
11	·12		·39	·21					·32	·18		·05	11
12	·11		·02	·06				·05		·49			12
13	·04		·16	·08				·03	·03	·06			13
14				·21				·19					14
15	·02						·49	·20		·02		·03	15
16	·06	·18		·19	·15		·29			·12		·41	16
17				·09	1·21		·17	·02	·32	·09			17
18	·04	·04		·11	·05		·32	·20	·16	·06			18
19		·14	·13		·15	·05			1·06				19
20	·03	·18	·06		1·10		·01				·05		20
21			·11	·02	·04						·04		21
22			·01					·12		·08			22
23		·11			·14	·07		·05		·09			23
24						·07	·01			·12			24
25		·01	·05								·10	·05	25
26			·06					·36	·02	·01	·26	·01	26
27			·02					·85					27
28		·01				1·60		·02				·08	28
29			·03		·21	·26	·32	·02		·29		·16	29
30		×	·25				2·26	·05		·02		·04	30
31	·11	×	·11	×		×	·46		×		×		31
Total	1·10	·86	1·63	2·03	3·05	2·09	5·51	4·78	2·92	2·77	1·26	1·14	YEAR'S TOTAL 29·14
Rain Days.	14	8	17	16	8	6	14	20	11	19	11	10	154

W. 8,000, VIII. 16

Exd

from M.S.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 10 4. 19

Kept at Anerley, the Town Hall

in the County of ~~Kent~~ Surrey

by H.W. Longdin per F.C. Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 40 ft. 0 in.

" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·06				·01			·18	·07	1
2		·10		·04				·26			·13		2
3			·09	·05	·34			·09			·46		3
4		·05	·14	·01				·04	·27		·48		4
5		·03			·19			·09	·56	·08			5
6	·22	·11		·21	·19			·02	·07				6
7	·05	·05		·09	·30				·12	·12	·04		7
8									·03	·02	·11	·02	8
9	·03	·01		·07		·08	·27		·28	·09		·20	9
10				·12		·02	·21		·02	·03	·03	·42	10
11				·03	·03		1·31		·02	·20		·13	11
12		·05			·14		·25					·07	12
13		·03		·02	·14		·06		·05			·05	13
14	·12					·39	·05		·15	·15		·12	14
15	1·25			·75		·02	·35					·03	15
16	·05			·26		·11			·05				16
17	·50			·15	·15	·02	1·28	·05				·09	17
18	·42					·09	·06		·57	·38		·09	18
19	·06		·06	·08	·01	·20	·13			·11		·05	19
20	·03	·10		·49		·01	·20		·27	·27		·03	20
21	·09			·36		·01	·03		·35	·07			21
22	·01			·01	·27		·09		·11			·15	22
23	·01			·03	·21		·70	·06	·03			·06	23
24		·29				·05	·39		·17		·04		24
25				·77			·20	·23			·06		25
26							·60	·04		·08	·10	·09	26
27		·01		·16			·02	·15	·03		·09		27
28			·13	·09		·01		·03			·26	·11	28
29			·03						1·03		·03	·04	29
30			·39						·04	·03	·03	·20	30
31			·08					·11		·04			31
Total	2·84 ✓	·83 ✓	·92 ✓	3·85 ✓	1·97 ✓	1·01 ✓	6·20 ✓	1·18 ✓	4·22 ✓	1·67 ✓	2·04 ✓	2·02 ✓	YEAR'S TOTAL 28·75 ✓
Rain Days.	13 ✓	11 ✓	7 ✓	21 ✓	11 ✓	12 ✓	18 ✓	13 ✓	20 ✓	14 ✓	14 ✓	19 ✓	173 ✓

W. 6,500, VII. 15. W W C

90

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Anerley, The Town Hall
in the County of Surrey
by H. W. Longdin per Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 40 ft. – in.
" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Anerley IN.	Anerley IN.	Anerley IN.	Anerley IN.	Anerley IN.	Anerley IN.	Anerley IN.	Anerley IN.	Anerley IN.	Anerley IN.	Anerley IN.	Anerley IN.	
1	..	·06	..	..	·01	..	·20	·03	..	·14	·11	·80	1
2	..	..	·01	..	·07	..	·24	·06	·01	·03	·09	·14	2
3	..	..	·52	..	·02	..	·07	·02	·07	..	·05	·39	3
4	..	·08	·29	..	..	·09	·20	..	..	..	·03	·18	4
5	·01	·23	·90	..	..	..	..	..	..	..	·01	·24	5
6	·03	..	·04	..	..	..	..	..	..	..	..	·09	6
7	·03	..	·23	..	..	..	..	..	..	..	·03	..	7
8	·17	..	·06	..	..	..	..	..	..	..	·02	..	8
9	·23	..	..	..	·02	..	..	..	..	..	·03	..	9
10	·20	..	·02	..	..	..	..	..	..	·01	..	..	10
11	·02	..	·07	..	..	..	·16	..	..	..	..	..	11
12	..	..	·06	·41	..	..	·25	..	..	·05	..	..	12
13	..	·02	..	·41	..	..	·02	..	..	·03	..	·01	13
14	·20	..	..	·25	..	..	·06	..	·50	..	..	·01	14
15	·16	·03	·16	·14	..	..	..	..	..	..	..	·13	15
16	·12	·57	..	..	..	..	..	..	..	..	·12	·07	16
17	·01	·40	·05	..	..	..	..	..	..	..	·14	..	17
18	..	·48	·07	..	..	..	..	..	·05	..	·07	..	18
19	..	·04	·28	..	..	·18	·41	·25	·03	..	·06	·04	19
20	·07	·06	·04	..	..	·87	·40	·16	·01	..	·01	·01	20
21	·15	·24	·02	·02	..	..	·07	..	..	..	·03	·01	21
22	..	·06	·02	..	..	·02	·21	..	·23	..	·02	·11	22
23	..	..	..	..	..	·02	·01	·01	·08	·02	·01	·06	23
24	..	..	..	·29	..	·02	..	..	..	·11	·05	..	24
25	·03	·01	..	..	..	..	..	·14	..	..	..	·03	25
26	·08	·22	·11	·42	..	..	..	·10	·03	..	..	·19	26
27	·29	..	..	·73	..	..	·03	·18	·07	..	..	·06	27
28	..	·10	·15	·06	..	..	·04	·70	..	..	·12	·24	28
29	·04		..	·01	..	·03	..	·55	..	·29	·04	·11	29
30	..		..	·25	..	·09	..	·32	..	·06	·17	·25	30
31	..		..		..		..	..	..	..		·07	31
Total	1·84 ..	2·60 4·44	3·10 7·54	2·99 10·53	·12 10·65	1·32 11·97	2·37 14·34	2·52 16·86	1·08 17·94	·74 18·68	1·21 19·89	3·24 23·13	Year's Total 23·13
Days with ·01 in. or more	17	15	19	11	4	8	15	12	10	9	20	22	162

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

5a

ASHT~~EAD~~
THE HUT
SURREY
1911 - 1920

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Ashl

in the County of

by F. C.

5 in.

Ground ft. 5 in.

Sea Level 200 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·60	·02			·03				·01	1
2	·12			·36	·17		·06				·16	·11	2
3		·03			·15			·01			·07	·02	3
4	·09	·01	·07	·07					·01	·04	·27	·28	4
5	·02			·02						·33	·06	·10	5
6	·31		·29									·48	6
7	·03			·02						·09	·40	·27	7
8	·11		·14								·24	·43	8
9	·18		·02	·01								·15	9
10		·13	·09								·02	·88	10
11	·29	—	·01		·15						·70		11
12	·02		·46		·05				·05		·18		12
13			·06		·17				·24	·09	·01	·36	13
14		·02			·40							·67	14
15		·08	·09							·03	·04	·05	15
16						·61					·44	·09	16
17						·01					·28	·29	17
18		·13				·05					·68	·51	18
19						·33			·45	·14	·18	·16	19
20	·01	·01						·03		·07		·76	20
21		·07						·25		·60		·20	21
22	·06		·19			·02				·10		·48	22
23		·12				·84			·14		·02	·13	23
24		·10				·02	·04			1·11		·20	24
25		·01		·04	·06	·11	·07	·06	·02	·07			25
26			·09	·16	·20	·07	·07			·15	·02	·23	26
27		·28	·12	·04	·01		·05		·11	·03	·04	·13	27
28		·14		·25			·01	·24			·01	·01	28
29				·33		·15	·12		·14	·14			29
30				·07				·62	·01	·23			30
31					·85					·02			31
Total	1·26	1·13	1·63	1·97	2·23	2·21	·42	1·24	1·17	3·24	3·82	7·00	TOTAL for year 27·32
No. of Rain Days	12	13	12	12	11	10	7	7	9	16	19	25	153

9,000, IX. '10.

5a

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Ashtead, The Hut
in the County of Surrey 5
by F. C. Bayard, Mrs Maples

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground ft. 5 in.
" " " Sea Level 200 ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·60	·02			·03				·01	1
2	·12			·36	·17		·06				·16	·11	2
3		·03			·15			·01			·07	·02	3
4	·09	·01	·07	·07					·01	·04	·27	·28	4
5	·02			·02						·33	·06	·10	5
6	·31		·29									·48	6
7	·03			·02						·09	·40	·27	7
8	·11		·14								·24	·43	8
9	·18		·02	·01								·15	9
10		·13	·09								·02	·88	10
11	·29	—	·01		·15						·70		11
12	·02		·46		·05				·05		·18		12
13			·06		·17				·24	·09	·01	·36	13
14	—	·02			·40							·67	14
15		·08	·09							·03	·04	·05	15
16						·61					·44	·09	16
17						·01					·28	·29	17
18		·13				·05					·68	·51	18
19						·33			·45	·14	·18	·16	19
20	·01	·01						·03		·07		·76	20
21		·07						·25		·60		·20	21
22	·06		·19			·02				·10		·48	22
23		·12				·84			·14		·02	·13	23
24		·10				·02	·04			1·11		·20	24
25		·01		·04	·06	·11	·07	·06	·02	·07			25
26			·09	·16	·20	·07	·07			·15	·02	·23	26
27		·28	·12	·04	·01		·05		·11	·03	·04	·13	27
28		·14		·25			·01	·24			·01	·01	28
29				·33		·15	·12		·14	·14			29
30				·07				·62	·01	·23			30
31					·85					·02			31
Total	1·26	1·13	1·63	1·97	2·23	2·21	·42	1·24	1·17	3·24	3·82	7·00	TOTAL for year 27.32
No. of Rain Days	12	13	12	12	11	10	7	7	9	16	19	25	153

9,000, IX. '10.

P. made

FORM A2.
BRITISH RAINFALL.
12 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Ashtead, The Hut

5

in the County of Surrey

by F. C. Bayard Mrs Maples.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 5 in.
" " " Sea Level 200 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·21	·03		·14	·10		·05	·64		·20	1
2			·40			·01	·38	·10	·01	·08			2
3		·07	·07			·10	·03	·24				·06	3
4	·18		·61		·11	·28		·06			·24		4
5	·23	·02	·09		·01			·43			·07	·02	5
6	·35	·09	·02		·01			·15	·01			·05	6
7		·01			·11	·64		·44				·05	7
8	·30	·50	·28			·07		·44					8
9			·03			·07		·06				·09	9
10	·03	·06	·02					·62			·05	·24	10
11		·28				·02		·01	·01			·26	11
12	·01	·12	·04		·12	·11		·04			·04		12
13		·01									·06	·02	13
14			·02		·04			·21		·02			14
15	·01		·08		·17	·66		·01			·03	·25	15
16	·24		·09		·21	·10		·07		·05	·10		16
17	·47		·32			·02		·07				·15	17
18	·07		·15					·10			·01	·11	18
19	·07	·08	·08				·10	·49					19
20		·02	·40					·10		·47	·04		20
21	·03	·01	·19		·05			·05		·09	·08		21
22	·14	·18	·05		·06		·04	·15				·03	22
23	·36	·43	·26			·06		·35		·07	·20	·19	23
24	·19					·23		·24				·13	24
25	·17					·15		·60			·21	·62	25
26	·01	·03						·30		·24	·45	·31	26
27						·05	·01			·22		·17	27
28		·05				·06	·09	·07	·08	·48	·57	·19	28
29		·02					·27	·14	1·45	·10	·05		29
30					·44	·04	·02	·12	1·56	·41			30
31			·09				·09	·09		·02			31
Total	2·86	1·98	3·50	·03	1·33	2·81	1·13	5·75	3·17	2·89	2·20	3·14	TOTAL for year 30·79
No. of Rain Days.	17	17	21	1	11	18	10	28	7	13	15	19	177

W. 8,000, X. '11.

made ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Ashtead The Hutt

in the County of Surrey 5

by F C Bayard | Mrs Maples

Lat. Long. —
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.22	.05	.09					.70		06	10	1
2	.09	.12					.08		.02	.06	.05		2
3	.01		.05	.18	.34					.01		.11	3
4	.37			.01	.30		.02			.21	.01	.02	4
5	.38					.05	.08		.37	.01	.01	.02	5
6		.04	11		.03	.09	.10			.18	.25		6
7		.19			.05	.01				.60	.11		7
8		.02			.13	.07				.02		.01	8
9		.15		—	.05		.04		08			.01	9
10				.09			.22	.06			.33	—	10
11	.59			.35	.09					.53	.21		11
12					.08						.30		12
13	.08		.05					.01	.18		.22		13
14	.17		.11	.05			3.32	.10		.11	.06		14
15	.26	.08	.20	.32			.49		.21			.01	15
16	.20		.36	.16			.01		.29			—	16
17		.03	.01	.04			.24						17
18			.13	.08							.02		18
19	.26		.13		01	.01	.13		.14				19
20	.21		.35	.09	.04	.05				.40			20
21	.02		.25	.03			.02			.22	.83		21
22	.38		.20					.09	.15				22
23							02	.34	.01			.46	23
24	.02			.04		.06					.02		24
25				.17									25
26			.16	.14			.01	.08		.72		.17	26
27			.04		.58					.02			27
28	.17		.38	.07						.09			28
29	.03		.06	.46	.68			.11		.07			29
30	.34		.	.06				.28		.22	—		30
31			.05					.95		.			31
Total	3.58	.85	2.69	2.43	2.38	.34	4.78	2.02	2.15	3.47	2.48	.91	YEAR'S TOTAL 28.08
Rain Days.	17	8	18	18	12	7	14	9	10	16	14	9	152

W.7,000, XI. 13

From Croydon Table

Ist RR

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
3 - MAR 1915

Kept at Ashtead The Hut

in the County of Surrey 5

by F. C. Bayard Mr Maples

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 5 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01					.22			.02	.02	1
2						.02	.12	.43			.23	.36	2
3			.06		.15	—	.10						3
4			.01	.17				.09			.21	.30	4
5	.11		.11	.21	.26	.06	.24	.56					5
6		.19	.01	.13	.01	.19		.01			.26	.20	6
7		.67	.27	.10	.20	.21	.05	—			—	.17	7
8	.10	50	.31		.01	.09	.11	.06				.04	8
9	.11		.65	.10		.04			.16			1.96	9
10	.02	.08	.01	.04	.05			—	.14		.01		10
11		.48	.37		.05				.11		.02	.24	11
12	.02	.10	.10		—		.31		.16	.01		.61	12
13		.29	.22						.10	.02	.06	.59	13
14		.18	.26			.03	.02			.31	.10	.50	14
15		.02	.15				.38	.04			.91	.03	15
16	.01		.02				—		.02			—	16
17	.02	.38	.13				—		.02			.19	17
18		.05	.17			—						.42	18
19		.09	.30				.10				.19	.21	19
20		.32	.39			.01			.16			.11	20
21		.62	.07					.06				.02	21
22			.01	.02	.44	.02	.17	.02		.21			22
23		.01	.10		.04	.04				.04		.01	23
24			.11								.09		24
25	.02		.19					.09		.25	.01	.14	25
26			.03				.10	.10		.05	.21	.54	26
27	.03										.03	.29	27
28										.09	.44	.75	28
29	.07		.03							.30	.18		29
30	.01	X	.04							.07	.54	.44	30
31	.01	X		X	.14	X	.03		X		X	.03	31
Total	.53	3.98	4.13	.77	1.35	.71	1.73	1.68	.87	1.35	3.51	8.17	YEAR'S TOTAL 28.78
Rain Days.	12	15	27	7	10	10	12	11	8	10	17	24	163

W. 8,000. X. 14.

190

FORM A. BRITISH RAINFALL.

14 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Ashtead The Hut

in the County of Surrey 5

by Mr Maples per Croydon Nat His Soc

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 5 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.63	.15	.05				.02	.04	.10	.01	.25	.48	1
2	.52	.21	.20	.14		.01		.65	.01	.08		.12	2
3	.35		.06	.12	.07			.19	.02			.39	3
4	.12											.30	4
5	.03	.49						.01		.04		.29	5
6	.38	.11	.07	.33			.85	.13				.16	6
7	.44	.37	.02				.22					.29	7
8	.06	.67		.01			.06	.20					8
9	.04	.07		.19		.06		.03			.30	.47	9
10	.16											.23	10
11	.02		.03								.73	.07	11
12	.04	.12		.36	.33			.15			.37		12
13	.01	.66			1.14			.01	.01				13
14	.01	.03					.09	.08	.01			.31	14
15	.14	.01			.03		.09	.13			.20	.20	15
16		.48			.07		.56	.14				.16	16
17		.43			.92								17
18		.25	.05		.16						.08		18
19		.27					.05			.01			19
20	.25											.21	20
21	.21						.04			.03		.05	21
22	1.05	.08	.07	.16			.54					.13	22
23			.03			.02	.30		.02	.34		.28	23
24	.03	.07					.04		.32	.24		.46	24
25			.01	.13			.39					.07	25
26		.04				.20	.15					.51	26
27		.04				.19				.23		.08	27
28		.10				.09			1.47	.21			28
29						.01	.31	.14	.01		.27	.04	29
30	.01	X				.22				.12	.49		30
31	.05	X		X		X		.01	X	1.05	X	.34	31
Total	4.55	4.65	.59	1.44	2.72	.80	3.71	1.91	1.97	2.36	2.69	5.64	YEAR'S TOTAL 33.03
Rain Days.	21	20	10	8	7	8	15	14	9	11	8	23	154

Ese D2 180

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 MAR 1917

Kept at Ashtead, The Hut

in the County of Surrey

by F. C. Bayard, Mrs Maples

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ______ ft. 5 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10		.02		.28				.30	.01	.22		1
2	.21	.13	.10		.23				.13	.38	.02		2
3		.78	.33				.02		.16	.30	.78		3
4	.12	.09		.03		.24			.19		.48		4
5	.01				.15	.19				.04	.78		5
6		.13	.23	.17	.01	.12	.38			.06	.68		6
7	.05		.68		.15	.14	.26			.01	.93	.04	7
8			.02		.21							.27	8
9					.21					.04		.16	9
10		.16	.13	.06		.14	.05						10
11	.12	.13	.03	.16	.02	.17						.01	11
12	.02	.04		.03	.28	.15	.01	.02	.01	.09			12
13		.15	.49	.05		.09		.04		.05			13
14		.41	.01		.06							.04	14
15		.09	.21					.36					15
16		.01	.35	.13			.30	.16					16
17	.10	.10		.07			.01	.03	.33	.48			17
18	.01	.05	.01	.04				.24	.12	.55	.72	.03	18
19	.06		.17	.17		.09			.09		.50	.03	19
20	.09		.14	.02							.08	.74	20
21	.01		.38				.31					.18	21
22			.06							.01		.50	22
23	.01	.47	.01					.01		.06	.04	.11	23
24		.09			.07			.02		.26	.05	.23	24
25		.76	.16					.51		.06	.07	.09	25
26		.19	.02			.16		.02	.01	.30			26
27		.02	.84			.03		.60	.06	.85			27
28		.44	.30			.05		.03	.05	.02		.11	28
29		.13				.14		.78	.06	.29		.18	29
30		×						.10		.40			30
31		×		×		×		.04	×	.09	×	.04	31
Total	.91	4.37	4.69	.93	1.67	1.71	1.34	2.96	1.51	4.35	5.35	2.76	YEAR'S TOTAL 32.55
Rain Days.	13	20	22	11	11	13	8	15	12	21	13	16	175

W. 8,000. X. 15

173

FORM A.
BRITISH RAINFALL.

28 FEB

REGISTER OF RAINFALL IN 1917

Kept at Ashtead, The Hut

in the County of Surrey

by F. C. Bayard, Mrs Maples

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. 5 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.17				1.53			.09		1
2				.47		.05		.06			.09		2
3				.15			.33	.43		.13			3
4		.27	.11				.23	.38	.02	.35			4
5	.20		.07	.37					.39	.27	.13		5
6			.27			.10			.32	.01	.09		6
7	.20						.18			.32			7
8	.13			.07			.70	.17	.07	.22	.17	.28	8
9			.05	.07	.01		.14	.07	.02	.01	.04	.37	9
10	.14		.15	.20		.03		.05			.01	.08	10
11	.10		.39	.26				.01	.15	.15			11
12	.05		.04	.01				.05		.42			12
13	.05		.09					.05	.01	.32		.01	13
14			.01	.08				.02					14
15	.03						.07	.09		.01		.04	15
16	.04	.13		.22	.06	.02	.03					.55	16
17		.01		.10	.55		.23	.03	.36	.19			17
18	.06	.01		.09	.09	.11	.25	.03	.19	.20			18
19	.01	.06	.02			.03			.09	.10			19
20	.02	.08			.65		.35		.01	.08	.03		20
21	.01			.02		.13					.07	.09	21
22	.01	.01				.01		.10					22
23		.13			.12	.04				.04		.03	23
24		.03				.08	.07	.05		.11			24
25		.05	.13										25
26			.06					.30	.02	.03	.48	.02	26
27			.01					1.19				.03	27
28		.01				1.01		.04				.06	28
29			.02		.15	.19	.47	.04		.35		.11	29
30	.01	X	.31				1.92	.09		.01		.03	30
31	.03	X	.11	X		X	.27	.01	X	.01	X	.03	31
Total	1.09	.79	1.86	2.28	1.63	1.80	5.24	4.79	1.65	3.33	1.20	1.73	YEAR'S TOTAL 27.39
Rain Days.	16	11	17	14	7	12	14	22	12	21	10	14	170

W. 8,000, VIII. 16

from M.O. ✓

Exd [illegible]

94

FORM A.
BRITISH RAINFALL.
10 4. 19

REGISTER OF RAINFALL IN 1918

Kept at Ashtead The Hut

in the County of Surrey

by Mrs Maples for F Campbell-Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 5 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·01			·27	·05	1
2		·05		·05				·21	·02		·25	·10	2
3			·07	·07	·46			·02			·49	·02	3
4		·16	·20	·02				·07	·17		·72	·01	4
5		·02	·01		·10			·08	·20	·05			5
6	·18	·08		·24	·19			·07	·37			·05	6
7	·01	·10		·15	·35	·01		·01	·07	·03	·10		7
8		·07							·13	·02	·10	·03	8
9	·01	·01		·04		·14	·22		·35	·06		·33	9
10				·07			·57		·04	·02		·31	10
11	·02			·02			·42		·02	·23		·11	11
12					·13		·14		·08			·01	12
13	·07				·13		·05		·10				13
14	·12	·01	·02	·01		·36	·05		·08	·15		·25	14
15	1·23			·74		·07	·25					·12	15
16	·30		·01	·28		·20			·32			·01	16
17	·27			·12			·64	·05				·13	17
18	·53					·19	·21		·61	·11		·04	18
19	·08		·08	·13	·14	·02	·13			·10		·04	19
20	·06	·12		·66		·03	·11		·35	·25			20
21	·20			·84			·04		·25	·10			21
22	·06				·42		·14		·14			·18	22
23	·04			·02	·08		·61	·04	·05			·01	23
24		·31					·41		·09	·01	·17		24
25				·18			·62	·14		·05			25
26							·65	·01		·04	·08	·10	26
27		·04		·15			·08	·16	10		·12	·01	27
28		·14	·20	·08				·11			·12	·09	28
29									1·00		·05		29
30		X	·34						·05		·07	·08	30
31		X	·03	X		X			X	·04	X		31
Total	3·18 ✓	1·11 ✓	·96 ✓	3·87 ✓	2·00 ✓	1·02 ✓	5·34 ✓	·98 ✓	4·59 ✓	1·26 ✓	2·54 ✓	2·08 ✓	YEAR'S TOTAL 28·93 ✓
Rain Days.	15 ✓	12 ✓	9 ✓	19 ✓	9 ✓	8	18 ✓	13 ✓	22 ✓	15 ✓	12 ✓	22 ✓	174 ✓

W, 6,500, VII. 18. w w c

162

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

17 MAR 20

Kept at Ashtead, The Hut

in the County of Surrey

by Mrs Maples, per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 5 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Ashtead IN.	Ashtead IN.	Ashtead IN.	Ashtead IN.	Ashtead IN.	Ashtead IN.	Ashtead IN.	Ashtead IN.	Ashtead IN.	Ashtead IN.	Ashtead IN.	Ashtead IN.	
1	·36	·02	..	..	·06	..	·09	..	..	·02	·09	·99	1
2	·27	..	..	..	·02	..	·12	..	·30	·17	·10	·16	2
3	·37	..	·53	..	..	..	·03	..	·14	..	·02	·36	3
4	·14	..	·37	..	..	..	·26	·01	·03	..	·02	·16	4
5	..	·30	·71	..	..	..	..	..	·04	..	·19	·29	5
6	·12	..	..	..	..	..	..	..	..	..	·01	·10	6
7	·02	..	·33	..	..	..	..	..	..	..	·04	..	7
8	·23	..	·08	..	..	..	..	..	..	..	·02	..	8
9	·15	..	·02	..	·07	..	..	..	..	..	·08	..	9
10	·48	..	·03	..	..	..	..	..	..	·02	·01	·05	10
11	·04	..	·07	·37	..	..	·24	..	..	..	..	·01	11
12	·08	..	·02	..	..	·01	·07	..	..	·04	·09	·01	12
13	·01	..	..	·47	..	..	..	..	·02	..	..	·03	13
14	·30	..	..	·34	..	..	·10	..	·96	..	..	·04	14
15	·23	·05	·15	·14	..	..	..	..	..	..	..	·48	15
16	·11	·50	..	·04	..	..	·01	..	..	..	·09	·04	16
17	..	·17	..	..	..	..	..	..	..	..	·17	..	17
18	..	·35	·09	..	..	..	..	..	·01	..	·05	·02	18
19	·03	·13	·65	..	..	·19	·44	·13	..	..	·07	..	19
20	·19	·08	·19	..	..	·73	·36	·11	·02	..	..	·01	20
21	·15	·41	·02	..	..	·10	·04	..	..	..	·01	·03	21
22	..	·02	..	..	..	..	·24	..	·29	..	·02	·30	22
23	..	..	..	..	..	·03	..	..	..	..	·02	·03	23
24	..	..	..	·25	..	·01	·08	·05	..	·24	·07	..	24
25	·02	·01	..	..	..	..	·02	·19	..	..	..	·03	25
26	·05	·13	·09	·02	..	..	..	·10	·12	..	·01	·30	26
27	·39	·03	..	·60	..	..	..	·25	..	..	·10	·04	27
28	..	..	·29	..	..	..	·01	·73	..	..	·41	·25	28
29	·07		..	·06	..	..	..	·32	..	·25	·02	·07	29
30	..		..	·28	..	·10	..	·49	..	·06	·20	·64	30
31	·16		·07		..		·08	..		·01		·04	31
	3·97	2·20	3·71	2·57	·15	1·17	2·19	2·38	1·93	·81	1·91	4·48	YEAR'S TOTAL
TOTAL	..	6·17	9·88	12·45	12·60	13·77	15·96	18·34	20·27	21 08	22·99	27·47	27·47
Days with ·01 in. or more	23	13	17	10	3	7	16	10	10	8	24	25	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex 8h

156

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ashtead, The Hut
in the County of
by Jas T Bayard, Mrs Maples

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in. Ashtead IN.	in. Ashtead IN.	in. Ashtead IN.	in. Ashtead IN.	in. Ashtead IN.	in. Ashtead IN.	in. Ashtead IN.	in. Ashtead IN.	in. Ashtead IN.	in. Ashtead IN.	in. Ashtead IN.	in. Ashtead IN.	
1	..	..	..	·32	·04	..	·29	..	..	·32	..	·20	1
2	..	..	·08	..	·02	..	..	·41	·12	..	..	·07	2
3	..	·07	..	..	·01	..	·01	..	..	·23	..	..	3
4	..	·03	..	·12	..	..	1·25	·05	..	·09	..	·03	4
5	·02	..	·15	..	..	..	·62	·10	..	..	..	·03	5
6	..	..	·25	..	·10	..	·22	..	..	..	..	..	6
7	..	..	..	·13	·07	..	·16	..	..	..	..	..	7
8	..	·03	..	·07	·22	..	·11	..	..	..	..	..	8
9	·22	·05	..	·02	..	..	..	..	..	..	..	..	9
10	·45	..	·06		..	·01	·14	..	..	..	·03	..	10
11	·19	..	·07	·21	..	·04	·25	..	..	..	..	·46	11
12	·05	..	·01	·18	..	·71	..	..	..	..	·01	..	12
13	·20	..	·12	·04	..	..	..	..	..	..	·01	..	13
14	..	·02	·24	·27	..	·09	..	..	·08	·03	·20	·01	14
15	·02	..	·07	..	..	..	..	..	·59	·03	·12	..	15
16	..	..	·01	·07	..	·18	..	..	·40	..	..	..	16
17	·01	..	..	..	·10	..	..	..	·54	..	..	·07	17
18	·03	..	·01	·07	·02	..	..	1·02	·36	..	..	·07	18
19	·08	..	..	·18	..	·04	..	..	..	..	..	·03	19
20	..	·34	..	·22	..	·45	..	..	·07	..	..	·02	20
21	..	..	..	..	..	..	·48	..	·74	..	..	·03	21
22	..	..	..	·31	..	..	..	·01	·20	..	..	·36	22
23	..	..	..	..	..	..	·35	·02	·01	..	..	·26	23
24	..	·01	·07	..	..	..	..	..	..	..	..	·03	24
25	..	·01	·01	..	..	..	·18	..	·01	..	..	..	25
26	·07	..	·38	..	..	..	·01	..	..	..	..	·04	26
27	·36	·05	·04	·25	..	·11	·08	..	..	..	·86	·16	27
28	·45	..	·06	·16	·04	..	·05	..	..	..	·09	·02	28
29	·59	..	·05	·03	·01	..	..	..	..	..	·11	·16	29
30	·01		..	·04	·01	..	·09	..	·28	..	·28	·16	30
31	·01		·01		..		..	..		·53		·10	31
Total	2·76	·61 3·37	1·69 5·06	2·69 7·75	·64 8·39	1·63 10·02	4·29 4·31	1·61 15·92	3·40 19·32	1·23 20·55	1·71 22·26	2·31 24·57	Year's Total 24·57
Days with ·01 in. or more	16	9	18	18	11	8	16	6	12	6	9	20	149
Days with ·04 in. or more	10	4	13	16	6	7	14	4	10	4	6	12	106

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Sa

ASHT~~EAD~~

ST GEORGES COTT

SURREY

1911- 15

N 19 11

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at L Georg
in the County of
by Rev. T. S. R.

n Snowdon
ter of top 5 in.
of top above Ground 1 ft. - in.
" " Sea Level 166 ft.
ation 9 am.
y Station { Name Ashtead
Distance 1/4 - 1/3 mile Direction NNE.

IMPORTANT N a.m., and the result entered to the previous day. If an most universal rule, he is earnestly requested to add the llowing year in the space provided for it at the end of measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in	in.	in.	in.	in	in.	in	in	in.	in.	in		
1	0·01			0·63			0·01	0·04					1
2	0·12			0·27	0·14		0·04					0·08	2
3		0·02			0·12						0·06	0·03	3
4		0·01	0·06	0·06					0·01	0·04	0·22	0·28	4
5				0·01						0·21	0·05	0·08	5
6	0·27		0·27									0·48	6
7	0·01			0·02						0·08	0·36	0·24	7
8	0·09		0·12								0·22	0·44	8
9	0·17		0·01	0·02								0·08	9
10		0·11	0·07								0·03	0·90	10
11	0·26		(·01)		0·30						0·66		11
12	0·01		0·46		0·02				0·05		0·27		12
13			0·06		0·13				0·24	0·12	0·01	0·37	13
14		0·05			0·43							0·71	14
15		0·04	0·07							0·02	0·04	0·05	15
16						0·58					0·41	0·06	16
17			0·01			0·02					0·24	0·25	17
18		0·13		0·01		0·05					0·66	0·46	18
19					0·01	0·32			0·49	0·14	0·18	0·16	19
20	0·01	0·01						0·06		0·07		0·77	20
21	0·01	0·05						0·25		0·62		0·21	21
22	0·04		0·25			0·01		0·01		0·05		0·52	22
23		0·03	~~0·03~~			0·77			0·14		0·02	0·11	23
24		0·09	0·01			0·01	0·05			1·07		0·20	24
25				0·05	0·03	0·11	0·08	0·03	0·03	0·12			25
26		0·01	0·07	0·14	0·19	0·09	0·06			0·15	0·01	0·23	26
27		0·25	0·11	0·03	0·02		0·05		0·11	0·02	0·01	0·13	27
28		0·10		0·25			0·01	0·20			0·01		28
29				0·33		0·20	0·18		0·13	0·13			29
30				0·07		0·01		0·35	0·01	0·21			30
31					0·78					0·02			31
Total	1·00	0·95	1·61 ✓	1·89	2·17	2·17	48 0·48	0·93	1·21	3·07	3·46	6·84	TOTAL for year 25·79
No. of Rain Days.	11	13	15 ✓	13	11	11	8	7	9	16	18	23	155

W. 8,000, X. '11.

5a

N 19 11

n Snowdon

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at S. George's Cottage, Ashtead

in the County of Surrey 5

by Rev. T. E. R. Phillips MA F.R.A.S.

RAIN GAUGE: Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 166 ft.

Time of Observation 9 am.

Nearest Railway Station: Name Ashtead
Distance 1/4 - 1/2 mile Direction NNE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in	in.	in.	in.	in	in.	in	in	in.	in.	in		
1	0·01			0·63			0·01	0·04					1
2	0·12			0·27	0·14		0·04					0·08	2
3		0·02			0·12						0·06	0·03	3
4		0·01	0·06	0·06					0·01	0·04	0·22	0·28	4
5				0·01						0·21	0·05	0·08	5
6	0·27		0·27									0·48	6
7	0·01			0·02						0·08	0·36	0·24	7
8	0·09		0·12								0·22	0·44	8
9	0·17		0·01	0·02								0·08	9
10		0·11	0·07								0·03	0·90	10
11	0·26		(·01)		0·30						0·66		11
12	0·01		0·46		0·02				0·05		0·27		12
13			0·06		0·13				0·24	0·12	0·01	0·37	13
14		0·05			0·43							0·71	14
15		0·04	0·07							0·02	0·04	0·05	15
16						0·58					0·41	0·06	16
17			0·01			0·03					0·24	0·25	17
18		0·13		0·01		0·05					0·66	0·46	18
19					0·01	0·32			0·49	0·14	0·18	0·16	19
20	0·01	0·01						0·05		0·07		0·77	20
21	0·01	0·05						0·25		0·62		0·21	21
22	0·04		0·25			0·01		0·01		0·05		0·52	22
23		0·08	0·03			0·77			0·14		0·02	0·11	23
24		0·09	0·01			0·01	0·05			1·07		0·20	24
25				0·05	0·03	0·11	0·08	0·03	0·03	0·12			25
26		0·01	0·07	0·14	0·14	0·09	0·06			0·15	0·01	0·23	26
27		0·25	0·11	0·03	0·02		0·05		0·11	0·02	0·01	0·13	27
28		0·10		0·25			0·01	0·20			0·01		28
29				0·33		0·20	0·18		0·13	0·13			29
30				0·07		0·01		0·35	0·01	0·21			30
31					0·78					0·02			31
Total	1·00	0·95	1·61 ✓	1·89	2·17	2·17	·48 ~~0·49~~	0·93	1·21	3·07	3·46	6·84	TOTAL for year 25·79
No. of Rain Days.	11	13	15 ✓	13	11	11	8	7	9	16	18	23	155

W. 8,000, X. '11.

cop 3. 11. 13

REGISTER OF RAINFALL IN 19 12

FORM A.
BRITISH RAINFALL.

W. H

Kept at 8 Grays Cottage, Ashtead

in the County of Surrey 5 BARNET WOOD LANE

by Rev. T. E. R. Phillips, M.A., F.R.A.S

Lat. 51° 19' N. Long. 0° 18' 30" W.
Time of Observation 9 a.m.
Nearest Railway Station Ashtead
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			0·18	0·01		0·05	0·12		0·05	0·68		0·20	1
2		* 0·01	0·36			0·08	0·36	0·14		0·08			2
3		* 0·05	0·10			0·11	0·03	0·28				0·05	3
4	0·18		0·68		0·09	0·29		0·08			0·22		4
5	0·15	0·04	0·08		0·01			0·51			0·05	0·02	5
6	0·35	0·05	0·01		0·01			0·17	0·01			0·03	6
7					0·16	0·64		0·43				0·03	7
8	0·30	0·47	0·20			0·05	0·03	0·51				0·01	8
9		0·08	0·03	0·01		0·11	0·02	0·04				0·09	9
10		0·06	0·01					0·66		0·01	0·05	0·24	10
11	0·02	0·26				0·02			0·01		0·01	0·22	11
12	·02	0·09	0·04		0·07	0·11		0·02			0·03	0·01	12
13		0·01									0·06	0·01	13
14			0·02		0·04			0·08		0·02		0·01	14
15	0·01		0·08		0·15	0·63					0·03	0·24	15
16	0·27		0·06		0·18	0·09		0·05		0·05	0·07		16
17	0·50		0·30			0·02		0·05			0·02	0·09	17
18	0·07		0·14					0·07		0·01	0·01	0·10	18
19	0·04	0·06	0·05				0·10	0·52					19
20	0·01	0·02	0·45			0·03		0·07		0·48	0·04		20
21	0·01	0·01	0·14		0·04			0·04		0·09	0·07		21
22	0·13	0·14	0·09		0·04		0·02	0·14		0·01		0·03	22
23	0·36	0·41	0·27					0·39		0·06	0·24	0·16	23
24	0·19	0·01				0·14	0·01	0·22				0·12	24
25	0·14					0·19		0·60			0·18	0·62	25
26	* 0·01	0·02						0·34		0·24	0·47	0·30	26
27			0·01			0·06	0·03			0·25		0·15	27
28		0·05				0·11	0·12	0·08	0·07	0·45	0·60	0·17	28
29		0·03		0·01		0·02	0·21	0·14	1·64	0·09	0·06		29
30					0·44	0·02	0·02	0·13	1·47	0·23			30
31	* 0·01		0·09				0·13	0·10		0·01			31
Total	2·77 ✓	1·87	3·47	0·03	1·23	2·76	1·21	5·06	3·25	2·76	2·23 2·21	2·90	YEAR'S TOTAL 30·32 30·32"
Rain Days.	19 ✓	~~20~~ 19	22	3	11	19	13	26	6	16	17	22	193

W. 7,500, XI. 12 * Snow

FORM A. BRITISH RAINFALL. 31 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at St George's Cottage, Ashtead Barnet

in the County of Ashtead 5

by Rev. T. E. R. Phillips F.R.A.S.

Lat. 51° 19′ N. Long. 0° 18′ 30″ W.

Time of Observation 9 am. Local Time

Nearest Railway Station Ashtead

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan. in.	Feb. in.	March. in.	April. in.	May. in.	June. in.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.23	0.04	0.07	n.m	–	–	–	0.86	0.01	0.05	0.09	1
2	0.06	0.11	–	–	–	–	0.08	–	0.01	0.11	0.04	N.m	2
3	0.01	–	0.03	0.19	0.34	–	–	–	–	0.01	–	0.09	3
4	0.35	–	–	0.01	0.30	–	–	–	–	0.30	0.01	0.02	4
5	0.37	–	–	–	n.m.	0.05	0.13	–	0.35	0.01	0.01	0.03	5
6	0.01	0.03	0.08	–	0.02	0.11	0.13	–	N.m	0.17	0.26	0.16	6
7	–	0.14	–	N.m.	0.06	N.m.	–	0.01	–	0.56	0.12	0.01	7
8	N.m	0.02	N.m.	N.m.	0.19	0.10	–	N.m.	–	0.02	0.01	0.01	8
9	–	0.14	–	0.01	0.05	N.m.	0.01	–	0.09	–	0.01	0.02	9
10	–	–	0.03	0.08	–	–	0.33	0.04	–	–	0.31	–	10
11	0.61	–	–	0.39	0.05	–	–	N.m.	–	0.56	0.17	–	11
12	–	–	–	–	0.06	–	–	–	–	–	0.34	N.m	12
13	0.05	–	0.02	N.m.	–	–	–	0.01	0.16	–	0.21	–	13
14	0.17	–	0.09	0.05	–	–	2.50	0.10	0.01	0.11	0.06	0.01	14
15	0.20	0.08	0.19	0.15	–	–	0.46	–	0.19	–	N.m	–	15
16	0.21	–	0.32	0.28	–	–	0.01	–	0.32	–	–	–	16
17	0.02	–	0.01*	0.06	–	–	0.22	–	–	–	N.m	0.01	17
18	N.m.	0.07*	0.10	0.06	N.m.	–	–	–	N.m.	–	0.04	–	18
19	0.25	–	0.10	N.m.	0.01	0.06	0.13	–	0.13	–	–	–	19
20	0.18	–	0.33	0.07	–	–	–	–	–	0.49	–	–	20
21	0.01	–	0.25	0.03	–	–	0.02	–	–	0.22	0.76	–	21
22	0.42	–	0.19	N.m.	N.m.	0.02	–	0.07	0.14	–	–	N.m	22
23	–	–	n.m	–	–	0.02	0.02	0.26	N.m.	–	0.01	0.46	23
24	0.02	–	0.01	0.03	–	–	–	N.m.	–	–	0.02	–	24
25	–	0.01	–	0.19	–	–	–	–	–	0.01	–	N.m.	25
26	–	–	0.16	0.14	–	–	0.01	0.07	–	0.75	–	0.14	26
27	–	–	0.05	0.10	0.63	–	–	–	–	0.02	–	–	27
28	0.17	–	0.40	0.08	–	–	–	–	–	0.11	–	N.m.	28
29	0.05		0.05	0.44	0.56	–	–	0.11	–	0.07	–	0.01*	29
30	0.30		–	0.03	–	–	–	0.23	–	0.27	–	–	30
31	–		0.05		–		–	0.93		0.01		–	31
Total	3.47 ✓	0.83 ✓	2.50 ✓	2.46 ✓	2.27 ✓	0.36 ✓	4.05 ✓	1.83 ✓	2.26 ✓	3.81 ✓	2.42 ✓	1.06 ✓	YEAR'S TOTAL 27.32 ✓
Rain Days.	20	9	~~19~~ 20	20	11	~~5~~ 6	13	10	10	19	17	13	168 168

W. 7,500, XI. ·12 ✱ = Snow

Ex DL

REGISTER OF RAINFALL IN 19 14

FORM A. BRITISH RAINFALL 12 FEB 1915

BARNET WOOD LANE

Kept at S. George's College Ashtead

in the County of Surrey 5

by Rev. T. E. R. Philips F.R.A.S.

Lat. 51° 19' N Long. 0° 18' 30" W

Time of Observation 9 am. local time

Nearest Railway Station Ashtead

Diameter of Rain Gauge 5 in. ~~in.~~

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ~~170+~~ 173 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan. in:	Feb. in	March. in.	April. in.	May. in	June. in	July. in.	Aug. in.	Sept. in.	Oct. in	Nov. in	Dec.	*Date.*
1			0.01					0.15				0.03	1
2						0.02	0.14	0.57			0.23	0.31	2
3			0.06		0.15		0.10						3
4	0.02		0.01	0.15			0.01	0.02			0.21	0.33	4
5	0.09		0.06	0.17	0.22	0.06	0.26	0.62			0.01		5
6		0.14	0.02	0.12	0.01	0.16					0.19	0.17	6
7		0.55	0.24	0.11	0.23	0.21	0.08					0.15	7
8	0.07	0.45	0.33			0.11	0.15	0.09				0.03	8
9	0.22		0.63	0.09	—	0.04			0.15		0.01	1.97	9
10		0.09	0.01	0.05	0.05				0.19			0.01	10
11		0.48	0.35		0.05	0.01			0.09		0.03	0.25	11
12	*0.01	0.11	0.11				0.35		0.16	0.01		0.61	12
13	*0.01	0.22	0.22						0.10	0.02	0.06	0.60	13
14	*0.01	0.13	0.20			0.05	0.10			0.33	0.08	0.51	14
15	0.01	0.02	0.15				0.41	0.04		0.01	0.95	0.04	15
16			0.03						0.03		0.01		16
17		0.32	0.13						0.02			0.17	17
18		0.05	0.17									0.39	18
19		0.08	0.30			0.02	0.12				0.18	0.20	19
20		0.34	0.37			0.01			0.12			0.09	20
21		0.73	0.06					0.01		0.03		0.03	21
22			0.01	0.02	0.45	0.04	0.15	0.02		0.14			22
23		0.01	0.09	0.01	0.08	0.02				0.06		*0.01	23
24			0.07		0.01						0.07		24
25	0.01		0.18					0.11		0.26		0.12	25
26			0.04				0.08	0.08		0.05	0.22	0.62	26
27	0.03										0.03	0.27	27
28	0.01	0.01			0.01					0.07	0.34	0.80	28
29	0.05		0.04							0.29	0.16		29
30	0.01	X	0.03							0.06	0.52	0.46	30
31		X		X	0.13	X	0.04		X		X	0.04	31
Total	0.55	3.73	3.92	0.72	1.39	0.75	1.99	1.71	0.86	1.33	3.30	8.20	YEAR'S TOTAL 28.45
Rain Days.	13	16	27	8	11	12	12 13	10	8	12	17	25	171

172

W. 8,000. X. 14. * Snow

188

FORM A.
BRITISH RAINFALL.
24 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ashtead BARNETWOOD LANE

in the County of Surrey 5

by Rev. T. E. R. Phillips

Lat. 51° 19′ N Long. 0 18′ 30″ W

Time of Observation 9 am.

Nearest Railway Station Ashtead

Diameter of Funnel of Rain Gauge 5 in. in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 170 ft ± ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	in: 0·67	0·13	0·03		0·05		0·03	0·03	0·10	0·02	0·24	0·45	1
2	0·54	0·20	0·20	0·11	0·01	0·01		0·71		0·06		0·16	2
3	0·46		0·07	0·12	0·01			0·22	0·01			0·37	3
4	0·01											0·27	4
5	0·03	0·66						0·01		0·05		0·28	5
6	0·39	0·13	0·07	0·34			0·95	0·02				0·14	6
7	0·35	0·36	0·02				0·27	0·01				0·24	7
8	0·06	0·66		0·02			0·06	0·26					8
9	0·03	0·08		0·21		0·05		0·02			0·29	ad 0·50 0·50	9
10	0·14											0·20	10
11	0·03		0·02							0·01	0·71	0·05	11
12	0·04	0·12		0·35	0·40			0·06			0·32	0·01	12
13	0·01	0·71			1·21				0·01				13
14		0·03					0·11	0·07	0·02			0·32	14
15	0·10	0·01			0·02		0·03	0·21			0·18	0·16	15
16		0·53			0·05		0·67	0·14				0·17	16
17		0·43			0·96								17
18		0·28	0·06		0·15						0·05		18
19		0·27			0·07		0·05			0·01			19
20	0·26											0·20	20
21	0·21						0·08			0·02		0·04	21
22	0·95	0·06	0·08	0·16			0·60					0·11	22
23		0·08	0·02			0·03	0·23		0·04	0·36		0·26	23
24	0·01			0·01		0·01	0·01		0·33	0·23		0·29	24
25			0·01	0·11			0·45					0·15	25
26		0·04				0·14	0·22					0·48	26
27		0·04				0·23	0·01			0·23		0·06	27
28		0·07				0·08			1·57	0·19			28
29							0·27	0·09			0·25		29
30	0·01	X				0·15				0·11	0·42	0·04	30
31	0·05	X		X		X			X	1·08	X	0·36	31
Total	4·35	4·89	0·58	1·43	2·87	0·70	4·04	1·85	2·02	2·37	2·46	5·31	YEAR'S TOTAL 32·87
Rain Days.	20	20	10	9	10	8	16	13	7	12	8	24	157

W. 8,000. X. 15

made

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

ASHTEAD
OAKFIELD RD
SURREY
1911 - 1919

Kept at Ash

in the County of

by H. 7. A

Association

5 in.

round – ft. 10 in.

Sea Level 180 ft.

30 a.m

Name ashtead

Distance ¼ mile Direction N.W.

IMPORTANT

the result entered to the previous day. If a universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	.	.	·73			·04	·04	.	.	·03	.	1
2	·12	.	.	·18	·16	.	·03	.	.	.	·15	·08	2
3	.	.	.	.	·13	.	.	.		.	·06	·02	3
4	·03	·04	·06	·07	.	.	.	.	·01	·03	·22	·25	4
5	.	.	.	.	.	.	.	.	.	.	·04	·10	5
6	·29	.	·28	.	.	.	.	.	.	·23	·01	·41	6
7	·01	.	.	·02	.	.	.	.	.	·08	·36	·28	7
8	·09	.	·11	.	.	.	.	.	.	.	·24	·42	8
9	·17	.	·03	·02	.	.	.	.	.	.	.	·21	9
10	·01	·12	·07	.	.	.	.	.	.	.	.	·69	10
11	·28	.	.	.	·28	.	.	.	.	.	·70	·01	11
12	·02	.	·48	.	·03	.	.	.	·08	.	·27	.	12
13	.	.	·07	.	·31	.	.	.	·28	·12	.	·36	13
14	.	·05	.	.	·27	.	.	.	.	.	·01	·67	14
15	.	·04	·09	.	.	.	.	.	.	·03	·05	·05	15
16	.	.	.	.	.	·62	.	.	.	.	·43	·06	16
17	.	.	.	.	.	·02	.	.	.	.	·23	·24	17
18	.	·15	·02	.	.	·09	.	.	.	.	·68	·41	18
19	.	.	.	·01	·01	·38	.	.	·48	·13	.	·16	19
20	·01	·01	·01	.	.	.	.	·03	.	·08	.	·75	20
21	·01	·05	.	.	.	.	.	·26	.	·63	.	·74	21
22	·05	.	·26	.	.	·02	.	·01	.	·07	.	·11	22
23	.	·11	·04	.	.	·80	.	.	·14	.	·02	·20	23
24	.	·09	.	.	.	·01	.	.	.	1·09	·01	·08	24
25		.	.	·20	·03	·12	·06	·04	·03	·11	.		25
26	.	.	·07	·04	.	·10	·13	.	.	·14	.	·22	26
27	.	·26	·13	.	·20	.	·06	.	·11	.	·04	·12	27
28	.	·11	.	·25	.	.	.	·21	.	.	.	·01	28
29	.	.	.	·35	.	·20	·15	.	·14	·12	.	.	29
30	.	.	.	·06	.	·01	.	·37	.	·25	·02	.	30
31	.	.	.	.	·78	.	.	.	.	·02	.	.	31
Total	1·11	1·03	1·72	1·93	2·20	2·37	·47	·96	1·27	3·13	3·57	6·65	TOTAL for year 26·41
No. of Rain Days.	13	11	14	11	10	11	6	7	8	15	19	25	155

W. 8,000, X. '11.

5a made

Association

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Ashtead OAKFIELD ROAD

in the County of Surrey 5

by H. F. Brooks

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground – ft. 10 in.
„ „ „ Sea Level 180 ft.

Time of Observation 8·30 a.m

Nearest Railway Station
Name Ashtead
Distance ~~1/4 mile~~ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.	.	.73			.04	.04	.	.	.03	.	1
2	.12	.	.	.18	.16	.	.03	.	.	.	.15	.08	2
3	.	.	.	.	.13	.	.	.	.	.	.06	.02	3
4	.03	.04	.06	.07	.	.	.	.	.01	.03	.22	.25	4
5	.	.	.	.	.	.	.	.	.	.	.04	.10	5
6	.29	.	.28	.	.	.	.	.	.	.23	.01	.41	6
7	.01	.	.	.02	.	.	.	.	.	.08	.36	.28	7
8	.09	.	.11	.	.	.	.	.	.	.	.24	.42	8
9	.17	.	.03	.02	.	.	.	.	.	.	.	.21	9
10	.01	.12	.07	.	.	.	.	.	.	.	.	.69	10
11	.28	.	.	.	.28	.	.	.	.	.	.70	.01	11
12	.02	.	.48	.	.03	.	.	.	.08	.	.27	.	12
13	.	.	.07	.	.31	.	.	.	.28	.12	.	.36	13
14	.	.05	.	.	.27	.	.	.	.	.	.01	.67	14
15	.	.04	.09	.	.	.	.	.	.	.03	.05	.05	15
16	.	.	.	.	.	.62	.	.	.	.	.43	.06	16
17	.	.	.	.	.	.02	.	.	.	.	.23	.24	17
18	.	.15	.02	.	.	.09	.	.	.	.	.68	.41	18
19	.	.	.	.01	.01	.38	.	.	.48	.13	.	.16	19
20	.01	.01	.01	.	.	.	.	.03	.	.08	.	.75	20
21	.01	.05	.	.	.	.	.	.26	.	.63	.	.74	21
22	.05	.	.26	.	.	.02	.	.01	.	.07	.	.11	22
23	.	.11	.04	.	.	.80	.	.	.14	.	.02	.20	23
24	.	.09	.	.	.	.01	.	.	.	1.09	.01	.08	24
25	.	.	.	.20	.03	.12	.06	.04	.03	.11	.	.	25
26	.	.	.07	.04	.	.10	.13	.	.	.14	.	.22	26
27	.	.26	.13	.	.20	.	.06	.	.11	.	.04	.12	27
28	.	.11	.	.25	.	.	.	.21	.	.	.	.01	28
29	.	.	.	.35	.	.20	.15	.	.14	.12	.	.	29
30	.	.	.	.06	.	.01	.	.37	.	.25	.02	.	30
31	.	.	.	.	.78	.	.	.	.	.02	.	.	31
Total	1·11	1·03	1·72	1·93	2·20	2·37	·47	·96	1·27	3·13	3·57	6·65	TOTAL for year
No. of Rain Days.	13	11	14	11	10	11	6	7	8	15	19	25	26·4 155

W. 8,000, X. '11.

made

FORM A.
BRITISH RAINFALL.

11 FEB 1913

REGISTER OF RAINFALL IN 1912

Cor. for arith. 15.II.13.

Kept at Ashtead OAKFIELD

in the County of Surrey 5

by Herbert F. Acocks

Lat. 51°, 18', 50" Long. 0°.18'.30" W.
Time of Observation 9 a.m.
Nearest Railway Station Ashtead
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground — ft. 9½ in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	—	.22	—	—	.09	.13	—	.05	.69	—	.20	1
2	—	—	.41	—	—	.04	.36	.14	—	.08	—	—	2
3	—	.06	.09	—	—	.12	.03	.28	—	—	—	.05	3
4	.20	—	.72	—	.09	.33	—	.08	—	—	.24	—	4
5	.12	—	.09	—	.01	—	—	.52	—	—	.06	.02	5
6	.37	.08	.01	—	—	—	—	.17	.01	—	—	.03	6
7	—	—	—	—	.13	.63	—	.46	—	—	—	.04	7
8	.28	.46	.28	—	—	.05	.03	.49	—	—	—	.01	8
9	—	.09	.02	.02	—	.11	—	.05	—	—	—	.09	9
10	.03	.07	.02	—	—	—	—	.67	—	.01	.05	.24	10
11	.02	.27	—	—	—	.02	—	—	.01	—	—	.24	11
12	—	.10	.04	—	.08	.11	—	.02	—	—	.03	.01	12
13	—	.01	—	—	—	—	—	—	—	—	.06	.01	13
14	—	—	.03	—	.04	—	—	.09	—	.03	—	.01	14
15	.02	—	.09	—	.17	.66	—	—	—	—	.03	.26	15
16	.27	—	.08	—	.17	.09	—	.05	—	.05	.07	—	16
17	.49	—	.32	—	—	.02	—	.05	—	—	.02	.10	17
18	.06	—	.15	—	—	—	—	.07	—	.01	.01	.11	18
19	.05	.07	.07	—	—	—	.11	.52	—	—	—	—	19
20	.02	—	.47	—	—	—	—	.08	—	.47	.03	—	20
21	—	—	.17	—	.04	—	—	.04	—	.08	.07	—	21
22	.14	.16	.09	—	—	—	.03	.14	—	.02	.06	.03	22
23	.37	.42	.27	—	—	—	—	.41	—	.06	.25	.16	23
24	.19	.01	—	—	—	.19	—	.23	—	—	—	.14	24
25	.15	—	—	—	—	.20	—	.60	—	—	.18	.62	25
26	—	.02	—	—	—	—	—	.35	—	.23	.49	.31	26
27	—	—	—	—	—	.05	—	—	—	.21	—	.17	27
28	—	.05	—	—	—	.09	.12	.06	.07	.46	.59	.20	28
29	—	.03	—	—	—	.02	.24	.15	1.54	.09	.06	—	29
30	—		—	—	.44	.01	.03	.12	1.56	.27	—	—	30
31	—		.09		—		.12	.10		.01		—	31
Total	2.79	1.90	3.73	.02	1.17	2.83	1.20	5.94	3.24	2.77	2.30	3.0~~2~~4	YEAR'S TOTAL 30.9~~2~~3
Rain Days.	17	15	21	1	9	18	10	26	6	16	17	22	178

W. 7,500, XI. 12

3093

made

REGISTER OF RAINFALL IN 1913

68. 1826

FORM A.
BRITISH RAINFALL.
9 FEB 1914

Kept at Ashtead ~~OAKFIELD ROAD~~

in the County of Surrey 5

by H. J. Aercks

Lat. 51°.18'.55" Long. 18'.30" W

Time of Observation 9 a.m.

Nearest Railway Station Ashtead

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·23	·04	·07					·89	·01	·06	·09	1
2	·08	·11					·07		·01	·11	·03		2
3			·03	·18	·36					·01		·09	3
4	·36			·01	·30		·03			·25		·01	4
5	·36					·05	·11		·37			·02	5
6	·01	·03	·09		·02	·09	·07			·14	·23	·16	6
7		·17			·07	·03		·01		·62	·11		7
8		·01			·17	·10				·02	·02	·01	8
9		·14			·04		·01		·09				9
10			·02	·08			·28	·04			·32		10
11	·56			·39	·05					·56	·17		11
12		·01			·05						·30		12
13	·05		·02					·02	·18		·19		13
14	·16		·11	·05			2·24	·10		·12	·04		14
15	·21	·07	·21	·32			·46		·22				15
16	·22		·36	·17					·33				16
17	·02	·06	·02	·05			·23						17
18			·13	·08							·04		18
19	·24		·10		·01		·13		·13	·44			19
20	·21		·36	·07		·06				·22			20
21	·02		·26	·02			·02				·77		21
22	·42		·22					·05	·14				22
23						·02	·02	·30				·47	23
24	·02			·03		·02					·01		24
25		·01		·18									25
26			·17	·16				·07		·74		·16	26
27			·04	·10	·58					·02			27
28	·17		·40	·07						·10			28
29	·04		·05	·46	·58			·10		·06			29
30	·34			·03				·29		·27			30
31			·05					·88					31
Total	3·49	·84	2·68	2·52	2·23	·37	3·67	1·86	2·36	3·69	2·29	1·01	YEAR'S TOTAL 27·01
Rain Days.	18	10	19	19	11	7	12	10	9	16	13	8	152

Slip made 2/3/15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 FEB 1915

Kept at Ashtead OAKFIELD ROAD
in the County of Surrey 5 R4 RR
by H. F. Acocks

Lat. 51°·18'·50" Long. 18' 30" W
Time of Observation 9. a.m.
Nearest Railway Station Ashtead
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 179 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·63

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·15	—	—	·02	·03	1
2	—	—	—	—	—	·02	·15	·52	—	—	·21	·30	2
3	—	—	·06	—	·17	—	·11	—	—	—	—	—	3
4	·02	—	·01	·14	—	—	—	·02	—	—	·21	·32	4
5	·10	—	·05	·17	·23	·06	·26	·58	—	—	·01	—	5
6	—	·16	·01	·12	—	·16	—	—	—	—	·21	·17	6
7	—	·62	·23	·11	·23	·24	·09	—	—	—	—	·15	7
8	·07	·47	·32	·10	—	·11	·15	·09	—	—	—	·05	8
9	·22	—	·65	—	—	·04	—	—	·16	—	—	1·97	9
10	—	·08	·01	·04	·05	—	—	—	·16	—	·01	·01	10
11	—	·46	·36	—	·05	·01	—	—	·13	—	·03	·26	11
12	—	·13	·11	—	—		·38	—	·17	·01	—	·62	12
13	—	·25	·23	—	—	—	—	—	—	·02	·06	·61	13
14	—	·15	·22	—	—	·05	·05	—	·10	·33	·07	·52	14
15	·01	·01	·15	—	—	—	·42	·05	·01	—	·94	·03	15
16	—	—	·02	—	—	—	—	—	·03	—	·01	—	16
17	—	·34	·14	—	—	—	—	—	·02	—	—	·18	17
18	—	·05	·18	—	—	—	—	—	—	—	—	·36	18
19	—	·08	·29	—	—	·02	·13	—	—	—	·18	·19	19
20	—	·33	·37	—	—	—	—	—	·13	—	—	·10	20
21	—	·67	·06	—	—	—	—	—	—	·04	—	·03	21
22	—	—	·01	·02	·43	·04	·16	·01	—	·13	—	—	22
23	—	·01	·09	—	·08	·02	—	—	—	·05	—	·01	23
24	·01	—	·07	—	·01	—	—	—	—	—	·08	—	24
25	—	—	·18	—	—	—	—	·11	—	·26	—	·15	25
26	—	—	·04	—	—	—	·09	·08	—	—	·22	·60	26
27	·03	—	—	—	—	—	—	—	—	·05	·03	·26	27
28	—	—	—	—	·01	—	—	—	—	·08	·39	·76	28
29	·05	—	·04	—	—	—	—	—	—	·31	·17	—	29
30	—	×	·03	—	—	—	—	—	—	·06	·50	·42	30
31	—	×	—	×	·15	×	·04	—	×	—	×	·04	31
Total	·51	3·81	3·93	·70	1·41	·77	2.03	1·61	·91	1.34	3.35	8·14	YEAR'S TOTAL 28.51
Rain Days.	8	15	26	7	10	11	12	9	9	11	18	25	161

W. 8,000. X. 14.

S-met

Ered. F.W

189

FORM A.
BRITISH RAINFALL.

31 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ashtead, OAKFIELD ROAD

in the County of Surrey.

5

by Herbert F. Acocks.

Lat. 51° 19' N Long. 0·18'·30" W

Time of Observation 9 a.m

Nearest Railway Station Ashtead

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 187 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·11

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·63	·14	·04	×	·04	×	·03	×	·11	·02	·22	·45	1
2	·54	·20	·21	·11	×	·02	×	·73	·01	·05	×	·15	2
3	·43	×	·06	·12	·02	×	×	·21	·01	×	×	·40	3
4	·03	×	×	×	×	×	×	×	×	×	×	·25	4
5	·03	·61	×	×	×	×	×	·01	×	·05	×	·28	5
6	·40	·13	·08	·35	×	×	·95	·02	×	×	×	·16	6
7	·34	·36	×	×	×	×	·26	·01	×	×	×	·24	7
8	·05	·67	×	·03	×	×	·06	·27	×	×	×	×	8
9	×	·08	×	·20	×	·06	×	·02	×	×	·30	·48	9
10	·18	×	×	×	×	×	×	×	×	×	×	·21	10
11	·03	×	·03	×	×	×	×	×	×	×	·69	·05	11
12	·04	·13	×	·35	·40	×	×	·06	×	×	·33	·01	12
13	×	·68	×	×	1·21	×	×	×	·01	×	×	×	13
14	×	·02	×	×	×	×	·12	·08	·02	×	×	·35	14
15	·10	·01	×	×	·03	×	·03	·20	×	×	·19	·16	15
16	·01	·48	×	×	·07	×	·68	·16	×	×	×	·18	16
17	×	·43	×	×	·95	×	×	×	×	×	×	×	17
18	×	·28	·06	×	·16	×	×	×	×	×	·04	×	18
19	×	·28	×	×	·01	×	·05	×	×	·01	×	×	19
20	·25	×	×	×	×	×	×	×	×	×	×	·20	20
21	·23	×	×	×	×	×	·08	×	×	·02	×	·04	21
22	·98	·07	·08	·17	×	×	·61	×	×	×	×	·12	22
23	·01	·09	·03	×	×	·04	·25	×	·04	·35	×	·27	23
24	×	×	×	×	×	×	·01	×	·33	·24	×	·30	24
25	×	×	·01	·12	×	×	·46	×	×	×	×	·13	25
26	×	·04	×	×	×	·16	·23	×	×	×	×	·54	26
27	×	·04	×	×	×	·24	×	×	×	·24	×	·06	27
28	×	·07	×	×	×	·11	×	×	1·50	·20	×	×	28
29	×	×	×	×	×	×	·29	·10	×	×	·23	×	29
30	·01	×	×	×	×	·16	×	×	×	·12	·41	·04	30
31	·05	×	×	×	×	×	×	×	×	1·07	×	·36	31
Total	4·34	4·81	·60	1·45	2·89	·79	4·11	1·87	2·03	2·37	2·41	5·43	YEAR'S TOTAL 33·10
Rain Days.	19	20	9	8	9	7	15	12	8	11	8	24	150

W. 8,000. X. 15.

179

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

26. JAN. 1917

Kept at Ashtead
in the County of Surrey
by H. F. Acocks

Lat. 51° 18′ 56″ Long. 0° 18′ 30″ W
Time of Observation 9 a.m.
Nearest Railway Station Ashtead
Diameter of Funnel of Rain Gauge 8 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ×

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	×	·01	×	·32	×	×	×	·42	×	·24	×	1
2	.20	·12	·11	×	·22	×	·01	×	·26	·44	·02	×	2
3	×	·79	·32	×	×	×	·02	×	·13	·28	·71	×	3
4	·12	·07	×	·03	×	·23	×	×	·20	×	·48	×	4
5	×	×	×	·01	·15	·22	×	×	×	×	·72	×	5
6	×	·11	·22	·16	·01	·12	·36	×	×	·02	·62	×	6
7	·05	×	·67	×	·14	·19	·19	×	×	×	·91	×	7
8	×	×	×	×	·23	×	×	×	×	×	×	·30	8
9	×	×	×	×	·21	×	×	×	×	×	×	·11	9
10	×	·22	·12	·05	×	·15	·06	×	×	·05	×	×	10
11	·03	·10	·03	·17	·01	·17	×	×	×	×	×	·10	11
12	·02	·03	·35	·03	·27	·17	·01	·03	·02	×	×	×	12
13	×	·15	·47	·06	×	·08	·02	·07	×	·08	×	×	13
14	×	·45	·02	×	·06	×	×	·01	×	·03	×	×	14
15	×	·08	·20	×	×	×	×	·33	×	·02	×	×	15
16	·01	·01	×	·12	×	×	·28	·22	×	×	×	×	16
17	·10	·13	×	·09	×	×	·02	·02	·35	·48	×	×	17
18	×	·04	·01	·03	×	×	×	·28	·13	·53	·69	×	18
19	·05	×	·18	·25	×	·01	×	×	·07	×	×	×	19
20	·10	×	·16	·01	×	×	×	×	×	·08	·55	·79	20
21	·01	×	·40	×	×	×	·21	×	×	×	·09	·33	21
22	×	×	·06	×	×	×	×	×	×	×	×	·47	22
23	×	·34	·02	×	×	×	×	×	×	×	·04	·12	23
24	×	×	×	×	·05	·05	×	·02	×	·28	×	·29	24
25	×	·62	·15	×	×	×	×	·43	×	·36	·07	×	25
26	×	·18	·01	×	×	·09	×	·02	×	×	×	×	26
27	×	×	·87	×	×	·02	×	·50	·09	·78	×	×	27
28	×	·43	·31	×	×	·04	×	·02	·05	·02	×	·13	28
29	×	·11	×	×	×	·15	×	·80	·04	·28	×	·16	29
30	×	×	×	×	×	×	×	·10	×	·43	×	·10	30
31	×	×	×	×	×	×	×	·04	×	·09	×	·06	31
Total	·80	3·98	4·69	1·01	1·67	1·69	1·18	2·89	1·76	4·25	5·14	2·96	YEAR'S TOTAL 32·02
Rain Days.	11	18	21	12	11	14	10	15	11	17	12	12	164

W. 8,000, VIII. 16

Exd C°5E

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3. FEB 1917

Kept at Ashtead Brit. Ass. gauge
in the County of Surrey
by H. F. Acocks

Lat. 51°·18′·50″ Long. 0°·18′·30″ W
Time of Observation 9 a.m.
Nearest Railway Station Ashtead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
×

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	×	·01	×	·32	×	×	×	·43	×	·24	×	1
2	·20	·12	·11	×	·22	×	·01	×	·25	·45	·03	×	2
3	×	·91	·31	×	×	×	·02	×	·13	·29	·72	×	3
4	·12	·07	×	·03	×	·24	×	×	·21	×	·52	×	4
5	×	×	×	·01	·15	·23	×	×	×	×	·70	×	5
6	×	·11	·22	·16	·01	·11	·39	×	×	·02	·61	×	6
7	·05	×	·67	×	·14	·18	·19	×	×	×	·91	×	7
8	×	×	×	×	·25	×	×	×	×	×	×	·29	8
9	×	×	×	×	·22	×	×	×	×	×	×	·11	9
10	×	·24	·12	·05	×	·14	·06	×	×	·05	×	×	10
11	·03	·10	·03	·17	·01	·17	×	×	×	×	×	·10	11
12	·02	·03	·35	·03	·28	·17	·01	·03	·02	×	×	×	12
13	×	·15	·48	·06	×	·07	·02	·07	×	·08	×	×	13
14	×	·46	·02	×	·06	×	×	·01	×	·03	×	×	14
15	×	·08	·20	×	×	×	×	·34	×	·02	×	×	15
16	·01	·01	×	·12	×	×	·29	·23	×	×	×	×	16
17	·10	·12	×	·10	×	×	·02	·01	·36	·49	×	×	17
18	×	·04	·01	·04	×	×	×	·28	·14	·52	·72	×	18
19	·06	×	·17	·26	×	·01	×	×	·08	×	×	×	19
20	·09	×	·16	·01	×	×	×	×	×	·08	·54	·78	20
21	·01	×	·40	×	×	×	·24	×	×	×	·09	·33	21
22	×	×	·06	×	×	×	×	×	×	×	×	·46	22
23	·01	·32	·02	×	×	×	×	×	×	×	·04	·13	23
24	×	×	×	×	·05	·06	×	·02	×	·28	×	·28	24
25	×	·55	·15	×	×	×	×	·42	×	·36	·07	×	25
26	×	·18	·01	×	×	·09	×	·02	×	×	×	×	26
27	×	×	·92	×	×	·02	×	·50	·09	·80	×	×	27
28	×	·45	·31	×	×	·04	×	·02	·04	·02	×	·13	28
29	×	·10	×	×	×	·15	×	·81	·03	·31	×	·16	29
30	×	×	×	×	×	×	×	·10	×	·42	×	·11	30
31	×	×	×	×	×	×	×	·03	×	·08	×	·06	31
Total	·80	4·04	4·73	1·04	1·71	1·68	1·25	2·89	1·78	4·30	5·19	2·94	YEAR'S TOTAL 32·35
Rain Days.	12	18	21	12	11	14	10	15	11	17	12	12	165

W. 8,000, VIII. 16

S made Exd C7 171

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

19. JAN 191

Kept at Ashtead
In garden, house in Oakfield Rd (Snowdon pattern gauge)
in the County of Surrey
by H. F. Acocks

Lat. 51°-18'-50" Long. 18'-30" W
Time of Observation 9 a.m
Nearest Railway Station Ashtead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ×

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	×	×	·01	·10	×	×	×	1·50	·01	×	·08	×	1
2	×	×	×	×	×	·04	×	·07	×	×	·08	×	2
3	×	×	×	·52	×	×	·33	·45	×	·12	×	×	3
4	×	·21	·10	·09	×	×	·26	·34	×	·34	×	×	4
5	·19	×	·05	·30	×	×	×	×	·38	·27	·06	×	5
6	×	·01	·31	·03	×	·10	×	×	·31	×	·09	×	6
7	·20	×	×	×	×	×	·12	×	×	·36	×	×	7
8	·13	×	×	·16	×	×	·77	·18	·08	·22	·16	·24	8
9	×	×	·06	·09	×	·01	·08	·06	·01	×	×	·39	9
10	·10	×	·10	·20	×	×	×	×	×	×	·04	·05	10
11	·15	·21	·40	·23	×	×	×	×	·12	·15	×	×	11
12	·06	×	·05	·02	×	×	×	·08	×	·57	×	×	12
13	·03	×	×	·02	×	×	×	·05	×	·23	×	×	13
14	×	×	·03	·10	×	×	×	×	×	×	×	×	14
15	×	×	×	×	×	×	·08	·04	×	·02	×	×	15
16	×	·05	×	·20	·07	×	·04	×	×	·19	×	·63	16
17	·08	·09	×	·09	·55	×	·26	·02	·39	·19	×	×	17
18	·04	·08	×	·10	·10	·07	·32	·07	·19	·12	×	×	18
19	×	·07	×	×	×	·09	×	×	·08	×	×	×	19
20	×	·06	·05	×	·54	×	·31	·01	×	×	×	×	20
21	×	×	×	×	×	·05	×	×	×	×	·03	×	21
22	×	×	×	×	×	×	×	·10	×	·08	·09	×	22
23	×	·12	·05	×	×	×	×	·06	×	·06	×	×	23
24	×	×	×	×	·12	·08	·05	·02	×	·13	×	×	24
25	×	×	·10	×	×	×	×	×	×	×	×	×	25
26	×	×	×	×	×	×	×	·35	×	·02	·47	×	26
27	×	·06	×	×	×	×	×	1·21	×	×	×	×	27
28	×	·03	·03	×	×	1·10	×	·05	×	×	×	·13	28
29	×	×	·01	×	·15	·21	·35	·03	×	·39	×	·11	29
30	×	×	·30	×	×	×	1·85	·08	×	·01	×	·02	30
31	×	×	·10	×	×	×	·32	·02	×	×	×	×	31
Total	·98	·99	1·75	2·25	1·53	1·75	5·14	4·79	1·57	3·47	1·10	1·57	YEAR'S TOTAL 26·89
Rain Days.	9	11	16	15	6	9	14	21	9	18	9	7	144

W. 8,000, IX. 17.

5 made

172

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Ashtead.
In garden opposite side Oakfield Rd (B.A. gauge)
in the County of Surrey.
by H. F. Acocks.

Lat. 51° 18' 50" Long. 18' 30" W
Time of Observation 9 a.m
Nearest Railway Station Ashtead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 180 ft.

18 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·10				1·50	·01		·10		1
2						·04		·06			·06		2
3				·53			·33	·46		·12			3
4		·20	·10	·08			·29	·33		·35			4
5	·18		·05	·30					·38	·27	·05		5
6		·01	·30	·03		·10			·31		·10		6
7	·20						·11			·38			7
8	·13			·15			·76	·17	·07	·22	·19	·26	8
9			·06	·08		·01	·08	·06	·01			·43	9
10	·10		·10	·19							·05	·05	10
11	·14	·20	·40	·20					·12	·46			11
12	·06		·05	·02				·08		·56			12
13	·03			·02				·06		·24			13
14			·03	·10									14
15							·07	·05		·02			15
16		·04		·20	·06		·04			·19		·68	16
17	·07	·08		·08	·54		·26	·02	·46	·22			17
18	·04	·08		·10	·16	·07	·31	·08	·20	·12			18
19		·06				·09			·09				19
20		·06	·05		·54		·31	·01					20
21						·05					·04		21
22								·16		·09	·07		22
23		·11	·04					·07		·04			23
24					·13	·08	·05	·02		·15			24
25			·11										25
26								·34		·03	·48		26
27		·06						1·25					27
28		·03	·03			1·09		·05				·15	28
29			·01		·14	·21	34	·03		·38		·11	29
30			·30				1·85	·10		·02		·03	30
31			·11				·33	·02					31
Total	·95	·93	1·76	2·18	1·51	1·74	5.13	4·86	1·65	3·56	1·14	1·71	YEAR'S TOTAL 27·12
Rain Days.	9	11	16	15	6	9	14	21	9	18	9	7	144

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 27·1 19

Kept at Ashtead

in the County of Surrey.

by H. F. Acocks.

Lat. 51° 18′ 50″ Long. 18′ 20″ W.

Time of Observation 9. a. m

Nearest Railway Station Ashtead

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 178 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·33	·09	1
2		·04		·05				·21	·01	·02	·18	·08	2
3			·05	·01	·42			·01			·55		3
4		·13	·18					·03	·24		·75		4
5		·03			·13			·13	·18	·04			5
6	·19	·06		·28	·10			·12	·28			·04	6
7		·10		·16	·40	·02			·08		·09		7
8		·06							·12	·08	·12	·02	8
9		·01		·04		·14	·22		·37	·05		·28	9
10				·10			·56		·06	·01		·48	10
11				·03			·56		·01	·22	·12	·10	11
12		·02			·13		·15		·05				12
13	·07				·14		·03		·11				13
14	·12					·39	·04		·02	·12		·23	14
15	1·16			·70		·07	·23					·12	15
16	·34		·01	·24		·09	·01		·32				16
17	·24			·12			·55	·05				·12	17
18	·49					·18	·13		·58	·12		·04	18
19	·06		·08	·13	·05	·02	·13			·09		·03	19
20	·01	·13		·65		·03	·14		·33	·26			20
21	·21			·81			·06		·29	·09			21
22	·06				·41		·14		·12			·15	22
23	·02			·02	·11		·60	·05	·06				23
24						·04	·41		·09		·06		24
25				·16			·64	·13		·03	·03		25
26		·30					·57				·06	·12	26
27				·14			·10	·19	·14		·12	·05	27
28		·16	·19	·08				·11			·12	·10	28
29									1·01		·02		29
30			·35						·07		·03	·09	30
31			·01							·05			31
Total	2·97	1·04	·87	3·72	1·89	·98	5·27	1·03	4·54	1·18	2·58	2·14	YEAR'S TOTAL 28·21
Rain Days.	12	11	7	17	9	9	19	10	22	13	14	17	160

W. 6,500, VII. 18. W W C

S made ✓

93

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27 . 1 19

Kept at Ashtead
in the County of Surrey
by H. F. Acocks

Lat. 51° 18' 50" Long. 18' 20" W
Time of Observation 9 a.m
Nearest Railway Station Ashtead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3/4 in.
" " " " Sea Level 178 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.38	.11	1
2		.05		.04				.22	.01	.03	.19	.08	2
3			.04	.01	.47			.01			.55		3
4		.13	.18					.03	.24		.77		4
5		.02			.10			.13	.20	04			5
6	.19	.06		.26	.13			.11	.28			.03	6
7		.09		.17	.40	.02			.08		.09		7
8		.04							.11	.10	.13	.02	8
9		.01		04		.14	.22		.38	.06		.28	9
10				.12			.56		.05	.01		.34	10
11				.02			.56		.02	.25	.10	.10	11
12		.02			.17		.15		.06				12
13	.05				.15		.03		.09				13
14	.12					.38	.04		.02	.12		.29	14
15	1.13			.73		.07	.24					15	15
16	.32		.01	.25		.09	.02		.33				16
17	.24			.12			.51	.05				.12	17
18	.49					.18	.13		.59	.11		.04	18
19	.08		.08	.11	.05	.02	.14			.09		.03	19
20	.01	.11		.75		.02	.14		.33	.25			20
21	.20			.86			.07		.30	.08			21
22	.05				.41		.15		.12			.16	22
23	.03			.02	.10		.64	.05	.06				23
24						04	.44		.09		.04		24
25				.17			.66	.11		.03	.03		25
26		.30					.60				.06	.12	26
27				.13			.10	.20	.14		.14	.05	27
28		.16	.18	.07				.09			.14	.10	28
29									1.03		.02		29
30			.36						.07		.03	.09	30
31			.01							.07			31
Total	2.91	.99	.86	3.87	1.98	.96	5.40	1.00	4.60	1.24	2.67	2.11	YEAR'S TOTAL 28.59
Rain Days.	12	11	7	17	9	9	19	10	22	13	14	17	160

W, 6,500, VII. 18. W W C

B. Made

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

FEB 20

Kept at Ashtead
in the County of Surrey
by Herbert F. Acocks

Lat. 51°. 19′ Long. 18′ 20″ W
Time of Observation 9. a.m
Nearest Railway Station Ashtead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·08

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·07					·12			·02	·12	1·03	1
2	·25		·03		05		·12		·31	·15	·11	·12	2
3	·38		·55				·02				·03	·40	3
4	·12	·06	·40			·05	·27	·02	·20		·01	·18	4
5		·25	·70						·05			·30	5
6	·13		·03									·08	6
7			·37								·05		7
8	·13		·08	·11									8
9	·10		·03	·03	·05						·05		9
10	·50		·05							·03		·05	10
11			·06	·33	·02		·13					·01	11
12	·10		·03	·03			·13			·08	·09		12
13				·51						·02		·02	13
14	·24			·35			·10		1·05			·03	14
15	·23		·15	·13								·46	15
16	·12	·58		·04							·07	·04	16
17		·19		·01							·16		17
18		·23	·05		·02						·09		18
19	·01	·14	·66			·17	·42	·17	·01		·06	·03	19
20	·16	·05	·21			·72	·27	·12	·04				20
21		·40	·05			·06	·04				·01		21
22	·14	·02					·25		·25			·30	22
23						·03			·06				23
24				·24		·03	·08	·05		·18	·08		24
25								·14					25
26	·04	·18	·08	·09				·17	·10			·30	26
27	·35	02	·04	·71				·23			·12	·05	27
28			·23					·68			·35	·25	28
29	·09			·07				·35		·28	·04	·05	29
30			·01	·26		·10		·50		·05	·19	·69	30
31	·07		·04				·10					·04	31
TOTAL	3·54	2·19	3·85	2·91	·14	1·16	2·05	2·43	2·07	·81	1·63	4·43	YEAR'S TOTAL 27·21
Days with ·01 in. or more	19	12	21	14	4	7	13	10	9	8	17	20	154

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

ASH~~TEAD~~

D'ABERNON CHASE

SURREY

1911 – 18

Borda

Kept at D'Abe

in the County of Su

by Sir

in.

und 1 ft. in.

Level 280 ft.

me Ashtead

tance 1½ Direction 2

IMPORTANT N e result entered to the previous day. If an al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·68			·02	·07					1
2	·03			·30	·18		·05				·28	·03	2
3	Snow ·17	·01			·14			·02			·05	·03	3
4	·03	·04	·07	·05					·32	·04	·17 ·17	·32	4
5	·27			·01						·14	·06	·05	5
6	.03 ·02		·28									·41	6
7	·10		~~·07~~	·01						·07	·35	·21	7
8	·23		·17								·26	·43	8
9			·01	·01								·12	9
10	·03	·12	·05	·02							·04	·74	10
11	·11		·02		·10						·64	·01	11
12			·42		·01				·10		·26		12
13			·04		·12				·22	·05	·01	·36 ·33	13
14		·07			·42							·68	14
15		·06	·10							·02	·04	·03	15
16						·46					·36	·02	16
17											·30	·22	17
18		·19	·01			·10					·60	·35	18
19					·02	·30			·44	·14	·19	·18	19
20		·01	·01			~~·30~~		·14		·08		·63	20
21	·02	·06						·32		·60		·24	21
22	·07		·28			·02				·05		·48	22
23		·13	·05			·78			·19 ·09	·01	·01		23
24		·11				·05	·03			1·16		·10	24
25		·01		·02	·04	·15	·30			·01		·26	25
26		·01	·06	·20	·14	·15	·07	·02		·15 ·21	·01	·21	26
27		·28	·11	·12			·04		·12	·02	·01	·14	27
28		·09		·24							·01		28
29				·30		·23	·15	·08	·14	·14			29
30				·07		·01		·20	·01	·18			30
31					·78					·01			31
Total	1.09 ✓	1.19	1.68	2.08 2·03	1.95	2.25	0.66	·85	1.24 ✓ 1·24	2.87	3.65	6.27	TOTAL for year 25.77
No. of Rain Days.	11	14	15	13	10	10	7	7	8	17	19	24	156

W. 8,000, X. '11.

Bo Sa

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at D'Abernon Chase, Leatherhead
5
in the County of Surrey
by Sir Willm Vincent Bt

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 280 ft.
Time of Observation 9 am
Nearest Railway Station Name Ashtead
Distance 1½ m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·68			·02	·07					1
2	·03			·30	·18		·05				·28	·03	2
3	Snow ·17	·01			·14			·02			·05	·03	3
4	·03	·04	·07	·05					·32	·04	·17 ·17	·32	4
5	·27			·01						·14	·06	·05	5
6	·03 ·02		·28									·41	6
7	·10		~~·07~~	·01						·07	·35	·21	7
8	·23		·17								·26	·43	8
9			·01	·01								·12	9
10	·03	·12	·05	·02							·04	·74	10
11	·11		·02		·10						·64	·01	11
12			·42		·01				·10		·26		12
13			·04		·12				·22	·05	·01	·36 ·33	13
14		·07			·42							·68	14
15		·06	·10							·02	·04	·03	15
16						·46					·36	·02	16
17											·30	·22	17
18		·19	·01			·10					·60	·35	18
19					·02	·30			·44	·14	·19	·18	19
20		·01	·01			~~·30~~		·14		·08		·63	20
21	·02	·06						·32		·60		·24	21
22	·07		·28			·02				·05		·48	22
23		·13	·05			·78			·19 ·09	·01	·01		23
24		·11				·05	·03			1·16		·10	24
25		·01		·02	·04	·15	·30			·01		·26	25
26		·01	·06	·20	·14	·15	·07	·02		·15 ~~·21~~	·01	·21	26
27		·28	·11	·12			04		·12	·02	·01	·16	27
28		·09		·24							·01		28
29				·30		·23	·15	·08	·14	·14			29
30				·07		·01		·20	·01	·18			30
31					·78					·01			31
Total	1.09 ✓	1.19	1.68	2.08 2.03	1.95	2.25	0.66	·85	1.24 ✓ 1.24	2.87	3.65	6.27	TOTAL for year 25.73 25.71
No. of Rain Days.	11	14	15	13	10	10	7	7	8	17	19	24	156

W. 8,000, X. '11.

corr. by Bayard &c. 3.4.13

1536

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 JAN 1913

ASHSTEAD

Kept at D'Abernon Chase

in the County of Surrey 5

by Sir William Vincent

Lat. 51.19.46 Long. 0.19.53

Time of Observation 9 a.m.

Nearest Railway Station Ashtead

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01		·17	·02		·06	·06		·07	·62	·01	·30	1
2			·37			·07	·39	·16	—	·08			2
3	·01		·10		·01	·09	·04	·25		·01	·01	06 ·60	3
4	·21		·60		·10	·30		·08			·24	~~·50~~	4
5	·16	·08	·12					·49			·05	·03	5
6	·40	·06	·01		·01			·36				·02	6
7					·12	·90		·22				·02	7
8	·22	·50	·39			·13	·01	·24					8
9	·01	·08	·04	·01		·34		·02	·01			·03	9
10		·06	·18					·40			·07	·25	10
11	·02	·24	·01			·02		·01	·01			·27	11
12	·02	·07	·04		·17	·15		·02			·04		12
13							·01		·01	·02	·03		13
14			·01		·03			·05		·03	·04	·03	14
15	·01		·11		·18	·63					~~·05~~	·21	15
16	·44		·05		·12	·12		·06		·05	·05		16
17	·54		·33			·02		·05			·01	X·08	17
18	·10		·22					·08		·01	·01	·09	18
19	·05	·08	·04				t·11	·62					19
20		·03	·34					·07		·47	·04		20
21	·01	·01	·13		·84 ·04			·05		·10	·10		21
22	·13	·13	·10		·11		·03	·18		·01		·05	22
23	·37	·44	·30				·01	·42		·08	·20	·19	23
24	·27	·01				·10						·13	24
25	·10					·20		·81			·20	·48	25
26		·05						·47		·08	·45	·31	26
27			·01			·08				·35		·17	27
28		·08				·16	·42	·05	·07	·42	·55	·21	28
29		·03	·01	01			·32	·16	1.60	·16			29
30					·47	·12	·03	·08	1·31	·20			30
31			·10				·14	·11					31
Total	3·07	1·94	3·76	·04	1.36	3.49	1.57	5.50	3.08	2·70	2·10	2·96 ~~3·57~~	YEAR'S TOTAL ~~31·62~~ 31·57
Rain Days.	19	16	24	3	11	17	12	26	7	16	17	19	187

W. 7,500, XI. 12

Corrd by Bayard 21.1.14 HFDS

ASH

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 JAN 1914

Kept at D'Abernon Chase

in the County of Surrey

by Sir Wm Vincent

5

Lat. 51°19'46" Long. 0°19'53" W

Time of Observation 9 am

Nearest Railway Station Lthd

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·23	·03	·09	t				·83	·02	·04	·15	1
2	·11	·11					·09		·01	·22 ·20	·06		2
3			·07	·21	~~·03~~ ·37					·01		·08	3
4	·32			·01	·30					·40		·05	4
5	·34					·06	·14		·37		·03	·03	5
6	·01	·04			·04	·05	·05		·02	·24	·25	·18	6
7		·13			·14					·37	·10		7
8		·03	·10			·07				·04			8
9		·15			·20		·11		·12			·03	9
10			·07	·11				·05			·30		10
11	·42			·41						·66	·25		11
12					·05		·07				·30		12
13	·04		·03					·02	·15		·23		13
14	·16	·02	·13	·06			1·80	·12	·05	·15	·06		14
15	·15	·06	·23	·32			·63		·08				15
16	·18		·35	·13			·01		·22				16
17	·03		·05	·06			·25						17
18	·01		·10	·09									18
19	·25					·03	·17		·28				19
20	·25		·50	·05		·11				·50			20
21	·01		·21	·05			·02			·25	·77		21
22	·34		·25	·15			·01	·06	·16				22
23							·02	·04				·40	23
24	·02		·02	·03		·05		·11				·10	24
25		·02											25
26			·18	·40			·01	·08		·82		·16	26
27			·12	·08	·40								27
28	·24		·23	·10						·15			28
29	·05		·05	·42	·77			·13		·07			29
30	·23			·05				·26		·22			30
31			·06					·80		·08			31
Total	3·18	·79	2·78	2·82	2·27	·37	3·38	1·67	2·29	4·18	2·29 2·39	1·18	YEAR'S TOTAL 27·20
Rain Days.	20	9	19	19	8	6	14	10	11	16	11	9	152

27·30

W.7,000, XI. 13

Copied from PT ExLMC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - MAR 1915

Kept at D'Abernon Chase

in the County of Surrey 5

by The late Sir W. Vincent Bart
F. Campbell Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	·18	-	-	-	-	1
2	-	-	-	-	-	-	·25	·35	-	-	·15	·30	2
3	-	-	·07	·18	·22	-	·12	-	-	-	-	-	3
4	-	-	-	·20	-	-	-	-	-	-	·26	·45	4
5	·15	-	·10	·10	·20	·06	·25	·50	-	-	-	-	5
6	-	·20	-	·15	-	·20	-	-	-	-	·20	·15	6
7	-	·45	·30	-	·23	·15	·15	-	-	-	-	·10	7
8	·10	·50	·40	·15	-	·12	·25	·15	-	-	-	-	8
9	·25	-	·70	-	-	·05	-	-	·15	-	-	1·90	9
10	-	·12	-	-	·06	-	-	-	·10	-	-	-	10
11	-	·42	·35	-	-	-	-	-	·25	-	·05	·26	11
12	-	·10	·20	-	-	-	·35	-	·20	-	-	·50	12
13	-	·23	·10	-	-	-	-	-	·10	-	·05	·48	13
14	-	·15	·20	-	-	·15	·15	-	-	·35	·10	·45	14
15	-	-	·20	-	-	-	·55	-	-	-	·90	·05	15
16	-	-	-	-	-	-	-	-	-	-	-	-	16
17	-	·35	·15	-	-	-	-	-	-	-	-	·25	17
18	-	·10	·20	-	-	-	-	-	-	-	-	·30	18
19	-	-	·25	-	-	-	·12	-	-	-	·20	·35	19
20	-	·35	·40	-	-	·35	-	-	·22	-	-	-	20
21	-	·75	-	-	-	-	-	·20	-	-	-	-	21
22	-	-	-	-	·35	·12	·15	-	-	·25	-	-	22
23	-	-	·07	-	·07	-	-	-	-	·05	-	·10	23
24	-	-	·09	-	-	-	-	-	-	-	·10	-	24
25	-	-	·20	-	-	-	-	-	-	·25	-	-	25
26	-	-	·05	-	-	-	·15	·20	-	·10	·22	·35	26
27	·09	-	-	-	-	-	-	·05	-	-	-	·23	27
28	-	-	-	-	-	-	-	-	-	·10	·45	·40	28
29	·06		-	-	-	-	-	-	-	·30	·12	-	29
30	-	×	·08	-	-	-	-	-	-	·05	·55	·40	30
31	-	×	-	×	·18	×	-	-	×	-	×	·05	31
Total	·65	3·72	4·11	·78	1·31	1·20	2·49	1·63	1·02	1·45	3·35	7·07	YEAR'S TOTAL 28·78 ✓
Rain Days.	5	12	20	5	7	8	11	7	6	8	13	19	121 ✓

W. 8,000. X. 14.

21 BR

18

FORM A.
BRITISH RAINFALL.

14 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Ashtead D'Abernon Chase

in the County of Surrey

by Sir F. E. Vincent Bart per Croydon Nat His Soc

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.65	.15									.25	.20	1
2	.68	.20	.28	.12				.80				.10	2
3	.30		.05	.10	.10		—	.40				.45	3
4	.20											.25	4
5	.05	.65								.20		.30	5
6	.40		.10	.30			1.00					.20	6
7	.28	.20	.05									.20	7
8	.05	.35		.05			.30	.30					8
9				.24		.10		.10			.40	.50	9
10	.23											.28	10
11		.75									.55	.10	11
12	.05	.10		.40	.42						.40		12
13		.05			1.13								13
14		.62					.20					.40	14
15	.20				.05		.50				.15	.15	15
16		.50										.20	16
17		.40			1.00								17
18		.25	.10		.20								18
19		.18					.10						19
20	.30											.20	20
21										.10		.05	21
22	.90	.10	.05	.15			1.00					.10	22
23		.12	.20				.20		.25	.45		.30	23
24									.40	.25		.35	24
25				.12			.40					.10	25
26												.45	26
27						.20	.10		.10	.25		.10	27
28		.05				.10			1.50	.20			28
29							.30	.15			.30	.05	29
30		×				.50				.25	.30		30
31	.05	×		×		×			×	1.10	×	.30	31
Total	4.34	4.67	.83	1.48	2.90	.90	4.10	1.75	2.25	2.80	2.35	5.33	YEAR'S TOTAL 33.70
Rain Days.	14	16	7	8	6	4	10	5	4	8	7	23	112

W. 8,000. X. 15.

177

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

13 MAR 1917

Kept at D'Abernon Chase

in the County of Surrey

by F. C. Bayard, Sir F. E. Vincent, Bt.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10				·35				·35		·20		1
2	·20	·10	·10		·25				·25	·40	·05		2
3		·85	·30				·05		·10	·27	·70		3
4	·15	·15				·25			·22		·50		4
5	·05		·05	·05	·20	·10				·05	·85		5
6		·10	·40	·15	·05	·15	·45			·05	·62		6
7	·05		·60		·20	·30	·10				·75	·10	7
8					·35	·10					·02	·20	8
9					·20					·08		·15	9
10		·20	·10	·05		·15	·10					·20	10
11	·05	·18	·05			·25						·05	11
12	·05	·05		·10	·35	·18	·05	·02		·10			12
13		·20	·50	·20		·05	·06	·05		·05			13
14		·40			·10		·02	·10				·10	14
15		·10	·25					·50					15
16			·40	·15			·30	·40					16
17	·10	·15		·10			·05	·05	·43	·50			17
18		·05	·05	·15				·30	·15	·52	·70	·05	18
19	·12		·20	·20					·10		·58		19
20	·10		·25								·15	·54	20
21	·05		·40				·40					·57	21
22	·05		·05							·03		·40	22
23		·30				·16				·05	·05		23
24		·10			·05	·05				·30	·05	·25	24
25		·60	·25					·35		·05	·10	·15	25
26		·35	·05			·10		·20		·35			26
27			·92			·03		·33	·10	·60			27
28		·50							·05	·10		·05	28
29		·10				·15		·95	·08	·25		·25	29
30		X						·10		·40			30
31		X		X		X		·05	X	·10	X	·05	31
Total	1·07	4·48	4·92	1·15	2·10	2·02	1·58	3·40	1·83	4·25	5·32	3·11	YEAR'S TOTAL 35·23
Rain Days.	12	18	18	9	10	14	10	13	10	19	14	15	162

W. 8,000, X. 15.

170

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at D'Abernon Chase

in the County of Surrey

by F. C. Bayard, Sir F. E. Vincent Bt.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·05				1·45			·10		1
2				·45				·10			·10		2
3				·15			·35	·40		·15			3
4		·25	·05	·05			·30	·30		·40			4
5	·25			·25				·03	·35	·30	·12		5
6			·30	·10		·03			·30	·05	·18		6
7	·15			·08			·20			·60		·05	7
8	·25			·15			·70	·33	·10	·25	·20	·10	8
9	·05		·05	·10			·15	·10	·05		·05	·50	9
10	·20			·15		·10		·05				·05	10
11	·08			·25				·05	·25	·15			11
12	·05		·10	·10				·10		·60			12
13	·03		·05	·03				·10	·03	·30			13
14			·03	·15			·30	·03					14
15	·03						·30	·03		·03		·03	15
16	·05	·15		·20	·05		·25			·20		·50	16
17				·10	·55		·25	·05	·40	·25			17
18	·05			·10	·10	·08	·30	·08	·25	·10			18
19		·05	·05			·05	·03		·15				19
20			·03		·60		·05	·02	·03		·05		20
21			·05		·03								21
22			·05					·10		·03			22
23		·15			·15	·05		·05		·10			23
24						·10	·03	·15		·20			24
25		·05	·10								·05		25
26								·28	·05		·40	·05	26
27			·05					1·10					27
28		·03				1·10		·05				·05	28
29					·15	·25	·75	·03		·35		·10	29
30		X	·35				1·75	·10		·03		·03	30
31		X	·15	X		X	·35		X		X		31
													YEAR'S TOTAL
Total	1·19	·68	1·51	2·46	1·63	1·76	6·06	5·08	1·96	4·09	1·25	1·46	29·13
Rain Days.	11	6	15	17	7	8	16	24	11	18	9	10	152

W. 8,000, VIII. 16

from M.S Exd CJE 91

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
19 4 19

Kept at D'Abernon Chase.
in the County of Surrey
by Sir F. E. Vincent Bt. per F. C. Bayard

Lat. Long. —
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2		·10											2
3													3
4		·12											4
5		·03											5
6	·20	·10											6
7		·15											7
8	·05	·05											8
9													9
10													10
11													11
12		·03											12
13	12												13
14	·15												14
15	1·25												15
16	·40												16
17	·25												17
18	·50												18
19	·10												19
20	·10	15											20
21	·20												21
22	·05												22
23	·03												23
24		·40											24
25													25
26													26
27		·05											27
28		·10											28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
Total	3·40 ✓	1·28 ✓											YEAR'S TOTAL
Rain Days.	13 ✓	11 ✓											

W, 6,500. VII. 18. W W C

Sa

ASHTEAD

HILL FIELD

SURREY

1911 - 12

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Hill

postal a

in the County of

by C. F. H

5 in.

e Ground 1 ft. in.

Sea Level 215 ft.

a.m

Name Leatherhead

Distance 1 mile Direction W

IMPORTANT ... the result entered to the previous day. If ... almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·61	·01								1
2	·06			·27	·16		·07				·18	·12	2
3		·05			·14						·06	·02	3
4	·10	·02	·07	·09						·04	·22	·28	4
5	·01			·05						·28	·07	·08	5
6	·32		·29	·01								·47	6
7	·01									·09	·47	·24	7
8	·10		·16	·01							·24	·43	8
9	·19		·01	·01							·01	·09	9
10		·13	·09								·03	·84	10
11	·30		·01		·11						·71		11
12	·01		·51		·03				·05		·25		12
13			·07		·20				·22	·10	·01	·56	13
14		·06			·35							·64	14
15		·05	·10		·05					·02	·02	·05	15
16			·01			·55					·45	·08	16
17						·01					·27	·27	17
18		·13		·01		·06					·74	·50	18
19		·01			·01	·36			·46	·17	·20	·15	19
20	·01		·01					·03	·01	·05		·77	20
21	·01	·07						·22		·61		·22	21
22	·05		·18			·06				·11		·53	22
23		·13	·01			·86			·13		·04	·10	23
24		·10				·03	·07			1·12		·20	24
25		·01		·05	·06	·12	·06	·07	·01	·06			25
26			·11	·15	·15	·10	·10			·17	·02	·21	26
27		·26	·12	·06	·01		·05		·11	·04	·01	·14	27
28		·11		·25			·02	·21			·01		28
29				·36		·15	·16		·16	·14			29
30				·10		·01		·53	·02	·20			30
31					·82					·05			31
Total	1·18	1·13	1·75	2·03	2·10	2·31	·53	1·06	1·17	3·25	4·01	6·99	TOTAL for year 2751
No. of Rain Days.	13	13	15	14	13	11	7	5	9	16	20	23	159

W. 8,000, X. '11.

Sa

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Hill [illegible]
postal address Leatherhead
in the County of Surrey
by C. F. Howell

5

Rain Gauge [illegible] Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 215 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Leatherhead
Distance 1 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01			·61	·01								1
2	·06			·27	·16		·07				·18	·12	2
3		·05			·14						·06	·02	3
4	·10	·02	·07	·09						·04	·22	·28	4
5	·01			·05						·28	·07	·08	5
6	·32		·29	·01								·47	6
7	·01									·09	·47	·24	7
8	·10		·16	·01							·24	·43	8
9	·19		·01	·01							·01	·09	9
10		·13	·09								·03	·84	10
11	·30		·01		·11						·71		11
12	·01		·51		·03				·05		·25		12
13			·07		·20				·22	·10	·01	·56	13
14		·06			·35							·64	14
15		·05	·10		·05					·02	·02	·05	15
16			·01			·55					·45	·08	16
17						·01					·27	·27	17
18		·13		·01		·06					·74	·50	18
19		·01			·01	·36			·46	·17	·20	·15	19
20	·01		·01					·03	·01	·05		·77	20
21	·01	·07						·22		·61		·22	21
22	·05		·18			·06				·11		·53	22
23		·13	·01			·86			·13		·04	·10	23
24		·10				·03	·07			1·12		·20	24
25		·01		·05	·06	·12	·06	·07	·01	·06			25
26			·11	·15	·15	·10	·10			·17	·02	·21	26
27		·26	·12	·06	·01		·05		·11	·04	·01	·14	27
28		·11		·25			·02	·21			·01		28
29				·36		·15	·16		·16	·14			29
30				·10		·01		·53	·02	·20			30
31					·82					·05			31
Total	1·18	1·13	1·75	2·03	2·10	2·31	·53	1·06	1·17	3·25	4·01	6·99	TOTAL for year 27·51
No. of Rain Days.	13	13	15	14	13	11	7	5	9	16	20	23	159

W. 8,000, X. '11.

Ex DS

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Hill Field, Ashtead

in the County of Surrey. 5

by C. F. Howell.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 215 ft.

Time of Observation 9-0 am

Nearest Railway Station
Name Leatherhead
Distance 1 Mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·20	·02		·07	·15		·07	·63		·22	1
2			·41	·02		·09	·42	·10		·10			2
3		·10	·08	·01		·12		·27				·07	3
4	·17	·05	·65		·10	·30	·03	·06			·27		4
5	·17		·10					·50			·05	·03	5
6	·40	·14	·03					·25				·05	6
7					·08	·81		·31				·06	7
8	·30	·51	·28			·06		·27					8
9		·07	·03			·10	·03	·07				·05	9
10		·08	·02			·01		·67			·05	·27	10
11	·03	·30						·04			·01	·26	11
12	·02	·11	·05		·13	·14			·02		·02		12
13		·01									·08		13
14			·02		·03			·14				·01	14
15	·01		·07		·17	·77					·03	·25	15
16	·24		·10		·30	·17		·07		·08	·10		16
17	·50		·36			·02		·08				·15	17
18	·08		·17					·10				·10	18
19	·05	·11	·08				·10	·61					19
20	·01	·01	·53					·13		·49	·07		20
21	·01	·01	·21		·05			·07		·10	·10		21
22	·14	·17	·08		·06		·02	·17				·03	22
23	·36	·41	·28					·41		·09	·22	·19	23
24	·21	·01				·17		·24				·14	24
25	·18					·31		·62			·17	·40	25
26	·01							·32		·26	·43	·36	26
27			·01			·06	·03			·24		·17	27
28		·07				·07	·12	·10	·09	·29	·64	·21	28
29		·03				·03	·26	·16	1·67	·11	·06		29
30					·45	·01	·03	·13	1·26	·41			30
31			·10					·09					31
Total	2·89	2·19	3·86	·05	1·37	3·31	1·19	5·98	3·11	2·80	2·30	3·02	TOTAL for year 32·07
No. of Rain Days.	18	17	22	3	9	18	10	26	5	11	15	19	143

W. 8,000, X. '11.

BANSTEAD

THE HALL

SURREY

1911- 1920

Sa

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

R
1

Kept at Banstea
8 in.

in the County of Sur
e Ground 1 ft. 0 in.

by F. C. Bayard
Sea Level 480 ft.

Name

Distance Direction

IMPORTANT NOT
the result entered to the previous day. If an Ob
versal rule, he is earnestly requested to add the rea
year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·70				·08			·03		1
2	·16			·27	23						·20	·10	2
3		·04			·13						·08	·03	3
4	·04		·08	·05						·05	·25	·36	4
5	·03	·03		·08						·30	·04	·14	5
6	·30		·27		—		—					·53	6
7	·04									·08	·37	·31	7
8	·09		·15								·30	·43	8
9	·20		·04	·03							·01	·04	9
10	·01	·11	·11								·07	1·02	10
11	·29	—	·01		·24						·72		11
12	·03		·54		·01				·07		·04		12
13	·01		·08		·05				·20	·09	·08	·28	13
14		·08	·03		·64							·64	14
15		·06	·16							·04	·04	·05	15
16						·61					·56	·07	16
17			·09			·03	—				·30	·24	17
18		·18	·02								·63	·39	18
19					·05	·32			·32	·03	·18	·14	19
20	·02		·01					·05		·26		·79	20
21	·02	·08						·24		·82		·18	21
22	·07		·27			·07		·06		·18		·52	22
23	·01	·16	·09			·90			·19	·01	·04	·15	23
24		·12				·07	·05			1·53		·20	24
25	·01	·01				·18	·14	·08	·03	·07			25
26		·12	·10	·23	·32	·25				·22	·02	·24	26
27		·24	·13	·08	·02				·14	·04	·08	·12	27
28		·12		·25				·15			·03		28
29				·27		·22	·11		·13	·19	·01		29
30				·02				·88	·02	·23		·01	30
31					3·59					·02			31
Total	1·37	1·35	2·18	1·98	5·28	2·65	·30	1·54	1·10	4·16	4·08	6·98	TOTAL for year 32·97
No. of Rain Days	17	13	17	10	10	9	3	7	8	17	22	24	157

9,000, IX. '10

5a

REGISTER

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Banstead, The Hall

in the County of Surrey 5

by F. C. Bayard, Mrs Maitland

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 480 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·70				·08			·03		1
2	·16			·27	·23						·20	·10	2
3		·04			·13						·08	·03	3
4	·04		·08	·05						·05	·25	·36	4
5	·03	·03		·08						30	·04	·14	5
6	·30		·27									·53	6
7	·04									·08	·37	·31	7
8	·09		·15								·30	·43	8
9	·20		·04	·03							·01	·04	9
10	·01	·11	·11								·07	1·02	10
11	·29		·01		·24						·72		11
12	·03		·54		·01				·07		·04		12
13	·01		·08		·05				·20	·09	·08	·28	13
14		·08	·03		·64							·64	14
15		·06	·16							·04	·04	·05	15
16						·61					·56	·07	16
17			·09			·03					·30	·24	17
18		·18	·02								·63	·39	18
19					·05	·32			·32	·03	·18	·14	19
20	·02		·01					·05		·26		·79	20
21	·02	·08						·24		·82		·18	21
22	·07		·27			·07		·06		·18		·52	22
23	·01	·16	·09			·90			·19	·01	·04	·15	23
24		·12				·07	·05			1·53		·20	24
25	·01	·01				·18	·14	·08	·03	·07			25
26		·12	·10	·23	·32	·25				·22	·02	·24	26
27		·24	·13	·08	·02				·14	·04	·08	·12	27
28		·12		·25				·15			·03		28
29				·27		·22	·11		·13	·19	·01		29
30				·02				·88	·02	·23		·01	30
31					3·59					·02			31
Total	1·37	1·35	2·18	1·98	5·28	2·65	·30	1·54	1·10	4·16	4·08	6·98	TOTAL for year 32·97
No. of Rain Days	17	13	17	10	10	9	3	7	8	17	22	24	157

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
12 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Banstead The Hall

in the County of Surrey 5

by F. C. Bayard Mrs Maitland

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 480 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·23			·05	·38		·05	·68		·21	1
2			·45			·06	·29	·09	·07	·07			2
3	·02	·08	·06			·17	·11	·28				·12	3
4	·22		·70		·10	·24		·12			·21		4
5	·17	·04	·13					·55			·07	·04	5
6	·48	·07			·01			·14				·12	6
7					·10	·71	·11	·17					7
8	·32	·51	·32			·02	·02	·39	·02			·07	8
9	·01	·10		·02		·22						·11	9
10		·06						·47			·03	·26	10
11	·02	·26						·01	·01			·29	11
12	·03	·12	·03		·15	·21		·03			·03	·01	12
13											·08	·02	13
14			·04		·02			·06		·06		·03	14
15	·01	·01	·12		·24	·69					·06	·31	15
16	·26		·08		·05	·11		·12		·07	·05		16
17	·47		·38			·03		·09			·09	·17	17
18	·06		·22					·08		·04	·02	·11	18
19	·07	·11	·15	·01			·06	·66					19
20	·02	·03	·65					·09		·38	·03		20
21	·01	·04	·21					·06		·11	·06		21
22	·22	·18	·17		·08			·13		·01		·05	22
23	·38	·41	·29					·47		·05	·25	·16	23
24	·36	·02				·30	·04	·32				·17	24
25	·17	·01				·27		·64			·18	·53	25
26	·01	·04						·52		·32	·47	·32	26
27			·02							·18		·17	27
28		·03				·07	·18	·11	·07	·51	·55	·20	28
29		·04		·01		·12	·37	·18	1·61	·13	·07		29
30					·44	·01	·02	·03	1·77	·17			30
31			·06				·18	·16		·02			31
Total	3·34	2·16	4·31	·04	1·19	3·28	1·76	5·97	3·60	2·80	2·25	3·47	TOTAL for year 34·17
No. of Rain Days.	21	19	19	3	9	16	11	26	7	15	16	21	183

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Banstead The Hall

in the County of Surrey 5 5

by F C Bayard Mrs Martland

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.24	.04	.09					.60	.01	.09	.11	1
2	.04	.11					.14		.01	.04	.04	.01	2
3	.01		.06	.22	.33					.03		.13	3
4	.26		.02	.03	.28		.04			.49	.03	03	4
5	.43					.04	.11		.39			.03	5
6	.04	.02	.15			.07	.25			.27	.05	.14	6
7		.22	.01		.07		.02			.54	.29	.01	7
8		.02	.01		.17	.09		.32		.02		.02	8
9		.13			.05	.02			.11		.03	.03	9
10				.16			.17	04			.41		10
11	.58			.36	.03					.63	.24		11
12		.01			.07						.55		12
13	.14							.10	.17		.23		13
14	.18		.20				1.40	.11	.03	.13	.08	.01	14
15	.33	.11	.20	.13			.18		.18		.06		15
16	.20		.39	.40			.01		.41				16
17	.04	.05		.03			.23						17
18			.20	.08	.01		.01						18
19	.34		.11				.18		.18				19
20	.24		.34	.08						.53	.01		20
21	.04		.25	.04						.25	.88		21
22	.37		.37	.24			.04	.13	.16				22
23			.01			.04	.01	.29				.46	23
24	.04							.07			.04		24
25													25
26		.01		.15			.02	.14		.75		.18	26
27		.01	.21	.25	.17								27
28	.23		.25	.21						.12			28
29	.05		.05	.40	.40			.14		.08			29
30	.29			07	.05			.26		.24			30
31			.09					.97		.03			31
Total	3.85	.93	2.96	2.94	1.63	.26	2.81	2.57	2.24	4.16	3.03	1.16	YEAR'S TOTAL 28.54
Rain Days.	19	11	19	17	11	5	15	11	10	16	15	12	161

W.7,000, XI. 13

from Croydon Tables

2+RA

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
3 - MAR 1915

Kept at Banstead The Hall

in the County of Surrey

by F C Bayard Mrs Maitland

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01					.23			.03	.02	1
2						.03	.19	.33			.33	.24	2
3			.09		.15		.05	.03					3
4	.06	—	.03	.17				.04			.19	.29	4
5	.10		.05	.20	.26	.03	.25	.43			.09		5
6		.06		.11	.02	.12					.21	.24	6
7		.53	.22	.13	.30	.42	.20					.16	7
8	.09	.76	.35	.02		.08	.08	.16				.07	8
9	.20		.66	.15		.05			.21			1.69	9
10		.15	.02		.08				.16		—	.02	10
11		.60	.36	.04		.02			.15		.15	.21	11
12	.01	.10	.11				.38		.10	.01		.65	12
13	.02	.32	.25						.20	.02	.09	.78	13
14		.20	.26			.06	.04			.37	.15	.63	14
15			.24				.82	.03			.81	.05	15
16	.03								.08			.11	16
17		.37	.16						.03			.18	17
18		.03	.23									.23	18
19		.08	.27				.30		.09		.23	.28	19
20		.31	.37						.08			.09	20
21		.70	.09			.02		.54		.02		.05	21
22		.10			.25		.20	.03		.07			22
23			.14	.04	.12	.10	.02			.14			23
24			.15										24
25	.02		.20					.13		.27	.01	.16	25
26	.01		.04				.11	.13		.05	.25	.70	26
27											.04	.37	27
28	.04	.02								.13	.37	.72	28
29	.05		.05								.23		29
30		X	.07							.49	.58	.41	30
31	.03	X		X	.24	X	.04		X	.01	X	.07	31
Total	.66	4.33	4.42	.86	1.42	.93	2.68	2.08	1.10	1.58	3.76	8.42	YEAR'S TOTAL 32.24
Rain Days.	12	15	24	8	8	10	13	11	9	11	16	25	162

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 MAR 1916

Kept at Banstead The Hall
in the County of Surrey 4
by Mr Maitland per Croydon Nat His Soc

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.68	.17	.05				.02		.10		26	.57	1
2	.06	.24	.25	.15	.05	.03		.97	.01	.07		.14	2
3	.35		.08	.12	.03			.39	.09			.49	3
4	.50		.03									.32	4
5	.05	.76		.02	.06			.04		.11		.39	5
6	.45	.07		.48			.74	.01				.15	6
7	.37	.48					.32	.02				.23	7
8	.07	.93		.11			.06	.25					8
9	.05	.06		.15		.06		.03			.27	.42	9
10	.14			.07								.29	10
11	.02		.04							.01	.64	.06	11
12	.04	.08		43	.42			.10		.02	.43	.03	12
13	.01	.68			1.16								13
14		.04					.09	.10	.04			.23	14
15	.12				.05		.12	.06			.22	.39	15
16		.60		.03			.96	.04				.17	16
17		.31			.80		.02						17
18		.26	.04		.16						.02		18
19		.27	.07		.02		.07			.01	.06		19
20	.09			.06								.15	20
21	.22	.02					.05			.01		.19	21
22	1.12	.05	.10	.04			.54					.14	22
23		.14	.03			.02	.29		.05	.37		.35	23
24			.03			.03			.50	.25		.47	24
25	.03		.04	.16			.25					.26	25
26		.06				.11	.15					.65	26
27		.03				.33	.04			.32		.03	27
28		.04				.18			1.80	23			28
29							.68	.15			.33		29
30	.04	╳				.03				.08	.58	.04	30
31	.06	╳		╳		╳		.04	╳	1.18	╳	.24	31
Total	4.47	5.29	.76	1.82	2.75	.79	4.70	2.20	2.59	2.66	2.81	6.40	YEAR'S TOTAL 37.24
Rain Days.	20	20	11	12	9	8	16	13	6	12	9	24	160

W. 8,000. X. 15.

Smade ✓ ~~W 8 S~~ end Month 182

FORM A. BRITISH RAINFALL. 13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Banstead, The Hall

in the County of Surrey

by F. C. Bayard, Mrs Maitland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27		·03		·45				·27	·02	·24		1
2	·25	·13	·10		·23				·07	·37			2
3		·52	·35		·02	·01	·02		·25	·34			3
4	·14	·11	·01	·05	·01	·28			·20	·01	·84		4
5			·01	·03	·15	·22				·06	·46		5
6	·01	·14	·12	·20		·07	·33			·07	·75		6
7	·05		1·01		·24	·19	·43			·02	1·13	·05	7
8			·03		·32	·01						·42	8
9			·02		·25					·06		·06	9
10		·29	·13	·05		·13	·14			·05		·14	10
11	·06	·10	·04	·13	·02	·25				·03		·09	11
12	·03	·04	·02	·04	·45	·24	·03	·04	·03	·02		·01	12
13	·02	·23	·44	·09	·05	·07	·07	·02		·04			13
14		·54	·02		·03			·02				·05	14
15		·09	·25					·38	·01	·02			15
16		·02	·26	·11			·22						16
17	·13	·04		·11			·04	·60	·40	·56		·03	17
18	·02	·15		·16				·32	·12	·56	·74	·05	18
19	·09	·03	·23	·23		·04			·16		·63	·04	19
20	·14		·27	·02							·06	·62	20
21	·03		·42	·04			·29					·31	21
22	·02		·06							·01	·01	·46	22
23	·01	·37	·06							·06	·05	·11	23
24		·28			·06	·14		·05		·28	·06	·28	24
25		·12	·15					·27		·06	·05	·05	25
26		·45	·02			·18		·04		·18			26
27	·02	·37	·83			·25		·35	·11	·60			27
28		·45	·25			·04			·07	·03	·01	·12	28
29		·11				·17		·68	·06	·40		·18	29
30		×						·14		·38			30
31		×		×		×			×	·08	×	·06	31
Total	1·29	4·58	5·13	1·26	2·28	2·29	1·57	2·91	1·75	4·31	5·03 ~~4·67~~	3·13	YEAR'S TOTAL 35·53 ~~35·17~~
Rain Days.	16	21	25	13	13	16	9	12	12	25	15. ~~13~~	19	194

W. 8,000. X. 15.

176

FORM A.
BRITISH RAINFALL.

28 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Banstead, The Hall

in the County of Surrey

by F. C. Bayard, Mrs Maitland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.21				1.85			.13		1
2	.01			.59		.04		.16		.03	.24		2
3	.03			.15			.19	.41		.10	.03		3
4		.27	.05				.22	.20		.32			4
5	.22		.08	.27		.02			.45	.21	.08		5
6			.15	.13		.08			.30	.06	.13		6
7	.24						.23			.44		.04	7
8	.09			.06			.89	.15	.06	.20	.19	.10	8
9			.07	.13	.02		.20	.07	.04		.05	.60	9
10	.21		.13	.15				.05			.04	.07	10
11	.11		.40	.21				.02	.28	.18			11
12	.14		.03	.03				.03		.51			12
13	.08		.09	.03				.05	.04	.19			13
14	.01			.14				.08					14
15	.06						.06	.07		.03		.04	15
16	.04	.09		.18	.09	.04	.15			.18		.77	16
17		.04		.09	.61		.26	.05	.40	.15			17
18	.05	.03		.10	.04	.02	.25	.07	.20	.02			18
19		.06	.04			.03			.10				19
20		.10	.04		.80		.21	.01			.08		20
21			.03	.01		.03				.01	.06	.08	21
22			.03					.10		.10			22
23		.14			.14	.05		.11		.07		.04	23
24		.05				.14	.03			.13		.05	24
25		.06	.04			.03					.06		25
26			.04					.26	.03	.04	.55		26
27			.01					1.06				.05	27
28		.02	.02			1.30		.07				.04	28
29			.02		.07	.24	.50	.04		.15		.15	29
30			.25				1.98	.09		.19		.04	30
31	.11		.09				.43	.04				.03	31
Total	1.40	.86	1.63	2.48	1.77	2.02	5.60	5.04	1.90	3.31	1.64	2.10	YEAR'S TOTAL 29.75
Rain Days.	13	10	20	16	7	12	14	23	10	21	12	14	172

W. 8,000, VIII. 16

from M.S. Exd C.R. 97

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
10 4 19

Kept at Banstead The Hall

in the County of Surrey

by Mrs Maitland for H. Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·02				·02			·27	·05	1
2		·03		·05				·15		·02	·24	·12	2
3		·02	·07	·03	·35			·02			·48		3
4		·18	·13	·04				·03	·25		·85	·03	4
5		·06	·01		·11			·12	·29	·04		·02	5
6	·21	·08		·25	·20			·02	·21	·03		·08	6
7		·10		·19	·35			·02	·20	·05	·10	·01	7
8	·02	·06						·02	·07	·05	·12	·08	8
9		·03				·13	·24		·55	·14		·37	9
10				·20			·33		·09	·03	·02	·39	10
11	·05			·03			·65		·03	·25	·11	·13	11
12		·04			·27		·18		·21			·02	12
13	·08			·03	·11		·04		·09				13
14	·30	·01				·53	·06		·10	·14		·28	14
15	1·00			·81		·03	·36		·01			·12	15
16	·32			·26		·05	·06		·18			·02	16
17	·28			·12	·01		1·39	·06				·13	17
18	·45					·22	·12		·57	·18		·06	18
19	·07		·06	·10		·06	·14		·01	·08		·03	19
20	·09	·14		·46		·04	·15		·39	·37			20
21	·17	·02		·90			·08		·23	·06			21
22	·07	·08			·41		·18		·13			·21	22
23	·05			·01	·12		·66	·06	·12			·04	23
24		·20				·08	·60		·13	·02	·07		24
25				·18			·64	·22					25
26							·57		·01	·04	·12	·13	26
27		·04	·01	·15			·10	·18	·10		·10		27
28		·05	·24	·10				·08			·22	·07	28
29				·03					·98		·02		29
30		X	·40						·11	·04	·03	·14	30
31		X	·07	X		X			X	·08	X		31
Total	3·16	1·16	·99	3·96	1·93	1·14	6·55	1·00	5·06	1·62	2·75	2·53	YEAR'S TOTAL 31·85
Rain Days	14	17	8	20	9	8	19	13	24	17	14	22	185

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

17 MAR 20

Kept at Banstead, The Hall
in the County of
by Mrs Maitland per Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	
1	·20	·20	..	..	·04	..	·14	..	..	·03	·05	·75	1
2	·24	..	·03	..	·05	..	·07	..	·10	·10	·09	·11	2
3	·33	..	·57	..	..	..	·02	..	·03	..	·05	·40	3
4	·14	·07	·41	..	..	·07	·19	·03	·04	..	·02	·18	4
5	..	·04	·61	..	..	..	..	..	..	..	·03	·21	5
6	·08	..	·06	..	..	..	..	..	..	..	·02	·08	6
7	·07	..	·26	..	..	..	..	..	..	..	·06	..	7
8	·34	..	·07	·03	..	..	..	..	..	..	·03	..	8
9	·27	..	·02	·07	·02	..	..	..	..	..	·05	..	9
10	·33	..	·04	·06	..	..	..	..	..	·02	..	·05	10
11	·08	..	·06	·24	·02	..	·19	..	..	..	..	·04	11
12	·02	..	·08	·06	..	·02	·13	..	..	·05	·02	·05	12
13	·03	·06	..	·55	..	..	..	..	·04	·04	..	·03	13
14	·21	..	..	·43	..	..	·11	..	·72	..	..	·02	14
15	·20	..	·21	·10	..	..	..	..	..	..	..	·47	15
16	·10	·48	..	..	..	..	·01	..	..	..	·11	·05	16
17	..	·32	·02	·02	..	..	..	..	..	..	·17	·01	17
18	·05	·20	·06	..	..	..	..	..	·04	..	·06	·03	18
19	·25	·19	·48	..	..	·18	·38	·25	·02	..	..	·01	19
20	·11	·13	·14	..	..	·65	·27	·12	·02	..	..	..	20
21	·20	·41	·02	..	..	..	·06	..	..	..	..	·02	21
22	..	·07	·01	..	..	·02	·24	..	·33	..	·05	·22	22
23	..	..	..	..	..	·07	..	·03	·09	..	·02	·04	23
24	..	..	..	·25	..	·02	·13	·06	..	·15	·09	·02	24
25	..	·03	..	..	..	..	..	·23	..	..	..	·04	25
26	·09	·20	·10	·09	..	..	·11	·14	·16	..	..	·23	26
27	·48	·04	..	1·19	..	..	·01	·26	..	..	·09	·05	27
28	..	..	·33	..	..	..	·02	·91	..	..	·27	·22	28
29	..		..	·05	..	..	..	·70	..	·26	..	·07	29
30	..		·02	·22	..	·05	..	·45	..	·10	·15	·65	30
31	..		·10		..		·09	..		·03		·05	31
TOTAL	3·82	2·44	3·70	3·36	·13	1·08	2·17	3·18	1·59	·78	1·43	4·10	YEAR'S TOTAL
	..	6·26	9·96	13·32	13·45	14·53	16·70	19·88	21·47	22·25	23·68	27·78	27·78
Days with ·01 in. or more	21	14	22	14	4	8	17	11	11	9	19	27	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ee8L

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

2 AP 1921

Kept at Banstead, The Hall

in the County of Surrey

by per Bayard, Mrs Maitland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Banstead (The Hall) IN. MONTHLY RETURN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	Banstead (The Hall) IN.	
1		..	..	·34	·06	..	·25	..	·06	·27	..	·36	1
2		·01	·18	..	·02	..	·04	·43	·07	·03	..	·10	2
3		·06	..	..	..	·02	..	..	·01	·15	..	·09	3
4		·09	..	·19	..	..	1·02	·15	..	·19	..	·02	4
5		..	·12	·02	·04	..	·75	·08	..	..	..	·03	5
6		..	·63	..	·13	..	·25	..	..	..	..	·06	6
7		..	..	·19	·14	..	·38	..	..	·03	..	..	7
8		·01	..	·13	·18	..	·16	..	..	..	..	..	8
9		·03	·01	·02	·03	..	..	..	..	..	..	..	9
10		·10	·10	·05	..	·14	·25	..	..	..	·06	..	10
11		..	·09	·14	..	·05	·42	·11	..	..	..	·31	11
12		·01	·03	·20	..	1·06	..	..	..	..	·01	..	12
13		..	·21	·10	..	..	..	..	..	·02	·03	..	13
14		·03	·40	·37	..	·09	..	..	·14	·06	·25	..	14
15		·01	·10	·23	..	..	·01	..	·80	·12	·14	..	15
16		·01	·04	·13	..	..	..	..	·63	..	..	·09	16
17		..	..	..	·11	..	·02	..	·50	..	..	·11	17
18		..	·02	·04	·03	..	..	1·20	·16	..	..	·10	18
19		..	..	·28	..	..	..	·02	..	..	·02	·02	19
20		·39	..	·31	..	·68	..	..	·06	..	·01	·03	20
21		..	..	·03	..	..	·65	·03	·78	..	·01	·10	21
22		..	..	·46	..	..	..	..	·29	..	..	·45	22
23		·02	..	..	..	..	·55	·01	..	..	..	·36	23
24		·03	·06	..	..	..	..	..	..	·02	..	·03	24
25		·02	..	..	..	..	·35	..	·07	..	..	..	25
26		..	·47	·03	..	·03	..	..	·01	..	..	·06	26
27		·09	·06	·28	..	·15	·23	..	..	..	·99	·25	27
28		..	·09	·04	·05	..	·08	..	..	..	·09	·04	28
29		..	·12	·11	..	..	·01	..	..	..	·14	·23	29
30			..	·06	..	·02	·18	..	·39	..	·44	·20	30
31			..		·01		..	..		·44		·15	31
TOTAL	2·65	·91	2·73	3·75	·80	2·24	5·60	2·03	3·97	1·33	2·19	3·19	YEAR'S TOTAL
	..	3·56	6·29	10·04	10·84	13·08	18·68	20·71	24·68	26·01	28·20	31·39	31·39
Days with ·01 in. or more	(20)	15	17	23	11	9	18	8	14	10	12	22	(179)
Days with ·04 in. or more	(13)	5	14	19	7	6	15	5	12	6	7	17	(126)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

50

RI

BANSTEAD
BASING HSE
SURREY
1911- 12

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

1

Kept at Banstea

8 in.

in the County of Su

e Ground 1 ft. 0 in.

Sea Level 456 ft.

by F. C. Bayar

Name

Distance Direction

IMPORTANT NOT d the result entered to the previous day. If an O versal rule, he is earnestly requested to add the re ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.71				.07			.03		1
2	.17			.28	.24						.19	.11	2
3		.04			.14						.07	.03	3
4	.04		.08	.05						.05	.26	.36	4
5	.03	.03		.08						.31	.05	.16	5
6	.33		.27									.46	6
7	.04									.08	.38	.31	7
8	.09		.15								.32	.41	8
9	.21		.04	.04							.01	.03	9
10	.01	.11	.11								.06	1.04	10
11	.29	—	.01		.23						.74		11
12	.03		.56		.01				.06		.04		12
13	.01		.09		.06				.19	.08	.09	.28	13
14		.08	.03		.62							.68	14
15		.06	.17							.04	.06	.05	15
16						.61					.56	.08	16
17			.08			.03					.31	.24	17
18		.18	.02								.64	.39	18
19	—				.04	.32			.33	.04	.19	.15	19
20	.02		.01					.05		.25		.85	20
21	.02	.08						.23		.81		.19	21
22	.05		.28			.08		.05		.17		.55	22
23	.01	.16	.09			.92			.19	.02	.04	.16	23
24		.13				.06	.05			1.51		.21	24
25	.01	.02				.19	.13	.08	.02	.07			25
26		.12	.11	.24	.34	.24				.21	.02	.25	26
27		.25	.14	.07	.03				.13	.04	.09	.11	27
28		.13		.26				.14			.03		28
29				.27		.21	.11		.13	.18	.01		29
30				.03				.87	.02	.22		.01	30
31					3.54					.02			31
Total	1.40	1.39	2.24	2.03	5.25	2.66	.29	1.49	1.07	4.10	4.19	7.11	TOTAL for year 33.22
No. of Rain Days	17	13	17	10	10	9	3	7	8	17	22	24	157

9,000, IX. '10.

5a

RI 1

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Banstead, Basing House 5
in the County of Surrey
by F. C. Bayard, A. Pringle

RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 456 ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·71				·07			·03		1
2	·17			·28	·24						·19	·11	2
3		·04			·14						·07	·03	3
4	·04		·08	·05						·05	·26	·36	4
5	·03	·03		·08						·31	·05	·16	5
6	·33		·27									·46	6
7	·04									·08	·38	·31	7
8	·09		·15								·32	·41	8
9	·21		·04	·04							·01	·03	9
10	·01	·11	·11								·06	1·04	10
11	·29		·01		·23						·74		11
12	·03		·56		·01				·06		·04		12
13	·01		·09		·06				·19	·08	·09	·28	13
14		·08	·03		·62							·68	14
15		·06	·17							·04	·06	·05	15
16						·61					·56	·08	16
17			·08			·03					·31	·24	17
18		·18	·02								·64	·39	18
19					·04	·32			·33	·04	·19	·15	19
20	·02		·01					·05		·25		·85	20
21	·02	·08						·23		·81		·19	21
22	·05		·28			·08		·05		·17		·55	22
23	·01	·16	·09			·92			·19	·02	·04	·16	23
24		·13				·06	·05			1·51		·21	24
25	·01	·02				·19	·13	·08	·02	·07			25
26		·12	·11	·24	·34	·24				·21	·02	·25	26
27		·25	·14	·07	·03				·13	·04	·09	·11	27
28		·13		·26				·14			·03		28
29				·27		·21	·11		·13	·18	·01		29
30				·03				·87	·02	·22		·01	30
31					3·54					·02			31
Total	1·40	1·39	2·24	2·03	5·25	2·66	·29	1·49	1·07	4·10	4·19	7·11	TOTAL for year 33·22
No. of Rain Days	17	13	17	10	10	9	3	7	8	17	22	24	157

9,000, IX. '10.

S. made

Ex DL

FORM A2.
BRITISH RAINFALL.

12 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Banstead, Bosing House

in the County of Surrey 50

by F. C. Bayard, A. Pringle

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 456 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·24			·06	·39		·05	·69		·22	1
2			·44			·05	·29	·09	·06	·07			2
3	·02	·09	·08			·16	·11	·29				·12	3
4	·21		·71		·11	·25		·13			·21		4
5	·17	·04	·13					·54			·07	·04	5
6	·48	·06			·01			·13				·13	6
7					·11	·72	·12	·18					7
8	·31	·51	·32			·02	·02	·39	·02			·07	8
9	·01	·09		·03		·21						·12	9
10		·07						·48			·04	·25	10
11	·03	·26						·01	·02			·29	11
12	·03	·11	·04		·16	·22		·03			·03	·02	12
13											·07	·02	13
14			·04		·03			·07		·05		·03	14
15	·01	·01	·13		·25	·68					·06	·32	15
16	·27		·08		·05	·11		·12		·06	·04		16
17	·48		·39			·03		·09			·08	·17	17
18	·06		·21					·09		·04	·03	·11	18
19	·07	·11	·15	·01			·07	·65					19
20	·02	·04	·54					·08		·39	·04		20
21	·02	·03	·21					·07		·11	·06		21
22	·21	·17	·18		·08			·13		·01		·05	22
23	·39	·43	·29					·46		·06	·26	·16	23
24	·35	·02				·31	·03	·32				·15	24
25	·18	·01				·28		·63			·18	·53	25
26	·01	·03						·54		·31	·49	·32	26
27			·02							·19		·16	27
28		·04				·07	·18	·11	·07	·52	·54	·21	28
29		·04		·01		·13	·38	·19	1·62	·13	·07		29
30					·45	·01	·02	·03	1·77	·17			30
31			·07				·17	·16		·03			31
Total	3·35	2·16	4·27	·05	1·25	3·31	1·78	6·01	3·61	2·83	2·27	3·49	TOTAL for year 34·38
No. of Rain Days.	21	19	19	3	9	16	11	26	7	15	16	21	183

W. 8,000, X. '11.

BANSTEAD
ASYLUM
SURREY

1917 — 1920

FORM A.
BRITISH RAINFALL.

6 FEB 1918

RE

Kept at Banstead
in the County of Surr
by F. C. Bayard

ain Gauge 5 in.
bove Ground 1 ft. — in.
, Sea Level 406 ft.

IMPORTANT N … nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the … year in the space provided for it at the end of … rement of rain, the selection and plac … British Rainfall Organization are given … on application to Dr. H. R. Mill, 62, (

Jan. 1, following.

Date	Jan.	Feb.	Mar							Oct.	Nov.	Dec.	Date.
1			[illegible]								·06		1
2				·69		·03		[illegible]			·22		2
3	·07			·20			·10	·26		·12	·05		3
4		·40	·02				·19	·09		·35			4
5	·31		·10	·29					·45	·21	·09		5
6			·12	·01		·07			·28		·08		6
7	·26						·22			·44		·02	7
8	·07			·11			·64	·14	·07	·25	·24	·18	8
9				·10			·14	·09	·10		·06	·20	9
10			·13	·15				·05			·02		10
11	·10		·40	·20				·03	·26	·22			11
12	·20							·05		·54			12
13	·04		·03	·02				·03	·05	·16			13
14			·09	·15				·10	·02				14
15							·08	·04		·04		·03	15
16		·09		·15			·18			·33		·45	16
17		·04		·09	·61		·27	·03	·38	·17			17
18				·07	·04		·28	·11	·19	·04			18
19		·04	·03			·03			·10				19
20		·09			·61		·18	·08	·02		·06		20
21					·05						·08	·05	21
22								·14		·09	·02		22
23		·16			·13	·14		·11		·05		·02	23
24		·04				·11		·04		·17		·03	24
25		·04				·04				·03	·05		25
26			·08					·26	·02	·05	·60		26
27						·05		1·03				·03	27
28						·42		·08				·02	28
29					·07	·25	·46	·03		·43		·09	29
30		✕	·07				·64	·10		·04		·02	30
31		✕	·09	✕		✕	·24		✕		✕	·02	31
Total	1·05	·90	1·18	2·47	1·51	1·14	3·62	4·73	2·01	3·73	1·63	1·16	YEAR'S TOTAL 25·13
Rain Days.	7	8	12	14	6	9	13	23	13	19	13	13	150

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

6. FEB 1918

RE

Kept at *Banstead, The Asylum*

in the County of *Surrey*

by *F. C. Bayard, W. C. Clifford Smith*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.24				1.76	.07		.06		1
2				.69		.03		.08			.22		2
3	.07			.20			.10	.26		.12	.05		3
4		.40	.02				.19	.09		.35			4
5	.31		.10	.29					.45	.21	.09		5
6			.12	.01		.07			.28		.08		6
7	.26						.22			.44		.02	7
8	.07			.11			.64	.14	.07	.25	.24	.18	8
9				.10			.14	.09	.10		.06	.20	9
10			.13	.15				.05			.02		10
11	.10		.40	.20				.03	.26	.22			11
12	.20							.05		.54			12
13	.04		.03	.02				.03	.05	.16			13
14			.09	.15				.10	.02				14
15							.08	.04		.04		.03	15
16		.09		.15			.18			.33		.45	16
17		.04		.09	.61		.27	.03	.38	.17			17
18				.07	.04		.28	.11	.19	.04			18
19		.04	.03			.03			.10				19
20		.09			.61		.18	.08	.02		.06		20
21					.05						.08	.05	21
22								.14		.09	.02		22
23		.16			.13	.14		.11		.05		.02	23
24		.04				.11		.04		.17		.03	24
25		.04				.04				.03	.05		25
26			.08					.26	.02	.05	.60		26
27						.05		1.03				.03	27
28						.42		.08				.02	28
29					.07	.25	.46	.03		.43		.09	29
30		X	.07				.64	.10		.04		.02	30
31		X	.09	X		X	.24		X		X	.02	31
													YEAR'S TOTAL
Total	1.05	.90	1.18	2.47	1.51	1.14	3.62	4.73	2.01	3.73	1.63	1.16	25.13
Rain Days.	7	8	12	14	6	9	13	23	13	19	13	13	150

W. 8,000, VIII. 16

~~Ex2072~~ 38

from M.S.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Banstead The Asylum

in the County of Surrey

by W. C. Clifford Smith per F. C. Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level ~~406~~ 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03				·02			·20	·07	1
2		·04		·06				·21			·23	·17	2
3			·13	·05	·35			·03			·23		3
4		·20	·10					·04	·28		·89	·04	4
5		·07	·02		·09			·19	·35	·09		·02	5
6	·31	·10		·35	·10			·05	·25	·03		·09	6
7		·07		·15	·19				·20	·05	·11	·02	7
8		·10		·02					·10	·06	·14	·09	8
9				·09		·10	·21		·55	·16		·33	9
10				·13			·35		·09	·03	·03	·48	10
11	·04			·04			·89		·07	·20	·13	·16	11
12		·04			·22		·20		·10			·05	12
13				·03	·16		·04		·10				13
14	·19					·49	·06		·10	·11		·25	14
15	·96			·30		·03	·57					·15	15
16				·29		·08	·02		·15			·02	16
17	·56			·09			1·02	·06				·14	17
18	·48					·22	·16		·53	·21		·08	18
19	·11		·04	·11	·08	·04	·16			·06		·04	19
20	·06	·16		·57		·05	·17		·39	·14			20
21	·15			·56			·09		·31	·05		·02	21
22	·06				·34		·12		·15			·19	22
23	·05			·02	·10		·73	·05	·10			·04	23
24		·25				·07	·59		·17		·05		24
25				·12			·77	·26		·04			25
26							·57	·05		·03	·10	·14	26
27		·04		·08			·02	·18	·09		·11	·04	27
28			·27	·06				·05			·21	·09	28
29				·03					·75		·04		29
30			·38						·05	·04	·02	·12	30
31			·08							·08			31
Total	2·97	1·07	1·02	3·18	1·63	1·08	6·74	1·19	4·88	1·38	2·49	2·81	YEAR'S TOTAL 30·44
Rain Days.	11	10	7	21	9	8	19	12	21	16	14	24	172

W, 6,500, VII. 18. W W C

Cwdly Bayard tc Ex. H.G.

108

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at Banstead Mental Hospital

in the County of Surrey

~~by~~ for The Asylum Engineer

Lat. Long.

Time of Observation 8.30 am

Nearest Railway Station Belmont. L.B.&S.C.Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 420. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34.		·03.	~~·14.~~	·26.		·09.	·10.				·12.	1
2	·25.				·08.		·17.		·12.	·07	·10.	·70.	2
3	·30.		·56.		·07.		·05.		·05.		·03.	·39	3
4	·13.		·38.		·02.	·09.	·03.	·04.	·02.			·49.	4
5	·02.		·65.				·19.		·05.			·13.	5
6	·03.	·45.	·05.									·30.	6
7	·07.		·35.								·05.	·13.	7
8	·33.		·11.										8
9	·32.			·08.	·21.						·03.		9
10	·35.		·03.	·03.						·03.		·02.	10
11	·08.		·11.	·31.	·03.		·09.					·05.	11
12	·05.		·07.	·04.		·02.	·12.			·07.		·02.	12
13	·03.			·45.					·02.	·04.		·05.	13
14	·31.			·48.			·12.		·49.			·05.	14
15	·27.		·19.	·13.								·33.	15
16	·10.	·47									·10.	·07.	16
17	·03.		·03.	·02.							·18.		17
18		·74.	·07.						·04.		·07.	·02.	18
19	·02.	·12.	·43.				·07.	·27.			·08.		19
20	·16.	·17.	·10.			·60.	·43.	·17.	·03.		·02.	·03.	20
21	·19.	·40.				·05.	·08.				·04.		21
22		·09.					·16.		·33.		·03	·23.	22
23						·02.			·08.	·10.	·02.	·06.	23
24				·21.		·03.	·18.	·03.			·10.		24
25	·04.	·03.						·25.				·04.	25
26	·08.	·18.	·08.	·08.			·05.	·21.	·12.			·31.	26
27	·32.	·05.	·04.	·69.			·03.	·27.			·10.	·07.	27
28							·02.	·93.		·18.	·20.	·22.	28
29			·10.	·05.				·61		·07.	·10.	·07.	29
30		X		·26		·09		·40.			·12	·68.	30
31		X	·17	X		X			X		X	·05	31
TOTAL	3·82.	2·70.	3·55 ~~3·38.~~	2·83 ~~2·74.~~	·41 0·67.	·90 0·81.	1·89 ~~1·88.~~	3·18 ~~3·28.~~	1·35.	0·56.	1·37 1·25.	4·51 ~~4·58.~~	YEAR'S TOTAL 27·07
Days with ·01 in. or more	23	10	19	13	5	6	16	10	11	7	17	24	~~27·02.~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

163

105

Copy by B.R.O.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Banstead, The Asylum

in the County of Surrey

by per Bayard, W. C. Clifford Smith

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Banstead (Asylum) IN.	Banstead (Asylum) IN.	Banstead (Asylum) IN.	Banstead (Asylum) IN.	Banstead (Asylum) IN.	Banstead (Asylum) IN.	Banstead (Asylum) IN.	Banstead (Asylum) IN.	Banstead (Asylum) IN.	Banstead (Asylum) IN.	Banstead (Asylum) IN.	Banstead (Asylum) IN.	
1	·07	..	..	·25	·05	..	·49	..	·02	·21	..	·20	1
2	..	..	·17	..	·04	..	·03	·37	·09	·03	..	·06	2
3	..	..	..	..	..	·02	..	..	..	·07	..	·10	3
4	..	·11	·02	·15	..	..	·94	·10	..	·13	..	·02	4
5	..	..	·10	·02	·04	..	·60	·09	·02	..	..	·03	5
6	·03	..	·49	..	·12	..	·30	..	..	..	..	·03	6
7	..	..	..	·15	·06	..	·30	..	..	·03	..	..	7
8	·25	..	..	·08	·15	..	·09	..	..	·04	..	..	8
9	·49	·02	..	·06	..	..	·02	·02	..	..	..	..	9
10	·06	·08	·09	·04	..	·15	·20	..	..	..	..	..	10
11	·07	..	·09	·21	..	·05	·31	·13	..	..	..	·14	11
12	·22	..	·03	·25	..	·80	·02	..	..	..	·07	..	12
13	·03	..	·18	·10	..	..	..	..	..	..	·03	..	13
14	·02	·03	·32	·22	..	·17	..	..	·10	·05	·20	·01	14
15	..	..	·06	·27	..	..	..	..	·70	·09	·07	·02	15
16	..	·02	·02	·12	..	..	..	..	·52	..	..	·01	16
17	·05	..	..	..	·11	..	·02	..	·38	..	..	·06	17
18	·09	..	..	·04	·02	..	..	·45	·18	..	..	·06	18
19	·07	..	..	·24	..	..	..	..	..	..	..	·03	19
20	..	·24	..	·23	..	·57	..	·02	·03	..	..	·02	20
21	..	..	..	·04	..	..	·53	·02	·30	..	..	·09	21
22	..	..	..	·35	..	..	..	..	·32	..	..	·33	22
23	..	..	..	·02	..	..	·22	·02	..	..	..	·32	23
24	..	..	·05	..	..	..	..	..	..	..	..	·04	24
25	·11	·04	..	..	..	..	·28	..	·03	..	..	..	25
26	·34	..	·45	·03	..	·05	·02	..	..	..	..	·05	26
27	·38	·06	·13	·17	..	·14	·10	..	..	..	·85	·17	27
28	·64	..	·07	·05	·05	·02	·08	..	..	..	·06	·03	28
29	·03	..	·06	·05	..	..	·02	..	..	..	·11	·19	29
30	·03		..	·04	·02	..	·19	..	·37	..	·30	·16	30
31	..		..		..		..	..		·33		·13	31
TOTAL	2·98 ..	·60 3·58	2·33 5·91	3·18 9·09	·66 9·75	1·97 11·72	4·76 16·48	1·22 ~~17·79~~	3·06 ~~20·85~~	·98 ~~21·83~~	1·69 ~~23·52~~	2·30 ~~25·82~~	YEAR'S TOTAL 25·73
Days with ·01 in. or more	18	8	16	24	10	9	20	9	13	9	8	24	168
Days with ·04 in. or more	13	5	13	21	8	7	14	5	9	7	7	15	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BARNES

SURREY
1916 - 19

S. made

REG o.

FORM A.
BRITISH RAINFALL.

26 JUN 1917

Kept at 55 Castelnau 6.0 pm

Barnes Inn's

in the County of Sw

in Gauge 5" in.

by C. J. B. Marsh

ove Ground 1 ft. 0 in.

Sea Level 25 ft.

IMPORTANT NOT l the result entered to the previous day. If an Ol versal rule, he is earnestly requested to add the reac ar in the space provided for it at the end of thi measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·02"

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08		·06	·02		Trace	·01		·09		·09		1
2	·21				·66				·48	·42	·36		2
3	·28		·23	Trace	·01	·01	Trace		·13	·11	·10		3
4		·50	·02		·01	·10			·15	·20	·64		4
5	·20	·03		Trace	Trace	·39	·05			Trace	·88	·01	5
6		·10	·02	·01	·15	·02				·08	·06		6
7	·06		·30	·21	·18	·15	·45			·01	·32		7
8			·30		·18	Trace				·01	·50	·10	8
9					·22	Trace						·23	9
10			·01			·41	·05			·04	Trace		10
11		·46	·11	·08		·39						·17	11
12	·06		·02	·17	·03	·18	·02	·02	·01			·02	12
13	·04	·04	·20	·02	·35	·21	·06	·04		·11	·01		13
14		·29	·15	·05	·01			·58					14
15		·34	·15		·08		·02	·63		·03		·05	15
16	·02	·27	·15	·08	·01	Trace	·26	·08					16
17	·02		·23	·11				·33	·03	·13			17
18		·20	·03	·32			·01	·25	·28	·41	·22		18
19	·12	·05		·10				·28	·22	·21	·68		19
20	·15		·19	·10				·01			·48		20
21	·13		·22									·65	21
22	·03		·45	·04	·01		·33					·02	22
23		·06	·02	Trace		·11		·01		·04	·07	·49	23
24	·03	·30				·01				·01	·04	·01	24
25		·16	·01		·09			·20		·22	·12	·33	25
26	·02	·45	·22					·82			·02		26
27	·01	·28	·02					·52	·08	·28			27
28	·04	·13	1·22			·10		·11	·02	·40			28
29		·24	·19			·02		·37	·04	·10		·20	29
30						·31		·80		·22		·11	30
31										·42			31
Total	1·50	3·90	4·52	1·31	1·99	2·41	1·26	5·05	1·53	3·45	4·59	2·39	YEAR'S TOTAL 33·90
Rain Days.	17	17	24	13	14	14	10	16	11	20	16	13	185

W. 8,000, VIII. 16

S. made

REGISTER OF RAINFALL IN [illegible]

FORM A.
BRITISH RAINFALL.
26 JUN 1917

Kept at 55 Castelnau, Barnes. SW13.
in the County of Surrey
by C. J. B. Marshall.

Lat. Long.
Time of Observation 6.0 pm
Nearest Railway Station Barnes Inn's
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02"

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·06	·02		Trace	·01		·09		·09		1
2	·21				·66				·48	·42	·36		2
3	·28		·23	Trace	·01	·01	Trace		·13	·11	·10		3
4		·50	·02		·01	·10			·15	·20	·64		4
5	·20	·03		Trace	Trace	·39	·05			Trace	·88	·01	5
6		·10	·02	·01	·15	·02				·08	·06		6
7	·06		·30	·21	·18	·15	·45			·01	·32		7
8			·30		·18	Trace				·01	·50	·10	8
9					·22	Trace						·23	9
10			·01			·41	·05			·04	Trace		10
11		·46	·11	·08		·39						·17	11
12	·06		·02	·17	·03	·18	·02	·02	·01			·02	12
13	·04	·04	·20	·02	·35	·21	·06	·04		·11	·01		13
14		·29	·15	·05	·01			·58					14
15		·34	·15		·08		·02	·63		·03		·05	15
16	·02	·27	·15	·08	·01	Trace	·26	·08					16
17	·02		·23	·11				·33	·03	·13			17
18		·20	·03	·32			·01	·25	·28	·41	·22		18
19	·12	·05		·10				·28	·22	·21	·68		19
20	·15		·19	·10				·01			·48		20
21	·13		·22									·65	21
22	·03		·45	·04	·01		·33					·02	22
23		·06	·02	Trace		·11		·01		·04	·07	·49	23
24	·03	·30				·01				·01	·04	·01	24
25		·16	·01		·09			·20		·22	·12	·33	25
26	·02	·45	·22					·82			·02		26
27	·01	·28	·02					·52	·08	·28			27
28	·04	·13	1·22			·10		·11	·02	·40			28
29		·24	·19			·02		·37	·04	·10		·20	29
30		X				·31		·80		·22		·11	30
31		X		X		X			X	·42	X		31
Total	1·50	3·90	4·52	1·31	1·99	2·41	1·26	5·05	1·53	3·45	4·59	2·39	YEAR'S TOTAL 33·90
Rain Days.	17	17	24	13	14	14	10	16	11	20	16	13	185

W. 8,000, VIII. 16

203

FORM A.
BRITISH RAINFALL
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at 55 Castelnau, Barnes S.W.13.
in the County of Surrey.
by C. F. B. Marshall

Lat.
Long.
Time of Observation 6·0 pm up to June 20th then 9·0 am
Nearest Railway Station Barnes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·02				1·25	·04		·07	·03	1
2				·55		·07		·06		·01	·11		2
3			·02	·16			·05	·25		·22	·10		3
4		·35		·01			·32	·20		·41			4
5	~~·01~~ ·28		·13						·44	·15	·05		5
6	·03		·01	·31		·03			·35	·05	·12		6
7	·02		·09			·05	·10			·21		·04	7
8	~~·12~~ ·28		·01				·84	·12	·04	·23	·17	·40	8
9	~~·23~~ ·10		·01	·18			·06	·14	·03		·08	·10	9
10			·09	·04							·01	·05	10
11	~~·17~~ ·35	·01	·29	·21				·01	·43	·23			11
12	·05		·25							·43			12
13	·08	·01		·07				·05	·03	·02			13
14			·18	·16				·33				·01	14
15				·01			·03			·02		·03	15
16	·13	Trace		·23		3·00	·05			·48		·42	16
17	·43	·18		·02	·82		·33		·42	·32			17
18	·02	·01		·13		·92	·17	·10	·19	·09			18
19	·03	·06		·02	·46	·04		·01	·16				19
20	·03		·12		·02		·07				·05		20
21	·01	·32	·02	Trace	·15	·02				·01	·03		21
22	·06		·02		Trace	·01				·07	·01		22
23			·02					·10		·08	·01		23
24		·09			·12	·20		Trace		·16	·08	·04	24
25		·03								·01	·09		25
26		Trace	·07					·22	·04	·02	·44		26
27		Trace	·01			·03		·82					27
28		Trace	·01			1·57		·11				·06	28
29			·05		·17	·12	·32	·03		·24		·17	29
30		X	Trace		·06		1·60	·07		·02			30
31	·03	X	·40	X		X	·34	·05	X		X	·02	31
Total	1·95	1·06	1·80	2·12	1·80	6·06	4·28	3·92	2·17	3·48	1·42	1·37	YEAR'S TOTAL 31·43
Rain Days.	17	9	19	15	5 7	12	13	18	11	22	15	12	~~168~~

170

W. 8,000, IX. 17.

Ex M ,23

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 2. 7. 19

Kept at Barnes. 55 Castelnau
in the County of Surrey
by C. F. B. Marshall.

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Barnes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·12				·01			·16	·07	1
2				·04				·30	·01	·02	·14	·17	2
3			·05	·02	·52			·24	·01	·02	·61	·05	3
4		·07	·16	·01				·03	·50		·50	·02	4
5		·05	·01		·09			·08	·38	·11		·02	5
6	·21	·13		·33	·07				·01			·07	6
7	·02	·12		·10	·34				·11	·13	·06		7
8	·01	·05		·01						·02	·12	·03	8
9		·05		·05		·03	·20		·46	·13	·01	·14	9
10	·02			·16			·47		·03	·01	·05	·54	10
11				·05			1·17		·03	·20	·14	·10	11
12	·01	·04			·28		·11					·07	12
13	·02	·02			·19		·20		·09			·01	13
14	·15		·04			·33	·04		·50	·13		·26	14
15	1·28			·68			·09		·02			·08	15
16	·08			·32		·14			·30			·03	16
17			·01	·22		·43	·41	·06				·16	17
18	·57					·14	·14		1·45	·20		·06	18
19	·04		·05	·06		·05	·32		·05	·06		·06	19
20	·05	·14		·27		·02	·11		·15			·02	20
21	·09	·03		·70		Trace	·02		·57	·06		·01	21
22	·01			·01	·18		·12		·16	·01		·21	22
23	·06			·02	·22		·48	·06	·06			·04	23
24		·25				·03	·87		·11		·08		24
25							·22			·01	·03		25
26		·01					·56	·14			·19	·16	26
27		·02	·02				·03	·08	·08		·09	·03	27
28		·04	·20	·09				·15			·23	·17	28
29			·02						1·16		·02	·01	29
30		×	·49						·03		·06	·12	30
31		×	·01	×		×		·15	×	·06	×	·02	31
Total	2·64	1·02	1·06	3·26	1·89	1·17	5·56	1·30	6·27	1·17	2·49	2·73	YEAR'S TOTAL 30·56
Rain Days	16	14	11	19	8	8	18	11	23	15	16	28	187

B made

Jan - Sept. Copied from original forms 19.11.19.

191

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

1 MAR 20

Kept at Barnes Castlenau

in the County of Surrey

by C. F. B. Marshall

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·07	·01	·03	·01		·33						1
2	·44	·01	·01		·13		·18		·30				2
3	·32		·31		·02		·30		·22				3
4	·08	·12	·34			·07	·09						4
5	·01	·31	·69				·03		·07				5
6	·02	·01	·06										6
7	·05		·36										7
8	·09		·06	·03									8
9	·06		·02	·01	·03								9
10	·60		·06	·02									10
11	·04		·09	·26			·32						11
12			·07	·04		·05	·11						12
13				·17									13
14	·23			·33			·09		·43				14
15	·23	·01	·14	·13					·01				15
16	·06	·59											16
17	·01	·34	·03										17
18		·27	·06						·03				18
19	·04	·14	·64			·18	·39	·16	·02				19
20	·27	·11	·14			1·00	·24	·15					20
21	·18	·25	·02				·07						21
22		·12	·02			·01	·16		·13				22
23						·07			·07				23
24				·20		·02	·11	·03					24
25	·04	·01				·01		·16					25
26	·07	·22	·06	·15				·09	·14				26
27	·41	·04	·12	1·10				·17					27
28	·01		·54	·05			·01	1·00					28
29	·05			·03				·31					29
30				·27		·17		·16					30
31	·01		·01				·02						31
TOTAL	3·62	2·62	3·86	2·82	·19	1·58	2·45	2·23	1·42				YEAR'S TOTAL
Days with ·01 in. or more	24	16	23	15	4	9	15	9	10				

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Castelnau. Barnes. (SW13)
in the County of Surrey
by C. H. B. Marshall.

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Barnes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·05	·04		·31			·43		·20	1
2				Trace	·02			·80	Trace	·06		·09	2
3				Trace					·06			·05	3
4				·04			·07	·04	·09	·14		·05	4
5					·04		·61					·06	5
6					·15		·42					·04	6
7				·18	·07		·27					·01	7
8				·18	·17		·02						8
9				·04				·01					9
10				·03		·06	·07						10
11				·17	·03	·02	·29					·16 [S]	11
12				·10		·84				·01			12
13				·18							·02		13
14				·18		·12			·11	·02	·19	·02	14
15				·24			·06		·55	·12	·14		15
16				·32		·08			·34	·18			16
17				·02	·15	·35	·02		·41	·03			17
18				·02	·02			·75	·19			·04	18
19				·23		·07						·07	19
20				·13		·60			·01			·01	20
21				·02			·87	·02	·67			·06	21
22				·31					·04			·39	22
23							·37	·01				·39	23
24												·02	24
25				·02			·17						25
26				·01	2·57	·01	·13				·01	·04	26
27				·23	·01	·12	·13				·64	·08	27
28				·20	·02	·01	·14				·02	·03	28
29					·01		·01				·05	·18	29
30		×			·08	·01	·27		·43		·20	·13	30
31		×		×	·02	×			×	·24	×	·10	31
TOTAL	(2·00)	(·50)	(1·00)	2·90	3·40	2·29	~~4·13~~ 4·23	1·63	2·90	1·23	1·27	2·22	YEAR'S TOTAL (25·57)
Days with ·01 in. or more				22	15	12	18	6	11	9	8	22	✓
Days with ·04 in. or more				16	8	8	15	3	10	6	5	17	✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

55. Castelnau.
Barnes. S.W.13.

29 MAR 1921

March. 24th.1921.

The Superintendent.
Messrs British Rainfall Organization.
62. Camden Square.
London. N.W.1.

Dear Sir.

I am obliged by the receipt of your letter of the 23rd inst.,.

You are quite correct with regard to the total for July which should be 4.23" and not 4.13" as given; it is a slip in addition for which I am sorry, and am.

Yours faithfully.

C. F. B. Marshall

55

R

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

BEDDINGTON CORNER
MILLGREEN RD
SURREY

1911 - 1920

Kept at Beddington 5 in.
in the County of Su Ground 5 ft. 0 in.
by F. C. Bayard Sea Level 77 ft.

ame

istance Direction

IMPORTANT NOT the result entered to the previous day. If an O ersal rule, he is earnestly requested to add the rea r in the space provided for it at the end of th nt of rain, the selection and placi sh Rainfall Organization are given in plication to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

Date.	Jan.	Feb.	March							Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1	·03											·01	1
2	·15			·25	·14		·01		·03		·20	·07	2
3					·12						·06	·05	3
4	·02		·05	·06					·03	·07	·16	·30	4
5				·02						·21	·04	·13	5
6	·21		·26									·42	6
7										·16	·34	·21	7
8	·09		·12	·01							·33	·35	8
9	·21			·02							·01	·13	9
10		·13	·05								·03	·75	10
11	·24	——			·23						·57		11
12	·05		·51		·01				·03		·14	·01	12
13			·09		·22				·31	·14	·02	·25	13
14		·11	·01		·27							·57	14
15		·04	·21							·02	·01	·02	15
16						·58					·44	·01	16
17			·05			·01					·24	·18	17
18		·08	·02			·02					·53	·34	18
19					·04	·26			·34	·16	·17	·09	19
20	·02							·12		·05		·63	20
21	·02	·09						1·00	·09	·80		·15	21
22	·03		·19			·01						·46	22
23		·11	·05			·89			·24		·04	·05	23
24		·11				·01	·04	·03		1·40		·21	24
25		·04	·01	·05		·18	·14	·01	·01	·03			25
26		·01	·11	·17		·22	·05			·13	·01	·21	26
27		·23	·10	·04					·10		·07	·10	27
28		·08		·23				·11			·01		28
29				·26		·22	·05		·12	·23			29
30			·01	·01		·03		·20	·02	·19			30
31					·10					·02			31
Total	1·07	1·03	1·84	2·00	1·13	2·43	·30	1·54	1·32	3·61	3·42	5·70	TOTAL for year 25·39
No. of Rain Days	11	11	16	12	8	11	6	7	11	14	20	25	152

9,000, IX. '10.

58

R

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Beddington Corner, Millgreen Rd.

in the County of Surrey 4

by F. C. Bayard, G. Miller

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 5 ft. 0 in.
" " " Sea Level 77 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·88			·01	·07				·01	1
2	·15			·25	·14		·01		·03		·20	·07	2
3					·12						·06	·05	3
4	·02		·05	·06					·03	·07	·16	·30	4
5				·02						·21	·04	·13	5
6	·21		·26									·42	6
7										·16	·34	·21	7
8	·09		·12	·01							·33	·35	8
9	·21			·02							·01	·13	9
10		·13	·05								·03	·75	10
11	·24				·23						·57		11
12	·05		·51		·01				·03		·14	·01	12
13			·09		·22				·31	·14	·02	·25	13
14		·11	·01		·27							·57	14
15		·04	·21							·02	·01	·02	15
16						·58					·44	·01	16
17			·05			·01					·24	·18	17
18		·08	·02			·02					·53	·34	18
19					·04	·26			·34	·16	·17	·09	19
20	·02							·12		·05		·63	20
21	·02	·09						1·00	·09	·80		·15	21
22	·03		·19			·01		—				·46	22
23		·11	·05			·89			·24		·04	·05	23
24		·11				·01	·04	·03		1·40		·21	24
25		·04	·01	·05		·18	·14	·01	·01	·03			25
26		·01	·11	·17		·22	·05			·13	·01	·21	26
27		·23	·10	·04					·10		·07	·10	27
28		·08		·23				·11			·01		28
29				·26		·22	·05		·12	·23			29
30			·01	·01		·03		·20	·02	·19			30
31					·10					·02			31
Total	1·07	1·03	1·84	2·00	1·13	2·43	·30	1·54	1·32	3·61	3·42	5·70	TOTAL for year 25·39
No. of Rain Days	11	11	16	12	8	11	6	7	11	14	20	25	152

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

12 FEB 1913

Kept at Beddington Corner, Millgreen Rd.

in the County of Surrey 4

by F. C. Bayard, G. Miller

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~5~~ 4 ft. 0 in.
" " " " Sea Level ~~77~~ 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·16	·01		·12	·37		·08	·56		·18	1
2			·37			·02	·30	·11	·02	·05			2
3	·04	·08	·05			·10		·31				·05	3
4	·18		·74		·12	·17		·13			·20		4
5	·20	·03	·04					·30			·03	·02	5
6	·40	·03			·01			·19	·02			·02	6
7					·08	·90	·15	·12				·04	7
8	·26	·37	·26			·02	·01	·49					8
9		·05		·08		·16	·03	·03				·09	9
10	·01	·03						·47			·12	·23	10
11	·02	·18				·03		·05				·16	11
12	·03	·06	·05		·11	·20		·02			·03	·02	12
13											·03		13
14					·04			·02		·15		·02	14
15			·12		·26	·60		·01			·04	·32	15
16	·42		·03		·06	·20		·05		·03	·04		16
17	·43		·26			·03		·04				·04	17
18	·05		·16					·09		·05	·02	·11	18
19	·06	·07	·07				·05	·72					19
20	·01	·01	·35					·07		·44	·02		20
21		·02	·13		·01			·04		·08	·04		21
22	·24	·15	·06		·02		·06	·14				·03	22
23	·33	·37	·27					·42		·06	·19	·15	23
24	·19	·02				·09	·02	·22				·18	24
25	·10					·16		·87			·24	·30	25
26	·01	·06					·01	·47		·24	·32	·40	26
27						·05				·12		·11	27
28		·08		·01			·19	·03	·19	·32	·56	·14	28
29		·02		·02		·11	·20	·12	1·28	·14	·02		29
30					·46	·01	·02		1·44	·15			30
31			·07		·01		·09	·12					31
Total	2·98	1·63	3·19	·12	1·18	2·97	1·50	5·65	3·03	2·39	1·90	2·61	YEAR'S TOTAL 29·15
Rain Days.	18	17	17	4	11	17	13	27	6	13	15	20	178

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

Ex DL

FORM A.
BRITISH RAINFALL.

26 MAR 1914

Kept at Beddington Corner, Millgreen Rd.
in the County of Surrey 4
by G. Miller per C. Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·26	·02	·14					·44	·06	·09	·17	1
2		·14					·09			·15	·03		2
3		·01	·05	·33	·34							·08	3
4	·24			·02	·25		·05			·40	·02	·07	4
5	·35					·08	·07		·32			·02	5
6		·02	·11		·02	·05	·18			·12	·11	·09	6
7		·04			·02	·01	·03	·06	·01	·71	·08		7
8		·03			·11	·06				·03			8
9		·11							·09		·03		9
10	·01		·19	·15	·03		·03	·02			·46		10
11	·32			·32	·03					·62	·24		11
12					·01						·28		12
13	·08		·05						·10		·22		13
14	·12		·08	·08			1·08	·10	·03	·15	·05	·02	14
15	·37	·09	·40	·20			·27		·07				15
16	·17		·32	·07			·01		·46				16
17	·02	·08	·02	·03			·16						17
18			·08	·09									18
19	·26		·12				·12		·14				19
20	·19		·45	·03		·08				·45			20
21			·14	·03			·05			·21	·68		21
22	·32		·28	·06				·09	·14				22
23						·04		·25			·03	·43	23
24				·02		·01		·03			·02		24
25		·05		·19									25
26			·16	·13				·13		·82		·21	26
27			·01	·11	·02					·02			27
28	·29		·25	·10									28
29	·03		·05	·45	·42			·06		·08			29
30	·27			·05				·39		·18			30
31			·04					1·05					31
													YEAR'S TOTAL
Total	3·10	·83	2·82	2·60	1·25	·33	2·14	2·18	1·80	4·00	2·34	1·09	24·48
Rain Days.	16	10	19	20	10	7	12	10	10	14	14	8	150

W. 7,500, XI. 12

~~from Croydon Table~~

E4 R2

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
8 - MAR 1915

Kept at Beddington Corner Millgreen Road
in the County of Surrey
by H. C. Bayard | G Miller

4

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.25			.01	.03	1
2							.14	.30			.20	.35	2
3			.10		.13		.09				.02		3
4	.05			.19	.01		.01	.02			.15	.30	4
5	.08		.03	.23	.17	.05	.20	.43			.06		5
6		.12		.12		.20	.01	.02			.08	.09	6
7		.40	.23	.19	.38	.20	.13					.05	7
8	.08	.32	.48	.01	.01	.08	.22	.07					8
9	.18		.66	.05		.04			.17			1.80	9
10		.06			.06				.12			.04	10
11		.43	.33	.01	.08	.03			.14		.17	.24	11
12		.07	.10				23		.14		.03	.50	12
13		.15	.16						.12	.10		.51	13
14		.07	.23			.71	.01			.30	.08	.51	14
15	.02		.20				.14	.05			.76	.04	15
16									.03				16
17		.29	.16									.11	17
18		.05	.16									.25	18
19		.05	.23				.07				.22	.26	19
20		.18	.44			.06			.14		.02	.04	20
21		.75	.08			.02		.02		.01		.04	21
22		.02	.01	.04	.22	.06	.18	.01		.19			22
23			.05		.08	.06	.02			.04			23
24			.05		.01						.08		24
25			.21				.02	.10		.18	.01	.12	25
26	.02		.04				.07	.05		.05	.17	.55	26
27								.02			.04	.16	27
28	.03				.01					.06	.36	.64	28
29	.04		.04							.36	.08		29
30		X	.03							.04	38	.20	30
31		X		X	.22	X	.03		X		X	.04	31
Total	.50	2.96	4.02	.84	1.38	1.51	1.57	1.34	.86	1.33	2.92	6.87	YEAR'S TOTAL 26.10
Rain Days.	9	14	22	8	12	11	16	12	7	10	19	23	163

W. 8,000. X. 14.

145

FORM A.
BRITISH RAINFALL.
14 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Beddington Corner Millgreen Road

in the County of Surrey 4

by G. Miller p Croydon Nat His Soc

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 0 in.

" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.58	.09	.06		.06				.10		.33	.43	1
2	.31	.16	.17	.19		.01		.80		08		.13	2
3	.29		.06	.15	.02			.31	06			.49	3
4	.06											.24	4
5	.04	.56								.06		.26	5
6	.35		.02	.32			.57					.15	6
7	.24	.30	.02				.21	.03				16	7
8	.08	.56		.07			.05	.35					8
9	.01	.03		.11		.10		.04		.03	.36	.72	9
10	17		01					01				.17	10
11	.01										.54		11
12	03	.05		.33	.46			.05			.25	.04	12
13	.01	.60			1.10			.06	.07				13
14	.01	.04					.22	.16				.28	14
15	.08	.03			.05		.06	.16			.17	.11	15
16		.41		.01	.02		.56	.01				.08	16
17		.32			1.12		.03	03					17
18	.01	.22	.08		.22						.08		18
19		.25			.01		.04						19
20	.28			.03								.23	20
21	.24						.02			.06		.04	21
22	94	.06	.13	.04			.60		.02				22
23		.22	.05			.04	.33		.05	.53		.32	23
24			.01				.02		.14	.24		.42	24
25				.17			.38					.15	25
26		.02				.04	.10					.47	26
27						.27	.21			.21		.07	27
28		.03				.13			1.64	.23			28
29						.01	.25	.14			.20		29
30	.02	X				.05		.01		.11	.46	.01	30
31		X		X		X			X	.89	X	.30	31
Total	3.76	3.95	.61	1.42	3.06	.65	3.65	2.16	2.08	2.44	2.39	5.27	YEAR'S TOTAL 31.44
Rain Days.	20	18	10	10	9	8	16	14	7	10	8	22	152

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Beddington Corner, Millgreen Rd

in the County of Surrey

by F. C. Bayard, G. Miller

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 0 in.

" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08				·56	·03			·20	·06	·22		1
2	·23	·10	·22		·30		·01		·06	·33	·06		2
3		·80	·18				·01		·27	·21	·68		3
4	·23	·14		·02		·17			·16	·01	·48		4
5				·01	·24	·34	·01			·05	·74		5
6	·01	·07	·32	·24		·15	·34				·58		6
7	·08		·72		·20	·26	·26				·96	·08	7
8			·07		·25						·01	·27	8
9	·01				·14					·09			9
10			·09	·08		·50	·04					·16	10
11	·01	·14	·04	·16		·54			·01			·02	11
12	·02	·03		·04	·36	·18	·02	·04		·08			12
13		·20	·32	·17		·11	·12	·02	·01				13
14		·40	·01	·04	·12			·37		·05		·04	14
15		·18	·24				·08	·27					15
16		·03	·20	·15			·17	·32					16
17	·07	·12		·02			·01	·11	·32	·43			17
18		·10	·01	·25				·28	·16	·30	·68	·04	18
19	·02	·04	·18	·16					·12		·70		19
20	·25		·28	·01				·01			·04	·72	20
21			·39	·02			·24					·21	21
22					·01					·03	·01	·37	22
23	·02	·46	·01			·01		·01		·04	·01	·21	23
24		·03			·10	·03		·02		·18	·02	·29	24
25		·63	·15					·32		·08	·08		25
26		·16	·10			·11		·19	·04	·16			26
27	·01		·80			·16		·27	·08	·64			27
28		·36	·23			·02		·10	·24			·12	28
29		·09				·15		·92	·03	·30		·15	29
30								·22		·34			30
31								·05		·10		·06	31
Total	1·04	4·08	4·56	1·37	2·28	2·76	1·31	3·52	1·70	3·48	5·27	2·74	YEAR'S TOTAL 34·11
Rain Days.	13	19	20	14	10	15	12	17	13	19	15	14	181

W.7,000, XI. 13

129

FORM A.
BRITISH RAINFALL.
28. FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Beddington Corner, Millgreen Rd

in the County of Surrey

by F.C. Bayard, G. Miller

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 5" ft. – in.

" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05		·16				1·62			·06		1
2				·47		·01		·11		·03	·16		2
3				·11			·09	·32		·12	·05		3
4		·17	·03				·59	·26		·41	·05		4
5	·22		·05	·18					·80	·16			5
6			·07	·04		·05			·22		·11	·02	6
7	·15						·23			·24			7
8	(·22)			·21			·80	·09	·08	·24	·16	·22	8
9			·08	·07	·03		·03	·06	·03		·09	·40	9
10			·01	·17				·02					10
11	·10		·47	·19					·14	·18			11
12	·08		·08	·04				·03		·42			12
13	·03		·08	·03				·01	·03	·13			13
14				·16				·03		·05			14
15							·48	·06					15
16	·08	·16		·10	·09		·16			·08		·56	16
17				·08	·73		·23	·07	·32	·12			17
18	·03			·07	·04	·01	·23	·03	·15	·09			18
19		·14	·09		·06	·02			·13				19
20		·12	·07		·58		·04	·01			·06		20
21	·01		·05			·01					·02		21
22	·03		·01					·07		·08			22
23		·14			·13	·10		·03					23
24						·07	·01			·09			24
25		·03	·04			·01				·12			25
26								·23	·04	·01	·63		26
27			·03			·03		·85				·03	27
28		·01				1·31		·02				·04	28
29			·03		·19	·21	·42			·32		·40	29
30	01	X	·20				1·98	·04		·02			30
31	·05	X	·11	X		X	·48		X		X		31
Total	·91	·82	1·50	2·08	1·85	1·83	5·77	3·96	1·94	2·91	1·39	1·67	YEAR'S TOTAL 26·63
Rain Days.	12	8	17	15	8	11	14	20	10	19	10	7	151

W. 8,000, VIII. 16

from M.S.

50

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
10 4 19

Kept at Beddington Corner, Millgreen Rd

in the County of Surrey

by G. Miller per F.C. Bayard.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. – in.

" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·02				·04				·04	1
2		·13	·02	·06				·12				·04	2
3			·04		·32			·05				·11	3
4		·01	·11	·06					27				4
5		·02			·12			·12	1·54	·08			5
6	·30	·06		·24	·24				·12			·06	6
7	·02	·15		·16	·36				·13				7
8		·05		·01					·08	·08		·01	8
9						·06	·18		·23			·20	9
10				·22			·64			·06		·38	10
11				·04			·80			·04		·16	11
12					·21		·33		09			·02	12
13	·04												13
14						·42	·05		·08	·14		·24	14
15	1·24			·76			·20		·01			·05	15
16	·33			·08		·05			·15				16
17	·24		·01	·18			1·59	·04				·05	17
18	·47		·01	·04		·16	·10		·70	·16		·18	18
19			·08	·12		·08	·08		·10	·14			19
20	·10	·12		·64		·03	·12		·18				20
21		·04		·55			·08		·20	·50			21
22				·01	·32		·22		·35			·19	22
23		·02			·11	·01	·56	·04					23
24		·29				·12	·48						24
25				·19			·26	·21					25
26							·50	·05				·11	26
27				·16			·08	·12	·20				27
28		·02	·20	·08				·01				·10	28
29			·06						·98				29
30		×	·16									·18	30
31		×	·14	×		×			×		×		31
Total	[illegible]·74 ✓	·91 ✓	·85 ✓	3·62 ✓	1·68 ✓	·93 ✓	6·27 ✓	·80 ✓	5·41 ✓	1·20 ✓	2·41	2·12 ✓	YEAR'S TOTAL 28·94 ✓
Rain Days.	8 ✓	11 ✓	11 ✓	19 ✓	7 ✓	8 ✓	17 ✓	10 ✓	17 ✓	8 ✓		17 ✓	

[illegible]6,500, VII. 18. W W Ç

J+Rh 120

Brant

17 MAR 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Beddington Corner, Millgreen Rd

in the County of Surrey

by G. Miller, per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. – in.

" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	
1	·22	·08	..	..	·02	·02	·15	..	..	·03	·15	·88	1
2	·21	..	·01	..	·09	..	·12	..	·11	·11	·13	·23	2
3	·32	..	·45	..	..	..	·14	..	·08	..	..	·32	3
4	·08	..	·45	..	..	·08	·14	·03	..	..	·07	·12	4
5	..	·30	·60	..	..	..	..	..	·07	..	..	·23	5
6	·04	..	·06	..	..	..	..	..	..	..	..	·15	6
7	·01	..	·24	..	..	..	..	..	..	..	·05	..	7
8	·32	..	·07	·10	..	..	..	..	..	..	·01	..	8
9	·16	..	..	·05	..	..	..	..	·03	..	·01	..	9
10	·26	..	·01	·01	..	..	..	..	..	..	..	..	10
11	·02	..	·08	·25	·02	..	·29	..	..	..	..	·04	11
12	..	..	·08	·03	..	·01	·11	..	..	·11	..	..	12
13	..	..	..	·40	..	..	..	..	·04	·03	..	..	13
14	·17	·01	..	·32	..	..	·09	..	·58	..	..	..	14
15	·20	·54	·23	·08	..	..	..	..	..	..	..	·24	15
16	·16	·40	..	..	..	..	..	..	..	..	·10	·05	16
17	·05	·29	·07	..	..	..	..	..	..	..	·15	·03	17
18	..	·07	·08	..	..	..	..	..	·07	..	·08	..	18
19	..	..	·35	..	..	·16	·42	·29	·01	..	·10	·02	19
20	·06	·34	·07	..	..	·74	·29	·16	..	..	·03	..	20
21	·16	·05	·02	..	..	·12	·11	..	..	..	·02	·02	21
22	..	..	..	..	..	..	·18	..	·21	..	·01	·25	22
23	..	..	..	..	..	·08	..	·07	·07	..	·04	·03	23
24	..	..	..	·23	..	·02	·11	·01	..	·21	·04	..	24
25	..	·17	..	..	·02	..	..	·16	..	..	..	·02	25
26	·05	·05	·10	·14	..	..	..	·14	·09	..	..	·26	26
27	·30	..	·05	1·10	..	..	·03	·33	..	..	..	·04	27
28	..		·27	·03	..	..	·02	·70	..	..	·28	·21	28
29	·03		..	·08	..	..	..	·35	..	·30	·03	·11	29
30	..		·01	·24	..	·11	..	·36	..	·05	·19	·35	30
31	·05		..		..		·04			..		·10	31
	2·87	2·30	3·30	3·06	·15	1·34	2·24	2·60	1·36	·84	1·49	3·70	YEAR'S TOTAL
TOTAL	..	5·17	8·47	11·53	11·68	13·02	15·26	17·86	19·22	20·06	21·55	25·25	25·25
Days with ·01 in. or more	20	~~10~~	20	14	4	9	15	11	11	7	18	21	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 118

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Copy by B.R.O.

Kept at Beddington Corner, Millgreen Rd
in the County of Surrey
by per Bazard, G. Miller

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	Beddington Corner IN.	
1	·08	..	..	·32	..	..	·28	·01	..	·16	..	·23	1
2		..	·15	..	·02	..	..	·43	·06	·09	..	·03	2
3		·03	..	..	..	·01	..	..	·02	·07	..	·03	3
4	..	·06	..	·12	..	..	·35	·04	..	·08	..	..	4
5	..	..	·15	..	·03	..	·52	·17	·02	..	..	·03	5
6	..	..	·44	..	·14	..	·22	..	..	..	..	·03	6
7	·02	..	..	·16	·06	..	·21	..	..	..	..	..	7
8	..	..	..	·17	·11	..	·11	..	..	..	..	..	8
9	·25	·10	..	·02	..	..	·02	..	..	..	..	..	9
10	·33	·04	·08	·01	..	·16	·11	..	..	..	·10	..	10
11	·15	..	·07	·16	..	·04	·33	·05	..	..	..	·25	11
12	·06	..	..	·13	..	1·10	..	..	..	·07	..	..	12
13	·23	·02	·12	·08	..	..	..	..	..	..	·05	..	13
14	..	..	·18	·24	..	·10	..	..	·19	·03	·16	..	14
15	·03	..	·06	·15	..	..	..	..	·72	·02	·02	..	15
16		..	·01	·08	..	·05	..	..	·15	..	·01	..	16
17	·01	..	..	..	·13	·15	·01	..	·42	..	·01	..	17
18	·01	..	..	·03	·01	..	..	·96	·17	..	..	·11	18
19	·11	..	..	·20	..	·04	..	..	..	..	..	..	19
20	·04	·30	..	·20	..	·47	..	·08	·12	..	..	·04	20
21	·01	..	..	·03	..	..	·64	·02	·47	..	..	·06	21
22	..	..	..	·30	..	..	..	..	·16	..	..	·28	22
23	..	..	..	..	..	..	·40	·01	..	..	..	·24	23
24	..	·06	·04	·02	..	..	..	..	..	..	..	..	24
25	..	·02	..	·01	·09	..	·16	..	·05	..	..	..	25
26	·06	..	·26	·01	..	..	·16	..	..	..	..	·02	26
27	·24	·08	·09	·24	..	·11	·04	..	..	..	·82	·09	27
28	·34	..	·10	·08	·04	..	·08	..	..	..	..	·02	28
29	·36	..	·12	·02	..	..	·01	..	..	..	·06	·12	29
30	·02		..	..	·04	·01	·13	..	·50	..	·22	·11	30
31	·01		..		·02		..	..		·42		·05	31
Total	2·36	·71 3·07	1·87 4·94	2·78 7·72	·69 8·41	2·24 10·65	3·78 14·43	1·77 16·20	3·05 19·25	·94 20·19	1·45 21·64	1·74 23·38	YEAR'S TOTAL 23·38
Days with ·01 in. or more	19	9	14	23	11	11	18	9	13	8	9	17	161
Days with ·04 in. or more	12	6	13	15	7	9	15	6	11	6	6	11	117

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BEDDINGTON

SEWAGE FARM

SURREY

1911 - 1920

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

REGIST

Kept at Beddington ,

in the County of Surrey

by F. C. Bayard , Cr

1 ft. 0 in.

129 ft.

Direction

IMPORTANT NOTE.—Rai … lt entered to the previous day. If an Observer … e, he is earnestly requested to add the reading at … e space provided for it at the end of this parag … ain, the selection and placing of r … nfall Organization are given in "*Rules* … n to Dr. H. R. Mill, 62, Camden Squ

Jan. 1, following.

Date.	Jan.	Feb.	March.	Apri							Nov.	Dec.	Date
	in.	in.	in.	in.							in.	in.	
1	·03			·93			·03	·07					1
2	·12			·10	·15						·20	·06	2
3		·01			·11						·06	·07	3
4	·01		·04	·02	·03				·02	·06	·13	·30	4
5	·01			·01						·17	·03	·11	5
6	·26		·19									·42	6
7	·01		·01	·01						·09	·31	·17	7
8	·09		·09								·29	·36	8
9	·16		·01	·03								·25	9
10	·01	·09	·06								·04	·55	10
11	·18										·57		11
12	·01		·31						·02		·11		12
13			·03		·32				·23	·10		·15	13
14		·09	·01		·11							·56	14
15		·04	·10							·01	·02	·01	15
16			·01			·69					·43	·02	16
17			·04			·01					·28	·18	17
18		·09	·01			·01					·44	·29	18
19					·01	·20			·24	·18	·12	·10	19
20	·01	·01				·01		·16		·05	·01	·57	20
21		·06						·47	·03	·72		·08	21
22	·02		·19			·02				·08		·42	22
23		·11	·05			·79			·23	·01	·01	·12	23
24		·11				·11	·01	·01		1·31		·14	24
25		·03		·03		·05	·17		·04	·01			25
26		·01	·06	·16	·04	·14		·01		·15		·19	26
27		·19	·09	·04					·10	·02	·07	·09	27
28		·06		·23			·01	·09					28
29				·24		·23	·06		·10	·15			29
30				·01		·01		·11	·01	·18			30
31					·07					·01			31
Total	·92	·90	1·30	1·81	·84	2·27	·28	·92	1·02	3·30	3·12	5·21	TOTAL for year 21·99
No. of Rain Days	13	13	17	12	8	12	5	7	10	17	17	23	154

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL
20 FEB 1912

REGIS

Kept at Beddington, Sewage Farm
in the County of Surrey 4
by F. C. Bayard, Croydon Corporation

RAIN GAUGE	Diameter of top 5 in.
	Height of top above Ground 1 ft. 0 in.
	„ „ „ Sea Level 129 ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·93			·03	·07					1
2	·12			·10	·15						·20	·06	2
3		·01			·11						·06	·07	3
4	·01		·04	·02	·03				·02	·06	·13	·30	4
5	·01			·01						·17	·03	·11	5
6	·26		·19									·42	6
7	·01		·01	·01						·09	·31	·17	7
8	·09		·09								·29	·36	8
9	·16		·01	·03								·25	9
10	·01	·09	·06								·04	·55	10
11	·18										·57		11
12	·01		·31						·02		·11		12
13			·03		·32				·23	·10		·15	13
14		·09	·01		·11							·56	14
15		·04	·10							·01	·02	·01	15
16			·01			·69					·43	·02	16
17			·04			·01					·28	·18	17
18		·09	·01			·01					·44	·29	18
19					·01	·20			·24	·18	·12	·10	19
20	·01	·01				·01		·16		·05	·01	·57	20
21		·06						·47	·03	·72		·08	21
22	·02		·19			·02				·08		·42	22
23		·11	·05			·79			·23	·01	·01	·12	23
24		·11				·11	·01	·01		1·31		·14	24
25		·03		·03		·05	·17		·04	·01			25
26		·01	·06	·16	·04	·14		·01		·15		·19	26
27		·19	·09	·04					·10	·02	·07	·09	27
28		·06		·23			·01	·09					28
29				·24		·23	·06		·10	·15			29
30				·01		·01		·11	·01	·18			30
31					·07					·01			31
Total	·92	·90	1·30	1·81	·84	2·27	·28	·92	1·02	3·30	3·12	5·21	TOTAL for year 21·99
No. of Rain Days	13	13	17	12	8	12	5	7	10	17	17	23	154

9,000, IX. '10.

P. made

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
12 FEB 1913

Kept at Beddington Sewage Farm

in the County of Surrey 4

by F. C. Bayard, Croydon Corporation

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 129 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12			·10	·34		·07	·52		·20	1
2		·01	·38			·01	·31	·02	·01	·04			2
3	·03	·03	·03			·10	·02	·33				·07	3
4	·16		·54		·08	·15		·04			·16		4
5	·16	·02	·03					·17			·05	·01	5
6	·33	·02			·01			·14	·01			·06	6
7					·08	·76	·28	·14				·01	7
8	·23	·32	·23	·01		·02		·57					8
9		·05	·01	·03		·15	·02	·01				·07	9
10		·03						·73			·07	·23	10
11	·02	·19				·02		·06				·20	11
12	·03	·07	·04		·16	·15		·01			·01	·02	12
13	·01										·03		13
14					·03			·07		·05		·02	14
15			·10		·22	·71		·01			·03	·27	15
16	·40		·05		·04	·06		·07		·02	·05		16
17	·38		·28			·02		·04				·07	17
18	·04		·16					·06		·04	·02	·08	18
19	·07	·05	·06			·02	·02	·29					19
20			·32			·01		·07		·46	·02		20
21		·02	·14		·01			·03		·08	·04		21
22	·17	·11	·06		·02		·04	·14				·02	22
23	·32	·26	·23					·30		·05	·15	·12	23
24	·36	·01				·15	·02	·22				·12	24
25	·12					·15		·75			·19	·49	25
26		·04						·39		·17	·34	·20	26
27						·03	·01			·10		·12	27
28		·06				·04	·10	·04	·05	·29	·49	·08	28
29		·03				·08	·26	·13	1·30	·12	·03		29
30					·40	·01	·02	·16	1·24	·12			30
31			·04		·01		·09	·10		·04			31
Total	2·83	1·32	2·82	·04	1·06	2·74	1·53	5·09	2·68	2·10	1·68	2·46	TOTAL for year 26·35
No. of Rain Days.	16	17	18	2	11	20	13	28	6	14	15	20	180

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Beddington Sewage Farm Est RR
in the County of Surrey
by F. C. Bayard — Croydon Corpn.

4

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.20	.02	.11					.40	.02	.04	.12	1
2	.02	.13					.08			.03	.06		2
3			.08	.25	.24							.08	3
4	.28		.01		.22		.03		.01	.20		.05	4
5	.32		.01			.06	.06		.35		.01		5
6	.02	.01	.10		.01	.05	.18		.01	.37	.10	.09	6
7		.09			.02	.01	.02	.06		.61	.08		7
8		.02			.11	.02				.03	.02		8
9		.12			.02				.05		.03	.02	9
10			.15	.06	.02		.02	.02			.54		10
11	.30			.26				.01		.58	.21		11
12					.01						.37		12
13	.09		.03					.01	.02		.23		13
14	.08		.08	.07			1.00	.07	.07	.14	.04		14
15	.41	.06	.27	.22			.16		.04		.01		15
16	.15		.29	.08			.01		.34				16
17	.02	.03	.03	.02			.15						17
18			.07	.08			.06			.01	.01		18
19	.19		.14				.04		.10				19
20	.21		.40	.04		.04				.53			20
21	.01		.22	.03			.05			.21	.66		21
22	.26		.22	.07				.15	.13				22
23			.01			.03		.26	.01		.01	.38	23
24	.01			.02							.02		24
25		.01		.20		.01						.01	25
26		.01	.14	.14				.17		.77		.16	26
27			.03	.08	.01					.03			27
28	.31		.25	.10						.13			28
29	.04		.04	.38	.37			.08		.04			29
30	.27			.05				.28		.13			30
31			.04					.88		.07			31
Total	2.99	.68	2.63	2.26	1.03	.22	1.86	1.99	1.53	3.90	2.44	.91	YEAR'S TOTAL 22.44
Rain Days.	18	10	22	19	10	7	13	11	12	17	17	8	164

W.7,000, XI. 13

Slips made 3/3/15

W LMcC

cad by Bayard 3-11-15

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL.
9 JAN 1915

Kept at Beddington Sewage Farm

in the County of Surrey 4

by Farm Manager

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Beddington Lane

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 128·57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	–	·19	–	–	·01	·02	1
2	02	–	–	–	–	–	·20	·32	–	–	·25	·16	2
3	–	–	·05	–	·11	–	·07	·01	–	–	·01	–	3
4	·04	–	·01	·16	–	–	–	–	–	–	·19	·28	4
5	·08	–	·03	·21	·11	·03	·17	·26	–	–	·03	–	5
6	–	·09	·01	·14	·01	·24	–	·02	–	–	·10	·13	6
7	–	·45	·18	·16	·29	·08	·10	–	–	–	·01	·08	7
8	·06 (·06)	·31	·32	·01	·07	·03	·17	·05	·01	–	–	·03	8
9	·19	–	·64	·06	–	·04	–	–	·05	–	–	1·40	9
10	·01	06	–	·02	·05	–	–	–	·20	–	–	·03	10
11	–	·44	·27	–	·08	·02	–	–	·05	–	·13	·24	11
12	·01	·09	·09	–	·01	–	·25	–	·12	–	·03	·48	12
13	–	·18	·19	–	–	–	–	–	·14	03	·05	·67	13
14	–	·06	·22	–	–	·58	·01	·01	–	·29	·09	·53	14
15	·02	–	·16	–	–	–	·15	·04	–	·01	·83	·03	15
16	–	–	·02	–	–	–	–	–	·04	–	·01	–	16
17	–	·25	·12	–	–	–	–	–	·01	–	–	·12	17
18	–	·06	·18	–	–	–	·01	–	–	–	–	·28	18
19	–	·04	·25	–	–	·01	·04	–	–	–	·18	·29	19
20	–	·18	·18	–	–	·08	–	–	·05	–	–	·04	20
21	–	·68	·07	–	–	–	–	·02	–	–	–	·04	21
22	–	·04	–	·03	·29	·06	·18	·01	–	·09	–	–	22
23	–	–	·06	–	·12	·04	·02	–	–	·03	–	·01	23
24	·02	–	·13	·01	·02	–	·01	–	–	·01	08	–	24
25	–	–	·18	–	–	–	·02	·08	–	·21	·01	·16	25
26	–	–	·07	–	–	–	·07	·04	–	·04	·20	·52	26
27	·02	–	·01	–	–	–	–	–	–	–	·02	·20	27
28	·01	·02	–	–	–	–	–	–	–	·06	·31	·69	28
29	·02	–	·02	–	–	–	–	–	–	·32	·11	–	29
30	–	X	·02	–	–	–	–	–	–	·04	·30	·24	30
31	–	X	–	X	·14	X	·02	–	X	·01	X	·03	31
Total	0·50	2·95	3·48	0·80	1·30	1·21	1·49	1·05	0·67	1·12 ✓	2·95	6·70	YEAR'S TOTAL 24·22 ✓
Rain Days.	12	15	25	9	12	11	16	12	9	12	21	25	179 ✓

W. 8,000. X. 14.

138

FORM A.
BRITISH RAINFALL.
6. JAN

REGISTER OF RAINFALL IN 1915

Kept at Beddington Sewage Farm

in the County of Surrey 4

by the farm manager

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Beddington Lane

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 128·57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·47	·10	·03	–	·05	–	–	·01	·06	·03	·24	·40	1
2	·25	·15	·16	·12	–	–	–	·72	·01	·03	–	·15	2
3	·29	·01	·05	·14	·03	–	–	·27	·03	–	–	·43	3
4	·03	–	–	–	–	–	–	–	–	–	–	·23	4
5	·04	·45	–	·02	–	–	–	–	–	·05	–	·25	5
6	·34	·02	·01	·32	–	–	·54	–	–	–	–	·13	6
7	·22	·29	·01	–	–	–	·20	–	–	–	–	·15	7
8	·04	·56	–	·03	–	–	·04	·03	–	–	–	–	8
9	–	·02	–	·08	–	·08	–	·50	–	·02	·28	·55	9
10	·17	–	–	–	–	–	–	·01	–	–	–	·18	10
11	–	–	·02	–	–	–	–	–	–	–	·17	·03	11
12	·04	·07	–	·28	·39	–	–	·26	–	·01	·52	–	12
13	–	·53	–	–	·97	–	–	·03	–	–	–	–	13
14	–	·03	–	–	–	–	·19	·14	·02	–	–	·28	14
15	·08	–	–	–	·04	–	·05	·15	–	–	·11	·17	15
16	–	·41	–	–	·03	–	·52	–	–	–	–	·09	16
17	–	·26	–	–	1·11	–	·01	·22	–	–	–	–	17
18	·01	·21	·05	–	·15	–	–	–	–	–	·15	–	18
19	–	·21	–	–	·02	–	·04	–	–	·02	–	–	19
20	·28	–	–	·01	–	–	–	–	–	–	–	·21	20
21	·18	–	–	–	–	–	·03	–	–	·01	–	·06	21
22	·90	·04	·10	·03	–	–	·54	–	–	–	–	·06	22
23	–	·13 (snow)	·06	–	–	·02	·16	–	·16	·44	–	·26	23
24	–	–	–	–	–	·01	·02	–	·13	·21	–	·46	24
25	–	–	·03	·15	–	–	·27	–	–	–	–	·05	25
26	–	·04			–	–	·18	–	–	–	–	·49	26
27	–				–	·18	·01	–	–	·22	–	–	27
28	–	·03			–	·06	–	–	1·59	·14	–	·01	28
29	–	X			–	·02	·22	·09	·01	–	·17	–	29
30	·03	X			–	·01		·01		·03	·42	·01	30
31		X		X	–	X			X	1·03	X	·34	31
Total	3·37	3·56	0·52	1·18	2·79	0·38	3·02	2·44	2·01	2·24	2·06	4·99	YEAR'S TOTAL 28·56
Rain Days.	16	19	10	10	9	7	16	13	8	13	8	23	152

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

13 MAR 1917

Kept at Beddington, Sewage Farm
in the County of Surrey
by F. C. Bayard, Croydon Corporation

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15		·01		·47	·02			·19	·07	·22		1
2	·13	·10	·08		·27		·01		·15	·27	·04		2
3		·88	·17						·02	·20	·67		3
4	·20	·13	·01			·18			·13	·01	·43		4
5	·01			·02	·21	·19	·04			·03	·60		5
6		·09	·22	·26	·01	·08	·32			·01	·66		6
7	·06		·21		·17	·26	·43				·95	·05	7
8			·02		·27							·30	8
9					·12		·01			·05		·02	9
10		·15	·05	·06		·34	·03					·11	10
11	·01	·11	·01	·13		·43							11
12	·02	·03		·03	·40	·13		·03		·05	·01		12
13		·18	·35	·13	·01	·02	·10	·06		·02			13
14		·36	·01	·02	·09			·09		·01		·05	14
15		·14	·19				·07	·33		·01		·02	15
16	·01	·03	·17	·12			·12	·46					16
17	·06	·12		·01			·01	·12	·34	·42			17
18		·04	·02	·17				·26	·13	·27	·64	·01	18
19	·05	·06	·15	·15					·12		·62	·06	19
20	·13		·18	·02							·06	·57	20
21	·02		·34				·10					·21	21
22	·01		·04		·01							·43	22
23	·02	·22	·01							·02	·02	·05	23
24					·06	·06		·03		·16	·04	·25	24
25		·26	·11					·24		·09	·06		25
26		·12	·07			·10		·05		·12			26
27	·02	·01	·79			·47		·30	·07	·47			27
28		·30	·10			·02		·03	·13			·10	28
29		·10				·13		·93	·02	·25		·16	29
30								·14		·32			30
31								·03		·09		·03	31
													YEAR'S TOTAL
Total	·90	3·43	3·31	1·12	2·09	2·43	1·24	3·10	1·30	2·94	5·02	2·42	29·30
Rain Days.	15	20	23	12	12	14	11	15	10	21	14	16	183

W.7,000, XI. 13

8 made

125

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

16

Kept at Beddington Sewage Farm
in the County of Surrey
by Croydon Corpⁿ

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Waddon LB&SC
Diameter of Funnel of Rain Gauge 5" in. 10/18
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 128·57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·02	·01	Snow. ·20	–	–	–	1·52	·04	–	·05	–	1
2	–	–	–	Snow ·34	–	·01	–	·07	–	–	·18	–	2
3	–	–	–	·13	–	–	·05	·21	–	·14	·03	–	3
4	–	·10	·04	–	–	–	·61	·10	–	·35	–	–	4
5	·19	–	·04	·22	–	–	–	–	·91	·16	·03	–	5
6	–	–	·10	·01	–	·05	–	–	·18	·03	·07	–	6
7	·16	–	–	–	–	–	·21	–	–	·23	–	·01	7
8	·07	–	–	·08	–	–	·61	·09	·07	·23	·16	·24	8
9		–	–	·03	–	–	·02	·05	·01	–	·07	·22	9
10	·14	–	·06	·16	–	·01		·03	–	–	·01	·01	10
11	·06	·01	·45	·10	–	–		·01	·13	·21	–	–	11
12	·02	–	·04	·02	–	–		·02	–	·41	–	–	12
13	·02	–	·08	·04	–	–		·01	·02	·11	–	–	13
14	–	–	–	·15	–	–		·20	–	·04	–	–	14
15	·03	–	–	·01	–	–	·37	·14	–	·01	–	·03	15
16	·01	·15	–	·06	·09	–	·08	–	–	·12	–	·33	16
17	–	–	–	·08	·65	–	·20	·09	·31	·08	–	–	17
18	·02	·03	–	·06	·03	·01	·31	·01	·14	·06	–	–	18
19	–	·12	·06	–	·07	·07	–	–	·10	–	–	–	19
20	·01	·07	·02	–	·67	–	·02	–	–	–	·05	·01	20
21	–	–	·02	–	–	·02	–	–	–		·01	–	21
22	·01	–	–	–	–	–	–	·10	–	·08	–	–	22
23	·01	·12	–	–	·13	·03	–	·09	–	·13	–	·02	23
24	·01	·01	–	–	–	·05	·01	·01	–	·08	·02	·02	24
25	–	·02	·03	–	–	·01		–	–	·10	·03	–	25
26	–	–	·01	–	–	–		·37	·01	·01	·56	–	26
27	–	–	–	–	–	·01		·81	–	–	–	·01	27
28	–	·01	·01	–	–	1·20		·02	–	–	–	·04	28
29	–	–	·01	–	·12	·08	·22	–	–	·34	–	·07	29
30	·01		·22	–	–		1·75	·07	–	·01	–	·01	30
31	·04		·06		–		·40	–		–		·01	31
Total	·81	·66	1·26	1·69	1·76	1·55	4·86	4·02	1·92	2·93	1·27	1·03	YEAR'S TOTAL 23·76
Rain Days.	16	11	17	16	7	12	14	21	11	21	13	14	173

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

48

FORM A.
BRITISH RAINFALL.

5

Kept at Beddington Farm
in the County of Surrey
by Croydon Corporation

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station Beddington Lane LB&SC.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·01	–	·02	–	–	–	·02	–	·01	·20	·03	1
2	–	·04	–	·04	–	–	–	·15	–	–	·22	·09	2
3	–	–	·04	·02	·30	–	–	·03	–	–	·32	·01	3
4	–	·07	·08	–	–	–	–	·01	·26	–	·55	–	4
5	–	·02	–	–	·10	–	–	·07	·55	·05	–	–	5
6	·21	·13	–	·23	·22	–	–	·04	·12	·01	–	·05	6
7	–	·02	–	·06	·28	–	–	–	·16	·02	·06	·01	7
8	–	·07	–	–	–	–	–	–	·03	·02	·10	·02	8
9	·01	–	–	·12	–	·03	·24	–	·31	·06	·01	·23	9
10	–	–	–	·09	–	–	·41	–	·02	·02	·01	·40	10
11	–	–	–	·02	01	–	·78	–	·03	·18	·09	·13	11
12	–	02	–	–	·13	–	·96	–	·03	–	–	·01	12
13	·03	–	–	–	·09	–	·02	–	·05	–	–		13
14	·08	–	·02	–	–	·42	·02	–	·05	07	–	·15	14
15	1·06	–	–	·41	–	–	·34	–	–	–	–	·06	15
16	·23	–	–	·07	–	·02	–	–	·07	–	–	·01	16
17	·24	–	–	·08	–	–	1·14	·03	–	–	–	·07	17
18	·44	–	–	–	–	·09	·01	–	·45	·22	–	·15	18
19	·06	–	·04	·11	·02	·13	·09	–	·01	·10	–	·03	19
20	·04	·10	–	·71	–	·02	·17	–	·34	·24	–	·01	20
21	·11	·01	–	·46	–	–	·05	–	·28	·09	–	–	21
22	·02	–	–	·01	·41	–	·36	–	·11	–	–	·16	22
23	–	–	–	·01	·12	–	·42	·05	·03	·01	·02	·05	23
24	–	·25	–	–	–	·11	·40	–	·13	–	·01	–	24
25	–	–	–	·17	–	–	·27	·19	–	·02	·02	–	25
26	–	–	–	–	–	–	·54	·04	–	·01	·05	·09	26
27	–	·01	–	·16	–	–	·03	·09	05	–	·08	–	27
28	–	·04	·21	01	–	·01	–	·01	–	–	·19	·10	28
29	–	–	–	–	–	–	–	–	·87	–	·01	–	29
30	–		·30	–	–	–	–	–	·01	·03	·01	·13	30
31	–		·03		–		–	–		·04		·01	31
Total	2·53	·79	·72	2·80	1·68	·83	5·75	·73	3·96	1·20	1·95	2·00	YEAR'S TOTAL 24·94
Rain Days.	12	13	7	19	10	8	18	12	22	16	17	23	179

W, 6,500, VII. 18. w w d

118

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Beddington, Sewage Farm

in the County of Surrey

by Croydon Corporation per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	·21	·03	..	..	·01	..	·15	..	..	·05	·11	·75	1
2	·18	..	..	..	·05	..	·15	·01	·04	·03	·08	·14	2
3	·30	..	·47	..	..	..	..	..	·06	..	·02	·30	3
4	·07	·06	·40	..	..	·05	·12	·02	..	..	·02	·09	4
5	..	·17	·43	..	..	..	..	..	·03	..	·01	·22	5
6	·02	..	·03	..	..	..	..	..	..	..	..	·10	6
7	·03	..	·25	..	..	..	..	..	..	..	·04	..	7
8	·25	..	·05	·05	..	..	..	..	..	..	..	..	8
9	·25	..	..	·03	..	..	..	..	..	..	·04	..	9
10	·20	..	·01	..	..	..	..	..	..	·02	..	·01	10
11	·03	..	·08	·26	..	..	·28	..	..	..	..	..	11
12	·01	..	·05	·04	..	..	·04	..	..	·06	·01	·01	12
13	·01	..	..	·50	..	..	..	..	..	·02	..	·01	13
14	·17	..	..	·17	..	..	·07	..	·59	..	..	·01	14
15	·19	·02	·18	·03	..	..	..	..	..	..	..	·17	15
16	·12	·42	..	..	..	..	..	..	..	..	·08	·04	16
17	·03	·25	·04	·01	..	..	..	..	..	..	·12	..	17
18	..	·17	·05	..	..	..	..	..	·07	..	·06	·03	18
19	·01	·05	·32	..	..	·10	·34	·26	..	..	·06	·01	19
20	·07	·05	·03	..	..	·65	·18	·11	·01	..	·02	..	20
21	·16	·28	..	..	..	·10	·10	..	..	..	·02	·02	21
22	..	·03	·01	..	..	..	·17	..	·24	..	·01	·28	22
23	..	..	..	..	..	·06	..	·03	·08	..	·01	·02	23
24	..	..	..	·18	..	·02	·09	..	..	·13	·07	..	24
25	..	·01	..	..	..	..	·01	·16	..	..	..	·02	25
26	·05	·18	·07	·15	..	..	..	·18	·08	..	·01	·20	26
27	·16	·05	·02	·31	..	..	·01	·32	..	..	·03	·02	27
28	·01	..	·14	·01	..	..	·02	·62	..	..	·20	·21	28
29	·02		..	..	..	..	..	·42	..	·20	·02	·07	29
30	..		..	·23	..	·10	..	·33	..	·05	·20	·48	30
31	·03		·01		..		·03	..		..		·07	31
	2·58	1·77	2·64	1·97	·06	1·08	1·76	2·46	1·20	·56	1·24	3·28	YEAR'S TOTAL
TOTAL	..	4·35	6·99	8·96	9·02	10·10	11·86	14·32	15·52	16·08	17·32	20·60	20.60
Days with ·01 in. or more	24	14	19	13	2	7	15	11	9	8	22	24	168

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ess 116

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Copy by B.R.O.

Kept at Beddington, Sewage Farm

in the County of Surr

by Jno Bayard Croydon Corporation

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	Beddington	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	..	..	·26	..	..	·33	..	..	·20	..	·22	1
2	..	..	..	..	·02	..	..	·43	·05	·01	..	·05	2
3	..	·03	..	..	..	·01	..	..	·03	·03	..	·04	3
4	..	·05	..	·07	..	..	·38	·04	..	·06	..	·01	4
5	..	·01	·29	..	·02	..	·52	·05	·03	..	..	·03	5
6	..	..	·43	..	·12	..	·19	..	..	..	..	·02	6
7	·01	..	..	·12	·02	..	·15	..	..	..	..	..	7
8	..	·01	..	·10	·07	..	·05	..	..	..	..	..	8
9	·22	·04	..	..	..	..	·01	·01	..	..	..	..	9
10	·40	·05	·06	·01	..	·14	·12	..	..	..	·06	..	10
11	·06	..	·06	·12	·01	·02	·33	..	..	..	..	·19	11
12	·06	..	..	·11	..	1·17	..	..	..	·06	..	..	12
13	·25	..	·10	·06	..	·01	..	..	..	..	·03	..	13
14	..	·01	·21	·18	..	·11	..	..	·11	·03	·16	·02	14
15	·01	..	·05	·18	..	..	..	..	1·02	·02	·04	·01	15
16	..	..	·01	·06	..	·05	..	..	·12	..	·02	·02	16
17	·01	..	..	..	·11	·06	..	..	·29	..	..	·02	17
18	·01	..	..	·04	·01	..	..	·99	·13	..	..	·04	18
19	·07	..	..	·19	..	..	..	..	..	..	..	·04	19
20	·05	·19	..	·19	..	·47	..	·03	·08	..	..	..	20
21	..	..	..	..	..	..	·54	·02	·48	..	..	·04	21
22	..	..	..	·27	..	..	..	..	·18	..	..	·25	22
23	..	..	..	·01	..	..	·31	·01	·01	..	..	·22	23
24	..	..	·04	..	..	..	..	..	..	..	·03	..	24
25	·01	..	..	·02	..	..	·15	..	·04	..	..	..	25
26	·05	..	·31	·01	..	..	·03	..	..	..	·47	·01	26
27	·21	·06	·02	·20	..	..	·06	..	..	..	·02	·07	27
28	·31	..	·09	·06	·04	..	·07	..	..	..	·05	·02	28
29	·41	..	·11	·01	..	..	·02	..	..	..	·21	·10	29
30	·02		..	..	·01	..	·09	..	·38	..	..	·12	30
31	..		..		·02		..	..		·33		·05	31
Total	2·18 ..	·45 2·63	1·78 4·41	2·27 6·68	·45 7·13	2·04 9·17	3·35 12·52	1·58 14·10	2·95 17·05	·74 17·79	1·09 18·88	1·59 20·47	Year's Total 20·47
Days with ·01 in. or more	18	9	13	21	11	9	17	8	14	8	10	22	160
Days with ·04 in. or more	11	5	11	16	4	6	14	4	11	4	6	13	105

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

30

REC

BEDDINGTON
FOXLEY LANE
SURREY
1911

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Beddington

in the County of Sur

by F. C. Bayard

1 ft. 0 in.

vel 350 ft.

Direction

IMPORTANT NOTE. result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			1·00			·01	·03			·02		1
2	·17			·14	·23						·27	·12	2
3					·13						·09	·08	3
4	·03	·03	·06	·04					·02	·09	·21	·42	4
5	·02	·01								·30	·06		5
6	·32		·24								·03	·61	6
7	·04		·01	·03						·14	·39	·35	7
8	·08		·14							·01	·27	·39	8
9	·21			·05							·02	·09	9
10	·03	·10	·14								·06	·92	10
11	·29				·07						·78		11
12	·03	·01	·50			·01			·08		·14		12
13			·12		·22				·11	·10	·03	·20	13
14		·08	·01		·20							·71	14
15		·05	·23							·04	·07	·02	15
16	·02		·01			·53					·64	·10	16
17			·05			·03					·39	·24	17
18		·16	·02								·55	·38	18
19					·03	·34			·24	·23	·19	·16	19
20	·02	·01	·01							·10	·02	·89	20
21	·02	·08						·23	·03	·76		·17	21
22	·04		·19			·09		·09		·11		·54	22
23	·01	·12				·81		·02	·24	·02	·04	·15	23
24	·01	·13				·05	·04			1·47		·18	24
25				·09		·14	·38	·04	·02	·04			25
26		·03	·15	·19	·17	·13	·04			·19	·01	·24	26
27		·28	·14	·12					·13	·04	·10	·10	27
28	·02	·13		·26				·11			·01	·01	28
29			·01	·25		·19	·05		·11	·23	·01		29
30						·01		·11	·02	·21			30
31					·49					·02			31
Total	1·37	1·22	2·03	2·17	1·54	2·33	·52	·63	1·00	4·10	4·40	7·07	TOTAL for year 28·38
No. of Rain Days	18	14	17	10	8	11	5	7	10	18	24	23	165

9,000, IX. '10.

30

REC

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Beddington, Foxley Lane

in the County of Surrey 4

by F. C. Bayard, H. R. Wise

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 350 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			1·00			·01	·03			·02		1
2	·17			·14	·23						·27	·12	2
3					·13						·09	·08	3
4	·03	·03	·06	·04					·02	·09	·21	·42	4
5	·02	·01								·30	·06		5
6	·32		·24								·03	·61	6
7	·04		·01	·03						·14	·39	·35	7
8	·08		·14							·01	·27	·39	8
9	·21			·05							·02	·09	9
10	·03	·10	·14								·06	·92	10
11	·29				·07						·78		11
12	·03	·01	·50			·01			·08		·14		12
13			·12		·22				·11	·10	·03	·20	13
14		·08	·01		·20							·71	14
15		·05	·23							·04	·07	·02	15
16	·02		·01			·53					·64	·10	16
17			·05			·03					·39	·24	17
18		·16	·02								·55	·38	18
19					·03	·34			·24	·23	·19	·16	19
20	·02	·01	·01							·10	·02	·89	20
21	·02	·08						·23	·03	·76		·17	21
22	·04		·19			·09		·09		·11		·54	22
23	·01	·12				·81		·02	·24	·02	·04	·15	23
24	·01	·13				·05	·04			1·47		·18	24
25				·09		·14	·38	·04	·02	·04			25
26		·03	·15	·19	·17	·13	·04			·19	·01	·24	26
27		·28	·14	·12					·13	·04	·10	·10	27
28	·02	·13		·26				·11			·01	·01	28
29			·01	·25		·19	·05		·11	·23	·01		29
30						·01		·11	·02	·21			30
31					·49					·02			31
Total	1·37	1·22	2·03	2·17	1·54	2·33	·52	·63	1·00	4·10	4·40	7·07	TOTAL for year 28·38
No. of Rain Days	18	14	17	10	8	11	5	7	10	18	24	23	165

9,000, IX. '10.

9a

BEDDI~~NGT~~ON
RIVERSIDE
SURREY
1911 - 12

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Riversid

in the County of Su

by Miss C. Ro

in.

Ground 1 ft. in.

Sea Level 120 ft.

Name Waddon

Distance 1m Direction SE

IMPORTANT N the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	—	·85	—	—	—	·04	—	—	·02	—	1
2	·15	—	—	·30	·18	—	·05	—	—	—	·17	·08	2
3	·01	·02	—	—	·13	—	—	—	—	—	·07	·06	3
4	·02	·01	·06	·07	—	—	—	—	·02	·08	·17	·36	4
5	·01	—	—	·01	—	—	—	—	—	·20	·04	·13	5
6	·29	—	·24	—	—	—	—	—	—	—	—	·42	6
7	·03	—	—	·02	—	—	—	—	—	·11	·38	·22	7
8	·09	—	·11	—	—	—	—	—	—	—	·29	·40	8
9	·22	—	·02	·05	—	—	—	—	—	—	·01	·06	9
10	—	·10	·10	—	—	—	—	—	—	—	·04	·86	10
11	·25	—	—	—	·06	—	—	—	—	—	·61	·01	11
12	·03	—	·49	—	—	—	—	—	·07	—	·15	—	12
13	—	—	·08	—	·17	—	—	—	·23	·16	·02	·18	13
14	—	·12	·01	—	·28	—	—	—	—	—	—	·61	14
15	—	·05	·22	—	—	—	—	—	—	·02	·04	·03	15
16	—	—	—	—	—	·67	—	—	—	—	·55	·05	16
17	—	—	·06	—	—	·02	—	—	—	—	·32	·22	17
18	—	·13	·01	—	—	·01	—	—	—	—	·53	·35	18
19	—	—	—	—	·02	·24	—	—	·28	·21	·17	·13	19
20	·02	·01	·01	—	—	—	—	·19	—	·08	·01	·69	20
21	·01	·07	—	—	—	—	—	·28	·05	·71	—	·16	21
22	·03	—	·19	—	—	·04	—	—	—	·08	—	·42	22
23	—	·12	·05	—	—	·81	—	—	·25	—	·02	·12	23
24	—	·12	—	—	—	·01	·02	·02	—	1·41	—	·18	24
25	—	·05	—	·03	—	·13	·16	·01	·04	·03	—	—	25
26	—	·01	·09	·19	·08	·23	·02	—	—	·17	—	·22	26
27	—	·21	·13	·06	—	—	—	—	·12	·02	·08	·10	27
28	—	·09	—	·25	—	—	—	·11	—	—	—	—	28
29	—		—	·26	—	·22	·08	—	·12	·17	—	—	29
30	—		—	·01	—	—	—	·13	·02	·18	—	—	30
31	—		—		·09		—	—		·02		—	31
Total	1·19	1·11	1·87	2·10	1·01	2·38	·33	·81	1·21	3·65	3·69	6·06	TOTAL for year 25·41
No. of Rain Days.	14 156	14	16	12	8	10	5	7	10	16	20	25·41 24	156

W. 8,000, X. '11.

9a

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Riverside Beddington

in the County of Surrey 4

by Miss C. Roxburn (G. Platt)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 120 ft.

Time of Observation 9 am

Nearest Railway Station
Name Waddon
Distance 1m Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	—	·85	—	—	—	·04	—	—	·02	—	1
2	·15	—	—	·30	·18	—	·05	—	—	—	·14	·08	2
3	·01	·02	—	—	·13	—	—	—	—	—	·07	·06	3
4	·02	·01	·06	·07	—	—	—	—	·02	·08	·17	·36	4
5	·01	—	—	·01	—	—	—	—	—	·20	·04	·13	5
6	·29	—	·24	—	—	—	—	—	—	—	—	·42	6
7	·03	—	—	·02	—	—	—	—	—	·11	·38	·22	7
8	·09	—	·11	—	—	—	—	—	—	—	·29	·40	8
9	·22	—	·02	·05	—	—	—	—	—	—	·01	·06	9
10	—	·10	·10	—	—	—	—	—	—	—	·04	·86	10
11	·25	—	—	—	·06	—	—	—	—	—	·61	·01	11
12	·03	—	·49	—	—	—	—	—	·07	—	·15	—	12
13	—	—	·08	—	·17	—	—	—	·23	·16	·02	·18	13
14	—	·12	·01	—	·28	—	—	—	—	—	—	·61	14
15	—	·05	·22	—	—	—	—	—	—	·02	·04	·03	15
16	—	—	—	—	—	·67	—	—	—	—	·55	·05	16
17	—	—	·06	—	—	·02	—	—	—	—	·32	·22	17
18	—	·13	·01	—	—	·01	—	—	—	—	·53	·35	18
19	—	—	—	—	·02	·24	—	—	·28	·21	·17	·13	19
20	·02	·01	·01	—	—	—	—	·19	—	·08	·01	·69	20
21	·01	·07	—	—	—	—	—	·28	·05	·71	—	·16	21
22	·03	—	·19	—	—	·04	—	—	—	·08	—	·42	22
23	—	·12	·05	—	—	·81	—	—	·25	—	·02	·12	23
24	—	·12	—	—	—	·01	·02	·02	—	1·41	—	·18	24
25	—	·05	—	·03	—	·13	·16	·01	·04	·03	—	—	25
26	—	·01	·09	·19	·08	·23	·02	—	—	·17	—	·22	26
27	—	·21	·13	·06	—	—	—	—	·12	·02	·08	·10	27
28	—	·09	—	·25	—	—	—	·11	—	—	—	—	28
29	—		—	·26	—	·22	·08	—	·12	·17	—	—	29
30	—		—	·01	—	—	—	·13	·02	·18	—	—	30
31	—		—		·09		—	—		·02		—	31
Total	1·19	1·11	1·87	2·16	1·01	2·38	·33	·81	1·21	3·65	3·69	6·06	TOTAL for year 25·41
No. of Rain Days.	14 156	14	16	12	8	10	5	7	10	16	20	25·41 24	156

W. 8,000, X. '11.

Ex 82

FORM A2.

BRITISH RAINFALL.
12 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Beddington, Riverside

in the County of Surrey 4

by F. C. Bayard Miss Rostron

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 120 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·15	·01		·11	·31		·07				1
2			·41			·03	·33	·01					2
3	·04	·05	·07			·12	·05	·36	·02				3
4	·20		·63		·11	·18		·06					4
5	·16	·01	·06					·18					5
6	·38	·07			·02			·16	·02				6
7			·02		·10	·74	·26	·16					7
8	·27	·39	·25	·02		·01		·35	·01				8
9		·08		·05		·20	·03	·01					9
10	·01	·04						·76					10
11	·03	·22				·02		·14					11
12	·02	·11	·05		·14	·19		·01					12
13													13
14					·03			·02					14
15	·01		·15		·24	·73							15
16	·36		·05		·04	·12		·09					16
17	·41		·38			·02		·06					17
18	·06		·14					·09					18
19	·07	·09	·10				·04	·35					19
20		·02	·45					·10					20
21		·02	·22		·02			·06					21
22	·18	·15	·09		·02		·05	·13					22
23	·32	·32	·25					·39					23
24	·34					·16	·02	·19					24
25	·14	·01				·22		·78					25
26	·01	·04						·39					26
27						·05	·01						27
28		·06				·03	·12	·05	·05				28
29		·03				·04	·35	·16	1·41				29
30					·40	·01	·02	·20	1·46				30
31			·07		·03		·14	·13					31
Total	3·01	1·71	3·54	·08	1·15	2·98	1·73	5·39	3·04				TOTAL for year
No. of Rain Days.	18	17	18	3	11	18	13	27	7				

BETCHWORTH
SHOWER HILL
SURREY
1913, 17, 19,

RE … N

FORM A.
BRITISH RAINFALL.

8- JAN 1914

WP

Kept at Betch… …worth

in the County of Su… …in.

by T DuBr… …nd …ft. 9 in.

…Level 250 ft.

IMPORTANT NO… …result entered to the previous day. If an O… …rule, he is earnestly requested to add the rea… …of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				12	6				81		10		1
2	2	31	8	11	6				17	1	11	18	2
3	3	14			~~50~~		10		10	7	6	1	3
4	4		2	12	50				3	15	1	25	4
5	56		5	2	23		1		3	21		3	5
6	42	1	3			4	5		31	2	8	~~5~~	6
7	18	20	13		2	9	1.20			4	12	15	7
8	1	27			11	7		5		92	13		8
9		4			16	3		43		9		1	9
10		11		2	11	1	15		5		4	2	10
11	3			5	3		10	2			33		11
12	44			40						62	32		12
13					10					1	38		13
14	14		5					4	20		25		14
15	16		14	6			1.7	5		11	10		15
16	34	13	23	34			23		7				16
17	18		43	25			1		30				17
18	5	2	8	16			35		23				18
19	1		10	12			11				4		19
20	25		14			4	10						20
21	25		37	10		2				50	1		21
22	3		12	5						33	73		22
23	40		17	1			1	5	14			4	23
24			16			4	3	29	1		2	63	24
25	5			5		2		4			2		25
26		5		28									26
27		1	15	10				15		78		19	27
28		2	5	11	62					3			28
29	22		42	5						13			29
30	6		5	43	40			13		11	1		30
31	38							24		20			31
Total	— ~~4.24~~	— ~~1.31~~	.12 ~~2.91~~	.06 ~~2.97~~	2.40 ~~2.40~~	— .36	— ~~3.52~~	.81 ~~1.50~~	— ~~2.45~~	.10 ~~4.52~~	— ~~2.88~~	— ~~1.56~~	YEAR'S TOTAL 30.62
Rain	4.24	1.31	3.63	2.91	2.34	.36	3.52	2.31	1.64	4.62	2.78	1.56	30.62
Days.	23	12	24	21	12	9	14	12	12	19	18	11	183

W. 7,500, XI. 12

RE N

FORM A.
BRITISH RAINFALL.

8- JAN 1914

WP

Kept at Betch

in the County of Surrey

by T DuBuisson

Nearest Railway Station Betchworth

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level abt 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				12	6				81		10		1
2	2	31	8	11	6				17	1	11	18	2
3	3	14			~~50~~		10		10	7	6	1	3
4	4		2	14	50				3	25	1	25	4
5	56		5	2	23		1		3	21		3	5
6	42	1	3			4	5		31	2	8	~~5~~	6
7	18	20	13		2	9	1.20			4	12	15	7
8	1	27			11	7		5		93.	13		8
9		4			16	3		13		9		1	9
10		11		2	11	1	15		5		4	2	10
11	3			5	3		10	2			33		11
12	44			40						62	32		12
13					10					1	38		13
14	14		5					4	20		25		14
15	16		14	6			1.7	5		11	10		15
16	34	13	23	34			23		7				16
17	18		43	25			1		30				17
18	5	2	8	16			35		23				18
19	1		10	12			11				4		19
20	25		14			4	10						20
21	25		31	10		2				50	1		21
22	3		12	5						33	73		22
23	40		17	1			1	5	14			4	23
24			16			4	3	29	1		2	63	24
25	5			5		2		4			2		25
26		5		28									26
27		1	15	10				15		78		19	27
28		2	5	11	62					3			28
29	22		42	5						13			29
30	6		5	43	40			13		11	1		30
31	38							24		20			31
Total	— 4.24	— 1.31	.12 2.91	.06 2.97	2.40 2.40	— .36	— 3.52	.81 1.50	— 2.45	.10 4.52	— 2.88	— 1.56	YEAR'S TOTAL 30.62
Rain Days.	4.24 23	1.31 12	3.03 21	2.91 21	2.34 12	.36 9	3.52 14	2.31 ~~12~~	1.64 12	4.62 19	2.78 18	1.56 11	30.62 183

W. 7,500, XI. 12

Exe D L

159

FORM A.
BRITISH RAINFALL.
2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Betchworth

in the County of Surrey

by T DuBrisson

Lat. 51.15 Long. 0.15

Time of Observation 9 AM

Nearest Railway Station Betchworth

Diameter of Funnel of Rain Gauge 10 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			2	10				1.25	4		13	2	1
2				64				10			17		2
3	1			12			25	47		16			3
4		25	6	42			27	46		24			4
5	22		8	2					41	28	7		5
6			23			18			31		11		6
7	28						18			27		3	7
8	12			8					3	28	23	19	8
9			5	4			54	20	2		5	51	9
10	4		17	11		5	16	14		3	2	5	10
11	34		39	21				5	15	27			11
12	5		5	4				3		30			12
13	9		13	5				4	4	17			13
14			1	15				4				2	14
15							2	4		8		5	15
16	3	11		40	11			10		57		44	16
17		1		8	37		18	3	47	12			17
18	3			11	7		14	13	24	4			18
19	1	15	16						9				19
20		14	3		71		9		1		4		20
21				7	1	5				1	5		21
22			3			15		8		11		28	22
23		18		23	15	5		17					23
24		6				8	2			16	2	1	24
25		8	8			5	2						25
26			3					31	3	3	52		26
27			1	23	25	1		1.20					27
28		2	4			77		33				4	28
29			5	x	1	4	3	3		30		8	29
30		╳	15				1.45	8		3			30
31	7	╳	18	╳		╳	20	3	╳		╳	3	31
Total	1.29	1.00	1.95	2.58	1.68	1.43	3.77	5.31	1.84	3.45	1.41	1.75	YEAR'S TOTAL 27.46
Rain Days	12	9	20	16	8	10	14	22	12	19	11	13	166

W. 8 000, IX. 17.

1.4 PR

5 JAN 20

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.
38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by J DuBuisson
Time of Observation 9 a.m.

YEAR
1919.

At Betchworth
County Surrey

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	41		3	2	3		10				3	78
2	30	1	2		2		17			4	7	24
3	35		50		2		18		7	3	3	40
4	14	4	54			5	25	2	6		2	10
5			59				10		2		2	31
6	18	37	4								1	9
7	19		43								5	
8	18		11									
9	37		4	1	20						15	
10	38		6	3							2	7
11	16		14	24	4		17					8
12	8	0	5	3		1	19			9	4	1
13	2	2	1	38			9			2		5
14	45			58					65	1		5
15	17	5	15	3								53
16	8	57		5							7	5
17	1	15	1	1							17	2
18		20	6					2	2		6	3
19	2	15	52			14	25		2		7	
20	26	10	17			60	10	17				2
21	8	47	1			8	2				2	8
22		3	3				22		35		2	29
23						1	1		4			6
24				20		4	7			17	12	5
25	2	3			6			25				2
26	4	11	4	10				15	8		2	35
27	19	5	9	78				31			21	2
28	17		25	40				80			32	37
29	3			4		3		32		28	5	13
30	[illegible]		1	25		5		26		3	28	67
31	3		6				4					5
Totals	4.18	2.35	3.98	3.15	·37	1.01	2.19	2.30	1.31	·67	1.83	4.92
	25	15	25	16	6	9	15	9	9	8	22	27

28.26
181

Inches	Jan	Feb.	Mar.	Apr.	May.	June	July	Aug	Sept	Oct.	Nov.	Dec.	
	4.18	2.35	3.98	3.15	.37	1.01	2.19	2.30	1.31	.67	1.83	4.92	28.26
9													
8													
7													
6													
5													
4													
3													
2													
1													

MONTHLY TOTALS

8a

BETCHWORTH
THE HOLMES
SURREY
1911- 17

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at The Hol ... ds

... in.

in the County of S ... ound ft. 8 in.

a Level 322 ft.

by J. R. Rus ... me Betchworth

stance 340 yds Direction S.S.E

IMPORTANT N ... daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	-	-	·56	·01	-	·01	·03	-	-	·02	-	1
2	·18	-	-	·22	·30	-	·02	-	-	-	·12	·21	2
3	·01	·04	·01	-	·18	-	-	·01	-	-	·10	·06	3
4	·06	·03	·06	·14	-	-	-	-	·02	·05	·28	·27	4
5	·02	·03	-	·01	-	-	-	-	-	·37	·06	·13	5
6	·35	-	·21	-	-	-	-	-	-	-	·01	·46	6
7	·05	-	-	·04	-	-	-	-	-	·11	·51	·28	7
8	·12	-	·18	-	-	-	-	-	-	-	·35	·41	8
9	·24	-	·04	·04	-	-	-	-	-	-	·01	·10	9
10	·01	·16	·15	·04	-	-	-	-	-	-	·02	·83	10
11	·53	-	·01	-	·24	-	-	-	-	-	1·07	-	11
12	·03	-	·52	-	·10	-	-	-	·05	-	·11	·01	12
13	-	-	·10	-	·09	-	-	-	·24	·13	·01	·33	13
14	-	·07	-	-	·29	-	-	-	-	-	-	·65	14
15	-	·05	·14	-	-	-	-	-	-	·02	·15	·03	15
16	-	-	-	-	-	·76	-	-	-	-	·82	·14	16
17	-	-	·03	-	-	·04	-	-	-	-	·40	·38	17
18	-	·13	·02	-	-	·02	-	-	-	-	·72	·53	18
19	-	·02	-	-	-	·25	-	-	·30	·24	·21	·16	19
20	·02	·03	·01	-	-	-	-	·03	-	·14	-	·78	20
21	·02	·12	-	-	-	-	-	·08	-	·77	-	·28	21
22	·08	-	·20	-	·03	·13	-	-	-	·28	-	·45	22
23	-	·23	-	-	-	1·12	-	-	·28	·03	·04	·21	23
24	·01	·15	-	-	-	·06	·05	·02	-	1·73	-	·25	24
25	-	·01	-	·07	·03	·25	·06	·01	·04	·01	-	·01	25
26	-	·01	·14	·21	·23	·15	·12	-	-	·30	·01	·25	26
27	-	·33	·14	·11	·04	-	·05	-	·11	·18	·14	·18	27
28	-	·21	-	·29	-	-	-	·12	-	-	·01	·01	28
29	-		-	·27	-	·15	·17	-	·21	·27	-	-	29
30	-		-	·10	-	·04	-	·15	·02	·32	-	·01	30
31	-		-		1·32		-	-		·01		-	31
Total	1·77	1·62	1·96	2·10	2·86	2·97	·48	·45	1·27	4·96	5·17	7·41	TOTAL for year 33·02
No. of Rain Days.	16	16	16	13	12	11	7	8	9	17	22	27	174

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at The Holmes, Betchworth

in the County of Surrey 5

by J. R. Rushton

RAIN GAUGE
Pattern Symonds
Diameter of top 5 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 322 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Betchworth
Distance 340 yds Direction S.S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	-	-	·56	·01	-	·01	·03	-	-	·02	-	1
2	·18	-	-	·22	·30	-	·02	-	-	-	·12	·21	2
3	·01	·04	·01	-	·18	-	-	·01	-	-	·10	·06	3
4	·06	·03	·06	·14	-	-	-	-	·02	·05	·28	·27	4
5	·02	·03	-	·01	-	-	-	-	-	·37	·06	·13	5
6	·35	-	·21	-	-	-	-	-	-	-	·01	·46	6
7	·05	-	-	·04	-	-	-	-	-	·11	·51	·28	7
8	·12	-	·18	-	-	-	-	-	-	-	·35	·41	8
9	·24	-	·04	·04	-	-	-	-	-	-	·01	·10	9
10	·01	·16	·15	·04	-	-	-	-	-	-	·02	·83	10
11	·53	-	·01	-	·24	-	-	-	-	-	1·07	-	11
12	·03	-	·52	-	·10	-	-	-	·05	-	·11	·01	12
13	-	-	·10	-	·09	-	-	-	·24	·13	·01	·33	13
14	-	·07	-	-	·29	-	-	-	-	-	-	·65	14
15	-	·05	·14	-	-	-	-	-	-	·02	·15	·03	15
16	-	-	-	-	-	·76	-	-	-	-	·82	·14	16
17	-	-	·03	-	-	·04	-	-	-	-	·40	·38	17
18	-	·13	·02	-	-	·02	-	-	-	-	·72	·53	18
19	-	·02	-	-	-	·25	-	-	·30	·24	·21	·16	19
20	·02	·03	·01	-	-	-	-	·03	-	·14	-	·78	20
21	·02	·12	-	-	-	-	-	·08	-	·77	-	·28	21
22	·08	-	·20	-	·03	·13	-	-	-	·28	-	·45	22
23	-	·23	-	-	-	1·12	-	-	·28	·03	·04	·21	23
24	·01	·15	-	-	-	·06	·05	·02	-	1·73	-	·25	24
25	-	·01	-	·07	·03	·25	·06	·01	·04	·01	-	·01	25
26	-	·01	·14	·21	·23	·15	·12	-	-	·30	·01	·25	26
27	-	·33	·14	·11	·04	-	·05	-	·11	·18	·14	·18	27
28	-	·21	-	·29	-	-	-	·12	-	-	·01	·01	28
29	-		-	·27	-	·15	·17	-	·21	·27	-	-	29
30	-		-	·10	-	·04	-	·15	·02	·32	-	·01	30
31	-		-		1·32		-	-		·01		-	31
Total	1·77	1·62	1·96	2·10	2·86	2·97	·48	·45	1·27	4·96	5·17	7·41	TOTAL for year 33·02
No. of Rain Days.	16	16	16	13	12	11	7	8	9	17	22	27	174

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at The Holmes, Betchworth

in the County of Surrey 5

by J. R. Rushton

Lat. 51° 15' N. Long. 0° 16' W

Time of Observation 9 am.

Nearest Railway Station Betchworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 322 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	·19	·02	–	·08	·21	–	·05	·57	–	·22	1
2	–	·03	·49	–	–	·07	·35	·22	–	·05	–	–	2
3	·01	·03	·04	–	–	·14	·03	·33	·02	–	–	·06	3
4	·22	–	·71	–	·14	·31	–	·11	–	–	·26	–	4
5	·16	·04	·15	–	–	–	–	·61	–	–	·10	·03	5
6	·54	·09	·04	–	·03	–	–	·13	·01	–	–	·13	6
7	·01	–	·01	–	·11	·36	–	·14	–	–	–	·08	7
8	·31	·53	·28	–	–	·05	·01	·24	·01	–	·01	·01	8
9	·01	·11	·03	·01	–	·10	·03	·03	–	–	–	·13	9
10	–	·11	–	–	–	–	–	·31	–	·01	·06	·25	10
11	·04	·33	–	–	–	·03	–	·16	·03	–	·01	·34	11
12	·03	·13	·06	–	·16	·16	–	·17	–	·01	·05	·02	12
13	–	·02	·01	–	–	–	·02	·01	–	–	·16	·03	13
14	–	–	·04	–	·03	–	–	·20	–	·05	–	·04	14
15	·02	·01	·08	–	·15	·76	–	–	–	–	·05	·28	15
16	·27	·01	·16	–	·52	·13	–	·16	–	·07	·04	–	16
17	·47	–	·38	–	–	·05	–	·15	–	–	·03	·13	17
18	·11	–	·40	–	–	–	–	·18	–	·02	·02	·14	18
19	·04	·10	·09	–	–	–	·10	·70	–	–	·01	·02	19
20	·01	·02	·66	–	–	–	–	·07	–	·39	·08	–	20
21	·01	·04	·37	–	·04	–	–	·08	–	·13	·07	–	21
22	·17	·30	·29	–	·05	–	·02	·28	–	·05	–	·03	22
23	·39	·28	·36	–	·01	·09	–	·43	–	·08	·24	·11	23
24	·20	·06	–	–	–	·20	–	·32	–	–	–	·19	24
25	·14	–	–	–	–	·54	–	·78	–	·03	·30	·60	25
26	·02	·04	–	–	–	–	–	·26	–	·43	·62	·34	26
27	–	–	·02	–	–	·09	·02	–	–	·25	–	·25	27
28	–	·06	–	–	–	·10	·31	·16	·12	·74	·42	·26	28
29	–	·05	–	–	–	–	·30	·24	1·62	·15	·06	–	29
30	–		–	–	·52	·08	·05	·09	1·75	·31	–	–	30
31	–		·09		–		·25	·10		·01		–	31
Total	3·19	2·39	4·95	·03	1·76	3·34	1·70	6·66	3·61	3·35	2·59	3·69	YEAR'S TOTAL 37·26
Rain Days.	22	21	23	2	11	18	13	28	8	18	19	23	206

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL

1 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Holmes, Betchworth
in the County of Surrey
by J. R. Rushton

5

Lat. 51° 15′ N. Long. 0° 16′ W.
Time of Observation 9 A.M
Nearest Railway Station Betchworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 322 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·33	·07	·15	·03	-	-	-	·21	-	·16	·23	1
2	·03	·12	-	-	-	-	·16	-	·16	·07	·08	·01	2
3	·03	-	·03	·17	·49	-	-	-	-	·05	-	·21	3
4	·54	-	·05	·02	·30	-	-	-	·01	·36	·03	·02	4
5	·42	·01	·03	-	-	·08	·07	-	·40	·01	·05	·04	5
6	·14	·22	·13	-	·03	·11	·45	-	-	·31	·21	·16	6
7	-	·29	-	-	·06	-	-	-	-	·59	·12	-	7
8	-	·03	-	-	·16	·07	-	·05	-	·06	·01	·01	8
9	-	·13	-	·01	·10	·01	·22	-	·09	-	·04	·03	9
10	·01	-	·01	·08	-	-	·21	·07	-	-	·41	-	10
11	·54	-	-	·40	·19	-	-	-	-	·87	·22	-	11
12	-	·01	-	-	·12	-	-	-	-	·01	·50	-	12
13	·10	-	·05	-	-	-	-	·04	·20	-	·26	-	13
14	·18	-	·14	·05	-	-	1·10	·08	·04	·12	·07	·02	14
15	·30	·11	·22	·39	-	-	·36	-	·03	-	·01	-	15
16	·19	-	·51	·26	-	-	·02	-	·34	-	-	-	16
17	·05	·04	·05	·14	-	-	·42	-	-	-	·02	·01	17
18	-	-	·17	·12	-	-	-	-	·01	-	·06	-	18
19	·29	-	·16	-	·05	·04	·14	-	·22	-	-	-	19
20	·25	-	·40	·13	-	·02	-	-	-	·52	·03	·01	20
21	·03	-	·11	·05	-	-	·01	-	-	·31	1·02	-	21
22	·47	-	·17	·01	-	-	·01	·09	·18	-	·01	·01	22
23	·01	-	·01	-	-	·03	·04	·23	-	-	-	·56	23
24	·04	-	-	·05	-	·02	-	·02	-	-	·03	-	24
25	-	·02	-	·25	-	-	-	-	-	-	-	·01	25
26	-	·01	·15	·13	-	-	-	·12	-	·79	-	·23	26
27	-	·02	·05	·12	·08	-	-	-	-	·04	-	-	27
28	·24	-	·39	·07	-	-	-	-	-	·19	·01	-	28
29	·06		·05	·48	·31	-	-	·17	-	·08	-	-	29
30	·46		-	·06	-	-	-	·25	·01	·22	-	-	30
31	-		·09		-		-	·82		·09		-	31
Total	4·40	1·34	3·04	3·14	1·92	·38	3·21	1·94	1·90	4·69	3·35	1·56	YEAR'S TOTAL 30·87
Rain Days.	22	13	22	21	12	8	13	11	13	18	21	15	189

W.7,000, XI. 13

8 ✓ Grd 31 31 A

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at The Holmes, Betchworth

in the County of Surrey 5

by F. R. Rushton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01				·30			·03	·01	1
2						·03	·13	·09			·47	·29	2
3	·01		·07		·28		·11	·01			·02		3
4	·03		·04	·23	·04		·01	·16			·21	·27	4
5	·09		·07	·38	·33	·08	·16	·61			·06	·01	5
6		·16	·03	·11	·04	·19		·02			·01	·31	6
7		·68	·32	·20	·02	·12	·19	·01				·23	7
8	·08	·81	·36		·06	·04	·06	·20				·18	8
9	·34		·77	·17		·05		·01	·19			2·27	9
10	·04	·13	·02	·07	·07				·12		·01	·03	10
11		·64	·46	·01	·01	·01			·16		·15	·30	11
12		·10	·10				·33		·28	·05	·01	·58	12
13		·48	·27			·02			·11	·04	·13	·94	13
14		·28	·29				·03		·01	·41	·12	·58	14
15	·03	·03	·17				·51	·05		·01	·96	·04	15
16	·01		·08				·02		·03		·01		16
17		·46	·11						·09		·01	·30	17
18		·07	·21								·01	·48	18
19		·14	·32				·17				·26	·26	19
20		·39	·40			·01			·03			·16	20
21		·78	·12			·01		·01		·07		·05	21
22		·04	·04		·27	·18	·15	·04		·16			22
23			·21		·03					·02		·02	23
24	·01		·10								·12		24
25	·02		·23					·11		·38	·03	·14	25
26			·01				·08	·24		·07	·27	·80	26
27	·04							·01		·13	·09	·43	27
28	·01	03			·01					·16	·48	·77	28
29	·17		·05							·48	·30		29
30	·01		·11							·10	·71	·43	30
31	·04				·15		·04			·01		·04	31
													YEAR'S TOTAL
Total	·93	5·22	4·96	1·18	1·31	·74	1·99	1·87	1·02	2·09	4·47	9·92	35·70
Rain Days.	15	16	26	8	12	11	14	15	9	14	23	26	189

W.7,000, XI. 13

81

~~32~~ 177

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at The Holmes, Betchworth

in the County of Surrey 5

by F. R. Rushton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.55	.17	.10		.02		.07		.46	.02	.18	.49	1
2	.40	.30	.24	.11		.01		.76	.02	.08		.08	2
3	.43		.06	.16	.03			.28	.10			.49	3
4	.07							.02				.31	4
5	.04	.50						.08		.03	.01	.43	5
6	.44	.13	.09	.43			.94	.01				.11	6
7	.54	.54	.06				.63					.34	7
8	.06	.88		.01			.15	.10				.01	8
9	.04	.09		.24		.07		.05			.43	.62	9
10	.26		.01									.27	10
11		.01	.06								.70	.03	11
12	.04	.10		.38	.45			.42			.62	.02	12
13		.63			1.18				.01		.01		13
14	.02	.05					.03	.04	.04			.52	14
15	.17	.03			.04		.04	.30			.16	.27	15
16		.71			.06		.94	.04				.15	16
17		.66			1.04		.01	.09					17
18		.26	.08		.17						.06		18
19		.19			.03		.03						19
20	.25			.01	.01							.23	20
21	.23	.04								.01		.05	21
22	.90	.09	.10	.02			.81					.14	22
23	.03	.12	.07			.03	.23		.02	.45		.28	23
24			.01	.01			.03		.35	.25		.35	24
25				.09			.05		.01			.25	25
26		.09				.13	.16					.60	26
27		.08				.44	.02			.37		.08	27
28		.08				.18			1.32	.15	.02		28
29						.04	.47	.06	.01		.28		29
30	.02	X				.90				.13	.47	.04	30
31	.07	X		X		X		.14	X	.98	X	.35	31
Total	4.56	5.75	.88	1.46	3.03	1.80	4.61	2.39	2.34	2.47	2.94	6.51	YEAR'S TOTAL 38.74
Rain Days.	19	22	11	10	10	8	16	14	10	10	11	25	166

W. 8,000. X. 14.

8f

Exe Dh

169 ~~32~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at The Holmes Betchworth

in the County of Surrey

by F. R. Rushton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	·01	·03		·17	·01			·33	·03	·32	·01	1
2	·35	·18	·15		·30		·01		·12	·52	·04		2
3	·01	·90	·49				·02		·23	·46	·83		3
4	·15	·14	·03	·06		·39			·20	·01	·48		4
5	·02	·03	·02	·01	·14	·13				·09	·86	·02	5
6	·01	·14	·10	·16	·06	·13	·50		·01	·18	·87		6
7	·09	·01	·68		·21	·02	·20			·07	·88	·06	7
8			·02		·28							·40	8
9					·46		·01			·04		·17	9
10		·26	·10	·07		·40	·05			·02	·01	·16	10
11	·06	·13	·02	·20	·03	·20			·01			·03	11
12	·02	·08	·02	·03	·40	·26	·07	·05	·01	·09			12
13		·25	·47	·08	·01	·09	·01	·02		·07			13
14		·53	·06		·14		·01	·04		·06		·03	14
15		·10	·20				·03	·27		·05			15
16	·01	·03	·32	·18			·26	·51					16
17	·20	·12		·11			·01	·28	·47	·68		·01	17
18	·02	·08	·02	·05				·45	·10	·44	·76	·08	18
19	·19	·01	·15	·30		·17			·11		·42	·02	19
20	·11		·09	·02							·07	·56	20
21	·02		·31	·01			·15				·01	·36	21
22	·01	·01	·07			·01				·03	·01	·52	22
23	·02	·35	·02			·01		·02		·08	·10	·08	23
24		·10			·08	·03		·02		·24	·10	·33	24
25		·72	·17					·31		·03	·07	·01	25
26		·20	·04			·17		·02	·04	·27	·01		26
27	·02	·04	·85			·20		·11	·04	·89			27
28		·34	·38			·04		·13	·09	·04	·02	·14	28
29		·12				·28		·75	·04	·38		·25	29
30		X						·14		·42			30
31		X		X		X		·04	X	·12	X	·02	31
Total	1·50	4·88	4·81	1·28	2·28	2·54	1·33	3·16	1·80	5·31	5·86	3·26	YEAR'S TOTAL 38·01
Rain Days.	18	25	25	13	12	17	13	16	14	25	18	20	216

W. 8,000. X. 15.

81

161
30

FORM A.
BRITISH RAINFALL.

cnd fr. anth Dec. est

~~[illegible]~~

REGISTER OF RAINFALL IN 1917

Kept at Betchworth, The Holmes

in the County of Surrey

by F. R. Rushton

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·25				1·61	·06		·15		1
2				·59				·18			·13		2
3	·01			·12			·41	·66		·12	·01		3
4		·30	·10				·24	·34		·33			4
5	·20		·08	·48					·42	·32	·13		5
6			·26	·02		·15			·34	·01	·04		6
7	·30						·24		·01	·20			7
8	·15			·04			·72	·16	·04	·30	·21		8
9	·01		·08	·06	·01		·19	·03	·04		·04		9
10	·13		·25	·16		·09		·04		·01	·02		10
11	·21		·41	·22				·05	·24	·23			11
12	·07	·04	·06	·04				·04		·52	·01		12
13	·11		·14	·07				·04	·06	·16	·01		13
14			·01	·11				·18					14
15	·01						·08	·24		·06			15
16	·05	·14		·25	·14		·03	·02		·66			16
17	·01	·01		·12	·43		·24	·20	·47	·18			17
18	·08	·03		·13	·07	·04	·21	·02	·27	·04			18
19	·01	·18	·12		·01	·02			·10				19
20	·02	·15	·03		·78		·14	·01			·05		20
21			·05	·01		·05		·01			·09		21
22			·01			·05		·12		·13	·01		22
23		·19			·18	·04		·15					23
24		·07				·14		·01		·17	·01		24
25		·08	·11								·01		25
26			·05			·03		·35	·04	·05	·58		26
27			·01		·08	·01		1·26					27
28		·03	·08			·96		·20					28
29			·06		·03	·16	·08	·02		·42			29
30	·02	×	·39				1·66	·09		·03			30
31	·05	×	·03	×		×	·40	·04	×	·01	×		31
Total	1·44	1·22	2·37	2·67	1·73	1·74	4·64	6·07	2·09	3·95	1·50	(2·00)	YEAR'S TOTAL (31·42)
Rain Days.	17	11	21	16	9	12	13	26	12	20	16	(13)	(186)

W. 8,000, VIII. 16

160

BETCHWORTH
SANDHILLS
SURREY
1917, 19.

FORM A.
BRITISH RAINFALL
4. JAN 1918

RE

Kept at Sandhi
in the County of Su
by

m
tchworth
ge 5 in.
ound 1 ft. — in.
Level 250 ft.

IMPORTANT N result entered to the
previous day. If an rule, he is earnestly
requested to add the re 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·29				1·22	·04		·12		1
2	·01			·39				·14			·14		2
3				·11			·32	·58		·17			3
4		·32	·10	·			·20	·46		·25			4
5	·21		·08	·46					·41	·30	·11		5
6	·		·23	·01		·17			·31	·01			6
7	·29			·06			·10		·01	·25	·04	·03	7
8	·13			·	·01		·80	·28	·03	·26	·20	·20	8
9			·06	·05			·11	·04	·03	·03	·05	·89	9
10	·25		·20	·15		·03						·01	10
11	·13		·40	·22				·03	·14	·35	·02		11
12	·06		·03	·02				·06		·38			12
13	~~1·10~~ ·11		·12	·04				·04	·03	·16			13
14	·01		·02	·16				·05				·02	14
15	·02			·01			·06	·14		·10		·03	15
16	·03	·15		·36	·16			·01		·78	·02	·80	16
17	·01	·01		·10	·38			·19	·44	·10			17
18	·04	·02		·10	·09	·01	·16		·26	·03			18
19		·18	·13						·08				19
20	·02	·10	·02		·71	·04	·11				·04		20
21	·01		·04	·02	·01	·14				·07	·04	·01	21
22	·01		·01					·72		·11			22
23		·19			·16	·04		·15				·04	23
24		·06				·14				·15		·01	24
25		·08	·13								·02		25
26			·01					·29	·04	·05	·54		26
27			·01		·11	·01		·12					27
28		·12	·11			·76		·26		·38		·06	28
29			·04		·02	·05	·04	·02				·10	29
30	·06		·31				1·46	·07			·01	·03	30
31	·03		·02				·27	·02		·01			31
Total	~~2·51~~ 1·43	1·23	2·10	2·55	1·65	1·39	3·83	4·29	1·82	3·88	1·36	2·23	YEAR'S TOTAL 27·75
Rain Days.	18	10	20	17	9	10	11	21	12	20	13	13	175

W. 8,000, IX. 17.

160

FORM A.
BRITISH RAINFALL
JAN 1918

RE

Kept at Sandhi

in the County of Surrey

by

Time of Observation 9 am
Nearest Railway Station Betchworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03	·29				1·22	·04		·12		1
2	·01			·39				·14			·14		2
3				·11			·52	·58		·17			3
4		·32	·10				·20	·46		·25			4
5	·21		·08	·46					·41	·30	·11		5
6			·23	·01		·17			·31	·01			6
7	·29			·06			·10		·01	·25	·04	·03	7
8	·13				·01		·80	·28	·03	·26	·20	·20	8
9			·06	·05			·11	·04	·03	·03	·05	·89	9
10	·25		·20	·15		·03						·01	10
11	·13		·40	·22				·03	·14	·35	·02		11
12	·06		·03	·02				·06		·38			12
13	~~1·19~~ ·11		·12	·04				·04	·03	·16			13
14	·01		·02	·16				·05				·02	14
15	·02			·01			·06	·14		·10		·03	15
16	·03	·15		·36	·16			·01		·78	·02	·80	16
17	·01	·01		·10	·38			·19	·44	·10			17
18	·04	·02		·10	·09	·01	·16		·26	·03			18
19		·18	·13						·08				19
20	·02	·10	·02		·71	·04	·11				·04		20
21	·01		·04	·02	·01	·14				·07	·04	·01	21
22	·01		·01					·12		·11			22
23		·19			·16	·04		·15				·04	23
24		·06				·14				·18		·01	24
25		·08	·13								·02		25
26			·01					·29	·04	·05	·54		26
27			·01		·11	·01		·12					27
28		·12	·11			·76		·26		·38		·06	28
29			·04		·02	·05	·04	·02		////		·10	29
30	·06	✗	·31				1·46	·07			·01	·03	30
31	·03	✗	·02	✗		✗	·27	·02	✗	·01	✗		31
Total	~~2·51~~ 1·43	1·23	2·10	2·55	1·65	1·39	3·83	4·29	1·82	3·88	1·35	2·23	YEAR'S TOTAL 27·75
Rain Days.	18	10	20	17	9	10	11	21	12	20	13	13	175

W. 8 000, IX. 17.

B. Made

~~Ex. 488~~

853

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

16 FEB 20

Kept at Sandhills Betchworth
in the County of Surrey
by C. J. Whittington

~~Lat.~~ Long.
Time of Observation 9 am
Nearest Railway Station Betchworth
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·41	·03	·03	·03	·04		·07				·64	·98	1
2	·31		·03	·01			·19		·09	·02	·10	·10	2
3	·33	·04	·52		·04		·15		·04		·06	·30	3
4	·15		·53		·01	·06	·25	·02	·03			·10	4
5		·34	·67			·0[illegible]	·04		·03			·31	5
6	·16		·05								·01		6
7	·04		·37								·04		7
8	·26		·09	·02									8
9	·27		·07		·16						·16		9
10	·37		·10							·03	·05	·13	10
11	·14		·10	·18	·03		·24				·03	·03	11
12	·10		·06	·03		·01	·13			·02		·01	12
13	·05	·05	·01	·62			·09			·06		·02	13
14	·49	·01		·32			·01		·60			·09	14
15	·19	·06	·18	·04					[illegible]			·55	15
16	·05	·53									·07	·01	16
17		·29	·02	·03					·02		·17	·02	17
18		·34	·10		·15			·02			·12	·03	18
19	·05	·22	·49			·25	·34	·11	·01		·03	·01	19
20	·21	·07	·12			·45	·17	·16	·02			·03	20
21	·13	·46	·01			·13					·02	·09	21
22		·03	·0[illegible]				·25		·39			·31	22
23							·11			·03	·04	·01	23
24						·06	·07	·01		·18	·07		24
25	·05	·04						·21				·40	25
26	·04	·12	·12					·20	·08		·17		26
27	·41	·05	·01	1·15				·45			·06		27
28			·20	·03				·60		·01	·32	·39	28
29	·06			·04				·35		·32		·12	29
30	·05	×	·01	·26		·10		·28		·04	·29	·69	30
31		×	·10	×		×	·02		×	·01	×	·12	31
TOTAL	4·32	2·68	4·08	2·76	·43	1·07	2·13	2·41	1·31	·68	2·45	4·85	YEAR'S TOTAL 29·17
Days with ·01 in. or more	23	16	25	13	6	8	15	11	10	10	19	24	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

So

Form A2.
British Rainfall.
7 FEB 1912

BLECHINGLEY HSE
SURREY
1911- 12

Kept at Blechin... ...nory ... in.
...nd 1 ft. ... in.
in the County of Sur... ... Level 550 ft.
by Canon A ... ...a m
...e Red Stile
...ance 3m. Direction [illegible]

IMPORTANT NO... result entered to the previous day. If an ... prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.04			0.60				0.04			0.01		1
2	0.12			0.21	0.32		0.05				0.19	0.24	2
3		0.03			0.18		0.01	0.01			0.16	0.17	3
4	0.08	0.02	0.03	0.10						0.13	0.33	0.32	4
5	0.01	0.02		0.06						0.40	0.03	0.10	5
6	0.32		0.13	0.03								0.41	6
7	0.08			0.02						0.17	0.49	0.22	7
8	0.13		0.20								0.32	0.48	8
9	0.26		0.05	0.02							0.02	0.10	9
10		0.18	0.13								0.01	0.78	10
11	0.47		0.03		0.01						1.25		11
12			0.60						0.03		0.18		12
13			0.12		0.20				0.52	0.04	0.02	0.22	13
14		0.11	0.01		0.27							0.58	14
15		0.04	0.35							0.01	0.09	0.02	15
16		0.01				0.48					0.75	0.13	16
17			0.02			0.02					0.59	0.22	17
18		0.14	0.03	0.01		0.02					0.94	0.39	18
19		0.01				0.32			0.13	0.30	0.31	0.10	19
20	0.02	0.02						0.16	0.02	0.10	0.01	0.87	20
21	0.01	0.19						0.04	0.07	0.69		0.27	21
22	0.05		0.31					0.03		0.54		0.47	22
23		0.24	0.01			0.85			0.35	0.05	0.03	0.17	23
24	0.01	0.14				0.04	0.03	0.01		1.28		0.31	24
25		~~0.14~~ 0.02	0.01	0.05		0.37	0.04	0.02	0.03	0.01			25
26		0.02	0.17	0.32	0.92	0.20	0.04			0.18		0.25	26
27		0.45	0.16	0.21			[illegible]		0.11	0.22	0.07	0.15	27
28		0.26		0.24				0.08			0.02		28
29				0.47		0.13	0.15		0.23	0.30			29
30				0.08		0.03		0.07	0.01	0.38			30
31					1.94					0.01			31
Total	1.60	1.89	2.36	2.42	2.84	2.46	0.29	0.46	~~1.09~~ 1.50	4.76	5.82	6.97	TOTAL for year 33.57
No. of Rain Days.	13	17	17	14	7	10	6	9	10	17	21	23	164

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

7 FEB 1912

Kept at Blechingley House
Blechingley 5
in the County of Surrey
by Canon A H S Barwell

RAIN GAUGE Diameter of top	5 in.
Height of top above Ground	1 ft. – in.
" " " Sea Level	550 ft.
Time of Observation	9 a.m.
Nearest Railway Station Name	Red Hill
Distance	3 m.
Direction	West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04			0.60				0.04			0.01		1
2	0.12			0.21	0.32		005				0.19	0.24	2
3		0.03			0.18		0.01	001			0.16	0.17	3
4	0.08	0.02	003	0.10						0.13	0.33	0.32	4
5	0.01	0.02		0.06						0.40	0.03	0.10	5
6	0.32		0.13	0.03								0.41	6
7	0.08			0.02						0.17	0.49	0.22	7
8	0.13		0.20								0.32	0.48	8
9	0.26		0.05	002							0.02	0.10	9
10		0.18	0.13								0.01	0.78	10
11	0.47		0.03		0.01						1.25		11
12			0.60						0.03		0.18		12
13			0.12		0.20				0.52	0.04	0.02	0.22	13
14		0.11	0.01		0.27							0.58	14
15		0.04	0.35							0.01	0.09	0.02	15
16		0.01				0.48					0.75	0.13	16
17			0.02			0.02					0.59	0.22	17
18		0.14	0.03	0.01		0.02					0.94	0.39	18
19		0.01				0.32			0.13	0 30	0.31	0.10	19
20	0.02	0.02						0.16	0.02	0.10	0.01	0.87	20
21	0.01	0.19						0.04	0.07	0.69		0.27	21
22	0.05		0.31					0.03		0 54		0.47	22
23		024	0.01			0 85			0.35	0.05	0.03	0.17	23
24	0.01	0 14				0.04	0.03	0.01		1.28		0.31	24
25		0.02 ~~0.14~~	0.01	005		0.37	0.04	0.02	0.03	0.01			25
26		0.01	0.17	0 32	0.92	0.20	0.04			0 18		0.25	26
27		045	0.16	0.21			~~[illegible]~~		0.11	0 22	0.07	0.15	27
28		0.26		0.24				008			0.02		28
29				047		013	0 15		0.23	0 30			29
30				0 08		0.03		0.07	0.01	0 33			30
31					1.94					001			31
Total	1.60	1.89	2.36	2.42	3 2.84	2.46	0.29	0.46	1.50 ~~1.20~~	4.76	5.82	6.97	TOTAL for year 3[illegible]57
No. of Rain Days.	13	17	17	14	7	10	6	9	10	17	21	23	164

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

19 MAR 1913

REGISTER OF RAINFALL IN 1912

5

Kept at Blechingley House Blechingley
in the County of Surrey
by Canon A H S Barwell

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Redhill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.02	0.11	0.01		0.14	0.35		0.04	0.58		0.23	1
2			0.41			0.03	0.20	0.04	0.07	0.03		0.01	2
3	0.02	0.08	0.05			0.19	0.02	0.44	0.03		0.02	0.11	3
4	0.24		0.55		0.11	0.31		0.04			0.24		4
5	0.15	0.02	0.16		0.07			0.23			0.13	0.02	5
6	0.55	0.08			0.02			0.11	0.01			0.25	6
7					0.19	0.45		0.12				0.06	7
8	0.28	0.43	0.25		0.01	0.06		0.20			0.01	0.03	8
9	0.01	0.12	0.02	0.03		0.35	0.05	0.06				0.14	9
10	0.01	0.08				0.02		0.14	0.01		0.00	0.32	10
11	0.03	0.41				0.03		0.10	0.05			0.29	11
12	0.02	0.10	0.06		0.04	0.04		0.17		0.01	0.03	0.05	12
13								0.01			0.25	0.04	13
14			0.02		0.04			0.26		0.04	0.02	0.02	14
15	0.01	0.02	0.18		0.12	0.88		0.01			0.03	0.30	15
16	0.25		0.14		0.08	0.23		0.07		0.08	0.05		16
17	0.30		0.47			0.08		0.05				0.17	17
18	0.21		0.28					0.29		0.05	0.01	0.10	18
19	0.07	0.13	0.16	0.05			0.08	0.35				0.02	19
20	0.01	0.06	0.56					0.06		0.32	0.03		20
21		0.05	0.31		0.01			0.08		0.15	0.06		21
22	0.08	0.41	0.11		0.03		0.02	0.33		0.02		0.03	22
23	0.28	0.30	0.45		0.04	0.03		0.59		0.08	0.25	0.08	23
24	0.08	0.07	0.01		0.01	0.16	0.01	0.47				0.17	24
25	0.10	0.01				0.27		0.93		0.01	0.24	0.57	25
26	0.04	0.02				0.02		0.33		0.36	0.69	0.38	26
27			0.01			0.01	0.04			0.20		0.23	27
28		0.06				0.02	0.15	0.10	0.19	0.60	0.49	0.21	28
29		0.04		0.01		0.30	0.25	0.33	1.37	0.19	0.03		29
30					0.50	0.87	0.16	0.05	1.36	0.31			30
31			0.08				0.20	0.15		0.03			31
Total	2.74	2.51	4.39	0.10	1.21	4.49	1.53	6.09	3.13	3.07	2.64	3.76	YEAR'S TOTAL 35.56
Rain Days.	20	20	21	4	14	21	~~11~~ 12	29	9	17	18	24	~~208~~ 209

W. 7,500, XI. 12

239

CHERTSEY. BOTLEYS PARK

1911 - 20

FORM A2.
BRITISH RAINFALL 3

1 JAN 1912

8

R 1

Kept at Botleys

in the County of S

by Henry W

tti + Zambra

5 in.

Ground 1 ft. 5 in.

Sea Level 111 ft.

~~ront 5 P.m.~~

Name Chertsey

Distance 1½ mile Direction N. E.

IMPORTANT NO the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2					4	5	4					1
2				81	17		3					3	2
3	7			2							27		3
4					17				1	4	7	11	4
5		3	5	8						5	18	37	5
6			5							18	5		6
7	25			2						9		58	7
8	5										26		8
9	25		44								15	36	9
10	6										6	37	10
11	3	12	12								1	24	11
12	28										84		12
13			52		8				1		15	15	13
14			2		50				42	18		38	14
15		5	5								1	45	15
16		6	2								7	1	16
17						42					36	11	17
18						12					93	25	18
19		13				29					18	16	19
20						13			30	10	5	48	20
21	3	7						37	2	9		41	21
22	2	9						4		65		32	22
23	8	11	14			1			16	10	3	15	23
24		5				45		2		83	2	19	24
25		15	3			26				43			25
26				4	27	4	73	1	3	11		25	26
27		12	3	29								5	27
28		33	4				6	8	8		1	18	28
29				31				5					29
30				16		19	13	7	18	22	3		30
31										23		1	31
Total	114	131	151	173	119	195	100	68	121	330	376	564	TOTAL for year 2442
No. of Rain Days.	11	12	12	8	5	10	5	8	9	14	20	23	137

W. 8,000, X. '11.

80

R 1

FORM A2.
BRITISH RAINFALL
1 JAN 1912 3

Kept at Botleys Park Gardens

in the County of Surrey 7

by Henry Whitmarsh

Rain Gauge
Pattern Negretti + Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 111 ft.

Time of Observation About 5 P.M.

Nearest Railway Station
Name Chertsey
Distance 1/2 mile Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2					4	5	4					1
2				81	17		3					3	2
3	7			2							27		3
4					17				1	4	7	11	4
5		3	5	8						5	18	37	5
6			5							18	5		6
7	25			2						9		58	7
8	5										26		8
9	25		44								15	36	9
10	6										6	37	10
11	3	12	12								1	27	11
12	28										84		12
13			52		8				1		15	15	13
14			2		50				42	18		38	14
15		5	5								1	45	15
16		6	2								7	1	16
17						42					36	11	17
18						12					93	25	18
19		13				29					18	16	19
20						13			30	10	5	48	20
21	3	7						37	2	9		41	21
22	2	9						4		65		32	22
23	8	11	14			1			16	10	3	15	23
24		5				45		2		83	2	19	24
25		15	3			26				43			25
26				4	27	4	73	1	3	11		25	26
27		12	3	29								5	27
28		33	4				6	8	8		1	18	28
29				31				5					29
30				16		19	13	7	18	22	3		30
31										23		1	31
Total	114	131	151	173	119	195	100	68	121	330	376	564	TOTAL for year 2442 ✓
No. of Rain Days.	11	12	12	8	5	10	5	8	9	14	20	23	137 ✓

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

-1 JAN 1913

Eng D.S

REGISTER OF RAINFALL IN 1912

✓

Kept at Botleys Park Gardens
in the County of Surrey
by Henry Whitmarsh

7

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chertsey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			14	01		05	06		03	53		19	1
2		01	16			16	35	04		06		01	2
3			12			13	02	27				07	3
4	20	04	41		08	26		07			26		4
5	17	06	08					38			06	02	5
6	45	02	06		01	06		20				02	6
7					10	171		22				04	7
8	38	28	23			12	03	48				02	8
9		20	05			36		03				21	9
10		06				07		84			08	26	10
11	07	17	01			04					02	23	11
12	04	15	09		18	17		06			02	02	12
13	01	01	01					01				04	13
14			04		02			08		05	02	05	14
15	01	02	09		10	54					01	32	15
16	40	02	07		30	03		04		04	04		16
17	65		13			02		08			02		17
18	08		13					13			01	09	18
19	06	11	02				14	44					19
20	04	01	10				01	10		40	04		20
21	02	02	20		24			06		04	10		21
22	20	17	03		01		02	14				06	22
23	39	41	37					45		13	18	17	23
24	27	02				04		28				16	24
25	20					39		48			21	57	25
26		04						24		37	35	30	26
27						02				21		21	27
28		04				14	15	08	25	35	53	18	28
29		03				08	36	24	145	39	02		29
30					23	01	02		106	15			30
31			33		02		17	09		01		04	31
Total	364	189	287	01	129	443	133	553	249	273	197	328	YEAR'S TOTAL 31.76
Rain Days.	18	21	22	1	11	20	11	26	4	13	17	23	187

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
1- JAN 1914

Kept at Botleys Park Gardens, Chertsey
in the County of Surrey
by Henry Whitmarsh

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chertsey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	02	25	05	15		13		[illegible]	55		10	16	1
2	02	12	01				09	[illegible]	02	12	07	01	2
3	01		02	12	37				01			04	3
4	25		01		23					22	03	05	4
5	13					07	07		25	01		03	5
6	01	04	13		04	06	07			45	06	19	6
7		17			05	02				43	10		7
8		03		01	09	04				07		01	8
9		15		08	02		02		14		03	04	9
10	03		13	46			02	03			49		10
11	36				05					63	13		11
12					06						18		12
13	02	02	02		[illegible]			04	10		26		13
14	07	02	08	05	04		23	08	03	10	04	02	14
15	16	05	31	21			24		04		02		15
16	11		37	09					17				16
17	03	13	03	02			20		03			03	17
18			22	07					24		04		18
19	36		08			09	10						19
20	09		27	04		42				80			20
21			17	05			01			15	69		21
22	43		24	03				09	14				22
23			01			01	01	15				42	23
24				05							01	[illegible]	24
25		03	1	19						01			25
26			17	12				06		61		17	26
27		02	02	04	02					03			27
28	19		25	10						17			28
29	04		06	48	47			12		14	01	01	29
30	32							09		14			30
31			08					70		05			31
Total	265	103	273	236	144	84	106	136	175	413	226	118	YEAR'S TOTAL 2279
Rain Days.	19	12	22	19	11	8	11	9	12	17	16	13	169

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.
1915

Kept at Botleys. Park Gardens

in the County of Surrey 7

by Henry Whitmarsh

RAIN GAUGE
Pattern Negretti + Zumbra
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 111 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Chertsey
Distance 1/2 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at **9** a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			04					19				05	1
2							14	07			05	14	2
3			04	04	17		67				03	03	3
4			02	20			01	14			31	35	4
5	04		07	18	12	04	25	138					5
6	09	13	04	10		10	02	02			12	12	6
7		35	32	18	16	25	27	01				11	7
8	06	35	90		02	04	16	14				02	8
9	20		55	16		21		01	07			179	9
10	01	14	02	03	07						01	02	10
11		25	40		01	03			26			27	11
12		06	14				39		19	02	09	35	12
13		20	14				09		14		03	52	13
14	01	12	23			47				49	06	38	14
15	05		10				93	07		01	58	02	15
16			05								02		16
17		32	08						05			12	17
18		02	19				01					32	18
19		07	30			01	09				14	30	19
20		30	35						10			14	20
21		55	05							05		03	21
22		01	03		13	10	24	02		30			22
23		19	14		10	10	01			15			23
24			02		05					02	12		24
25	02		17					15		25	01	10	25
26							03	03		10	18	59	26
27	04										02	16	27
28		02			02					06	34	108	28
29	05		07							20	17		29
30			06							8	56	46	30
31					11		03			4		03	31
Total	57	308	452	89	96	135	337	223	81	177	284	750	TOTAL for year 2989
No. of Rain Days	10	16	26	7	11	10	16	12	6	13	18	25	140

9,000, IX. '10.

312

cwd 22.11.16 exd. GS

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
1. JAN 1916

Kept at Botleys Park Gardens

in the County of Surrey 7

by Henry Whitmarsh, Gardener

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station Chertsey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	64	21	12		06		13			05	11	49	1
2	29	18	26	08		03		85		06		16	2
3	56		08	10				27				48	3
4	03							02				23	4
5	05	48						03		04		32	5
6	37	10	02	25			66					59	6
7	20	28	03				28	02				18	7
8	04	46	05	02			02	07					8
9	04	11		32		10		04			34	74	9
10	20		02					55				14	10
11	12		02					04		04	73	4	11
12	05	09		33	50			63			27		12
13	01	64			133			02					13
14	01	03					43	13	04			48	14
15	07	05			06			14			13	17	15
16		35			05		66	06				03	16
17		38			128								17
18		17	07		12								18
19		04			02		03			01	03		19
20	26			03	03							17	20
21	04				35		02			04		03	21
22	124	06	17				80					10	22
23	02	09	04			05	25		20	65		22	23
24							16		55	24		47	24
25				07		06	28					10	25
26		02				07						65	26
27		03				22	31			28		13	27
28		06				16			143	15			28
29						03	16	13			20	02	29
30	05	✕				47				18	33	03	30
31	(·03) 03	✕		✕		✕			✕	104	✕	26	31
Total	432	383	88	120	380	119	419	300	222	278	214	623	YEAR'S TOTAL 35.78
Rain Days.	21	20	11	8	10	9	14	15	4	12	8	24	156

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

1 JAN 1917

Kept at Botleys Park Gardens
in the County of Surrey
by Henry Whitmarsh Gardener

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chertsey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	05	02				01			29	05	39		1
2	22	03	10		24	01			13	51	02		2
3		70	08		27		03		29	36	41		3
4	19	10				17			17		60		4
5	02				24	06				04	63		5
6		05	34	13			26			04	47		6
7	05		38		09	16	11			02	46	06	7
8			03		32							22	8
9					09					04		16	9
10		24	09	02	02	16	04					05	10
11		11	06	19		16						03	11
12	02	04		03	28	09	01	14		04			12
13		17	54	12		05	03	11		04			13
14		38	05		04			21		02		13	14
15		23	20				02	19		04			15
16	01	03	40	15			23	44					16
17	09	15		09			03	05	28	56			17
18		08	06	08				24	08	53	69		18
19	10		15	21				01	23		57		19
20	14		24	03							01	54	20
21			44									26	21
22		04	03			01				01	01	40	22
23	03	35	01			01		02		03	02	05	23
24		05			15	03		03		18	05	29	24
25		70	21					12		02	07		25
26		21	08			05		34	03	19			26
27	01	03	85			03		41	03	56			27
28		37	19			01		02	05			11	28
29		14				25		105	07	33		15	29
30		X						06		39		05	30
31		X		X		X		04	X	20	X		31
Total	93	422	453	105	174	126	76	348	165	420	440	250	YEAR'S TOTAL 30·72
Rain Days.	12	22	21	10	10	16	9	17	11	22	14	14	178

W. 8,000, VIII. 16

√ Ex 8 L 292

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

2 JAN 1918

Kept at Botleys Park Gardens

in the County of Surrey

by Henry Whitmarsh, Gardener

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Chertsey

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground one ft. Six in.

" " " " Sea Level 111. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				34				116	02		07	02	1
2				25		05		03			28		2
3			08	15			79	36		24			3
4		28	03				32	26		37			4
5	31			25					14	37	10		5
6			33	02		03			29	01	05		6
7	13						12			32			7
8	20			08			91	07	07	24	18	36	8
9	01		03	08			06	27	04		07	26	9
10			10	21	01			09			02		10
11	20		36	11		29			22	14			11
12	11		04	03				09		43			12
13	05		21	02				42	02	12			13
14	03			13				53					14
15	03						14	30		03			15
16	06	10		15	04	23	12			44		47	16
17				08	56		26	07	42	28			17
18	03	05		08	10	33	09	17	26	03			18
19	02	14	05			07			13				19
20	01	13			58		11				05		20
21	02					14					03		21
22	01		04					15		04	02		22
23		17			09	12		09					23
24		02				13	01			22			24
25		05								02			25
26			06					39	06		25		26
27					16			93					27
28			03			131		06				07	28
29			52		03	15	39	02		26		10	29
30		×	03				181	05				02	30
31	02	×		×		×	29	04	×	01	×	02	31
Total	124	94	191	198	157	285	542	555	167	357	112	132	YEAR'S TOTAL 29.14
Rain Days.	16	8	14	15	8	11	14	21	11	18	11	8	135

√

W. 8,000, IX. 17.

204

FORM A.
BRITISH RAINFALL
1.1.19

REGISTER OF RAINFALL IN 1918

Kept at Botleys Park
in the County of Surrey
by Henry Whitmarsh

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chertsey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				02				41			30	09	1
2		10		04				09		02	28	10	2
3		02	04	15	42						57		3
4		08	13	01				06	23		59		4
5		04			08				12	08			5
6	18	08		27	19				02	01		07	6
7		08		18	41				10	09	08		7
8		06							13	04	10	03	8
9	01	04		17		15	17		39	14		22	9
10				13			69		03	03	02	45	10
11	01			02	03		80		02	37	09	10	11
12		04			16		12		06			02	12
13	03				12		09		07			03	13
14	13					20	04		25	15		22	14
15	130			55			10		02			06	15
16	39		03	25		03			34			03	16
17	21			22			18					12	17
18	51					21	11		73	13		03	18
19	09		08	07		02	31	02		10		06	19
20	04	10		73			10		14	13			20
21	19	01		54					65	03			21
22	10				65		22		22	01		24	22
23	03				09		57	05	09			02	23
24		28				03	34		10		09		24
25		02					21	16					25
26							70	06	02	05	09	11	26
27			01	04			11	16	06		13	01	27
28		07	24	03				07			10	12	28
29									124		01		29
30		×	43						04		03	07	30
31		×		×		×			×	08	×		31
Total	322	102	96	342	215	64	486	108	507	146	242	220	YEAR'S TOTAL 28.50
Rain Days.	14	14	7	17	9	6	17	9	23	16	14	21	167

W, 6,500, VII. 18. w w c

Box. 1406

272

FORM A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Botleys Park Gardens
in the County of Surrey
by Henry Whitmarsh

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chertsey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	30	03	01	02	03		19			03	03	127	1
2	42				09		12		14		08	16	2
3	33		39		01		11		01		02	46	3
4	06	04	48			07	10	04	03		02	20	4
5		34	60				78		23		08	24	5
6	10		03								02	11	6
7	06		36										7
8	11		08	01							01		8
9	14		02	04	02						05		9
10	72		06	01	03					04		05	10
11	03		10	23			18						11
12			02			02	19			07	04	02	12
13	02			31					03	02		02	13
14	22	02		23			08		82			03	14
15	24	02	08	07						04		49	15
16	03	63		01								04	16
17		35									18	02	17
18		18	14						02		06	04	18
19	03	09	65			20	78	20			05		19
20	18	04	37			63	12	09					20
21	21	31	03				05				02	09	21
22		06					20		11		02	34	22
23											02	04	23
24				08		01	09	07		23	03	03	24
25	04				07			18				01	25
26	07	04	10	04				23	08			33	26
27	78	18		89				43					27
28	01	03	29	03				75		11	36	34	28
29	03			10				19			05	03	29
30		×	02	23		11		22		02	27	39	30
31	03	×	04	×		×	03		×		×	06	31
TOTAL	416	236	387	230	25	104	302	240	147	56	141	481	YEAR'S TOTAL 27.65 ✓
Days with ·01 in. or more	23	15	20	15	6	6	14	10	9	8	19	24	169 ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

Recd 970

253

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Botleys Park Gardens
in the County of Surrey
by H. Whitmarsh, Gardener

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chertsey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 111 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·35	·08		·23			·25		·21	1
2			·05	·01			·05	·85	·07	·02		·08	2
3		·06		·13			·06			·03		·02	3
4		·05		·10			·70	·03		·26		·09	4
5			·08	·04			·99	·02				·05	5
6			·21		·09		·42						6
7	·02			·11	·18		·12						7
8				·15	·09		·16	·01					8
9	·28		·05	·03									9
10	·41	·09	·07	·01			·05				·01		10
11	·18			·28	·03	·05	·27					·11	11
12	·06			·11		·83							12
13	·15		·15	·24							·03		13
14		·01	·26	·27		·10				·10	·28		14
15	·01		·10	·31	·01				·10	·08	·12		15
16			·01	·11		·20			·59		·01		16
17	·02				·15				·22			·05	17
18	·03				·02		·02	·63	·42			·02	18
19	·07			·16		·04						·03	19
20	·06	·04		·21		·56						·01	20
21				·04			·88	·01	·46			·07	21
22				·28				·03	·02			·49	22
23	·01						·43	·04				·35	23
24	·03	·02	·05					·16				·02	24
25		·01	·02				·19						25
26	·06		·10	·02			·22					·05	26
27	·22			·32		·08	·05				·30	·09	27
28	·30	·03	·27	·14	·04		·06				·11	·02	28
29	·28		·08	·06							·05	·14	29
30	·01	✕			·08	·01	·19		·21		·26	·15	30
31		✕		✕		✕	02		✕	·76	✕	·09	31
TOTAL	2·28	0·31	1·50	3·48	0·77	1·87	5·11	1·78	2·09	1·50	1·17	2·14	YEAR'S TOTAL 24·00
Days with ·01 in. or more	19 7	4 4	14 2	23 4	10 3	8 1	19 2	9 5	8 1	7 2	9 3	20 6	154 ~~48~~
Days with ·04 in. or more	12	4	12	19	7	7	17	4	7	5	6	14	114

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BRAMLEY

THE LIMES

SURREY

1911 - 1920

FORM A2.
BRITISH RAINFALL.

JAN 1912

REG

Kept at The Limes,

in the County of Sur

by Revd. C. J. E

in.

ound 1 ft. — in.

a Level 136 ft.

A.M.

ame Bramley

istance [illegible] Direction W.

IMPORTANT NOTE ... he result entered to the previous day. If an Obs... sal rule, he is earnestly requested to add the readi... r in the space provided for it at the end of this ... ent of rain, the selection and placing ... ish Rainfall Organization are given in "Rules for Rain... pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.15	0.28				0.04					1
2				0.21	27 0.27						0.20		2
3		0.04			0.13						0.09	0.13	3
4											0.21	07 0.09	4
5				0.09						0.32	0.06	0.49	5
6			0.20								0.09	1.08	6
7										17 0.17	0.38	0.12	7
8			0.23								0.18	0.57	8
9												0.27	9
10		0.18	0.16								0.02	0.87	10
11	0.78	—	0.03								0.80		11
12			0.54						0.06		17 0.17		12
13			07 0.07						0.22	0.34		0.65	13
14		0.08			0.37							0.71	14
15		0.04	0.05								0.08	0.06	15
16						0.78					0.47	0.10	16
17						0.09					0.32	0.32	17
18		17 0.17	0.16			0.12				0.08	0.58	0.52	18
19						0.32			67 0.67	27 0.27	0.13	0.35	19
20			0.03						0.03	0.05			20
21		0.14						0.14		0.66			21
22			0.37			0.11		0.11		0.21		1.80	22
23		0.20				0.61			~~0.20~~	0.04	0.04		23
24		07 0.17				0.21	0.02	0.10		1.45			24
25	0.16	03 0.03	0.05		0.24	0.12			0.04	0.24			25
26						0.16	1.03			0.09		0.70	26
27		0.36	0.19	0.48			07 0.07		07 0.07				27
28				0.30			0.08	0.15		0.26	0.04		28
29				0.54	0.06	0.13			17 0.17				29
30						0.03	0.19			0.31		0.20	30
31					0.09			0.48		0.02			31
Total	0.44	1.41	2.23	1.90	1.16	2.68	1.39	1.02	1.46	4.51	3.86	8.95	TOTAL for year
No. of Rain Days.	—	10	13	6	6	11	5	6	8	15	17	—	31.01

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

12 JAN 1932

REG

Kept at The Limes, Bramley

in the County of Surrey

by Revd. C. J. Etty

RAIN GAUGE	Pattern	British Assoc.
	Diameter of top	5 in.
	Height of top above Ground	1 ft. — in.
	„ „ „ Sea Level	136 ft.

Time of Observation 9.30 A.M.

Nearest Railway Station
Name Bramley
Distance 1 m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.15	0.28				0.04					1
2				0.21	27 0.27						0.20		2
3		0.04			0.13						0.09	0.13	3
4											0.21	07 0.07	4
5				0.09						0.32	0.06	0.49	5
6			0.20								0.09	1.08	6
7										17 0.17	0.38	0.12	7
8			0.23								0.18	0.57	8
9												0.27	9
10		0.18	0.16								0.02	0.87	10
11	0.28		0.03								0.80		11
12			0.54						0.06		17 0.17		12
13			07 0.07						0.22	0.34		0.65	13
14		0.08			0.37							0.71	14
15		0.04	0.05								0.08	0.06	15
16						0.78					0.47	0.10	16
17						0.09					0.32	0.32	17
18		17 0.17	0.16			0.12				0.08	0.58	0.52	18
19						0.32			67 0.67	27 0.27	0.13	0.35	19
20			0.03						0.03	0.05			20
21		0.14						0.14		0.66			21
22			0.37			0.11		0.11		0.21		1.80	22
23		0.20				0.61			0.20	0.04	0.04		23
24		07 0.17				0.21	0.02	0.10		1.45			24
25	0.16	03 0.03	0.05		0.24	0.12			0.04	0.24			25
26						0.16	1.03			0.09		0.70	26
27		0.36	0.19	0.48			07 0.07		07 0.07				27
28				0.30			0.08	0.15		0.26	0.04		28
29				0.54	0.06	0.13			17 0.17				29
30						0.03	0.19			0.31		0.20	30
31					0.09			0.48		0.02			31
Total	0.44	1.41	2.23	1.90	1.16	2.68	1.39	1.02	1.46	4.51	3.86	8.95	TOTAL for year
No. of Rain Days.	—	10	13	6	6	11	5	6	8	15	17	—	31.01

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
29 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Lawn – Bramley

in the County of Surrey – 6

by Revd. C. J. Etty

RAIN GAUGE
Pattern Royal Society
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 135 ft.

Time of Observation 9.30 A.M.

Nearest Railway Station
Name Bramley
Distance [illegible] Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.22	0.01		0.14	0.21			0.59		0.20	1
2			0.68	—		0.05	0.43	0.40		0.01			2
3						0.13		0.36				0.04	3
4	0.70		0.76		0.11	0.21		0.13			0.28		4
5	–		0.16					0.52			0.02	0.02	5
6	0.12	0.19			0.04			0.13				0.05	6
7					0.10	0.65						0.10	7
8		0.58	0.36			0.02		0.45				0.02	8
9		0.17	0.10				0.01	0.07				0.15	9
10	0.33	0.11						0.15				0.25	10
11	0.06	0.25						0.04			0.08	0.27	11
12	0.03	0.13	0.11		0.09	0.10	0.07						12
13		0.01					0.04		0.05			0.05	13
14					0.04			0.05		0.07		0.03	14
15	0.03	0.03	0.11		0.18	0.58					0.05	0.37	15
16	0.23	0.02	0.16		0.22	0.05		0.09		0.04	0.04	—	16
17	0.58		0.35			0.03		0.13				0.22	17
18	0.03		0.35					0.35		0.01	0.02	0.03	18
19	0.15	0.08	0.06				0.09	0.70					19
20	0.02	—	0.58							0.35	0.03		20
21		0.04	0.15		0.34					0.16	0.09		21
22	0.14	0.25	0.03		0.07								22
23	0.49	0.36	0.40					0.71		0.09	0.18		23
24	0.60	0.04				0.83		0.27					24
25	0.13	0.03	—			0.51		0.70		0.06	0.26		25
26							0.02	0.35		0.45	0.63		26
27			0.02			0.08	0.01			0.39		1.34	27
28		0.04				0.23	0.41	0.28	0.23	0.65	0.65	0.20	28
29		0.07				0.04	0.37		2.32	0.21	0.04	0.07	29
30					0.19	0.02	0.07	0.30	1.32	0.23			30
31		—	0.10		0.01		0.27			0.01		0.02	31
Total	3.64	2.40	4.70	0.01	1.39	3.67	2.00	6.18	3.92	3.30	2.37	3.45	TOTAL for year 37.03
No. of Rain Days.	—	17	18	1	11	16	12	—	—	15	13	—	37.03

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
19 JAN 1914

[illegible]

Kept at The [illegible]. Bramley
in the County of Surrey 6
by Revd. C. J. Etty

Lat. Long.
Time of Observation 9.30 A.M.
Nearest Railway Station Bramley. L.B.S.C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		0.26	0.10	0.07					0.56		0.13	0.36	1
2		0.09					0.15		0.08	0.04	0.04	0.01	2
3			0.04	0.20	0.61					0.03		0.16	3
4	0.12		0.04	0.01	0.35					0.22	0.05	0.01	4
5			0.02			0.08	0.06		0.74	0.01	0.04	0.04	5
6	0.86	0.21	0.14		0.01	0.09	0.16			0.87	0.03	0.25	6
7		0.29			0.17		0.02			0.37	0.23		7
8		0.02	0.02		0.14	0.07				0.34		0.01	8
9	0.02	0.13			0.04		0.10		0.18		0.04	0.02	9
10				0.05			0.09				0.53		10
11	·74 0.74			0.18						0.68	0.25		11
12					0.38					0.01	0.32		12
13	0.10		0.01						0.24				13
14	0.30		0.12	0.14			0.69			0.10	0.30	0.01	14
15	0.21	0.08	0.19				0.34		0.05				15
16	0.19		0.45	0.06					0.28				16
17	0.03	0.03	0.08	0.15			0.46				0.01		17
18	0.01		0.28	0.01							0.04		18
19	0.39		0.03			0.48	0.12		0.25				19
20	0.13		0.38							0.61			20
21			0.28	0.44						0.21	0.81		21
22	0.33		0.24	0.20				0.18	0.17			0.50	22
23			0.17	0.03		0.02		0.02					23
24	0.03							0.03			0.02		24
25				0.27									25
26			0.10	0.13				0.08		0.64		0.35	26
27			0.27	0.08						0.03			27
28	0.14		0.30	0.08				0.15		0.19			28
29			0.06	0.56	0.54			0.47		0.14	0.01		29
30	0.43			0.09						0.21			30
31			0.09					0.84		0.05			31
Total	4.03	1.11	3.41	2.75 2.75	2.24	0.74	2.19	1.77	2.55	4.75	2.85	1.72 1.72	YEAR'S TOTAL 30.09
Rain Days.	16	8	22	18	8	5	10	7	9	18	16	11	148

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
18 JAN 1915

Kept at The Lunci – Bramley
in the County of Surrey 6
by Revd. C. J. Etty

Lat. 51 Long. 1 W.
Time of Observation 9.30 A.M.
Nearest Railway Station Bramley L.B.S.C.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								0.15			0.10	0.03	1
2							0.05	0.14			0.08	0.37	2
3			0.09	0.08	0.27		0.15				0.03	0.03	3
4			0.04	0.32	0.06		0.04	0.18			0.27	0.27	4
5			0.08	0.33	0.42	0.06	0.31	0.58					5
6		0.23	0.05	0.16	0.05	0.17						0.32	6
7		0.85	0.28	0.24	0.01		0.32					0.22	7
8	0.24	0.50	0.30	0.02	0.01	0.21		0.17				0.09	8
9	0.19		0.66			0.11			0.09			2.30	9
10		0.24	0.09		0.10				0.28			0.01	10
11		0.50	0.40			0.03			0.05		0.08	0.47	11
12		0.08	0.11	0.21			0.39		0.36			0.74	12
13		0.41	0.03			0.02			0.14	0.09	0.06	0.75	13
14		0.38	0.26			0.01	0.15			0.41	0.21	0.46	14
15	0.03		0.14				0.06		0.01		0.69		15
16							0.03		0.08		0.05		16
17		0.43	0.19						0.13			0.34	17
18		0.02	0.21									0.33	18
19		0.05	0.33				0.35				0.20	0.28	19
20		0.43	0.44						0.10			0.32	20
21		0.64	0.10							0.16		0.02	21
22					.73 0.73	0.10	0.14	0.06		0.24			22
23		0.17	0.17		0.01	0.01				0.06			23
24			0.12								0.15		24
25	0.02		0.20							0.33	0.01		25
26			0.08				0.06	0.17		0.05	0.23	0.87	26
27	0.05		0.01								0.09	0.40	27
28		0.02	0.01		0.06					0.03	0.44	0.81	28
29	0.10		0.09							0.44	0.32		29
30		☒	0.06		0.12					0.15	0.65	0.96	30
31	0.03	☒		☒		☒	0.04		☒	0.07	☒	0.04	31
Total	0.66	4.95	4.52	1.36	1.84	0.72	2.09	1.45	1.24	2.03	3.66	10.43	YEAR'S TOTAL 34.95
Rain Days.	7	15	26	7	11	9	13	7	9	11	17	23	155

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
13 JAN 1916

Kept at The Limes Bramley
in the County of Surrey
by the Revd. C. J. Etty

6

Lat. 51.10 N. Long. 0.30 W.
Time of Observation 9.30 A.M.
Nearest Railway Station Bramley L.B.S.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.95	0.19			0.04		0.80		0.27	0.07	0.19	0.37	1
2	0.27	0.22	0.30	0.12		0.03		0.64	0.04	0.05		0.28	2
3	0.54		0.13	0.11	0.05			0.02				0.36	3
4	0.06							0.02				0.39	4
5	0.03	0.75						0.06		0.02		0.47	5
6	0.55	0.22	0.06	0.39			0.68					0.22	6
7	0.52	0.50		0.04			0.38	0.01				0.23	7
8	0.07	0.87	0.01	0.16			0.11	0.19					8
9	0.02	0.10				0.08		0.01			0.40	0.64	9
10	0.14											0.24	10
11			0.08	0.47						0.10	0.78	0.03	11
12	0.05	0.29			0.51					0.01	0.43		12
13		0.68			1.02				0.01				13
14	0.03	0.01					0.12	0.04	0.03			0.39	14
15	0.08				0.05		0.09	0.10			0.05	0.39	15
16		0.80			0.07		0.75					0.06	16
17		0.40			1.05			0.32					17
18		0.31	0.04		0.11						0.13		18
19		0.19			0.04		0.05						19
20	0.26			0.01	0.03							0.16	20
21		0.03			0.35		0.07			0.12		0.03	21
22	0.91	0.18	0.10				0.82					0.18	22
23		0.12	0.02			0.05	0.22		0.43	0.39		0.26	23
24							0.07		0.39	0.20		0.45	24
25				0.10		0.14	0.05					0.12	25
26		0.06				0.08	0.31					0.75	26
27		0.03				0.33				0.48		0.07	27
28		0.07				0.10			1.26	0.10			28
29						0.02	0.34	0.13			0.43	0.01	29
30	0.03	×					0.01			0.41	0.61	0.05	30
31	0.09	×		×		×		0.06	×	1.10	×	0.37	31
Total	4.60	6.02	0.74	1.40	3.32	0.83	4.87	1.60	2.43	3.05	3.02	6.52	YEAR'S TOTAL 38.40 ✓
Rain Days.	17	20	8	8	11	8	16	12	7	12	8	24	157 ✓

W. 8,000. X. 15.

23

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at The Limes, Bramley

in the County of Surrey

by Revd. C. J. Etty.

Lat. Long.

Time of Observation 9.30 A.M.

Nearest Railway Station Bramley L. B. S. C. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.11	0.02			0.17				0.49	0.10	0.24		1
2	0.27	0.13	0.16		0.21				0.32	0.68			2
3	0.02	1.15	0.34		0.01		0.04		0.10	0.42	0.67		3
4	0.13	0.04			0.22	0.26			0.24	0.06	0.70		4
5	0.04	0.03			0.06	0.10				0.08	0.81		5
6	0.01	0.10	0.10	0.08		0.11	0.38			0.20	0.82		6
7	0.07	0.02	0.21		0.23	0.09	0.08			0.05	0.81	0.08	7
8			0.42		0.29	0.02					0.01	0.42	8
9					0.39					0.03		0.14	9
10		0.38	0.08	0.07	0.01	0.27				0.66	0.01	0.16	10
11	0.02	0.08	0.02	0.16		0.18						0.05	11
12	0.03	0.05	0.08	0.02	0.45	0.12				0.05			12
13		0.22	0.27	0.12	0.03	0.04	0.10		0.01	0.02			13
14		0.60	0.19		0.04			0.10		0.03		0.02	14
15		0.11	0.28					0.20		0.01			15
16	0.02	0.05	0.36	0.16			0.14	0.50					16
17	0.13	0.20		0.03			0.01	0.14	0.39	0.80		0.01	17
18	0.03	0.08	0.05	0.05				0.66	0.13	0.11	0.90	0.10	18
19	0.17		0.23	0.29				0.09	0.16		0.34		19
20	0.12		0.25									1.02	20
21	0.01	0.10	0.30				0.12					0.16	21
22		0.09	0.06		0.02					0.15	0.02	0.69	22
23	0.02	0.12	0.02	0.02		0.03		0.02		0.10	0.05	0.03	23
24		0.06			0.20	0.02		0.04		0.35	0.10	0.34	24
25		0.89	0.16					0.24		0.10	0.11		25
26		0.24	0.02			0.13			0.15	0.51			26
27	0.02		1.06			0.09		0.38	0.14	0.63			27
28		0.12	0.10			0.16		0.06	0.18	0.18		0.13	28
29		0.27				0.21		0.81	0.11	0.34		0.22	29
30		X						0.03		0.47			30
31		X		X		X		0.03	X	0.11	X	0.06	31
Total	1.22	5.13	4.94	1.00	2.33	1.83	0.87	3.30	2.42	5.64	5.59	3.63	YEAR'S TOTAL 37.70
Rain Days.	17	24	22	10	14	15	7	14	12	25	14	16	190

W. 8,000, VIII. 16

234

FORM A.
BRITISH RAINFALL.
-9. JAN 18

REGISTER OF RAINFALL IN 1917

Kept at The Limes Bramley

in the County of Surrey

by Revd. C. J. Etty

Lat. 52½ N. Long. ½ W.

Time of Observation 9.30 A.M.

Nearest Railway Station Bramley L.B.&S.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.01	0.25		0.01		1.42	0.03		0.06		1
2				0.71				0.08			0.12		2
3							1.13	0.53		0.21	0.02		3
4		0.25	0.19				0.08	0.20		0.19			4
5	0.32		0.07	0.40		0.02			0.16	0.39	0.13		5
6			0.31			0.06			0.12		0.08	0.01	6
7	0.24						0.13		0.04	0.35		0.03	7
8	0.21			0.05			0.41	0.13	0.03	0.23	0.23	0.63	8
9	0.02		0.07	0.04			0.11	0.06			0.04	0.45	9
10	0.25		0.27	0.31	0.02	0.02		0.16			0.01		10
11	0.08		0.26	0.31		0.23		0.01		0.22			11
12	0.07		0.07			0.04		0.05	0.39	0.40			12
13			0.11	0.08				0.20		0.24		0.02	13
14			0.01	0.13				0.07	0.03				14
15	0.06						0.19	0.03		0.05		0.06	15
16	0.07	0.15		0.08	0.07		0.01	0.02		0.56		0.3[illegible]	16
17				0.13	0.26		0.25	0.16	0.41	0.16			17
18		0.04		0.09	0.23	0.07	0.19	0.01	0.31				18
19	0.06	0.15	0.18					0.01	0.09		0.05		19
20		0.08			0.31		0.10	0.01			0.02		20
21	0.02		0.03		0.01		0.15				0.03		21
22			0.04			0.16		0.16		0.08			22
23		0.30	0.01		0.12	0.02		0.14			0.03	0.09	23
24		0.04				0.08	0.10	0.16		0.14			24
25		0.11				0.01	0.02				0.32		25
26			0.05			0.01		0.14	0.03	0.06			26
27			0.06		0.07	0.84		1.50				0.07	27
28		0.03				0.15		0.30				0.11	28
29					0.49		0.03	0.20		0.43			29
30		✕					1.78			0.02		0.02	30
31	0.02	✕	0.24	✕		✕	0.22	0.11	✕	0.02	✕		31
Total	1.42	1.15	1.96	2.58	1.58	1.72	4.88	5.86	1.64	3.95	1.14	1.89	YEAR'S TOTAL 29.55
Rain Days	12	9	17	12	9	14	16	25	11	17	13	11	166

W. 8,000, IX. 17.

151

Eg YJ

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9

Kept at The Luies Bramley Guildford.

in the County of Surrey.

by Revd. C. J. Etty

Lat. 51 Long. ½ W.

Time of Observation 9.30 A.M.

Nearest Railway Station Bramley L.B.S.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 130. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.09						0.02			0.51	0.08	1
2		0.03		0.09	0.55			0.35		0.01	0.42	0.13	2
3		0.19	0.07	0.15						0.02	0.31	0.02	3
4		0.07	0.14	0.04				0.03	0.03		0.93	0.01	4
5		0.16	0.04		0.08			0.13	0.11	0.10		0.03	5
6	0.23	0.11		0.30	0.21					0.02		0.05	6
7		0.16		0.14	0.19			0.02	0.12	0.05	0.20	0.06	7
8		0.03								0.12	0.02	0.01	8
9				0.08		0.15	0.42		0.50	0.10		0.62	9
10				0.09			0.52		0.23	0.01	0.03	0.29	10
11				0.01			0.34		0.03	0.33	0.06	0.13	11
12		0.04			0.17		0.22		0.06			0.01	12
13	0.06				0.08		0.12		0.21				13
14	1.23		0.05		0.01	0.17	0.12		0.14	0.13		0.35	14
15	0.26			0.71		0.02	0.38					0.13	15
16			0.02	0.25		0.09			0.11	0.02			16
17	0.21		0.02	0.08		0.03	0.06	0.03				0.19	17
18	0.42					0.38			1.28			0.06	18
19	0.11		0.07	0.07		0.24	0.19	0.01	0.04	0.09			19
20	0.08	0.13		0.94		0.04	0.14		0.35	0.16			20
21	0.24	0.02		0.60			0.02		0.29	0.03			21
22	0.13				0.67		0.45		0.14			0.18	22
23	0.04				0.05		0.64	0.06	0.06		0.03	0.08	23
24		0.38		0.02		0.05	0.04		0.12		0.08		24
25				0.73			0.19	0.12		0.04	0.02		25
26							0.41		0.02	0.03	0.11	0.19	26
27		0.09	0.07	0.08			0.43	0.14	0.02		0.15	0.01	27
28		0.05	0.21	0.04							0.06	0.01	28
29									0.97		0.07		29
30		✕	0.48						0.07	0.03	0.09	0.12	30
31		✕	0.06	✕		✕			✕	0.11	✕		31
Total	3.01	1.53	1.23	4.42	2.01	1.17	4.69	0.91	4.90	1.40	3.09	2.94	YEAR'S TOTAL 31.10
Rain Days.	11	14	11	18	9	9	17	10	21	18	16	22	176

W, 6,500, VII. 18. w w c

220

JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bramley

in the County of Surrey

by Revd. C. J. Elty

Lat. Long.

Time of Observation 9.30 A.M.

Nearest Railway Station Bramley, L.B.S.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, ,, ,, ,, Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.31	0.04	0.05		0.0[illegible]		0.20			0.03	0.07	1.20	1
2	0.46		0.02		0.02		0.18		0.07	0.02	0.08	0.03	2
3	0.40		0.71		0.02		0.15		0.04		0.03	0.32	3
4	0.15		0.42			0.06	0.21	0.04	0.03		0.03	0.16	4
5		0.40	0.80				0.33		0.17		0.07	0.31	5
6	0.29		0.02								0.01	0.16	6
7	0.06		0.34								0.02		7
8	0.29		0.16	0.06									8
9	0.13		0.04	0.14	0.10						0.14		9
10	0.96		0.11	0.03						0.05		0.08	10
11	0.13		0.10	0.24	0.05		0.17					0.02	11
12	0.03		0.04	0.03		0.01	0.06			0.15	0.06		12
13	0.03			0.73								0.04	13
14	0.32			0.34			0.07		0.82	0.09		0.06	14
15	0.21	0.06	0.09	0.05								0.88	15
16	0.08	0.66									0.14	0.02	16
17		0.40									0.20		17
18		0.11	0.25								0.03	0.05	18
19	0.14	0.31	0.90			0.15	0.88		0.07		0.04		19
20	0.31	0.06	0.03			0.53	0.12	0.19				0.02	20
21	0.10	0.57	0.02				0.06				0.02	0.06	21
22		0.01					0.21		0.31		0.02	0.31	22
23								0.05				0.02	23
24				0.18		0.05	0.08	0.03		0.23	0.09	0.08	24
25		0.09				0.03		0.31					25
26	0.11	0.24	0.06	0.16				0.11	0.14			0.31	26
27	0.67		0.02	0.78				0.57			0.03	0.01	27
28			0.27					0.77			0.41	0.31	28
29	0.05			0.13		0.01		0.05		0.17		0.07	29
30	0.01		0.01	0.24		0.09		0.49		0.04	0.38	0.65	30
31	0.02									0.01		0.08	31
Total	5.26	2.95	4.46	3.11	0.19	0.93	2.72	2.61	1.65	0.79	1.87	5.25	Year's Total 31.79
Days with ·01 in. or more	23	12	21	13	4	8	13	10	8	9	19	24	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

208

6 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Bramley

in the County of Surrey

by the Revd. C. J. Eelty

Lat. 51½ N Long. ½ W
Time of Observation 9. 0 A.M.
Nearest Railway Station Bramley L.B.S.C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06			0.28	0.09		0.28			0.53	0.03	0.31	1
2	0.05		0.06	0.02	0.02			0.25	0.10	0.06		0.12	2
3	0.03			0.47	0.03		0.07			0.15		0.07	3
4		0.06		0.15			1.21	0.12		0.28		0.04	4
5			0.15	0.04			0.58	0.16		0.01		0.06	5
6			0.17		0.11		0.29					0.04	6
7			0.03	0.13			0.18						7
8				0.04	0.18		0.20						8
9	0.16		0.01	0.06	0.03	0.06	0.05						9
10	0.04	0.14	0.06	0.10		0.13	0.17						10
11	0.36	0.08	0.09	0.37	0.03	0.03	0.21					0.19	11
12	0.02	0.02		0.27		1.20					0.04		12
13	0.18		0.19	0.11							0.04		13
14		0.02	0.32	0.35		0.04			0.08	0.14	0.35	0.02	14
15	0.01		0.05	0.11			0.02		0.65	0.08	0.14	0.01	15
16			0.04	0.08	0.03				0.25		0.02		16
17					0.12	0.16	0.01		0.60			0.09	17
18	0.06			0.03	0.06			0.94	0.16			0.09	18
19	0.05			0.26		0.05					0.02	0.03	19
20	0.12	0.14		0.21		0.63						0.02	20
21				0.05			0.55		0.34			0.11	21
22	0.03			0.29					0.09			0.36	22
23							0.32	0.11				0.27	23
24		0.01	0.10								0.03	0.05	24
25	0.01	0.02	0.02	0.03	0.01		0.22				0.01		25
26	0.13		0.29	0.03			0.30					0.08	26
27	0.41	0.02	0.03	0.12		0.08					0.90	0.23	27
28	0.41		0.31	0.08	0.02		0.11				0.05	0.04	28
29	0.21		0.05	0.02	0.03						0.13	0.19	29
30	0.02	×			0.02	0.01	0.16		0.14		0.28	0.21	30
31	0.03	×	0.26	×	0.01	×			×	0.85	×	0.09	31
													YEAR'S TOTAL
TOTAL	2.39	0.51	2.23	3.90	0.79	2.34	4.91	1.58	2.41	2.10	1.84	2.92	27.57
Days with ·01 in. or more	20	9	18	25	15	10	18	5	9	8	13	23	173
Days with ·04 in. or more	13	4	14	20	5	8	16	5	9	7	8	19	128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

171

BROADBRIDGE HEATH

1920- ~~23~~

4 JAN 1921

FORM A. 1. **METEOROLO** … **NIZATION.**

RE …

… 24'

Kept at Honeywoo … m.

in the County of Su … ynards & Ockley

by Henry Marra … Gauge 5" in.

The L … Ground 1 ft 0 in.

… Sea Level 280 ft.

IMPORTANT NOTE.- … ered to the previous day.

If an Observer prefers not t … ed to add the reading at 9 a.m. on 1st … the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·00	·02	·19	·08	·00	·49	·00	·00	·20	·02	·34	1
2	·02	·00	·08	·01	·05	·00	·02	·17	·11	·15	·00	·12	2
3	·06	·00	·01	·02	·15	·00	·00	·00	·02	·24	·00	·06	3
4	·00	·07	·02	·06	·00	·00	·86	·16	·00	·34	·00	·05	4
5	·00	·00	·15	·04	·00	·00	·60	·23	·00	·00	·00	·01	5
6	·00	·00	·54	·00	·15	·00	·26	·00	·00	·00	·00	·04	6
7	·06	·00	·02	·19	·08	·00	·16	·00	·00	·00	·00	·00	7
8	·00	·01	·00	·04	·08	·00	·16	·00	·00	·00	·00	·00	8
9	·22	·00	·03	·06	·08	·05	·08	·01	·00	·00	·00	·00	9
10	·68	·19	·11	·05	·00	·11	·22	·00	·00	·00	·00	·02	10
11	·32	·00	·08	·29	·01	·04	·40	·00	·00	·00	·00	·18	11
12	·05	·06	·02	·30	·00	1 ·27	·00	·00	·00	·00	·03	·00	12
13	·16	·04	·23	·07	·00	·00	·00	·00	·00	·00	·05	·00	13
14	·00	·03	·43	·47	·00	·03	·02	·00	·13	·10	·49	·01	14
15	·03	·02	·05	·12	·00	·00	·00	·00	·67	·37	·18	·00	15
16	·00	·01	·03	·02	·00	·00	·00	·00	·61	·00	·00	·01	16
17	·00	·00	·00	·00	·14	·00	·02	·00	·84	·00	·00	·08	17
18	·05	·00	·00	·00	·14	·01	·01	·88	·13	·00	·00	·07	18
19	·06	·00	·00	·29	·00	·03	·00	·00	·02	·00	·02	·02	19
20	·09	·18	·00	·21	·00	·66	·00	·00	·04	·00	·00	·02	20
21	·00	·00	·00	·05	·00	·00	·90	·00	·29	·00	·00	·17	21
22	·04	·00	·00	·23	·00	·00	·00	·01	·06	·00	·00	·40	22
23	·01	·00	·01	·00	·00	·00	·35	·08	·00	·00	·00	·38	23
24	·01	·03	·08	·00	·00	·00	·00	·00	·00	·00	·02	·15	24
25	·00	·02	·03	·03	·01	·00	·40	·00	·02	·00	·00	·00	25
26	·04	·00	·14	·03	·00	·00	·07	·00	·00	·00	·02	·08	26
27	·52	·03	·01	·14	·00	·05	·11	·00	·00	·00	·72	·29	27
28	·41	·02	·10	·03	·09	·00	·20	·00	·00	·00	·03	·03	28
29	·54	·00	·03	·04	·00	·00	·00	·00	·00	·00	·14	·28	29
30	·04		·00	·00	·00	·09	·16	·00	·23	·00	·38	·23	30
31	·04		·18		·01		·00	·00		1·31		·23	31
TOTAL	3·55	0·71	2·40	2·98	1·07	2·34	5·49	1·54	3·17	2·71	2·10	3·27	YEAR'S TOTAL 31·33
Days with ·01 in. or more	22	13	23	24	13	10	20	7	13	7	12	24	188
	18	5	12	18	10	7	16	5	10	7	6	17	131

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROL ... NIZATION.

REG ...

4 JAN. 1921

Kept at Honeywood House
Oakwood Hill
in the County of Surrey
by Henry Morra as agent for
The Lady Tredegar

Lat. 51° 7' Long. 0° 24'
Time of Observation 9 a.m.
Nearest Railway Station Baynards & Ockley
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·00	·02	·19	·08	·00	·49	·00	·00	·20	·02	·34	1
2	·02	·00	·08	·01	·05	·00	·02	·17	·11	·15	·00	·12	2
3	·06	·00	·01	·02	·15	·00	·00	·00	·02	·24	·00	·06	3
4	·00	·07	·02	·06	·00	·00	·86	·16	·00	·34	·00	·05	4
5	·00	·00	·15	·04	·00	·00	·60	·23	·00	·00	·00	·01	5
6	·00	·00	·54	·00	·15	·00	·26	·00	·00	·00	·00	·04	6
7	·06	·00	·02	·19	·08	·00	·16	·00	·00	·00	·00	·00	7
8	·00	·01	·00	·04	·08	·00	·16	·00	·00	·00	·00	·00	8
9	·22	·00	·03	·06	·08	·05	·08	·01	·00	·00	·00	·00	9
10	·68	·19	·11	·05	·00	·11	·22	·00	·00	·00	·00	·02	10
11	·32	·00	·08	·29	·01	·04	·40	·00	·00	·00	·00	·18	11
12	·05	·06	·02	·30	·00	1·27	·00	·00	·00	·00	·03	·00	12
13	·16	·04	·23	·07	·00	·00	·00	·00	·00	·00	·05	·00	13
14	·00	·03	·43	·47	·00	·03	·02	·00	·13	·10	·49	·01	14
15	·03	·02	·05	·12	·00	·00	·00	·00	·67	·37	·18	·00	15
16	·00	·07	·03	·02	·00	·00	·00	·00	·61	·00	·00	·01	16
17	·00	·00	·00	·00	·14	·00	·02	·00	·84	·00	·00	·08	17
18	·05	·00	·00	·00	·14	·01	·01	·88	·13	·00	·00	·07	18
19	·06	·00	·00	·29	·00	·03	·00	·00	·02	·00	·02	·02	19
20	·09	·18	·00	·21	·00	·66	·00	·00	·04	·00	·00	·02	20
21	·00	·00	·00	·05	·00	·00	·90	·00	·29	·00	·00	·17	21
22	·04	·00	·00	·23	·00	·00	·00	·01	·06	·00	·00	·40	22
23	·01	·00	·01	·00	·00	·00	·35	·08	·00	·00	·00	·38	23
24	·01	·03	·08	·00	·00	·00	·00	·00	·00	·00	·02	·15	24
25	·00	·02	·03	·03	·01	·00	·40	·00	·02	·00	·00	·00	25
26	·04	·00	·14	·03	·00	·00	·07	·00	·00	·00	·02	·08	26
27	·52	·03	·01	·14	·00	·05	·11	·00	·00	·00	·72	·29	27
28	·41	·02	·10	·03	·09	·00	·20	·00	·00	·00	·03	·03	28
29	·54	·00	·03	·04	·00	·00	·00	·00	·00	·00	·14	·28	29
30	·04	X	·00	·00	·00	·09	·16	·00	·23	·00	·38	·23	30
31	·04	X	·18	X	·01	X	·00	·00	X	1·31	X	·23	31
TOTAL	3·55	0·71	2·40	2·98	1·07	2·34	5·49	1·54	3·17	2·71	2·10	3·27	YEAR'S TOTAL 31·33
Days with ·01 in. or more	22	13	23	24	13	10	20	7	13	7	12	24	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

18 5 12 18 10 7 16 5 10 7 6 17 131

5a

BROCKHAM

NTH LODGE

SURREY

1911- 1920

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

9[illegible]11

Kept at North

in the County of

by H. B

top 8 in.
above Ground ft. 9 in.
„ Sea Level 160 ft.
8·0am
tion { Name Betchworth
Distance 1¼m Direction N.E.

IMPORTANT ... and the result entered to the previous day. If ... universal rule, he is earnestly requested to add t... ng year in the space provided for it at the end ... asurement of rain, the selection and ... ne British Rainfall Organization are g... e on application to Dr. H. R. Mill, 6

Jan. 1, following.

Date	Jan.	Feb.							pt.	Oct.	Nov.	Dec.	Date.
1				60				2					1
2	5			25	} 58						} 85 (4 days)	27	2
3	3	1		2				1				5½	3
4	4		3	} 15	1					7		20	4
5	1									30			5
6	48	1									2	} 155	6
7	5½		18							11	52½		7
8	11		18								35		8
9	24		8								2	10	9
10	2	6	19½	4	26½						2	103	10
11	54		1								116		11
12	2		60		1						5½		12
13			7		11½				26	13	14	39	13
14		12	1		31						5	68	14
15		3	} 13							1	10	3	15
16						84					25	17	16
17	1					3					10	41½	17
18		15	3								70	62	18
19					1	26			} 33 5	7	10	18½	19
20	2									25		88½	20
21		17						1½	1	81		28	21
22	7		24			13				36	4	48	22
23		27				98			30	} 185		23½	23
24		16				11	1					32	24
25		1		2		18½				} 34		[illegible]	25
26		1	8		7	8½	3					25	26
27		36		20					5		2	18	27
28		29	7	55				3			6	1½	28
29				32		11	17½		19	53			29
30				7		1		8		25		1½	30
31					72								31
Total	1·69½	1·65	1·90½	2·22	2·09	2·74	·21½	15½	1·14	5·08	4·56	8·35½	TOTAL for year 31·805
No. of Rain Days.	14	13	15	11	10	10	3	5	6 ✓	15	21	24	147

W. 8,000, X. '11.

9[illegible]11

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at North Lodge, Brockham Green 5

in the County of Surrey

by H. R. Kempe

RAIN GAUGE: Diameter of top 8 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 160 ft.

Time of Observation 8·0am

Nearest Railway Station: Name Betchworth
Distance 1¼m Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				60				2					1
2	5			25	58						85 (4 days)	27	2
3	3	1		2				1				5½	3
4	4		3	15	1					7		20	4
5	1									30			5
6	48	1									2	155	6
7	5½		18							11	52½		7
8	11		18								35		8
9	24		8								2	10	9
10	2	6	15½	4	26½						2	103	10
11	54		1								116 ?		11
12	2		60		1						5½		12
13			7		11½				26	13	14	39	13
14		12	1		31						5	68	14
15		3	13							1	10	3	15
16						84					25	17	16
17	1					3					10	41½	17
18		15	3								70	62	18
19					1	26			?33 5	7	10	18½	19
20	2									25		88½	20
21		17						1½	1	81		28	21
22	7		24			13				36	4	48	22
23		27				98			30	185		23½	23
24		16				11	1					32	24
25		1		2		18½				34		[illegible]	25
26		1	8		7	8½	3					25	26
27		36		20					5		2	18	27
28		29	7	55				3			6	1½	28
29				32		11	17½		19	53			29
30				7		1		8		25		1½	30
31					72								31
Total	1·69½	1·65	1·90½	2·22	2·09	2·74	·21½	15½	1·14	5·08	4·56	8·35½	TOTAL for year 31·805
No. of Rain Days.	14	13	15	11	10	10	3	5	6	15	21	24	147

W. 8,000, X. '11.

✓

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 - JAN 1913

Kept at North Lodge Brockham

in the County of Surrey 5

by

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 160 ft.

Time of Observation 8·0 am

Nearest Railway Station
Name Betchworth
Distance 1/4 m
Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·015	[illegible]	·770	·050		·050	·320		·040	·570		·255	1
2		[illegible]				·070	·250	·300	·015	·035		·030	2
3		·150 (Snow)	·800			·135		·310					3
4	·220				·080	·250		·070			·145		4
5	·150		·175					·620			·210	·050	5
6	·630	·050	·035					·115				·200	6
7	·030				·110	·320		·150					7
8	·340	·610	·255			·060		·255				·070	8
9		·140	·060	·010		·105							9
10		·500						·220			·080	·760	10
11								·260			·015		11
12	·080	·150	·050		·110			·320			·040	·050	12
13		·010	·030			·150					·130	·030	13
14			·030		·010					·080		·015	14
15		·010	·060		·130	·750						·320	15
16	1·050		·230		·570			·140			·045		16
17			·450					·140		·060		·080	17
18			·230					·160			·040	·200	18
19		·050	·170				·055	·870				·010	19
20			·640							·430	·060		20
21	·010	·070	·520							·125	·080		21
22	·215	·380	·260					·175				·030	22
23	·325	·230	·386					·430			·235	·150	23
24	·185	·045				·500		·410		·100		·200	24
25	·120	·010				·290		·780		·070	·260	·730	25
26	·020 (Snow)	·040						·430		·450	·840	·370	26
27							·020			·230		·550	27
28		·065				·080	·370	·080	·060	·500	·520		28
29		·010				·080	·270	·275	1·500	·100	·060		29
30					·570	·130		·030	1·880	·250			30
31							·300	·100		·050			31
Total	3·390	2·560	5·190	·100	1·580	2·970	1·625	6·640	3·495	3·490	2·760	4·100	TOTAL for year 37·900
No. of Rain Days.	18	18	20	2	7	14	7	26	5	14	15	22	(168)

W. 8,000, X. '11.

Ex D L

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
12 JAN 1914

Kept at Brockham (North Lodge)

in the County of Surrey 5

by H. R. Kempe

Lat. Long.

Time of Observation 8 am

Nearest Railway Station Betchworth

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·120

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·430	·100	·100					·285		·200	·200	1
2	·070	·170	·020		·030		·085		·050	·100	·085	·010	2
3	·020		·060	·195	·485				·010	·040		·320	3
4	·590			·010	·180				·010	·340	·035	·020	4
5	·430		·010			·015	·010		·325	·015	·075	·220	5
6	·160	·245	·160		·255	·125	·570			·050	·230		6
7										·990			7
8		·395						·405		·065		·010	8
9		·105			·105	·050	·170		·075		·070		9
10				·055			·020	·020			·335		10
11	·530			·390	·175					·655	·230		11
12					·115					·010	·500		12
13	·120		·035					·080	·230	·110	·270		13
14	·170		·170	·040			·915				·130		14
15	·580	·080	·250				·325		·075				15
16			·625	·860			·010		·275				16
17	·040		·055	·175			·430				·010		17
18		·020	·170	·150			·025				·050		18
19	·360		·185		~~·030~~	·030	·120		·200				19
20	·225		·405	·125		·010				·545	·030		20
21	·010		·115	·050						·345	1·100		21
22	·485		·250	·060			·010		·150			·060	22
23							·040	·340				·590	23
24										·010			24
25				·280							·030		25
26			·170	·125				·080		·835		·160	26
27	·020		·105	·120	·245							·010	27
28	·260		·405							·160			28
29			·040	·510	·410			·110		·075			29
30	·530			·055				·235		·230			30
31			·075					·670		·080			31
Total	4·600	1·445	3·405	3·300	2·000	·230	2·730	1·940	1·685	4·655	3·380	1·600	YEAR'S TOTAL 30·970
Rain Days.	19	7	20	17	11	5	13	8	11	19	17	11	158

W.7,000, XI. 13

Ex 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

[illegible] - JAN 1915

Kept at Brockham

in the County of Surrey

by H. R. Kempe M. Inst. C.E.

Lat. Long.

Time of Observation 9.0am

Nearest Railway Station Betchworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·220			·020	·005*	1
2		·010					·085	·115			·415	·220	2
3			·060	·010	·275		·040	·065			·010		3
4			·030	·305	·030	·010	·010	·445			·255	·340	4
5	·120	·010	·055	·400	·485	·060	·145				·040	·010	5
6		·190	·040	·150	·025	·130						·320	6
7		·650	·310	·160	·010	·060	·225					·255	7
8	·075	·820	·330		·030	·060		·220				·120	8
9	·310		·810	·180					·140			2·160	9
10	·045	}·900	·075	·080	·050				·120			·020	10
11	nana		·590	·005*					·135		·110	·340	11
12		·105	·095				·440		·315		·030	·620	12
13		·555	·255			·050			·100	·080		·900	13
14		·355	·315				·020			·385	·245	·505	14
15		·020	·230				·465	·060			·920	·020	15
16	·010		·060				·010						16
17		·565	·110						·140			·310	17
18		·065	·280									·520	18
19		·095	·360				·185					·260	19
20		·400	·200			·010			·030			·170	20
21		·780	·290			·080				·060		·010	21
22		·050	·030		·330	·010	·130	·030		·160			22
23			·215		·020					·020			23
24			·070		·010						·355		24
25			·220					·100		·385	·020	·120	25
26							·095	·150		·060	·240	·760	26
27											·055	·460	27
28	·035	·020	·005*							·165	·580	·710	28
29	·175				·005*					·425	·380		29
30		×	·140							·085	·725	·470	30
31	·045	×		×	·145	×	·040		×	·005*	×	·030	31
Total	·815	5·590	5·175	1·290	1·415	·470	1·890	1·405	·980	1·830	4·400	9·655	YEAR'S TOTAL 34·915
Rain Days.	8	18	25	7	12	9	13	9	7	10	16	25	159

W. 8,000. X. 14. * Not included in "rain days"

2.16. Dec 9 highest fall in 24 years (Since 1890)

ELMc

155

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

17 JAN 1916

5

Kept at Brockham

in the County of Surrey

by H. R. Kempe M. Inst. C.E.

Lat. Long.

Time of Observation 9.0 am

Nearest Railway Station Betchworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·64	·19	·25		·03	·	·06		·175	·02	·125	·585	1
2	·37	·28	·245	·10		·01		·60	·015	·095		·08	2
3	·39		·055	·15					·06			·46	3
4				·01				·265				·365	4
5	·09	·54			·025			·07		·01		·45	5
6	·41	·13		·46			·75					·07	6
7	·75	·55	·105				·76					·44	7
8	·065	·94					·11	} ·13					8
9	·03	·10		·26		·06					·42	·65	9
10	·28	·01	·02	·01								·20	10
11		·04	·03								·64	·12	11
12	·04	·34		·35	·43			·32			·67	·01	12
13	·01				1·185			·01	·02				13
14					·005/		·02	·025				·68	14
15	·12	} 1·94			·04		·075	·175			·14	·36	15
16				·02	·90		1·00	·10				·13	16
17			·04				·01	·41					17
18		·23			·125			·005/					18
19					·015		·02						19
20	·28				·005\							·20	20
21	·17	·02					·01			·02		·04	21
22	·48	·05	·085	·04			·81						22
23	·345	·09	·035			·02	·37		·02	·44		·435	23
24			·01				·05		·36	·39		·46	24
25				·10			·055				·03	·165	25
26		·115				·11	·13		·02			·70	26
27						·36	·02			·43		·04	27
28						·12			1·60	·08			28
29						·02	·47	·03	·01		·32		29
30	·10	✕				·76	·01			·12	·50		30
31		✕		✕		✕		·115	✕	·91	✕	·38	31
Total	4·57	5·565	·875	1·50	2·760	1·46	4·73	2·255	2·28	2·515	2·845	7·020	YEAR'S TOTAL 38·375 ✓
Rain Days.	17	20	10	10	8 9	8	18	14 13	9	10	8	22	154 ✓

W. 8,000. X. 15.

147

FORM A.
BRITISH RAINFALL.
8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Brockham
in the County of Surrey
by H. R. Kempe M. Inst. C. E.

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Betchworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	[illegible]		·035		·13	·11	·04		·32	·02			1
2	·54	·20	·13		·26		·01		·105	·56	·05		2
3	·02	1·03	·49		·01		·03		·16	·415	·91		3
4	·17	·135	·03	·08		·46			·185	·05	·47		4
5		·04	·01		·135	·12				·09	·92		5
6		·12		·12	·01	·13	·48				·90		6
7	·13		·63	·085		·01	·19			·335	·88	·05	7
8					·21							·41	8
9					·41		·01					·13	9
10		·28	·06	·08	·03	·32	·02			·02			10
11	·04		·02	·21	·01	·13					·01		11
12	·03	·17	·05	·055	·31		·05	·035		·065		·23	12
13		·235	·585	·07	·04	·29	·03			·045		(3 days)	13
14		·655	·07	·02	·13								14
15		·055	·185				·02			·105			15
16			·33	·15			·22	1·665					16
17		·20		·08					·27	·72			17
18		·085	·02	·02					·21	·39	·63	1·07	18
19	·52		·15	·30		·11		·02	·12		·42	(4 days)	19
20	·145		·05	·105							·08		20
21			·24				·12			·01			21
22			·07							·09		·42	22
23	·02		·03			·01		·015			·105	·225	23
24					·12			·02			·10	·325	24
25		1·28	·215			·04							25
26			·95			·13		·30	·04	·535		·02	26
27	·02		·225			·255		·11	·03	·985			27
28								·08	·055	·07		·13	28
29		·50				·33		·76		·375		·24	29
30		✕			·01			·155		·67			30
31		✕		✕		✕		·02	✕		✕	·01	31
Total	1·635	4·985	4·575	1·375	1·815	2·445	1·220	3·180	1·495	5·550	5·475	3·260	YEAR'S TOTAL 37·019
Rain Days.	11	(18)	(24)	13	14	15	12	(15)	10	21	12	17	182

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

[illegible]

FORM A. BRITISH RAINFALL

19. JAN 191[illegible]

Kept at Brockham

in the County of Surrey

by H. R. Kempe

Lat. Long.

Time of Observation 9·0 am

Nearest Railway Station Betchworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·08	·08	·68				1·425	·055		·125		1
2								·11			·11		2
3		·30		·12			·46	·645			·01		3
4			·12				·27	·445		·32	·16		4
5			·03	·465		·01			·43				5
6			·30	·035		·13			·365	·24			6
7	·34						·08			·27		·03	7
8	·14						·59	·18	·03	·28	·23	·33	8
9			·08	·54	·01		·20	·09			·05		9
10	·37		·21			·04		·01		·03		·80	10
11			·38					·03	·18				11
12		·03		·01				·01		·60			12
13	·16		·165	·045				·415	·035	·07		·02	13
14	·01			·15									14
15	·01						·07					·065	15
16	·01	·11		·39	·10		·02			·76			16
17	·08			·08	·34		·15		·76	·19		·82	17
18				·13	·09	·04	·215	·18		·03			18
19	·02	·17	·18			·055			·09		·02		19
20		·07	·03		·63		·10		·03				20
21		·01	·04								·05		21
22						·085		·11		·11			22
23		·19	·02		·115	·04		·175					23
24		·07	·02			·09	·02			·16			24
25						·03	·01						25
26								·20		·04	·55		26
27			·07		·60	·01		1·39					27
28		·02			·02	·745		·335					28
29			·055			·095	·10	·02		·40		·10	29
30		×	·34				1·45	·07					30
31	·01	×	·16	×		×	·235	·02	×	·02	×		31
Total	1·36	1·05	2·28	2·645	1·905	1·41	3·97	5·86	1·975	3·52	1·305	2·165	YEAR'S TOTAL 29·445
Rain Days.	13	11	19	14	8	13	15	23	10	15	11	7	159

Exd

63

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 7.2.19

Kept at Brockham Green
in the County of Surrey
by H. B. Kempe M. Inst. C. E.

Lat. ..... Long. .....
Time of Observation 8.0 am
Nearest Railway Station Betchworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ..... ft. 9 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·01			·285	·07	1
2		·04		·17				·22	·15		·15	·17	2
3			·08		·35			·21		·01	·58	·02	3
4		·37			·03			·02	·18		·84		4
5					·15			·105	·13	·115		·085	5
6	·15	·23		·30	·065			·07	·40				6
7		·59		·18					·155	·11	·07		7
8									·13		·18	·05	8
9				·12		·17	·17		·615	·17		·37	9
10				·05		·05	·36		·105	·035	·02	·47	10
11	·045						·60		·075	·21	·07	·10	11
12		·06			·215		·62		·03			·03	12
13	·27 snow	·02			·06		·03		·115				13
14					·01	·15	·05		·22	·16		·14	14
15	1·29			·505 rain & snow		·04	·56					·20	15
16			·13			·15			1·38				16
17	·61			·065	·14		·87	·06				·25	17
18				·03 rain & snow			·02					·03	18
19	·135		·05		·055	·28	·055			·05			19
20		·175		·52 " "		·03				·23			20
21	·265	·02		·82 " "		·02	·30		·30	·145		·075	21
22	·13				·27				·26			·17	22
23				·02	·03		·78	·06	·03			·04	23
24		·365				·03	·14		·17		·05	[illegible]	24
25				·205				·215		·02			25
26							·57			·065	·20	·23	26
27		·065	·02	·135			·05	·14	·03		·05	·03	27
28		·03 snow	·285								·14	·04	28
29				·02					1·08		·04	·10	29
30		X	·47						·07		·03	·03	30
31		X	·115	X		X			X	·12	X		31
Total	2·895	1·965	1·150	3·60	1·375	·56	5·655	1·11	5·625	1·44	2·785	2·74	YEAR'S TOTAL 31·340
Rain Days.	9	12	7	16	11	9	17	10	24	13	14	22	164

W. 8,000, IX. 17.

-24 BA-

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Brockham
in the County of Surrey
by H. R. Kempe

Lat. Long.
Time of Observation
Nearest Railway Station Betchworth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47		·02				·03			·02	·04	·75	1
2	·33		·01		·06		·16		·16	·05	·08	·43	2
3	·33		·48		·02		·11		·04	·02	·03	·40	3
4	·15	·34	·31			·04	·36	·01	·02		·03	·09	4
5			·47				·06				·04		5
6	·13		·04									·43	6
7	·07		·47								·05		7
8	·32		·09						·01		·01		8
9	·32		·05		·19						·14		9
10	·32		·07	·02							·02	·09	10
11	·12		·11	·25	·02		·12						11
12	·07		·04				·23			·08	·03 (snow)		12
13				·55						·02		·11	13
14	·60			·52			·08		·60			·10	14
15	·23	·15	·27	·02						·03		·58	15
16	·07	·57									·07		16
17		·18										·01	17
18	·04	·29	·07					·29 (3 days)	·02		·24		18
19	·26	·17	·57			·08	·42				·07		19
20		·14	·18			·64	·19					·05	20
21	·23	·49	·05			·06						·06	21
22		·12					·14		·50 (22nd–25th)			·33	22
23						·01	·09				·05	·04	23
24				·27		·04				·16	·08	·01	24
25	·02	·04			·05	·01		2·09 (6 days)				·04	25
26	·28	·11		·15							·03	·43	26
27		·04	·12	·88 (snow & rain)			·01				·21 (snow)	·01	27
28											·28	·38	28
29	·15 (snow)		·21 snow	·04		·02				·27	·05	·12	29
30			·02	·25		·03				·05	·22	·83	30
31			·07				·01					·05	31
TOTAL	4·51	2·64	3·72	2·95	·34	·93	2·01	2·39	1·35	·70	1·77	5·34	YEAR'S TOTAL 28·65
Days with ·01 in. or more	22	13	22	10	5	9	14	10	8	10	20	22	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

130

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Brockham

in the County of Surrey

by H. R. Kempe M. Inst. C.E.

Lat. Long.

Time of Observation 9.0 am

Nearest Railway Station Betchworth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·32	·07		·50			·19		·29	1
2			·03	·01	·03		·01	·18	·10	·02		·13	2
3	·01			·02	·06					·10		·08	3
4		·06		·14			1·24	·09		·22			4
5			·10	·03	·01		·62	·50		·02		·03	5
6			·58		·08							·02	6
7	·04			·08	·05		·54			·01			7
8				·04	·12		·30						8
9	·25		·01	·04	·02		·10						9
10	·66	·07	·08	·06			·16						10
11	·32		·08	·14		·09	·31				·01	·25 (Snow)	11
12	·05	·01	·01	·23		·36					·03		12
13	·20		·21	·07							·07		13
14		·03	·40	·33		·22			·10	·07	·39		14
15	·02		·07	·35					·74	·09	·16	·03 (Snow)	15
16				·24					·43		·02		16
17	·02	·02			·12				·52			·06	17
18	·03				·03			·80	·19			·06	18
19	·17			·25								·01	19
20	·06	·35		·31		·57						·02	20
21				·04			·65		·43				21
22	·02			·30				·02	·14			·50	22
23							·31	·01				·39	23
24			·11									·03	24
25		·03	·01				·36						25
26	·05		·34				·06					·07	26
27	·49			·20		·05	·09				·83	·21	27
28	·39	·02	·04	·04	·07		·09				·05	·02	28
29	·74		·08	·02							·12	·26	29
30	·03			·02	·05		·19		·26		·32	·20	30
31	·02									·64		·25	31
TOTAL	3·65	·59	2·15	3·28	·71	1·29	5·53	1·60	2·91	1·36	2·00	2·91	YEAR'S TOTAL ~~27·55~~ 27·98
Days with ·01 in. or more	20	8	15	23	12	5	17	6	9	9	10	20	154
Days with ·04 in. or more	13	3	11	18	8	5	16	4	9	6	7	13	113

BURGH HEATH

SURREY

1911 – 1920

Sr

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGIS

Kept at Burgh Heath,

in the County of Surrey

by Captain E. R. Taylor

1 ft. – in.

571 ft.

~~[illegible]~~ Kingswood SE.&C.R.

mile Direction S

IMPORTANT NOTE.—Ra … ult entered to the previous day. If an Observer … le, he is earnestly requested to add the reading a… he space provided for it at the end of this para… rain, the selection and placing of … infall Organization are given in "*Rule*… on to Dr. H. R. Mill, 62, Camden S…

Jan. 1, following.

Date.	Jan.	Feb.	March.	Apr						Nov.	Dec.	*Date.*
	in.	in.	in.	in						in.	in.	
1	0·03	–	–	0·7						0·02	–	1
2	·17	–	–	·24	0·29	–	·01	–	–	–	·19	0·18	2
3	–	0·04	–	–	·19	–	–	–	–	–	·09	·07	3
4	·04	·02	0·08	·14	–	–	–	–	0·02	0·06	·31	·35	4
5	·03	·01	–	·03	–	–	–	–	–	·22	·10	·11	5
6	·43	–	·25	–	–	–	–	–	–	·08	–	·55	6
7	·05	–	·05	·03	–	–	–	–	–	·08	·45	·33	7
8	·11	–	·19	–	–	–	–	–	–	–	·33	·44	8
9	·24	–	·05	·02	–	–	–	–	–	–	·05	0·10	9
10	·02	·12	·15	–	–	–	–	–	–	–	·04	1·02	10
11	·41	–	·01	–	·38	–	–	–	–	–	·92	0·04	11
12	·04	·01	·53	–	–	–	–	–	·04	–	·13	–	12
13	–	–	·10	–	·26	–	–	–	·11	·08	·03	·31	13
14	–	·08	–	–	·39	–	–	–	–	–	–	·65	14
15	–	·06	·18	–	–	–	–	–	–	·03	·08	·04	15
16	–	–	–	–	–	0·65	–	–	–	–	·65	·14	16
17	–	–	·05	–	–	·05	–	–	–	–	·44	·29	17
18	–	·14	·01	–	–	·05	–	–	–	–	·63	·52	18
19	–	–	–	–	·04	·35	–	–	·26	·23	·21	·17	19
20	·03	·01	–	–	·01	–	–	·04	–	·10	–	·92	20
21	·02	·10	–	–	–	–	–	·15	–	·87	–	·21	21
22	0·05	–	·21	–	–	·15	–	·01	·21	·11	–	·55	22
23	–	·24	·05	–	–	·97	–	–	–	0·01	·03	·21	23
24	–	·14	–	–	–	·04	·04	·02	–	1·61	–	·24	24
25	–	·01	–	·05	–	·11	·01	–	–	0·10	–	–	25
26	–	·01	·12	·19	·68	·24	·02	–	–	·25	–	·27	26
27	–	·34	·13	·04	0·01	–	–	–	·14	·04	·13	0·13	27
28	–	0·17	–	·27	–	–	–	·03	–	–	·02	–	28
29	–	}	–	·35	–	0·15	0·11	–	0·15	·20	–	–	29
30	–	}	0·22	0·07	–	–	–	0·58	–	·30	0·01	–	30
31	–	}	0·02	}	1·75	}	–	–	}	·04	}	–	31
Total	1·67	1·50	2·18	2·13	4·00	2·76	0·20	0·91	0·93	4·33	4·86	7·84	TOTAL for Year 33·31
No. of Rain Days	14	16	17	12	10	10	6	7	7	17	21	24	161

7,000. X. '09.

Sr

REGIS

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Burgh Heath,

in the County of Surrey 4

by Captain E. R. Taylor

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 571 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Kingswood S.E.&C.R.
Distance 1 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	–	–	0·70	–	–	0·01	0·08	–	–	0·02	–	1
2	·17	–	–	·24	0·29	–	·01	–	–	–	·19	0·18	2
3	–	0·04	–	–	·19	–	–	–	–	–	·09	·07	3
4	·04	·02	0·08	·14	–	–	–	–	0·02	0·06	·31	·35	4
5	·03	·01	–	·03	–	–	–	–	–	·22	·10	·11	5
6	·43	–	·25	–	–	–	–	–	–	– ~~·28~~	–	·55	6
7	·05	–	·05	·03	–	–	–	–	–	·08	·45	·33	7
8	·11	–	·19	–	–	–	–	–	–	–	·33	·44	8
9	·24	–	·05	·02	–	–	–	–	–	–	·05	0·10	9
10	·02	·12	·15	–	–	–	–	–	–	–	·04	1·02	10
11	·41	–	·01	–	·38	–	–	–	–	–	·92	0·04	11
12	·04	·01	·53	–	–	–	–	–	·04	–	·13	–	12
13	–	–	·10	–	·26	–	–	–	·11	·08	·03	·31	13
14	–	·08	–	–	·39	–	–	–	–	–	–	·65	14
15	–	·06	·18	–	–	–	–	–	–	·03	·08	·04	15
16	–	–	–	–	–	0·65	–	–	–	–	·65	·14 4·33	16
17	–	–	·05	–	–	·05	–	–	–	–	·44	·29	17
18	–	·14	·01	–	–	·05	–	–	–	–	·63	·52	18
19	–	–	–	–	·04	·35	–	–	·26	·23	·21	·17	19
20	·03	·01	–	–	·01 1·56	–	–	·04	–	·10	–	·92	20
21	·02	·10	–	–	–	–	–	·15	–	·87	–	·21	21
22	0·05	–	·21	–	–	·15	–	·01	·21	·11	–	·55	22
23	–	·24	·05	–	–	·97	–	–	–	0·01	·03	·21	23
24	–	·14	–	–	–	·04	·04	·02	–	1·61	–	·24	24
25	–	·01	–	·05	–	·11	·01	–	–	0·10	–	–	25
26	–	·01	·12	·19	·68	·24	·02	–	–	·25	–	·27	26
27	–	·34	·13	·04	0·01	–	–	–	·14	·04	·13	0·13	27
28	–	0·17	–	·27	–	–	–	·03	–	–	·02	–	28
29	–	}	–	·35	–	0·15	0·11	–	0·15	·20	–	–	29
30	–	}	~~0·02~~	0·07	–	–	–	0·58	–	·30	0·01	–	30
31	–	}	0·02	}	1·75	}	–	–	}	·04	}	–	31
Total	1·67	1·50	2·18	2·13	4·00	2·76	0·20	0·91	0·93	4·33	4·86	7·84	TOTAL for Year 33·31
No. of Rain Days	14	16	17	12	10	10	6	7	7	17	21	24	161

Ec F. C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

Kept at Burgh Heath,

in the County of Surrey 4

by Captain E. R. Taylor

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 571 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Kingswood S.E.&C.R.
Distance 1 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·02	–	0·26	0·02	–	0·08	0·30	–	0·09	0·64	–	0·23	1
2	–	–	·47	–	–	·04	·31	0·10	·01	·07	–	–	2
3	·02	0·03	·13	–	–	·16	·04	·33	·02	–	–	·08	3
4	·22	–	·79	–	0·11	·33	–	·10	–	–	0·24	·01	4
5	·18	·04	·11	–	–	–	–	·60	–	–	·08	·03	5
6	·48	·07	–	–	–	–	–	·13	–	–	–	·16	6
7	–	–	–	–	·14	·62	·01	·40	–	–	–	·07	7
8	·34	·54	·35	–	–	·02	·04	·61	·01	–	–	·01	8
9	–	·12	·01	·02	–	·15	·02	·01	–	–	–	·14	9
10	–	·08	–	–	–	–	–	·45	–	–	·05	·26	10
11	·04	·29	·01	–	–	·02	–	·02	·02	–	·02	·35	11
12	·03	·13	·05	–	·12	·19	–	·05	–	–	·03	·02	12
13	–	·01	·01	–	–	–	–	–	–	–	·10	·02	13
14	–	–	·04	–	–	–	–	·15	–	·06	·02	·03	14
15	–	–	·13	–	·25	·69	–	·02	–	–	·04	·37	15
16	·29	·01	·13	–	·04	·10	–	·13	–	·04	·11	–	16
17	·27	–	·44	–	–	·03	–	·10	–	–	·02	·16	17
18	·33	–	·23	–	–	–	–	·15	–	·03	·01	·10	18
19	·07	·12	·14	0·01	–	·02	·09	·75	–	–	·02	·01	19
20	·03	·03	·65	–	–	·01	–	·11	–	·40	·02	–	20
21	·03	·04	·32	–	·04	–	·81 –	·06	–	·11	·06	–	21
22	·20	·25	·09	–	·03	–	·03	·21	–	·02	–	·04	22
23	·36	·40	·34	–	–	–	–	·51	–	·06	·28	·14	23
24	·38	·03	–	–	–	·14	–	·40	–	–	–	·17	24
25	0·22	–	–	–	–	·37	–	·65	–	–	·19	·66	25
26	–	·02	–	–	–	–	–	·48	–	·34	·60	·35	26
27	–	–	·02	–	–	·05	·01	–	–	·21	–	·17	27
28	–	·04	–	–	–	·07	·20	·09	0·11	·65	·56	0·23	28
29	–	0·04	–	–	–	0·02	·32	·23	1·63	·13	·07	–	29
30	–	}	·01	–	0·32	–	·01	·03	1·89	·30	–	–	30
31	–		0·06	}	–	}	0·20	0·14	}	0·02	}	–	31
Total	3·51	2·29	4·79	0·05	1·05	3·11	1·58	7·01	3·78	3·08	2·52	3·81	TOTAL for year 36·58
No. of Rain Days	18	19	23	3	8	19	13	28	8	15	19	24	197

9,000, IX. '10.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at Burgh Heath
in the County of Surrey 4
by Captain E R Taylor

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Kingswood
Diameter of Rain Gauge 5 inch in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 571 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	0·29	–	0·09	–	–	–	–	0·51	0·01	0·15	0·11	1
2	0·04	·14	0·06	–	–	–	0·15	–	–	·40	·09	–	2
3	·01	–	–	·26	0·45	–	–	–	–	·02	–	·15	3
4	·47	–	·02	·04	·25	–	·03	–	–	·45	·02	·02	4
5	·46	–	·04	–	·01	0·06	·13	–	·41	·01	·05	·03	5
6	·05	·07	·11	–	·02	·10	·26	–	·05	·18	·20	·16	6
7	–	·29	–	–	·04	–	–	–	–	·63	·17	·01	7
8	–	·02	–	–	·19	·09	–	0·57	–	·04	·02	·01	8
9	–	·15	–	·01	·06	·02	–	–	·10	–	·03	·04	9
10	–	–	·04	·19	–	–	0·13	·05	–	–	·40	–	10
11	·61	–	–	·44	·12	–	–	–	–	·58	·29	–	11
12	–	·01	–	–	·09	–	–	·01	–	·01	·49	–	12
13	·15	–	·02	–	–	–	–	·01	·14	–	·24	–	13
14	·17	·01	·15	·06	–	–	1·90	·11	·01	·13	·09	·02	14
15	·36	·12	·20	·32	–	–	0·43	–	·23	–	·01	·01	15
16	·28	·01	·39	·20	–	–	–	–	·39	–	–	–	16
17	·02	·03	·02	·01	–	–	·25	·01	–	–	–	·01	17
18	–	–	·19	·09	·02	–	–	–	–	–	·08	–	18
19	·37	–	·13	·01	–	–	·16	–	·18	–	·01	–	19
20	·26	–	·40	·08	–	·01	–	–	–	·61	·01	–	20
21	·05^3	–	·12	·03	–	–	·03	–	–	·30	·93	–	21
22	·37	–	·21	·05	–	–	·01	·10	·16	·01	·01 3·29	–	22
23	–	–	·01	–	–	·02	·01	·30	·02	–	–	·47	23
24	·05	–	–	·06	–	·03	–	·02	·01	–	·02	–	24
25	–	·02	–	·25	–	–	–	–	–	–	–	·01	25
26	–	–	·15	·11	–	–	0·01 3·50	·12	–	·76	–	·21	26
27	–	–	·03	·20	·41	–	–	–	–	·03	–	–	27
28	·23	0·05	·39	·05	–	–	–	–	–	·15	–	–	28
29	·05	}	·05	·39	0·35	–	–	·15	–	·10	–	1·26 –	29
30	0·44		–	0·05	–	–	–	·16	–	·25	–	–	30
31	–		0·10	}	–	}	–	0·95	}	0·04	}	–	31
Total	4·42	1·21	2·83	2·99	2·01	0·33	3·50	2·56	2·21	4·71	3·31	1·26	YEAR'S TOTAL 31·34
Rain Days.	19	13	21	22	12	7	13	13	12	20	20	14	186

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1914

M

FORM A. BRITISH RAINFALL.

11 JAN 1915

BANSTEAD

Kept at Burgh Heath

in the County of Surrey 4

by Captain E. R. Taylor

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Kingswood

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~571~~ ft. – in.

" " " " Sea Level 571 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	0·01	–	–	–	–	0·32	–	–	0·01	–	1
2	–	–	–	–	–	0·02	0·22	·14	–	–	·35	0·30	2
3	–	–	·09	–	0·21	–	·07	·03	–	–	·02	–	3
4	0·01	–	·04	0·21	–	–	·01	·28	–	–	·20	·35	4
5	·11	0·01	·07	·25	·32	·06	·22	·36	–	–	·12	–	5
6	–	·17	·01	·13	·02	·25	–	–	–	–	·06	·29	6
7	–	·82	·26	·14	·11	·30	·15	–	–	–	–	·16	7
8	·12	·75	·45	·01	·04	·07	·04	·20	–	–	–	0·06	8
9	·24	–	·89	·22	–	·04	–	–	0·19	–	–	2·01	9
10	·01	·10	·01	·07	·07	–	–	–	·13	–	·02	0·03	10
11	–	·74	·51	·01	·02	·01	–	–	·17	–	·12	·25	11
12	·03	·09	·12	–	–	–	·37	–	·20	–	–	0·77	12
13	–	·47	·25	–	–	–	–	–	·11	–	·08	1·10	13
14	–	·24	·22	–	–	·07	·03	–	–	0·35	0·10	·70	14
15	·05	·02	·21	–	–	–	·79	·02	–	–	1·10	·05	15
16	·01	–	·02	–	–	–	–	–	·03	–	–	–	16
17	–	·50	·19	–	–	–	–	–	·07	–	–	·25	17
18	–	·06	·24	–	–	–	–	–	–	–	–	·54	18
19	–	·09	·28	–	–	–	·22	–	–	–	0·20	·31	19
20	–	·35	·48	–	–	·02	·02	–	0·06	–	–	·09	20
21	–	·76	·07	–	–	–	–	·07	–	·02	–	·03	21
22	–	5·17 ·06	–	·01	·15	·04	·18	·02	–	·18	–	·02	22
23	–	–	4·42 ·18	0·01	·04	·05	·01	–	–	·03	–	–	23
24	·01	–	·10	–	–	–	~~·04~~	–	–	–	·10	–	24
25	–	–	·26	–	–	–	·01	·11	–	·39	·02	·05	25
26	–	–	·09	–	–	–	·18	·10	–	·04	·26	·83	26
27	·02	–	–	–	–	–	–	0·02	–	–	·05	·46	27
28	–	–	–	–	–	–	–	–	–	·11	·47	·79	28
29	·09	}	·05	–	–	–	–	–	–	·51	·33	·01	29
30	–		0·11	–	–	–	–	–	–	0·07	0·90	·50	30
31	0·04		–	}	0·15	}	0·02	–	}	–	}	0·06	31
Total	0·74	5·23	5·21	1·06	1·13	0·93	2·54	1·67	0·96	1·70	4·51	10·01	YEAR'S TOTAL 35·69
Rain Days.	12	16	26	10	10	11	16	12	8	9	19	28 25	175 174

W. 7,500, XI. ·13

123

FORM A.
BRITISH RAINFALL.

9 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Burgh Heath

in the County of Surrey

by Captain G. R. Taylor

4

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Kingswood

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 571 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·75	0·21	0·03	–	0·03	–	–	–	0·14	–	0·26	0·56	1
2	·40	·31	·25	0·12	–	–	–	0·90	·02	0·06	–	·10	2
3	·44	·01	·09	·14	·01	–	–	·31	·08	–	–	·50	3
4	·10	–	–	–	–	–	–	–	–	–	–	·32	4
5	·03	·70	–	–	–	–	–	·03	–	·04	–	·37	5
6	·52	·07	·03	·59	–	–	0·65	·10	–	–	–	·15	6
7	·49	0·56	·03	–	–	–	·32	·02	–	–	–	·30	7
8	·06	1·10	–	·03	·01	–	·02	·23	–	–	–	–	8
9	–	·10	–	·17	–	0·06	–	·03	–	·01	·35	·59	9
10	·22	–	–	–	–	–	–	–	–	–	–	·22	10
11	·01	–	·03	–	–	–	–	–	–	–	·75	·06	11
12	·05	·10	–	·45	0·40	–	–	·03	–	·02	·60	–	12
13	–	·70	–	–	1·26	–	–	–	·01	–	–	·02	13
14	·02	·05	–	–	–	–	·05	·05	·02	–	–	·50	14
15	·15	–	–	–	0·03	–	·02	·16	–	–	·15	·31	15
16	–	·70	–	–	·02	–	·90	·01	–	–	–	·15	16
17	–	·65	–	–	·94	–	·02	–	–	–	–	–	17
18	–	·40	·03	–	·20	–	–	–	–	–	·03	–	18
19	–	·30	–	–	·02	–	·05	–	–	·01	–	–	19
20	·26	–	·01	·01	0·01	–	–	–	–	–	–	·25	20
21	·27	·01	–	–	–	–	·03	–	–	·01	–	·03	21
22	·45	·06	·06	·01	–	–	·93	–	–	–	–	·16	22
23	·02	·03	·03	–	–	·01	·36	–	·07	·37	–	·32	23
24	·01	–	·02	·01	–	–	–	–	0·44	·26	–	·46	24
25	–	–	0·02	0·11	–	–	·29	–	–	–	–	·35	25
26	–	·10	–	–	–	·19	·06	–	–	–	–	·62	26
27	–	·04	–	–	–	·29	·09	–	–	·32	·01	·15	27
28	–	0·05	–	–	–	·25	–	–	1·79	·20	·01	·01	28
29	–		–	–	–	–	·70	·04	0·01	–	·36	–	29
30	·02	}	–	–	–	0·20	–	–	–	0·12	0·60	·04	30
31	0·05		–	}	–	}	0·01	0·10	}	1·35	}	0·35	31
Total	4·32	6·25	0·63	1·64	2·93	1·00	4·50	2·01	2·58	2·77	3·12	6·89	YEAR'S TOTAL 38·64
Rain Days.	20	21	12	10	11	6	16	13	9	12	10	25	165

W.7,000, XI. 13

ExdC78

114

FORM A.
BRITISH RAINFALL.

4 Jan 1917

REGISTER OF RAINFALL IN 1916

Kept at Burgh Heath

in the County of Surrey

by Captain E. R. Taylor

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Kingswood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 571 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.22	–	0.03	–	.0.42	–	–	–	0.29	0.01	0.24	–	1
2	.31	0.22	.13	–	.25	–	0.01	–	.09	.40	.05	–	2
3	.01	.90	.35	–	–	–	.01	–	.27	.36	.80	–	3
4	0 .25	.22	.01	0.04	–	0.36	–	–	.18	–	.55	–	4
5	–	.01	–	.02	.19	.15	–	–	–	.03	.86	–	5
6	.01	.21	.12	.20	.02	.09	.50	–	.01	.15	0.95	–	6
7	.03	–	.80	–	.30	.14	.40	–	–	.01	1.34	.07	7
8	–	–	–	–	.31	.01	–	–	–	–	–	.47	8
9	.01	–	.01	–	.36	–	.01	–	–	.03	–	.07	9
10	–	.21	.15	.07	–	.24	.11	–	–	–	–	.16	10
11	.02	.15	.02	.20	–	.21	–	–	–	–	–	.05	11
12	.03	.03	.02	.05	.58	.23	.02	–	.01	.10	–	–	12
13	.01	.24	.37	.07	.02	.05	.03	0.01	.02	.09	–	–	13
14	–	.57	.03	–	.09	–	–	–	–	.01	–	.02	14
15	–	.10	.26	–	–	–	–	.48	–	.01	–	–	15
16	–	–	.27	.16	–	–	.16	.40	–	–	–	–	16
17	.20	.15	–	.08	–	–	.02	.17	.40	.66	–	–	17
18	.02	.10	.02	.10	–	–	–	.38	.17	.62	.77*	–	18
19	.13	–	.26	.35	–	.02	–	–	.15	–	.66	.04	19
20	.12	–	.15	.02	–	–	–	–	–	–	.03	.70	20
21	.02	–	.42	.03	–	–	.22	–	–	–	–	.37	21
22	.01	–	.10	–	–	–	–	–	–	.01	–	.54	22
23	.03	.10	.05	–	–	.01	–	.01	–	.06	.12	.09	23
24	–	.24	–	–	0.03	.06	–	.01	–	.27	11 .84	.30	24
25	–	.63*	.19	–	–	–	–	.28	–	.09	0.04	–	25
26	–	.24	.02	–	–	.13	–	.02	–	.25	–	–	26
27	.02	.01	.95	–	–	.15	–	.29	.14	.82 5.98	–	–	27
28	–	.45	0.21	–	–	.02	–	.02	.03	.01	–	.13	28
29	–	.12	–	–	–	.22	–	.70	0.04	.40	–	.22	29
30	–		–	–	–	0.01	–	.12	–	.44	–	–	30
31	–		–		–		–	0.03		0.09		0.03	31
Total	1.40	4.90	4.94	1.39	2.52	2.10	1.49	2.92	1.80	4.92	6.52	3.26	YEAR'S TOTAL 38.21
Rain Days.	18	20	24	13	11	17	11	14	13	23	13	15	192

W. 8,000. X. 15.

Ose Sh

110A

FORM A.
BRITISH RAINFALL.

JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Burgh Heath
in the County of Surrey
by Captain E. R. Taylor

Lat. 51° 18′ N Long. 0° 12′ W
Time of Observation 9 am
Nearest Railway Station Kingswood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 571 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0·02	0·10	–	–	–	1·80	0·10	–	0·10	–	1
2	–	–	–	·70	–	0·01	–	0·17	–	–	·25	–	2
3	0·01	0·03	–	·08	–	–	0·27	·49	–	0·15	·03	–	3
4	–	·04	·02	–	–	–	·18	·20	–	·38	–	–	4
5	·26	–	·04	·14	–	–	–	–	·60	·25	·15	–	5
6	–	–	·06	·04	–	·10	–	–	·35	·02	·06	–	6
7	·30	–	–	–	–	–	·25	–	·02	·37	–	·04	7
8	·14	–	–	·04	–	–	·78	·17	·03	·25	·25	·22	8
9	–	–	·03	·07	–	–	·16	·10	·04	·01	·05	·55	9
10	·06	·01	·21	·10	–	·02	–	·05	–	–	·05	·10	10
11	·15	–	·40	·20	–	–	–	·03	·25	·25	–	–	11
12	·05	·01	·02	·03	–	–	–	·03	–	·45	–	–	12
13	·08	–	·08	·02	–	–	–	·03	·03	·30	–	·01	13
14	–	–	·02	·13	–	–	–	·13	–	–	·01	–	14
15	·01	–	–	–	–	–	·01	·10	–	·03	–	·05	15
16	·03	·17	–	·21	0·04	–	·01	–	–	·50	–	·80	16
17	–	·01	–	·11	·65	–	·25	·15	·50	·20	–	·01	17
18	·02	·02	–	·12	·02	–	·26	·01	·25	·06	–	–	18
19	–	·10	·02	–	–	–	–	–	·10	–	–	–	19
20	·03	·15	·03	–	·76	·02	·34	–	·01	–	·07	–	20
21	–	–	·02	0·01	·01	–	–	–	–	–	·07	·03	21
22	–	–	·02	–	–	–	–	·11	–	·10	·01	–	22
23	–	·15	·01	–	·16	·05	–	·15	–	·05	–	·04	23
24	–	·06	–	–	–	·13	·04	–	–	·15	–	·06	24
25	–	·05	·02	–	–	–	–	–	–	–	·03	–	25
26	–	–	·02	–	–	–	–	0·38	·04	·05	·65	–	26
27	–	–	–	–	–	0·02	–	1·17	–	–	–	·02	27
28	–	0·01	–	–	–	1·12	–	0·10	–	–	–	·03	28
29	–	×	·02	–	0·03	0·22	0·54	·05	–	·55	–	1·96 ·15	29
30	·01*	×	·07	–	–		2·20	·10	–	·02	0·01	·01	30
31	0·02*	×	0·11	×	–	×	0·57	0·03	×	0·02	×	0·05	31
Total	1·17	0.81	1·24	2·10	1·67	1·69	5·86	5·55	2·32	4·16	1·79	2·17	YEAR'S TOTAL 30·53
Rain Days.	14	13	20	16	7	9	14	22	13	21	15	16	180

W. 8,000. X. 15.

5.77

Exc 8-8

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2. 1. 19

Kept at Burgh Heath
in the County of Surrey
by Captain [illegible] Taylor

Lat. Long.
Time of Observation 9 a.m. local time
Nearest Railway Station Kingswood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 571 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·01	–	0·01	–	–	–	0·01	–	–	0·27	0·07	1
2	·02	·03	–	·04	–	–	–	·21	0·01	0·01	·18	·16	2
3	–	·01	0·10	·04	0·36	–	–	·01	–	–	·55	·01	3
4	–	·30	·15	·01	–	–	–	·02	·24	–	·89	·02	4
5	–	·06	–	–	·12	–	–	·14	·41	·06	–	·01	5
6	·20	·12	–	·27	·22	–	–	·04	·03	·03	–	·08	6
7	·02	·10	–	·26	·29	0·02	–	·01	·21	·05	·12	–	7
8	·01	·10	–	–	–	–	–	–	·03	·05	·12	·10	8
9	·01	·01	–	·05	–	·17	0·35	–	·60	·15	·01	·50	9
10	–	–	–	·13	–	–	·35	–	·06	·03	·01	·43	10
11	·03	–	–	·01	·01	–	·66	–	·01	·24	·11	·10	11
12	–	·05	–	–	·23	–	·09	–	·08	–	–	·01	12
13	·08	–	–	·01	·10	–	·05	–	·11	–	–	–	13
14	0·16	–	·02	–	–	·31	·07	–	·09	·20	–	·24	14
15	1·30	–	–	·86	–	·16	0·66	–	·04	–	–	·19	15
16	0·36	–	·01	·25	–	·18	–	–	·16	–	–	·01	16
17	·30	–	–	·10	–	–	1·26	·06	–	–	·01	·19	17
18	·57	–	–	–	–	·27	0·10	–	·57	·23	–	·04	18
19	·12	–	·07	·13	·02	·06	·14	–	–	·13	–	·01	19
20	·05	·15	–	·62	–	·03	·15	–	·38	·35	·01	–	20
21	·16	·01	–	·68	–	–	·11	–	·04	·05	–	·01	21
22	·08	–	–	–	·47	–	·31	–	·17	–	·01	·20	22
23	·05	–	–	–	0·08	·03	·57	·06	·06	–	–	·03	23
24	–	·30	–	–	–	0·05	·13	–	·15	·01	·05	–	24
25	–	–	–	·07	–	–	·31	·24	–	·02	·01	–	25
26	–	–	–	–	–	–	·70	–	–	·01	·17	·15	26
27	–	·05	·02	·18	–	–	0·08	·19	·11	–	·11	·02	27
28	·01	0·05	·26	·07	–	–	–	·03	–	–	·23	·09	28
29	–		–	0·01	–	–	–	–	1·03	–	·01	–	29
30	0·01	✗	·46	–	–	–	–	–	0·08	·03	0·01	0·14	30
31	–	✗	0·08	✗	–	✗	–	–	✗	0·08	✗	–	31
Total	3·55	1·35	1·17	3·80	1·90	1·28	6·09	1·02	4·67	1·73	2·88	2·81	YEAR'S TOTAL 32·25
Rain Days.	20	15	9	20	10	10	18	12	23	18	19	24	198

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.
3 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Burgh Heath
in the County of Surrey
by Captain E. R. Taylor

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Kingswood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 571 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·47	0·15	–	–	0·04	–	0·08	–	–	0·01	0·09	0·98	1
2	·26	–	0·02	–	·02	–	·05	–	0·11	·08	·11	·19	2
3	·33	–	·55	–	·01	–	·02	0·02	·03	–	·05	·38	3
4	·13	·04	·40	–	–	0·07	·23	–	·01	–	–	·16	4
5	–	·35	·76	–	–	–	–	–	·03	–	·04	·30	5
6	·09	–	·05	–	–	–	–	–	–	–	–	·06	6
7	·06	–	·44	–	–	–	–	–	–	–	·06	–	7
8	·34	–	·09	0·01	–	–	–	–	–	–	–	–	8
9	·29	–	·02	·03	·01	–	–	–	–	–	·07	–	9
10	·36	–	·08	–	–	–	–	–	–	·01	–	–	10
11	·06	–	·13	·33	·03	–	·28	–	–	–	–	·10	11
12	·08	–	·02	0 ·24	–	·01	·07	–	–	·06	·05	–	12
13	·03	–	–	·65	–	–	–	–	·03	·05	–	·05	13
14	·49	–	–	39 ·85	–	–	·11	–	·77	–	–	·06	14
15	·24	–	·22	·08 ·19	–	–	–	–	–	–	–	·57	15
16	·15	–	–	–	–	–	–	–	–	–	·10	·01	16
17	–	·57	–	·02	–	–	–	–	–	–	·17	·01	17
18	–	·12	·07	–	–	–	–	·01	·03	–	·06	·03	18
19	·04	·39	·69	–	–	·23	·50	·14	·03	–	·06	·01	19
20	·31	·20	·14	–	–	·63	·21	·18	·01	–	–	·03	20
21	·15	·17	–	–	–	·07	·08	–	–	–	·02	·01	21
22	–	·50	·01	–	–	–	·23	–	·41	–	·01	·32	22
23	–	·05	–	–	–	·03	–	·05	·10	–	·02	·04	23
24	–	–	–	·30	–	·02	·15	·01	–	·17	·07	·01	24
25	·01	–	–	·01	–	–	–	·28	–	–	–	·04	25
26	·05	–	·09	0·02	–	–	·05	·02	·15	–	–	·41	26
27	·26	·20	·02	1·71	–	–	–	·38	–	–	·10	·03	27
28	·10	0·02	·27	0·01	–	–	·04	·87	–	–	·30	·35	28
29	0·06	╳	–	·03	–	–	–	·59	–	·34	·03	·08	29
30	–	╳	–	0·25	–	0·17	–	0·33	–	0·08	0·26	·78	30
31	–	╳	0·09	╳	–	╳	0·08	–	╳	–	╳	0·05	31
Total	4·36	2·76	4·16	3·88	0·11	1·17	2·18	2·88	1·71	0·80	1·67	5·06	YEAR'S TOTAL 30·74
Rain Days.	23	12	20	15	5	8	15	12	12	8	19	26	175

W. 8,000, IX. 17.

100

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1920

Kept at Cun Hatch, Burgh Heath

in the County of Surrey

by Captain E. M. Taylor

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
„ „ „ Sea Level 571 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Kingswood
Distance 1 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·07	–	–	0·33	0·06	–	0·45	0·01	0·01	0·29	–	0·33	1
2	·01	–	0·13	–	·03	–	0·02	·28	·14	·02	–	·12	2
3	–	0·04	–	·02	·02	0·02	–	–	·01	·11	–	·12	3
4	–	·10	–	·20	–	–	1·12	·12	–	·19	–	·03	4
5	–	·01	·12	–	·02	–	0·64	·07	–	–	–	·03	5
6	–	–	·59	–	·09	–	·33	–	–	–	–	·04	6
7	·03	–	–	·22	·11	–	·34	–	–	·01	–	–	7
8	–	·01	–	·12	·24	–	·13	–	–	–	–	–	8
9	·25	·02	–	·03	–	–	·01	·02	–	–	–	–	9
10	·55	·06	·09	·03	–	·13	·20	–	–	–	0·03	–	10
11	·22	–	·07	·18	–	0·02	·31	·11	–	–	–	·24	11
12	·07	·01	·02	·23	–	1·02	–	–	–	–	·02	–	12
13	·21	–	·19	·09	–	–	–	–	–	–	·04	–	13
14	–	·03	·30	·36	–	0·18	–	–	0·09	·05	·22	·02	14
15	·02	–	·09	·30	–	–	–	–	1·15	·06	·14	·02	15
16	–	·02	·01	·15	–	·01	–	–	·12	–	–	–	16
17	·01	–	–	–	·11	–	·01	–	·39	–	–	·09	17
18	·04	–	·02	·03	·02	–	–	1·07	·11	–	–	·10	18
19	·15	–	–	·25	–	·04	–	–	–	–	–	·03	19
20	·06	·33	–	·34	–	·55	–	–	·11	–	–	·02	20
21	–	–	–	·02	–	–	·61	·01	·58	–	–	·10	21
22	·01	–	–	·44	–	–	–	–	·36	–	–	·37	22
23	·01	–	–	–	–	–	·40	0·02	–	–	–	·35	23
24	–	·03	·08	–	–	–	–	–	·01	–	–	·03	24
25	–	–	–	–	–	–	·31	–	·05	–	–	–	25
26	·11	–	·38	·02	–	·02	·06	–	–	–	·02	·05	26
27	·46	0·10	·04	·23	–	·13	·03	–	–	–	·84	·21	27
28	·47	–	·09	·10	·05	–	·08	–	–	–	·11	·03	28
29	·67	–	·11	·03	–	–	–	–	–	–	·16	·25	29
30	·03		–	0·04	·02	0·02	0·10	–	0·33	–	0·34	·20	30
31	0·01		–		0·02		–	–		0·38		2·78 0·17	31
Total	3·46	0·76	2·33	3·76	0·79	2·14	5·15	1·71	3·46	1·11	1·92	2·95	TOTAL for year 29·54
No. of Rain Days	21	12	16	23	12	11	18	9	14	8	10	23	177
	13	5	13	16	6	6	14	5	11	6	7	15	117

7,000. X. '09.

FORM A2.
BRITISH RAINFALL.

21 MAR 1912

REGISTER OF RAINFALL IN 1911

BURGH HEATH
RESERVOIR

SURREY
1911 - 1920

Kept at BURGH HEATH
in the County of S U
by

…i & Zambra
…5 in.
Ground 1 ft. 0 in.
Sea Level 570 ft.
a.m.
…ame Kingswood.
…istance 1.12 Ms. Direction S.E.

IMPORTANT NOT… the result entered to the previous day. If an C… ersal rule, he is earnestly requested to add the rea… r in the space provided for it at the end of th… ent of rain, the selection and placi… ish Rainfall Organization are given in… pplication to Dr. H. R. Mill, 62, Car…

Jan. 1, following.

Date.	Jan.	Feb.	March							Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1	.10			[illegible]			.07				.06	.05	1
2				.11	.33			.08			.24	.19	2
3		.09		.20	.17			.02			.08	.07	3
4	.04		.08	.11					.03	.08	.31	.36	4
5	.07									.25	.07	.14	5
6	.46		.25									.49	6
7	.05									.09	.48	.29	7
8	.11		.19								.33	.42	8
9	.20			.04							.07	.12	9
10		.15	.16	.05								.89	10
11	.36				.44						.87		11
12	.03		.53						.06		.13		12
13			.11		.37				.14	.21		.31	13
14		.09			.32							.64	14
15		.07	.15								.08		15
16		.04				.63					.63	.16	16
17	.03		.04			.05					.38	.27	17
18		.18	.09			.07					.63	.46	18
19					.07	.32			.39	.26	.21	.20	19
20		.02	.06					.07	.29	.09		.73	20
21	.06	.09						.25		.81		.16	21
22	.07		.23			.13				.12		.49	22
23		.19	.04			1.03			.21			.17	23
24		.13				.07	.07	.06		1.53		.22	24
25	.04			.06		.11		.09		.12			25
26			.15	.22	.84	.22	.14		.04	.34		.27	26
27		.31	.13	.06				.07	.15	.04	.21	.13	27
28		.15		.26				.11			.04		28
29	.07			.36		.16	.27		.11	.24			29
30				.09				.43		.27	.05		30
31					1.90								31
Total	1.69	1.51	2.21	2.34	4.44	2.79	0.55	1.18	1.42	4.45	4.87	7.23	TOTAL for year 34.68
No. of Rain Days	14	12	14	12	8	10	4	9	9	14	18	23	147

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

21 MAR 191

R[redacted]

✓

i & Zambra

Kept at BURGH HEATH RESERVOIR

in the County of SURREY 4

by

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 570 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Kingswood.
Distance 1.12 Ms. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10			.78			.07				.06	.05	1
2				.11	.33			.08			.24	.19	2
3		.09		.20	.17			.02			.08	.07	3
4	.04		.08	.11					.03	.08	.31	.36	4
5	.07									.25	.07	.14	5
6	.46		.25									.49	6
7	.05									.09	.48	.29	7
8	.11		.19								.33	.42	8
9	.20			.04							.07	.12	9
10		.15	.16	.05								.89	10
11	.36				.44						.87		11
12	.03		.53						.06		.13		12
13			.11		.37				.14	.21		.31	13
14		.09			.32							.64	14
15		.07	.15								.08		15
16		.04				.63					.63	.16	16
17	.03		.04			.05					.38	.27	17
18		.18	.09			.07					.63	.46	18
19					.07	.32			.39	.26	.21	.20	19
20		.02	.06					.07	.29	.09		.73	20
21	.06	.09						.25		.81		.16	21
22	.07		.23			.13				.12		.49	22
23		.19	.04			1.03			.21			.17	23
24		.13				.07	.07	.06		1.53		.22	24
25	.04			.06		.11		.09		.12			25
26			.15	.22	.84	.22	.14		.04	.34		.27	26
27		.31	.13	.06				.07	.15	.04	.21	.13	27
28		.15		.26				.11			.04		28
29	.07			.36		.16	.27		.11	.24			29
30				.09				.43		.27	.05		30
31					1.90								31
Total	1.69	1.51	2.21	2.34	4.44	2.79	0.55	1.18	1.42	4.45	4.87	7.23	TOTAL for year 34.68
No. of Rain Days	14	12	14	12	8	10	4	9	9	14	18	23	147

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

17 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Burgh Heath Reservoir

in the County of Surrey 4

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Kingswood

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.25			.11	.32		.23	.65		.27	1
2			.43	.07			.36	.11	.10	.21			2
3			.12			.17	.06	.31				.09	3
4	.25	.27	.75		.11	.35		.10			.26		4
5	.18	.27	.12					.51			.08	.07	5
6	.45	.11						.15				.20	6
7		.09			.14	.65		.41				.07	7
8	.35	.72	.37			.05		.53					8
9		.11		.09		.21	.06					.14	9
10		.11						.40				.25	10
11		.37										.35	11
12	.09		.06		.12	.23		.04			.08		12
13	.07	.13							.07		.09		13
14			.07					.21		.18	.07		14
15	.05		.11		.34	.68					.17	.32	15
16			.13			.10		.13					16
17	.29		.41		.07	.04		.11				.17	17
18	.31		.25					.18		.08		.11	18
19	.07		.19				.09	.69					19
20	.13	.13	.57			.06		.10		.40	.03		20
21	.09	.07	.37		.04			.11		.13	.10		21
22	.21	.37	.08		.06			.19					22
23	.38	.41	.33			.15		.47		.07	.28	.20	23
24	.34							.28				.15	24
25	.38					.36		.68			.19	.58	25
26		.07						.48		.35	.47	.32	26
27						.07				.22		.15	27
28		.19				.08	.18	.17	.15	.57	.55	.22	28
29		.12		.11		.03	.35	.19	1.69	.12	.17		29
30					.50		.03	.04	1.87	.23			30
31			.13				.20	.18					31
Total	3.64	3.54	4.74	.27	1.38	3.34	1.65	6.77	4.11	3,21	2.54	3.66	YEAR'S TOTAL 38.85
Rain Days.	16	16	18	3	8	16	9	25	6	12	13	17	159

W. 7,500, XI. 12

Exd

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
31 MAR 1914

Kept at BURGH HEATH RESERVOIR

in the County of SURREY 4

by

Lat. .... Long. ....

Time of Observation 9. a.m.

Nearest Railway Station Kingswood.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.27	.08	.13					.48		.15	.13	1
2		.13					.16			.33	.10		2
3	.06		.09	.38	.42							.13	3
4	.46		.07	.04	.31		.05			.46	.10	.04	4
5	.44					.06	.16		.43		.05	.06	5
6	.07	.13	.08		.04	.16	.32			.21	.18		6
7		.30	.10		.09	.04				.57	.13		7
8		.03			.24	.07		.75				.07	8
9		.15		.04	.06	.06			.12	.07	.04		9
10			.07	.21			.20				.42		10
11	.60			.40						.57	.36		11
12					.21			.02			.50		12
13	.23		.13					.04	.14		.23		13
14	.32		.20	.07			1.67	.12		.15	.09	.07	14
15	.33	.13	.19	.37			.34		.28				15
16	.27		.37	.16					.38				16
17			.04				.26						17
18	.03		.17	.10									18
19	.39		.14				.16		.27		.63		19
20	.24		.40	.10		.04				.55	.04		20
21	.03		.14	.13			.07				.88		21
22	.33		.20	.07				.11	.19	.27		.08	22
23							.06	.40				.44	23
24	.07			.11		.12					.04		24
25				.36									25
26			.17	.11						.78		.20	26
27			.06	.17	.34			.11		.15			27
28	.27		.41	.07									28
29	.11			.39	.45			.27		.08	.06		29
30	.42			.06				.48		.36			30
31			.16					.88		.04			31
Total	4.67	1.14	3.27	3.47	2.16	0.55	3.45	3.18	2.29	4.59	4.00	1.22	YEAR'S TOTAL 33.99
Rain Days.	18	7	20	20	9	7	11	10	8	14	17	9	150

W.7,000, XI. 13

Ex Al

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
20 FEB 1915

Kept at BURGH HEATH RESERVOIR

in the County of SURREY 4

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Kingswood S.E.Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.	.	.	.	.	.37	.	.	.	.	1
2	.	.	.	.	.	.04	.19	.10	.	.	.41	.29	2
3	.	.	.23	.	.20	.	.09	.06	.	.	.	.	3
4	.05	.03	.04	.20	.	.	.	.20	.	.	.22	.29	4
5	.13	.	.09	.24	.33	.12	.21	.39	.	.	.07	.	5
6	.	.19	.	.13	.04	.26	.	.03	.	.	.14	.23	6
7	.	.76	.28	.18	.15	.28	.16	.09	.	.	.	.15	7
8	.24	.59	.35	.	.03	.08	.04	.21	.	.	.	.	8
9	.23	.	.65	.	.13	.11	.	.	.23	.	.	1.97	9
10	.	.11	.	.	.17	.12	.	.	.25	.	.	.03	10
11	.	.74	.45	.	.	.	.	.	.03	.	.03	.24	11
12	.	.09	.13	.	.	.	.39	.	.25	.	.	.77	12
13	.	.44	.23	.	.	.	.	.	.	.	.12	.87	13
14	.	.19	.22	.	.	.09	.04	.	.	.39	.	.66	14
15	.05	.	.24	.	.	.	.89	.04	.	.	1.01	.05	15
16	.07	.	.	.	.	.	.	.	.07	.	.	.	16
17	.	.47	.19	.	.	.	.	.	.11	.	.	.23	17
18	.	.06	.22	.	.	.	.	.	.	.	.	.44	18
19	.	.10	.23	.	.	.	.20	.	.08	.	.20	.31	19
20	.	.32	.68	.	.	.	.04	.	.	.	.	.09	20
21	.	.71	.08	.	.	.04	.	.08	.	.07	.	.06	21
22	.	.04	.	.07	.28	.06	.	.04	.	.18	.	.	22
23	.13	.	.16	.08	.06	.07	.19	.	.	.04	.	.	23
24	.	.05	.10	.	.07	.	.	.	.	.	.10	.	24
25	.	.	.27	.	.	.	.06	.16	.	.40	.04	.15	25
26	.	.	.12	.	.	.	.26	.09	.	.07	.25	.66	26
27	.	.	.	.	.	.	.	.	.	.12	.06	.44	27
28	.07	.07	.	.	.	.	.	.	.	.51	.42	.61	28
29	.15	.	.04	.	.	.	.	.	.	.09	.37	.	29
30	.		.13	.	.	.	.	.	.	.	.57	.46	30
31	.		.		.18		.03	.		.		.06	31
Total	1.12	4.96	5.13	0.90	1.64	1.27	2.79	1.86	1.02	1.87	4.01	9.06	YEAR'S TOTAL 35.63
Rain Days.	9	17	22	6	11	11	14	13	7	9	15	22	156

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

17 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Burgh Heath Reservoir
in the County of Surrey
by

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Kingswood. S.E. Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·68	·17	·11	—	·04	—	—	—	·15	·03	·23	·46	1
2	·42	·24	·22	·23	·05	—	—	·87	·03	·06	—	·09	2
3	·43	—	·08	·04	·04	·03	—	·30	·13	—	—	·39	3
4	·09	—	—	—	—	—	—	—	—	—	—	·28	4
5	·04	·64	—	—	—	—	—	·04	—	·11	—	·35	5
6	·48	—	·06	·50	—	—	·77	·09	—	—	—	·14	6
7	·47	·50	—	—	—	—	·27	·03	—	—	·05	·26	7
8	·06	·93	·06	·07	—	—	·07	·24	—	—	—	—	8
9	·11	·07	—	·22	—	·05	—	·03	—	—	·33	·51	9
10	·21	—	—	—	—	—	—	—	—	—	—	·21	10
11	·03	—	·04	—	—	—	—	—	—	·03	·70	·07	11
12	·06	·11	—	·41	·37	—	—	·11	—	·04	·53	·02	12
13	—	·65	—	—	1·20	—	—	—	·02	·02	—	—	13
14	—	·04	—	—	—	—	·08	·06	·05	—	—	·38	14
15	·14	—	—	—	·04	—	·03	·18	—	—	·23	·14	15
16	—	·61	—	·09	·25	—	·88	·03	—	—	·07	·15	16
17	—	·46	—	—	·75	—	—	—	—	—	—	—	17
18	—	·28	·15	—	·18	—	—	—	—	—	·06	—	18
19	—	·31	—	—	—	—	·08	—	—	—	—	—	19
20	·28	—	—	·08	—	—	—	—	—	—	—	·23	20
21	·19	—	—	—	—	—	·08	—	—	·03	—	·06	21
22	—	·08	·09	·06	—	—	·77	—	—	—	—	·13	22
23	·84	·14	·06	—	—	·06	·35	—	~~·04~~	·38	—	·32	23
24	·33	—	·04	—	—	·03	—	—	·44	·25	—	·41	24
25	—	—	·04	·11	—	—	·22	—	—	—	—	·37	25
26	—	·09	—	—	—	·10	·15	—	—	·29	—	·69	26
27	—	—	—	—	—	·33	·03	—	—	—	—	—	27
28	—	—	—	—	—	·22	—	—	2·02	·20	·03	—	28
29	—		—	—	—	—	·54	·12	—	·04	·34	—	29
30	—	×	—	—	—	·13	—	·09	—	·15	·61	·06	30
31	·07	×	—	×	—	×	—	—	×	1·24	×	·30	31
Total	4·93	5·32	·95	1·81	2·92	·95	4·32	2·19	2·88	2·87	3·18	6·02	YEAR'S TOTAL 38·34
Rain Days.	18	16	11	10	9	8	14	13	8	14	11	23	155

W. 8,000. X. 15.

End C+E

115

FORM A.
BRITISH RAINFALL.
29. MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at BURGH HEATH RESERVOIR

in the County of SURREY

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Kingswood S.E.Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.16		.07		.42				.30	.02	.22		1
2	.29	.20	.11		.25		.12		.23	.38	.05		2
3		.73	.38				.04		.11	.37	.77		3
4	.16	.13		.05		.36			.18	.02	.50	.02	4
5		.04	.14	.03	.18	.15				.07	.73		5
6		.18	.36	.19	.03	.09	.46			.13	.86		6
7	.06		.64		.30	.16	.42				1.17	.07	7
8			.34		.29	.03						.49	8
9			.04		.32					.07		.06	9
10		.22	.12	.08		.30	.10					.19	10
11	.07	.14	.14	.22		.18						.08	11
12	.05	.05	.04	.05	.53	.24	.03	.04	.02	.10			12
13		.21	.36	.07		.09		.04		.09	.02		13
14		.45			.09		.02					.05	14
15		.08	.36					.73		.03			15
16	.03	.04	.27	.14			.24	.11					16
17	.15	.15	.29	.08			.03	.48	.40	.63			17
18		.06	.04	.08				.46	.19	.62	.53	.10	18
19	.10		.21	.33		.03			.14		.81	.06	19
20	.11		.16	.03							.06	.69	20
21	.04		.42	.04			.22					.37	21
22			.08									.49	22
23	.05	.81	.06					.03		.07	.09	.09	23
24	.03	.45			.07	.08		.04		.27	.10	.30	24
25		.74	.16					.32		.05	.07	.07	25
26	.04	.17	.04			.14		.06		.28			26
27	.03	.15	.82			.13		.35	.15	.75		.03	27
28		.40	.21			.04		.04	.08		.03	.10	28
29		.12				.21		.76	.06	.41		.19	29
30		×						.11		.42			30
31		×		×		×		.02	×	.14	×	.06	31
Total	1.37 ✓	5.52 ✓	5.86 ✓	1.39 ✓	2.48 ✓	2.23 ✓	1.68	3.59 ✓	1.86 ✓	4.92 ✓	6.01 ✓	3.51 ✓	YEAR'S TOTAL ✓ 40.42
Rain Days.	15 ✓	21 ✓	25 ✓	13 ✓	10 ✓	15 ✓	10 ✓	15 ✓	11 ✓	20 ✓	15 ✓	19 ✓	189 ✓

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
27. FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Burgh Heath Reservoir
in the County of Surrey
by W Aunhahans

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Kingswood S. E. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·04	·16	—	—	—	1·87	·07	—	·08	—	1
2	—	—	—	·66	—	·05	—	·15	—	—	·20	—	2
3	·03	—	—	·19	—	—	·30	·49	—	·24	·02	—	3
4	—	·11	·14	—	—	—	·18	·23	—	·27	—	—	4
5	·23	—	·06	·43	—	—	—	—	·79	·24	·12	—	5
6	—	—	—	·04	—	·10	—	—	·40	·03	·06	—	6
7	·28	—	—	·06	—	—	·15	—	—	·39	—	—	7
8	·11	—	·18	—	—	—	·88	·14	·05	·25	·21	·23	8
9	—	—	—	·16	·01	—	·28	·11	·04	·02	·04	·44	9
10	·27	—	·18	·15	—	·04	—	·05	—	—	·04	·03	10
11	·13	·06	·35	·25	—	—	—	·02	·24	·22	—	—	11
12	·09	—	·05	·06	—	—	—	·05	—	·44	·02	·02	12
13	—	—	·10	·04	—	—	—	·05	·02	·26	—	—	13
14	·03	—	—	·11	—	—	—	·10	—	—	—	—	14
15	·08	—	—	—	—	—	·05	·11	—	·03	—	·05	15
16	·08	·15	—	·18	·09	—	·06	—	—	·42	—	·29	16
17	·04	—	—	·10	·62	—	·25	·03	·44	·18	—	—	17
18	·08	·03	—	·12	·04	·03	·28	·10	·22	·10	—	·15	18
19	—	·08	·04	—	—	·04	—	—	·10	—	—	—	19
20	—	·07	·05	—	·73	—	·37	—	—	—	·09	—	20
21	—	—	·03	—	—	—	—	—	—	—	·06	·13	21
22	—	—	—	—	—	—	—	·14	—	·10	—	—	22
23	—	·13	—	—	·17	·06	—	·09	—	·06	—	—	23
24	—	—	—	—	—	·10	·08	—	—	·13	—	·11	24
25	—	·10	·07	—	—	·03	—	—	—	—	·04	—	25
26	—	—	·11	—	—	—	—	·29	·06	—	·55	—	26
27	—	—	—	—	—	—	—	1·08	—	—	—	·06	27
28	—	—	—	—	—	1·07	—	·09	—	—	—	—	28
29	—	—	·03	—	·04	·26	·59	·05	—	·52	—	·19	29
30	—	✕	·29	—	—	—	2·00	·09	—	·03	—	·02	30
31	·11	✕	·14	✕	—	✕	·45	·04	✕	·02	✕	·07	31
Total	1·56	0·73	1·86	2·71	1·70	1·78	5·92	5·37	2·43	3·95	1·53	1·79	YEAR'S TOTAL 31·33
Rain Days.	13	8	16	15	7	10	14	22	11	20	13	13	162

W. 8,000, VIII. 16

34

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

16 4 18

Kept at Burgh Heath Reservoir Banstead

in the County of Surrey

by

Lat. Long.

Time of Observation 9. am.

Nearest Railway Station Kingswood S.E. Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·02	–	–	–	·02	–	·02	·28	·09	1
2	–	·05	–	·07	–	–	–	·21	·02	–	·32	·14	2
3	–	–	–	·05	·37	–	–	·04	–	–	·43	·02	3
4	–	·25	·23	–	–	–	–	–	·22	–	·91	·04	4
5	–	·07	–	–	·15	–	–	·15	·42	·07	–	–	5
6	·21	·10	–	·25	·19	–	–	·03	·05	–	–	·10	6
7	–	·09	–	·26	·33	–	–	–	·20	·09	·07	·04	7
8	–	·10	–	–	–	–	–	–	·05	·08	·15	·07	8
9	·05	–	–	·10	–	·20	·33	–	·63	·12	–	·52	9
10	–	–	–	·17	–	–	·50	–	·06	·04	·03	·37	10
11	–	–	–	·02	–	–	·54	–	·02	·25	·13	·10	11
12	–	·04	–	–	·17	–	·09	–	·09	–	–	·02	12
13	–	–	–	–	–	–	·04	–	·11	–	–	–	13
14	·20	–	·03	–	·16	·33	·06	–	·12	·20	–	·26	14
15	1·21	–	–	·35	–	·12	·50	–	–	–	–	·13	15
16	·14	–	–	·68	–	·14	–	–	·20	–	–	–	16
17	·48	–	–	·11	–	–	1·11	·06	–	–	–	·17	17
18	·48	–	–	–	–	·28	·12	–	·68	·23	–	·05	18
19	·13	–	·10	·25	–	·09	·14	–	–	·13	–	·03	19
20	·02	·12	–	·39	–	·04	·15	–	·39	·37	–	–	20
21	·22	–	–	·83	–	–	·10	–	·30	·07	–	–	21
22	·07	–	–	–	·35	–	·18	–	·15	–	–	·19	22
23	·05	–	–	–	·09	–	·65	·07	·06	–	–	·04	23
24	–	·31	–	–	–	·08	·17	–	·14	–	·08	–	24
25	–	–	–	·08	–	–	·37	·25	–	·06	·02	–	25
26	–	–	–	–	–	–	·62	–	–	–	·18	·13	26
27	–	·04	–	·17	–	–	·14	·19	–	·03	·12	·03	27
28	–	·06	·24	·22	–	–	–	·03	–	–	·22	·09	28
29	–	–	–	·03	–	–	–	–	·97	–	·04	–	29
30	–	×	·45	–	–	–	–	–	·08	·04	–	·12	30
31	–	×	·08	×	–	×	–	–	×	·08	×	–	31
Total	3·26	1·23	1·13	4·05	1·81	1·28	5·81	1·05	4·96	1·88	2·98	2·75	YEAR'S TOTAL 32·19
Rain Days.	12	11	6	18	8	8	18	10	21	16	14	22	164

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Burgh Heath Reservoir Banstead
in the County of Surrey
by

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Kingswood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·	·	·	·05	·	·12	·	·	·03	·09	·93	1
2	·27	·	·05	·	·	·	·05	·	·11	·08	·12	·22	2
3	·32	·	·59	·	·03	·	·03	·	·04	·	·05	·31	3
4	·14	·13	·38	·	·	·07	·21	·03	·02	·	·03	·14	4
5	·	·38	·76	·	·	·	·	·	·	·	·02	·29	5
6	·10	·	·05	·	·	·	·	·	·	·	·03	·09	6
7	·05	·	·37	·	·	·	·	·	·	·	·06	·	7
8	·33	·	·06	·	·	·	·	·	·	·	·	·	8
9	·25	·	·04	·11	·	·	·	·	·	·	·06	·	9
10	·36	·	·05	·06	·	·	·	·	·	·03	·04	·06	10
11	·09	·	·10	·32	·04	·	·30	·	·	·	·	·04	11
12	·06	·	·	·05	·	·	·09	·	·	·07	·05	·	12
13	·03	·	·	·63	·	·	·	·	·06	·06	·	·11	13
14	·38	·	·	·30	·	·	·14	·	·82	·	·	·07	14
15	·24	·06	·19	·09	·	·	·	·	·	·	·	·55	15
16	·	·47	·	·	·	·	·	·	·	·	·11	·	16
17	·	·19	·	·	·	·	·	·	·	·	·	·	17
18	·	·55	·08	·	·	·	·	·	·03	·	·23	·	18
19	·05	·28	·66	·	·	·08	·47	·15	·	·	·	·06	19
20	·31	·10	·16	·	·	·88	·25	·17	·05	·	·04	·05	20
21	·16	·47	·03	·	·	·	·12	·	·	·	·02	·	21
22	·	·	·	·	·	·	·24	·	·38	·	·	·23	22
23	·	·04	·	·	·	·04	·	·	·13	·	·06	·	23
24	·	·	·	·28	·	·03	·17	·08	·	·17	·10	·	24
25	·	·	·	·	·	·	·	·28	·	·	·	·05	25
26	·09	·21	·09	·05	·	·	·04	·06	·14	·	·	·40	26
27	·29	·04	·03	·90	·	·	·	·40	·	·	·11	·	27
28	·09	·	·34	·31	·	·	·05	·91	·	·	·28	·36	28
29	·07	·	·08	·24	·	·	·	·64	·	·34	·	·06	29
30	·		·	·25	·	·10	·	·35	·	·09	·28	·66	30
31	·		·12		·		·08	·		·		·05	31
TOTAL	4·06	2·92	4·23	3·59	0·12	1·20	2·36	3·07	1·78	0·87	1·78	4·73	YEAR'S TOTAL 30·71
Days with ·01 in. or more	21	12	20	13	3	6	15	10	10	8	19	20	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

C X ML 101

9 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Burgh Heath Reservoir
in the County of Surrey
by

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Kingswood S. E. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·32	·06		·46			·33		·32	1
2			·12		·03		·07	·30	·16			·09	2
3		·06				·02				·14		·08	3
4				·20			·98	·14		·20			4
5							·62	·08				·05	5
6			·64		·11		·26					·04	6
7				·20	·11		·29			·02			7
8		·10		·10	·22		·22			·03			8
9	·22	·03		·03									9
10	·53	·05	·09			·12	·21				·12		10
11			·08	·21			·34	·07		·05	·05	·17	11
12				·22		·87					·03		12
13	·17		·19	·06									13
14		·04	·36	·30		·16			·09	·06	·26	·11	14
15	·09		·06	·20					·74	·06	·11		15
16				·13					·51				16
17					·10				·38			·12	17
18	·05			·03				1·03	·15				18
19	·13			·24								·10	19
20	·06	·31		·29		·51			·05			·03	20
21				·02			·59		·64			·10	21
22				·40					·30			·37	22
23							·42	·06				·33	23
24		·04	·07										24
25							·30		·06				25
26	·10	·03	·44	·03			·03					·08	26
27	·39	·09	·07	·22		·13	·09				·81	·21	27
28	·43		·08	·03	·06		·08				·10	·03	28
29	·54			·14							·13	·21	29
30	·03			·04	·03		·10		·34		·35	·18	30
31										·27		·14	31
TOTAL	2·80	·75	2·20	3·41	·72	1·81	5·06	1·68	3·42	1·16	1·96	2·76	YEAR'S TOTAL 27·73
Days with ·01 in. or more	13	9	11	21	8	6	16	6	11	9	9	19	138
Days with ·04 in. or more	12	7	11	16	6	5	15	6	11	7	8	17	121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

55

BURPHAM
MARLYNS HSE

SURREY
1911- 13

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

R 19 11

Kept at Marly
Bu
in the County of Su
by William H

p 5 in.
bove Ground ft. 6 in.
" Sea Level ft.
9.30
n { Name London Rd Guildford
Distance 1½ miles Direction

IMPORTANT NO and the result entered to the previous day. If an universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05			.33			.02	.05				.02	1
2	.11			.21	.25						.13	.09	2
3				[illegible]	.17			.04		.02	.07	.08	3
4	.02	.05	.05	.16						.04	.16	.48	4
5	.02			.05						.21	.08	[illegible]	5
6	.27		.14	.02							.03	.66	6
7	.05									.15	.33	.14	7
8	.13		.24								.10	.47	8
9	.16		.04	.02							.02	.23	9
10	.02		.09								.02	.87	10
11	.32	.15	.02								.75	.02	11
12		[illegible]	.54						.04		.18	.07	12
13	.03		.08		.10				.36	.05		.52	13
14		.07			.33							.60	14
15		.06	.06							.03	.03	.05	15
16			.01			.57					.41	.05	16
17			.03			.08					.52	.26	17
18		.15	.04			.05					.53	.47	18
19						.31			.33	.20	.12	.36	19
20	.02	.07	.03					.36		.03		.66	20
21		.06						.06		.61		.17	21
22	.11		.31			.07				.07		.55	22
23		.13	.02			.61			.15	.06	.04	.09	23
24		.13	.06			.05		.05		1.42		.29	24
25		.04		.03	.24	.10	.59	.09		.03			25
26		.03	.11	.18		.10	.04			.18	.03	.21	26
27		.31	.14	.08			.05		.10	.06	.02	.18	27
28		.12		.26				.17			.02		28
29				.48		.15	.16		.16	.24			29
30				.02	.03	.04		.16	.02	.28		.05	30
31					.06					.03			31
Total	1.31	1.37	2.01	1.84	1.18	2.13	.86	.98	1.16	3.71	3.59	7.64	TOTAL for year 27.78
No. of Rain Days.	13	13	18	12	7	11	5	8	7	18	20	26	158 days

W. 8,000, X. '11.

55

R 9 11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Marly Burpham near Guildford

in the County of Surrey

6

by William H Burbidge

RAIN GAUGE p 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level ft.

Time of Observation 9.30

Nearest Railway Station Name London Rd Guildford
Distance 1½ miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05			.33			.02	.05				.02	1
2	.11			.21	.25						.13	.09	2
3				.[illegible]	.17			.04		.02	.07	.08	3
4	.02	.05	.05	.16						.04	.16	.48	4
5	.02		.	.05						.21	.08	.[illegible]	5
6	.27		.14	.02							.03	.66	6
7	.05									.15	.33	.14	7
8	.13		.24								.10	.47	8
9	.16		.04	.02							.02	.23	9
10	.02		.09								.02	.87	10
11	.32	.15	.02								.75	.02	11
12		.[illegible]	.54						.04		.18	.07	12
13	.03		.08		.10				.36	.05		.52	13
14		.07			.33							.60	14
15		.06	.06							.03	.03	.05	15
16			.01			.57					.41	.05	16
17			.03			.08					.52	.26	17
18		.15	.04			.05					.53	.47	18
19						.31			.33	.20	.12	.36	19
20	.02	.07	.03					.36		.03		.66	20
21		.06						.06		.61		.17	21
22	.11		.31			.07				.07		.55	22
23		.13	.02			.61			.15	.06	.04	.09	23
24		.13	.06			.05		.05		1.42		.29	24
25		.04		.03	.24	.10	.59	.09		.03			25
26		.03	.11	.18		.10	.04			.18	.03	.21	26
27		.31	.14	.08			.05		.10	.06	.02	.18	27
28		.12		.26				.17			.02		28
29				.48		.15	.16		.16	.24			29
30				.02	.03	.04		.16	.02	.28		.05	30
31					.06					.03			31
Total	1.31	1.37	2.01	1.84	1.18	2.13	.86	.98	1.16	3.71	3.59	7.64	TOTAL for year 27.78
No. of Rain Days.	13	13	18	12	7	11	5	8	7	18	20	26	158 days

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

1 JAN 1913

Eg DL

REGISTER OF RAINFALL IN 1912

Kept at Marlyns Burpham Guildford

in the County of Surrey 6

by W. H Burbidge

Lat. Long.

Time of Observation 9.30

Nearest Railway Station Guildford

Diameter of Rain Gauge 5½ in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.15	.03		.09	.20		.03	.57		.17	1
2			.42			.05	.38	.02		.03	.01		2
3			.11			.11	.02	.37					3
4	.17		.63		.08	.30		.11		.02	.31	.04	4
5	.32	.11	.11					.54			.02	03	5
6	.31	.05			.04			.19	.01			.06	6
7		.03			.10	.83		.26				.07	7
8	.40	.45	37			.06	.06	.23	.02			.01	8
9		.14	.05	.03		.03	.02	.09		.02		.19	9
10		.08	.05			.01		.23			.08	.26	10
11	.05	.22						.13			03	.24	11
12	.04	.16	.08		.21	.13	.05	.04			.01		12
13							.02				.03	.05	13
14					.05		.03	.45		.02		.02	14
15	.02	.08	.10		.10	.57						.26	15
16	.27	.02	.11		.15	.04		.06		.05	.06		16
17	.56		.22			.02		.08				.11	17
18	.04		.22					.18		01	03	.06	18
19	.08	.10	.08				.13	.53					19
20	.03		.35					.11		.48	.03		20
21	.01	.03	.17					.05		.10	.07		21
22	.12	.25	.22		.29			.21		.01		.03	22
23	.47	.58	.38			.03		.38		.12	.21	.20	23
24	.37				.04	.23		.24				.16	24
25	.11	.02				.32		.70		.03	.27	.61	25
26		.04					.01	21		.33	.44	.30	26
27	.03		.03			.08				.31	.01	.22	27
28		.08				.12	.31	.19	.15	.49	.73	.20	28
29		.06				.12	.32	.09	1.96	.45	.03		29
30					.23	.03	.01	.12	1.39	.22			30
31			.14				.22	.09		.02		.03	31
Total	3.40	2.50	3.96	.06	1.29	3.17	1.78	5.90	3.56	3.28	2.37	3.32	YEAR'S TOTAL 34.59
Rain Days.	18	18	20	2	10	19	14	27	6	18	17	22	191

W. 7,500, XI. 12

A note GUILDFORD BURPHAM

2X #26

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL

1- JAN 1914

Kept at Martyns House near Guildford

in the County of Surrey 6

by H H Burbidge

Lat. Long.

Time of Observation 9-30

Nearest Railway Station London Rd Guildford

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.24	.04	.10	.01				.53	.01	.06	.37	1
2	.03	13	01	.07			.15			10	08	01	2
3	.06		04	.13	61				.06	02		06	3
4	.30		05	.02	41					.22	.03		4
5	.29					.15	.04			.02	.04	04	5
6	.03	.05	.13		.03	.08	.28			.67	.03	23	6
7		.20			.12	.05				.38	.16		7
8		.03		.02	.12	.07	15			.13		02	8
9	.01	.14			.03			.04			.02	02	9
10			.02	.05			.05	.01			65		10
11	.54			.35	07					.64	25		11
12					.12					.02	57		12
13	.08		.03					.04	.12	.01	.24		13
14	.28	.03	.12	.04			.67	.04	.06	.07	08	.02	14
15	.27	.07	.30	.31			25						15
16	.18		.39	.06					16				16
17	.08	.03	.06	.14			.40					.03	17
18			.32	.08			.03				.08		18
19	.36		.02		.07	.06	.10		27				19
20	.27		.43	.06		.26				.66			20
21			.24	.07			.02			.16	.83		21
22	.35		.30						12		[illegible]		22
23			.01			.08		.16				.61	23
24	.02			.06			.07				.02		24
25				.37						.02			25
26			.17	.14			.02	.08		.66		.20	26
27		.02	.38	.06						.04			27
28	.18		.06	.08	.60					.19			28
29	.04		.06	.50				.15		.14			29
30	.32			.03				.81		.21		.02	30
31			.09					.88		04			31
Total	3.66	.94	3.27	2.69	2.14	.75	2.18	1.91	1.32	4.41	3.14	1.63	YEAR'S TOTAL 28.04
Rain Days.	20	10	22	21	11	7	13	9	7	21	15	12	168

W.7,000, XI. 13

~~BUCK~~LAND
THE WHITE HSE
SURREY
1913 - 20

REC … Y

FORM A.
BRITISH RAINFALL.
5 FEB 1914

Kept at the white … chworth

in the County of Sur… in.

by J. Dow for … d 1 ft. in.

… vel 260 ft.

IMPORTANT NOT… sult entered to the previous day. If an Ob… universal rule, he is earnestly requested to add the read… January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·34	·09	·18	·03				·29	·04	·16	·21	1
2	·05	·14	·02				·14		·14	·09	·10	·02	2
3	·03		·04	·19	·56					·08	·01	·29	3
4	·55		·05	·03	·26		·02		·01	·35	·03	·02	4
5	·48		·04		·01	·05	·06		·35	·02	·09	·05	5
6	·15	·22	·15		·03	·16	·80			·09	·15 ~~·[illegible]~~	·17	6
7	·02	·31			·07	·02				·74	·16 ~~·[illegible]~~	·01	7
8		·03			·17	·11		·33		·06	·04	·02	8
9		·13		·03	·10	·02	·28		·08		·04	·04	9
10	·02		·02	·08			·32	·05			·34		10
11	·55			·43	·03			·03		·73	·30		11
12		·01			·15			·04		·02	·37		12
13	·15		·06						·16		·21		13
14	·17	·12	·15	·06			1·36	·07		·13	·13	·03	14
15	·33	·13	·20	·39			·29		·08				15
16	·19		·52	·30			·02	·01	·34				16
17	·05	·06	·06	·14			·40				·02	·02	17
18			·17	·14			·03				·08		18
19	·27		·17		·03	·04	·13		·25			·01	19
20	·25		·33	·11	·01	·02				·47	·04		20
21	·04		·10	·06						·36	·95		21
22	·42		·19	·02	·01		·02	·05	·16	·01		·03	22
23			·06			·03	·04	·28	·02		·02	·66	23
24	·05		·01	·06		·02				·01	·04		24
25		·03		·24						·01	·01	·01	25
26		·01	·15	·12				·14		·77		·20	26
27		·02	·05	·13	·25					·04	·01		27
28	·23		·41	·05						·17			28
29	·06		·05	·52	·42			·17		·11	·01		29
30	·48			·07				·24		·21			30
31			·13					·66		·10			31
Total	4·58	1·55	3·22	3.35	2·13	·47	3·91	2·07	1·88	4·61	3·31	1·79	YEAR'S TOTAL 32·87
Rain Days.	22	13	24	21	15	9	14	12	11	22	23	16	202

W. 7,500, XI. 12

REC

FORM A.
BRITISH RAINFALL.
5 FEB 1914

Kept at The White House

in the County of Surrey

by J. Dow for J. Herbert Scrutton

Time of Observation 9 a.m.

Nearest Railway Station Betchworth

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·34	·09	·18	·03				·29	·04	·16	·21	1
2	·05	·14	·02				·14		·14	·09	·10	·02	2
3	·03		·04	·19	·56					·08	·01	·29	3
4	·55		·05	·03	·26		·02		·01	·35	·03	·02	4
5	·48		·04		·01	·05	·06		·35	·02	·09	·05	5
6	·15	·22	·15		·03	·16	·80			·09	·15	·17	6
7	·02	·31			·07	·02				·74	·16 ~~·00~~	·01	7
8		·03			·17	·11		·33		·06	·04	·02	8
9		·13		·03	·10	·02	·28		·08		·04	·04	9
10	·02		·02	·08			·32	·05			·34		10
11	·55			·43	·03			·03		·73	·30		11
12		·01			·15			·04		·02	·37		12
13	·15		·06						·16		·21		13
14	·17	·12	·15	·06			1·36	·07		·13	·13	·03	14
15	·33	·13	·20	·39			·29		·08				15
16	·19		·52	·30			·02	·01	·34				16
17	·05	·06	·06	·14			·40				·02	·02	17
18			·17	·14			·03				·08		18
19	·27		·17		·03	·04	·13		·25			·01	19
20	·25		·33	·11	·01	·02				·47	·04		20
21	·04		·10	·06						·36	·95		21
22	·42		·19	·02	·01		·02	·05	·16	·01		·03	22
23			·06			·03	·04	·28	·02		·02	·66	23
24	·05		·01	·06		·02				·01	·04		24
25		·03		·24						·01	·01	·01	25
26		·01	·15	·12				·14		·77		·20	26
27		·02	·05	·13	·25					·04	·01		27
28	·23		·41	·05						·17			28
29	·06		·05	·52	·42			·17		·11	·01		29
30	·48			·07				·24		·21			30
31			·13					·66		·10			31
Total	4·58	1·55	3·22	3.35	2·13	·47	3·91	2·07	1·88	4·61	3·31	1·79	YEAR'S TOTAL 32·87
Rain Days.	22	13	24	21	15	9	14	12	11	22	23	16	202

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 19~~15~~14

FORM A.
BRITISH RAINFALL.
25 JAN 1915

Kept at the White House Buckland
in the County of Surrey 5 ~~H~~
by J. H. Scrutton

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Betchworth
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·01				·34			·02	·02	1
2	·02					·04	·19	·13			·25	·22	2
3	·01	·02	·06		·27		·10	·01			·03		3
4	·04		·05	·23	·04		·02	·05			·20	·30	4
5	·11		·07	·37	·54	·05	·17	·46			·08		5
6		·17	·01	·15	·03	·15	·18	·01			·02	·31	6
7		·58	·33	·15	·02	·10						·23	7
8	·08	·78	·38			·07	·07	·19				·11	8
9	·32	·01	·81	·14	·03	·04		·01	·17			2·10	9
10	·06	·10	·05	·08	·07				·05		·02	·07	10
11		·70	·48	·02		·01			·23		·12	·30	11
12	·02	·09	·11				32 ·02		·27	·06	·01	·63	12
13	·02	·48	·25			·03			·10	·04	·13	·78	13
14		·28	·30				·02			·41	·07	·60	14
15	·03	·05	·18				·48	·07		·02	·95	·04	15
16	·02		·11				·01		·03				16
17		·43	·11						·10			·27	17
18		·12	·22									·49	18
19		·14	·38				·15				·29	·24	19
20		·34	·46			·03						·14	20
21		·76	·13			·02		·04		·06		·02	21
22		·05	·04	·01	·25	·15	·15	·04		·19		·04	22
23			·18		·04	·01	·01			·02		·02	23
24	·02		·08								·13		24
25	·02		·25				·02	·09		·38	·02	·11	25
26	·01		·03				·06	·20		·07	·14	·74	26
27	·04		·01					·01		·02	·06	·40	27
28	·01	·03								·16	·54	·67	28
29	·16		·05		·02					·43	·31		29
30	·02	✕	·14							·09	·71	·42	30
31	·05	✕		✕	·15	✕	·04		✕	·02	✕	·05	31
Total	1·06	5·13	5·27	1·16	1·46	·70	1·99	1·65	·95	1·97	4·10	9·22	YEAR'S TOTAL 34·66
Rain Days.	19	18	27	9	11	12	16	14	7	14	20	26	193

W. 8,000. X. 14.

Exc JL

178

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

12 JAN 1916

Kept at The White Horse Buckland

in the County of Surrey 5

by James Dov gardener to J H Scrutton

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Betchworth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·16	·10		·02		·06		·25	·02	·16	·54	1
2	·36	·28	·23	·08	·01	·03		·66	·01	·10	·03	·05	2
3	·36		·04	·18	·04			·23	·16			·54	3
4	·18							·08				·25	4
5	·04	·50						·07		·04		·43	5
6	·40	·11	·08	·42			·71					·10	6
7	·60	·49	·06				·56					·33	7
8	·08	·91					·17	·11			·02		8
9	·06	·08		·29		·13		·04			·41	·62	9
10	·16	·04										·30	10
11		·02	·06							·03	·60	·05	11
12	·05	·09		·41	·38			·23		~~·03~~	·71 ~~·60~~	~~·05~~	12
13	·02	·72			1·15				·01		~~·71~~		13
14	·02	·05					·02	·04	·04			·59	14
15	·11				·05		·05	·31			·17	·30	15
16		·65			·04		·99	·05				·12	16
17		·77			1·00		·03	·19					17
18		·28	·06		·17						·07		18
19		·17			·03		·03			·02			19
20	·26											·25	20
21	·28	·04										·05	21
22	·87	·08	·09				·76					·17	22
23	·62	·12	·06			·04	·46		·03	·45		·25	23
24	·01		·02				·06		·37	·30		·32	24
25				·11			·04		·62			·30	25
26		·09				·11	·11		·02			·62	26
27		·04				·26	·10			·36		·10	27
28		·09				·11			1·60	·20	·02		28
29						·09	·43		·02		·27	·01	29
30	·05	X				1·93				·12	·45	·04	30
31	·06	X		X		X			X	1·03	X	·33	31
Total	4·60	5·81	·80	1·49	2·89	2·40	4·58	2·01	2·53	2·67	2·91	6·66	YEAR'S TOTAL 39·65
Rain Days.	21	22	10	6	10	8	16	11	11	11	11	24	161

W. 8,000. X. 15.

8ᵒ 8L

170

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

23. JAN 1917

Kept at The White House Buckland

in the County of Surrey

by J. H. Scrutton

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Betchworth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·03	·05		·17				·41		·30		1
2	·31	·18	·13		·28	·01	·01			·50	·06		2
3	·02	·88	·55		·01		·02		·26	·49	·85		3
4	·17	·21	·03	·07		·44			·21		·55		4
5	·03	·05	·01	·02	·10	·14				·10	·90		5
6	·01	·14	·08	·11	·02	·13	·47			·15	·80		6
7	·12	·02	·61		·25	·02	·24			·13	·87	·08	7
8			·02	·01	·28							·45	8
9	·03		·01		·41					·03		·09	9
10	·01	·23	·09	·09		·31	·06			·02	·02	·17	10
11	·05	·16	·02	·17	·04	·19	·08						11
12	·04	·08	·03	·05	·38	·27				·10			12
13		·22	·40	·12	·05	·16	·02	·02		·06			13
14		·57	·08	·01	·15					·05		·10	14
15		·07	·18					·52		·06			15
16	·02	·09	·28	·17			·23	·33	·42				16
17	·21	·12		·12				·51	·11	·70			17
18	·06	·11	·03	·05				·53	·13	·45	·69	·08	18
19	·20	·02	·15	·35		·14					·40		19
20	·13		·12	·04							·06	·53	20
21	·01		·28	·02			·11					·34	21
22	·04	·02	·08							·03		·56	22
23	·04	·45	·03							·08	·10	·08	23
24	·01	·08			·07	·05		·05		·28	·12	·36	24
25	·02	·90	·22					·38		·03	·06		25
26		·20	·06			·16			·04	·26			26
27	·02	·06	·80			·12		·10	·04	·75			27
28		·34	·33			·03		·15	·05	·40	·02	·14	28
29		·12	·02			·28		1·00	·10			·24	29
30		✕							·07	·45			30
31		✕		✕		✕		·04	✕	·17	✕		31
Total	1·85	5·35	4·81	1·40	2·21	2·45	1·24	3·63	1·84	5·29	5·80	3·22	YEAR'S TOTAL 39·09
Rain Days.	22	25	27	15	13	15	9	12	12	22	15	13	200

W. 8,000, VIII. 16

162

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
9. JAN 1919

Kept at The White House Buckland
in the County of Surrey
by J. H. Scrutton

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Betchworth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		~~.02~~	.02	.21				1.53	.10		.17		1
2				.57				.16			.15		2
3	.04			.12			.54	.51					3
4		~~.12~~	.12				.20	.58		.22			4
5	.21	~~.09~~	.09	.48					.37	.23	.16		5
6		~~.26~~	.26		~~.15~~	.15			.31	.34	.05		6
7	.28			.07			.16		.03	.23		.06	7
8	.14			.07			.66	.30	.03	.27	.20	.32	8
9		~~.07~~	.07	.18			.25	.05				.87	9
10		~~.22~~	.22	.22				.04				.06	10
11	.28	~~.34~~	.34	.04				.03	.16	.25			11
12	.06	.50		.04				.04		.45	.03		12
13	.12		.20					.05	.05	.19			13
14													14
15				.13			.15	.24					15
16	.06			.33						.76		.85	16
17		.13		.12	.57		.26	.24	.45	.15			17
18	.06			.10	.08		.14	.13	.26	.06			18
19			.15		.78				.09				19
20		.22	.04				.16				.05		20
21		.10	.05										21
22						.14		.17		.12	.04		22
23		.19			.16	.05						.06	23
24		.07				.10	.05			.16			24
25		.01	.14			.05							25
26		.02	.06					.30	.26	.07	.60		26
27					.08			1.12					27
28		.02	.08			.92		.38				.08	28
29			.05			.13	.07	.02		.40		.11	29
30		X	.29				1.63	.10				.04	30
31		X	.10	X		X	.29		X		X		31
Total	1.25	1.26	2.28	2.68	1.67	1.54	4.56	5.99	2.11	3.90	1.45	2.45	YEAR'S TOTAL 31.14
Rain Days.	9	9	17	14	5	7	13	19	11	15	9	9	137

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

9.1.19

Kept at The White House Buckland Betchworth
in the County of Surrey
by G. Weatherley for J. H. Scrutton

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Betchworth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·29	·06	1
2				·04				·21	·12		·43	·16	2
3		·07	·11					·14		·02	·31	·02	3
4		·33	·11	·11	·36				·21	·13	·73	·02	4
5		·09			·08			·10	·07				5
6	·23	·19		·27	·07			·07	·58			·09	6
7		·09		·21	·20				·13	·13		·02	7
8		·38							·14		·22	·07	8
9				·08		·20			·55	·18		·39	9
10				·04		·04	·59		·18	·04		·40	10
11	·06						·77		·14	·20	·09	·13	11
12		·09			·14		·31		·08			·14	12
13	·08				·11		·03		·14			·18	13
14	·18		·05			·13	·09		·19	·17			14
15	1·30		·02	1·09		·03	1·62						15
16	·04			·14		·12			·19				16
17	·54			·08	·09		·77					·25	17
18	·57					·26			·68			·06	18
19	·18		·09	·08			·27	·07	·03	·10		·08	19
20		·17		·50					·47	·23		·02	20
21	·19	·03		·75		·05	·18		·28	·06		·18	21
22	·06				·45		·15		·24			·07	22
23	·08			·03	·04		·74	·08	·04		·05		23
24		·40				·07	·04		·18		·04		24
25				·32			·10	·23		·03			25
26							·49		·02	·06	·19	·19	26
27		·08		·21			·06	·19	·03		·10	·02	27
28		·06	·28	·04							·16		28
29									1·18		·04	·06	29
30		X	·46						·10	·05	·04	·13	30
31		X	·12	X		X			X	·09	X		31
Total	3·51	1·98	1·24	3·99	1·60	·90	6·21	1·09	5·97	1·49	2·69	2·74	YEAR'S TOTAL 33·41
Rain Days	12	12	8	16	9	8	15	8	24	14	13	22	161

W. 6,500, VII. 18. W W C

Ex. Hols

154

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

12 JAN 20

Kept at The White House Buckland
in the County of Surrey
by J. H. Poulton

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Betchworth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44				·04		·11			·05	·06	·79	1
2	·30		·03		·04		·21		·09	·05	·42	·29	2
3	·33	·04	·49		·02		·19		·05		·05	·38	3
4	·15		·47			·06	·29	·03	·04		·04	·13	4
5		·37	·82				·03		·03		·03	·32	5
6	·17		·07							·01	·02	·13	6
7	·05		·37								·04	·01	7
8	·29		·15	·03							·01		8
9	·28				·09						·19		9
10	·36		·13	·02						·04	·04	·08	10
11	·16		·09	·28	·04		·17					·09	11
12	·07		·05	·05			·21			·08	·06	·03	12
13	·04	·05		·49					·02	·03		·04	13
14	·57			·34			·09		·67	·02		·06	14
15	·20	·05	·18	·05						·02		·59	15
16	·05	·56					·01				·10	·05	16
17		·24		·08							·18	·03	17
18		·31	·11						·03		·07	·04	18
19	·04	·23	·53				·40	·15	·05		·11	·01	19
20	·26	·09	·18			·70	·16	·18				·03	20
21	·14	·48	·02			·07	·03			·02	·03	·09	21
22			·06			·01	·24		·37		·03	·28	22
23						·03			·06		·04	·07	23
24				·24		·05	·08	·02		·15	·07	·01	24
25	·03	·05			·04		·01	·21			·01	·04	25
26	·04	·16		·17				·22	·16		·03	·38	26
27	·17	·05		1·88				·32			·20	·03	27
28			·40	·03				·81			·29	·37	28
29	·27			·05				·34		·35	·04	·13	29
30		✕		·25		·06		·29		·07	·20	·75	30
31	·05	✕	·10	✕		✕	·03		✕	·03	✕	·06	31
TOTAL	4·46	2·68	4·25	3·96	·27	·98	2·26	2·57	1·51	·92	2·06	5·31	YEAR'S TOTAL 31·23
Days with ·01 in. or more	23	13	18	14	6	7	16	10	11	13	25	29	185

149

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Buckland

in the County of Surrey

by J. Daw

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Betchworth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·32	·06		·46			·23	·01	·31	1
2	·02		·08	·04	·04		·03	·18	·12	·03	·02	·10	2
3	·02		·02	·05	·05				·01	·12		·12	3
4		·08	·02	·19	·01		1·40	·10		·23		·06	4
5		·01	·09	·05	·02		·58	·31		·01		·03	5
6			·60	·12	·09		·32	·01				·04	6
7	·04	·03		·06	·07		·37			·04			7
8		·01		·06	·15		·22						8
9	·24	·03	·03	·05	·03		·09						9
10	·65	·09	·10	·05	·01	·01	·19	·03		·01	·03	·03	10
11	·28		·08	·20	·01	·06	·29					·20	11
12	·06	·02	·04	·21		·39				·01	·04		12
13	·19		·17	·10						·01	·08	·03	13
14		·05	·39	·34		·13			·09	·08	·32	·06	14
15	·03	·03	·08	·36		·01			·83	·10	·15		15
16	·02	·01	·03	·23					·43	·01	·04	·02	16
17	·02		·01	·01	·13		·02		·49		·04	·10	17
18	·04		·04	·03	·04			·81	·16		·02	·09	18
19	·13			·29		·02		·04				·03	19
20	·07	·40		·31		·60			·04			·02	20
21		·01		·05			·67	·02	·48			·15	21
22	·03			·27				·02	·12			·35	22
23	·01	·01		·01			·33		·02			·42	23
24	·01	·02	·10				·01					·05	24
25	·01	·03	·02	·02			·36		·04	·02		·03	25
26	·05		·24	·03		·02	·05		·02		·02	·05	26
27	·42	·05	·02	·19		·04	·08				·78	·20	27
28	·38	·02	·07	·13	·07		·11				·06	·03	28
29	·69	·01	·08	·03							·12	·27	29
30	·04	×		·02	·08	·03	·19		·42		·28	·18	30
31	·05	×		×		×			×	·61	×	·24	31
TOTAL	3·62	·91	2·31	3·82	·86	1·31	5·77	1·52	3·27	1·51	2·01	3·21	YEAR'S TOTAL 30·12
Days with ·01 in. or more	25	18	21	29	15	10	19	9	14	14	15	26	215
Days with ·04 in. or more	16	5	14	22	10	5	16	5	11	7	10	18	139

Sa

R

226

WEST HALL, BYFLEET

19[illegible] - 20

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

Kept at West Ha

in the County of

by G Ca

cylinder ordinary

in.

Ground one ft. 6 in.

Sea Level -61- ft.

m

Name Byfleet

Distance Mile Direction West

IMPORTANT NO the result entered to the previous day. If an Observer prefers not to conform +11 ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0'04			0'52			0'03	0'03					1
2	0'11			0'29	0'19		0'05				0'18	0 17	2
3					0'13							0'08	3
4	0'04		0'06							0'07	0'25	0'28	4
5										0'19	07 0'27	0'06	5
6	0'18		0'16	melted snow 0'11								0.42	6
7	0'03									0'12	0'28	0'16	7
8	0'13		0'22								0'13	0'32	8
9	0·12											0'05	9
10		0'18	0'15									0'72	10
11	0'37										0'65	0'02	11
12											0'18		12
13			0'48						0'31	0'17	0'08	0'48	13
14			0'05		0'41							0'45	14
15		0'05	0'09								0'04		15
16		0'06				0'58					0'34	0'05	16
17			0'04								0'32	0'20	17
18		0'18				0'07					0'57	0'28	18
19						0'38			0'18	0'04	0'11	0'14	19
20			0'03					0'07	0'08	0'09		0'53	20
21		0'12						0'23		0'51		0'20	21
22	0 13		0'18			0'02				0'07		0'48	22
23		0'10				0 50			0'08			0'08	23
24		0'12				0'14		0'03		1'22		0'29	24
25				0'02		0'15		0'03					25
26			0'09	0'17	0'06	0'05	1'48			0'12		0'24	26
27		0'29	0'11	0'07			0'05		0'09			0'18	27
28		0'12		0'21				0'18					28
29				0'32		0'20	0'10		0'16	0'19			29
30				0'06		0'02		0'05		0'17			30
31					0'06					0'03			31
Total	1'15	1'22	1'66	1'77	0'85	2'11	1'71	0'62	0'90	2'99	3'20	6'88	TOTAL for year 24'06
No. of Rain Days.	9	9	12	9	5	10	5	7	6	13	13	23	

W. 8,000, X. '11.

121

59

R

FORM A2.
BRITISH RAINFALL.
5-JAN 1912

Kept at West-Hall Gardens Byfleet

in the County of Surrey 6

by G Carpenter

RAIN GAUGE
Pattern Copper cylinder ordinary
Diameter of top 5 in.
Height of top above Ground one ft. 6 in.
" " " Sea Level -61- ft.

Time of Observation 8 a m

Nearest Railway Station
Name Byfleet
Distance mile Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0'04			0'52			0'03	0'03					1
2	0'11			0'29	0'19		0'05				0'18	0'17	2
3					0'13							0'08	3
4	0'04		0'06							0'07	0'25	0'28	4
5										0'19	07 0'27	0'06	5
6	0'18		0'16	melted snow 0'11								0'42	6
7	0'03									0'12	0'28	0'16	7
8	0'13		0'22								0'13	0'32	8
9	0'12											0'05	9
10		0'18	0'15									0'72	10
11	0'37										0'65	0'02	11
12											0'18		12
13			0'48						0'31	0'17	0'08	0'48	13
14			0'05		0'41							0'45	14
15		0'05	0'09								0'04		15
16		0'06				0'58					0'34	0'05	16
17			0'04								0'32	0'20	17
18		0'18				0'07					0'57	0'28	18
19						0'38			0'18	0'04	0'11	0'14	19
20			0'03					0'07	0'08	0'09		0'53	20
21		0'12						0'23		0'51		0'20	21
22	0 13		0'18			0'02				0'07		0'48	22
23		0'10				0 50			0'08			0'08	23
24		0'12				0'14		0'03		1'22		0'29	24
25				0'02		0'15		0'03					25
26			0'09	0'17	0'06	0'05	1'48			0'12		0'24	26
27		0'29	0'11	0'07			0'05		0'09			0'18	27
28		0'12		0'21				0'18					28
29				0'32		0'20	0'10		0'16	0'19			29
30				0'06		0'02		0'05		0'17			30
31					0'06					0'03			31
Total	1'15	1'22	1'66	1'77	0'85	2'11	1'71	0'62	0'90	2'99	3'20	6'88	TOTAL for year
No. of Rain Days.	9	9	12	9	5	10	5	7	6	13	13	23	24'06

121

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
8 JAN 1913

Kept at The Gardens West Hall Byfleet

in the County of Surrey 6

by G Carpenter.

Lat. Long.

Time of Observation

Nearest Railway Station Byfleet.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 61 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·12			0·05	0·05		0·02	0·54		0·20	1
2			0·20	0·06		0·11	0·34	0·09		0 07			2
3			0·18			0·12	0·02						3
4	0·16		0·45			0·23		0·36			0·15		4
5	0·15		0·07		0 08			0·33			0·15		5
6	0·38	0·17	0·04					0·22					6
7					0·12	1·07		0·21					7
8	0·27	0·34	0·23			0·09		0·10					8
9		0·16	0·04					0 01				0·26	9
10		0·07						0·10			0·10	0 24	10
11	0·05	0·18				0·03		0·02				0 23	11
12	0·04	0·11	0·08		0·20	0·14	0·03						12
13													13
14					0·05			0·16		0·04			14
15					0·08	0·57						0 27	15
16	0·40		0·19		0 15	0·15							16
17			0·19			0·02		0·12		0 05			17
18	0·11		0·16					0·17				0·10	18
19	0·07		0·08				0·13	0·37					19
20	0·03	0·09	0·14					0·14		0·35			20
21			0·14		0·11			0·07		0 09	0·27		21
22	0·14	0·16	0·08		0·15		0·03	0·11				0 05	22
23	0·39	0·45	0·31				0·03	0·39		0·11		0·15	23
24	0 37					0·02		0·36			0·17	0·18	24
25	0·10					0·18		0 45			0·18	0·61	25
26		0·09						0 39		0·25	0·38	0·28	26
27										0·28		0·17	27
28		0·07				0 07			0·15	0·35	0·48	0·12	28
29						0 28	0·43	0·31	1·43	0·30			29
30					0·28	0·02		0·09	1·14	0·15			30
31			0·29		0·03		0·15						31
Total	2·69	1·89	2·99	0·06	1·25	3·15	1·21	4·57	2·74	2·61	1·88	2·86	YEAR'S TOTAL 27·90
Rain Days.	14	11	18	1	10	16	9	22	4	12	8	13	138

W. 7,500, XI. ·12

Cod for arith 21·1·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at The Gardens - West Hall Byfleet Surrey

in the County of Surrey 6

by G Carpenter

Lat. Long.
Time of Observation 8 am
Nearest Railway Station Byfleet
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. 4 in.
" " " " Sea Level 62 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·25		0·08		0·01			0·90		0·10		1
2		0·11	0·09	0·01			0·14		0·24	0·13	0·10	0·07	2
3			0·05	0·15						0·02		0·15	3
4	0·28		0·01		0·35					0·23		0·05	4
5	0·17				0·33	0·09	0·07		0·23		0·07		5
6			0·14		0·04	0·03	0·07		0·02			0·22	6
7		0·12			0·05	0·06				0·78	0·13		7
8		0·06		0·02	0·14	—				0·04		0·03	8
9		0·14					0·03		0·13				9
10			0·07	0·04				0·06			0·40		10
11	0·27			0·38						0·65	0·16		11
12											0·25		12
13			0·01						0·13		0·28		13
14	0·12		0·09	0·07			0·39	0·08		0 11			14
15	0·27		0·29	0·19			0·34				0·02		15
16	0 12	0·06	0·31						0·34				16
17			0·02	0·09			0·20						17
18	0·02		0 07	0·06							0·02		18
19	0·30		0·15	0	0·05		0·14		0·31				19
20	0·07		0·17	0·04		0·41				0·45			20
21			0·32							0·18	0·65		21
22	0·35		0·22				0·04		0·17				22
23								0·20	0·03			0 48	23
24				0·04									24
25		0·05		0·25								0 01	25
26			0·18	0·10			0·01			0·68		0·12	26
27				0·04			0·01	0·05		0·03			27
28	0·18		0·30	0·07						0·20			28
29	0·04		0·06	0·40	0·64			0·10		0·07			29
30	0 24							0·25		0·17			30
31			0·11					0·60					31
Total	2·43	0·79	2·66	2·03 2·03	1·60	0·59	1·44	1·34	2·30	3·74	2·18	1·13	YEAR'S TOTAL 22·23 22·23
Rain Days.	13	7	19	14	7	5	11	7	10	14	11	8	129

W.7,000, XI. 13

Ex d McC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at West Hall Gardens

in the County of Surrey Byfleet 6

by G Carpenter

Lat. Long.

Time of Observation 8 am

Nearest Railway Station Byfleet

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0'01					0'05			0'06	0'04	1
2								0'05				0'17	2
3			0'03	0'02	0'18		0'04					0'04	3
4	0'06	—		0'17	0'01		0'03				0'33	0'26	4
5			0'07	0'21	0'14	0'06	0'23	0'30					5
6		0'17	0'03	0'14		0'13	0'07				0'07	0'10	6
7		0'30	0'26	0'25	0'33	0'16	0'21	—					7
8	0'12	0'35	0'68			0'23	0'04	0'12				0'07	8
9	0'21		0'56	0'27		0'11			0'08			1'84	9
10		0'03	0'02	0'03	0'06							0'06	10
11		0'37	0'35		0'02	0'04			0'28		0'04	0'30	11
12		0'07	0'12				0'68		0'20			0'34	12
13		0'16	0'15						0'10	0'02		0'56	13
14		0'10	0'17			0'11	0'07			0'44	0'07	0'37	14
15		0'01	0'18				0'18	0'04			0'76		15
16			0'04						003				16
17		0'27	0'11									0'15	17
18			0'18									0'34	18
19		0'07	0'25				0'16	—	0'07		0'22	0'37	19
20		0'34	0'32									0'15	20
21		0'49	0'11							0'05			21
22			0'03	001	0'12	0'01	0'18			0'21			22
23		0'11	0'10		0'06		0'02	0'01		0'08			23
24			0'07		0'02						0'10		24
25			0'21							0'20			25
26			0'01				0'06	0'09		0'05	0'19	0'50	26
27								0'04		0'10	0'03	0'27	27
28					0'02						0'48	0'91	28
29	0'15		0'05							0'24	0'12		29
30		X	006							0'07	0'54	0'43	30
31	0'01	X		X	0'13	X	0'13		X		X	0'11	31
Total	0'55	2'84	4'17	1'10	1'09	0'85	2'10	0'73	0'76	1'46	3'01	7'37	YEAR'S TOTAL 26'03
Rain Days.	5	14	26	8	11	8	14	8	6	10	13	21	144

W. 8,000. X. 14.

292

FORM A.
BRITISH RAINFALL.

8. JAN.

REGISTER OF RAINFALL IN 1915

Kept at West Hall
in the County of Surrey 6
by G Carpenter

Lat. Long.
Time of Observation 8 a.m
Nearest Railway Station Byfleet 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·65	0·17			0·06		0 08				0·18	0·45	1
2	0·35	0·18	0·21	0·05				0·44	0·16	0·05			2
3	0·46		0·12	0·14	0·01	0·06		0·27	0·03	0·06		0·61	3
4								0·02	0·01			0·23	4
5	0·06	0·52		0·26				0·01		0·07		0·34	5
6	0·43	0·17	0·08				0·52	0·02				020	6
7	0·17	0·23	0·01				0·22	0·02				0 21	7
8	0·04	0·56		0·03			0·03	0·08					8
9	0·05	0·12		0 29		0·07		0·04			0·33	0·65	9
10	0·17	0·07						0·52				0·20	10
11	0·04							0·03			0·55	0·05	11
12				0·39	0·35			0·02					12
13	0·01	0·72			1·27			0·02					13
14		0·03					0·17	0·34	0·06			0·32	14
15	0·07	0·04					0·06	0·18				0 09	15
16		0·33					0·51	0·22					16
17		0·30			1·13						0·42		17
18		0·35			0·19								18
19		0·14	0 06				0·07						19
20	0·24			0·03								0·19	20
21	0·05									0·10		0·03	21
22	1·47	0·14	0 13	0·02			0·62					0·11	22
23		0·12	0 05				0·11		0·29	0·61		0·20	23
24						0·03			0·43	0·35		0·35	24
25				0·09		0·06	0·29					0·10	25
26		0·03					0·06					0·52	26
27		0 02				0·23	0·30			0·11		0·11	27
28		0 08				0 06				0·25			28
29							0·23		1 33	0·12	0·16		29
30	0·04	X				0 64		0·13		0·12	0 10		30
31	0·03	X		X		X			X	1·05	X	0 28	31
Total	4·33	4·32	66	1·30	301	1·15	3·27	2·36	2·31	2·89	1·74	5·54	YEAR'S TOTAL 32·88
Rain Days.	17	20	7	9	6	7	14	16	7	11	6	20	140

W. 8,000. X. 15.

Exd C 3E

280

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at West Hall Gardens Byfleet
in the County of Surrey
by G. Carpenter

Lat. Long.
Time of Observation 8·30 am
Nearest Railway Station Byfleet one mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. 2 in.
" " " " Sea Level -60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·06				0·16				0·35		0·36		1
2	0·17		014		0·29				0·31	0·56	0·10		2
3		0·82					005		0·10	0·33	0·37		3
4	0·11	0·04				0·29			0·21		0·52		4
5					0·17	0·13					0·67		5
6		0·07		0·16		0·20	0·22		0·02		0·42		6
7	0·05				0·16	0·10	0 40			0·02	0·50		7
8			1·00		0·28	0·01						0·17	8
9					0·12					0·21		0·03	9
10		0·20	0·12			0·07						0·18	10
11		0·06		0·09	0·47	0·23							11
12	004	0·10	0·04	011		010		0·02					12
13		0·18	0·61			003		0·07		0·11			13
14		0·37	0·09		0·08			0·25				0·11	14
15		0·14	0·12	0·23				0·32		0·06			15
16		0·04	0·63				0·24	0·29					16
17	0·11			0·10			004	0·14	0·27	0·50			17
18		0·13	0·02	0·08				0·32	0·10	040	0·40		18
19	0·14		0·16	0·17			0·01	0·03	0·18		0·55		19
20	0·09		0·25	002								0·54	20
21			0·41									0·23	21
22					0·04					0·07		0·37	22
23			0·06			0·04		0·02		0·07	0·07		23
24						0·02		0·04		0·23	0·04	0·42	24
25			0·14		0·08			0·10			0·08		25
26			014			0·07		0·09	0·04	0·60			26
27	0·03	1·30	0·90			0·02		1·10	002				27
28		0·46	0·24			0·06						0·11	28
29		0·14				0·14		0·91	0·09	022		0·14	29
30								0·10		043		0·02	30
31										019			31
Total	0·80	4·05	5·07	0·96	1·85	1·51	0·99	3·80	1·69	4·00	4·38	2·35	YEAR'S TOTAL 31·45
Rain Days.	9	14	17	8	10	15	6	15	11	15	12	11	143

W. 8,000, VIII. 16

273

FORM A.
BRITISH RAINFALL.

4 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at West Hall Byfleet
in the County of Surrey
by G Carpenter

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Byfleet
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0'23				1'30	0'03		0'12		1
2		0'06		Snow 0'28				0"07			0'03		2
3				0'08			0'34	0'32		0'03	0'03		3
4	002	0'27	010				0'25	0'15		0'47			4
5	0'27			0'10		0'09			0'25		0'10		5
6			0"37			010			0'28	0'33	0'17		6
7	0'15						0'05			0'54		0'04	7
8	0'16			0'17			095			0'25	0'17	0'30	8
9			0'05	0'05			004	0'09	0'07	0'01	0'07	0'30	9
10				0'19				0'11	0'10			001	10
11	031		0'38	0'25		0'14		0'09		0'14			11
12	006		0'05	0'03				0'04	0'18	0'48			12
13	004		014	0'05				0'12		0'26			13
14				0'16				0'06	0'03				14
15					0'03		0'17			0'02			15
16	0'07	016		0'23	065	0'12	0'18	0'04		0'44		0'65	16
17				011	008		0'30	0'08	0'38	0'21			17
18	005			007		0'51	0'21	0'07	0'26	0'03			18
19	002	0'17	0'07					0'01	0'14				19
20		0'03			072		0'10						20
21			004			0'04		0'01			002		21
22		014	007			0'01				006	0'08		22
23					010	0'06		0'15					23
24						0'17	0'04	0'05		0'22			24
25		0'05					0'01						25
26			0'06					0'18	007		0'30		26
27					020			0'78					27
28						1'21		0'04				010	28
29					0'48	0'18	0'18	0'02		027		008	29
30		X	0'37				1'70	005		0'02		0'06	30
31		X	003	X		X	0'31		X		X		31
Total	1'15	0'88	1'73	2'00	2'26	2'63	4'83	3'83	1'49	3'78	1'09	1'54	YEAR'S TOTAL 27'51
Rain Days.	10	7	12	14	7	11	15	22	11	17	10	8	144

W. 8,000, IX. 17.

[illegible] 187

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

6. 1. 19

Kept at The Gardens West Hall Byfleet
in the County of Surrey
by G Carpenter

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Byfleet
Diameter of Funnel of Rain Gauge 5·4 in.
Height of top of Gauge above Ground one ft. - in.
" " " " Sea Level 82½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				0·05							0·41	0·06	1
2		0·10		0·15							0·30	0·09	2
3					0·52			0·26		0·04	0·48		3
4								0·11			0·55		4
5		0·04	0·18		0·06			0·03	0·12	0·13	0·03		5
6	0 22	0·07		0·32	0 04			0·05	0·34			0·06	6
7		0·11		0·24	0 50				0·18				7
8		0·06							0·22		0·18		8
9		0·03		0·21		0·26			0 34	0·21		0·33	9
10				0·12			0·77		0·05			0·28	10
11							1·75		0·02	0 35	0 02	0·11	11
12					0·07		0·24					0·03	12
13					0·25		0·11		0·15				13
14	0·02					0·38	0·04		0·11	0·12		0·26	14
15	1·58			0·66		0·02	0·05		0·03			0·15	15
16	0·42			0·30		0·12			0·19			0·03	16
17	0·29			0·15	0·12		0·08	0·05				0·15	17
18	0·44					0·17	0·08		1·45			0·13	18
19	0·05		0·13			0·29	0·21	0·02	0 03	0 05		0·07	19
20	0·05	0·14		0·69		0 04	0·14		0·20	0·22			20
21	0·15			0·71		0 02	0·06		0·65	0 03			21
22	0·07	0·02			0·23		0·17		0·18			0·20	22
23							0·59	0·09	0·05				23
24		0·32				0·06	0·57		0·08		0 10		24
25							0·32		0·02				25
26							0·72	0·23		0 06	0·06	0·16	26
27		0·04		0 05			0·12	0·02			0 15		27
28		0·08	0·19	0 02				0·16			0 10	0·09	28
29								0·08	1·18				29
30		X							0 06		0·04	0 07	30
31		X	0·40	X		X			X		X		31
Total	3·29	1·01	0·90	3·67	1·79	1·36	6·02	1·10	5·65	1·21	2·42	2·27	YEAR'S TOTAL 30·69
Rain Days.	10	11	4	13	8	9	17	11	21	9	12	17	142

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at West-Hall Byfleet
in the County of Surrey
by G. Carpenter

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Byfleet 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·31	0·02			0·02		0·35				0·04	1·01	1
2	0·48		0·01		0·05		0·12			0·13	0·03	0·13	2
3	0·39		0·37		0·02		0·14		0·08	0·04	0·11	0·34	3
4			0·43			0·08	0·15	0·04	0·04		0·01	0·27	4
5		0·55	0·50	0·01			0·10		0·02		0·16	0·25	5
6	0·19		0·04						0·18				6
7			0·32	0·02									7
8	018		0·09	0·06									8
9	007		0·04	0·04	0·02						0·09		9
10	088		0·06							004	0·01	0·01	10
11	0·03		0·02	0·28	004		0·27				0·08		11
12				0·01			0·13			0·02		002	12
13				0·32		0·02				010			13
14	0·21			0·21					001				14
15	0·18		010						1·11			0·42	15
16		0·64									0·02	0·06	16
17		0·30									0·25		17
18		0·16	0·10								0·10	0·05	18
19		0·08	0·60			0·26	081	026	0·03		001		19
20	0·20		0·32			0·69	028	0·13				0·02	20
21	0·14	0·25	0·03				0·05				0·04	0·08	21
22		0·04									0·03	0·31	22
23											0·03		23
24				0·20		0·05	0·32				0·04	0·02	24
25	0·05	003			0·11	0·02		0·04		0·27			25
26	0·07	0·17	0·09	0·03				0·13				0·32	26
27	0·65	005		0·72				0·06	0·17			0·05	27
28		0·03	0·29				0·03	0·18			0·49	0·32	28
29	0·04		003	0·20		0·02		0·91		0·14	0·02	0·04	29
30			0·04	0·25		0·11		0·34		002	0·29	0·44	30
31	0·05						0·09	0·29		004		006	31
TOTAL	4·12	2·32	3·48	2·35	0·26	1·25	2·84	2·38	1·64	0·80	1·85	4·22	YEAR'S TOTAL 27·51
Days with ·01 in. or more	17	12	19	13	6	8	13	10	8	9	19	20	154

236

4 JAN

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at West Hall : Byfleet
in the County of Surrey
by G. Carpenter.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Byfleet one mile
Diameter of Funnel of Rain Gauge 5¼ in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 62½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·09			0·39	0·07		0·23			0·29		0·25	1
2			010		002			0·56	0·09	0·12		005	2
3		0·05		0·05			0·08		001	0·03		004	3
4				0·16			0·73			0·28		003	4
5			0·12	0·04			0·93	0·08				0·13	5
6			0·19		0·08		0·48					0·04	6
7	0·03		0·03	0·12	008		0·15						7
8		0·06		0·09	0·13		0·15	0·02					8
9	0·25			0·06			0·03						9
10	0·43	0·05					0·08				0·04		10
11	0·20		0·07	0·23	0·03		0·22						11
12	0·05			0·12		0·01					0·02	0·20	12
13	018		0·13	0·19		0·78					0·02		13
14			0·16	0·29		0·25			0·10	0·05	0·20		14
15			0·14	0·21		0·16			0·57				15
16				0·18					0·25				16
17	0·03				0·12		0·02		0·35			0·05	17
18	0·07			0·02	0·03			0·84	0·18			0·04	18
19	0·11			0·22		0·07						0·05	19
20	0·07	0·14		0·19		0·59						0·65	20
21				0·03			0·65	0·03	0·49				21
22				0·25				0·07	0·03				22
23							0·43	0·06				0·30	23
24			0·07									003	24
25		0·05	0·01				0·26						25
26	0·04	0·02		0·01		0·02	0·18					0·05	26
27	0·29			0·27		0·07	0·08				0·42	0·02	27
28	0·36		0·20	0·24			0·08				0·08	0·03	28
29			0·04	002	0·03						0·05	0·15	29
30	0·02	✕		002	0·06		0·11		0·19		0 20	0·14	30
31		✕		✕		✕			✕	0·94	✕	0·04	31
TOTAL	2·22	0·37	1·29	3·40	0·65	1·95	4·89	1·66	2·26	1·71	1·03	2·29	YEAR'S TOTAL 23·72
Days with ·01 in. or more	15	6	12	23	10	8	18	7	10	6	8	19	142
Days with ·04 in. or more	12	5	10	18	6	6	16	5	8	5	6	13	112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE

BYFLEET

SURREY

1912, 13, 14, 1915 – 1920

2 N

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

Kept at Byflee

in the County of Su

by J.E. D

...don

...4 in.

Ground 1 ft. 1 in.

Sea Level 50 ft. (about)

(Entered to previous day)

Name Byfleet

Distance 1 mile Direction West

IMPORTANT NOT the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·070	·050	–	–	·060	–	·030	·530	–	·170	1
2	–	–	·260	–	–	·170	·330	?	–	·060	–	–	2
3	–	S ·050	·090	–	–	·090	·010	?	–	–	–	·060	3
4	·160	–	·420	–	·080	·250	–	?	–	–	·240	–	4
5	·150	·080	·060	–	–	–	–	?	–	–	·060	·010	5
6	·350	·030	·020	–	–	–	–	?	–	–	–	·020	6
7	–	–	–	–	·110	1·040	–	?	–	–	–	·020	7
8	·270	·330	·210	–	–	·060	–	?	–	–	–	–	8
9	–	·150	·030	·010	–	–	–	?	–	–	–	·140	9
10	–	·060	–	–	–	·020	–	?	–	–	·070	·250	10
11	·040	·180	–	–	–	·030	–	?	–	–	–	·260	11
12	·030	·100	·070	–	·210	·120	·020	1·530	–	–	·010	–	12
13	–	–	·010	–	–	–	–	–	–	–	–	·020	13
14	–	–	–	–	·040	–	–	–	–	·040	–	·020	14
15	·010	·010	·100	–	·090	·560	–	–	–	–	·040	·210	15
16	·410	–	·070	–	·210	·070	–	·080	–	·040	·030	–	16
17	·510	–	·170	–	–	·020	–	·060	–	–	–	–	17
18	·110	–	·140	–	–	–	–	·150	–	–	·020	·080	18
19	·070	·070	·030	–	–	–	·150	·360	–	–	–	–	19
20	·030	–	·150	–	–	–	–	·140	–	·340	·030	–	20
21	·010	–	·090	–	·150	–	–	·070	–	·090	·140	–	21
22	·130	·140	·050	–	·080	–	–	·150		·020	–	·050	22
23	·450	·450	·300	–	–	–	·050	·370	–	·080	·170	·140	23
24	·350	·020	–	–	–	·040	~~·050~~	·270	–	–	–	–	24
25	·110	–	–	–	–	·160	–	·500	–	–	·170	·730	25
26	–	·060	–	–	–	–	–	·310	–	·290	·340	·250	26
27	–	–	–	–	–	·040	–	–	–	·180	–	·170	27
28	–	·050	·010	–	–	·160	·260	·060	·290	·340	·450	·100	28
29	–	·020	–	–	–	·120	·150	·230	1·470	·280	·030	–	29
30	–		–	–	·300	–	–	–	1·030	·160	–	–	30
31	–		·280		·010		·140	·070		–		–	31
Total	3·190	1·800	2·630	·060	1·280	2·950	1·170	4·350	2·820	2·450	1·800	2·700	TOTAL for year [illegible]
No. of Rain Days.	17	16	21	2	10	16	9	×	4	13	14	18	–

W. 8,000, X. '11.

× From 2nd to 11th August the water was allowed to accumulate but I think it is about accurate.

R 2 N

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

Kept at Byfleet

in the County of Surrey 6

by J. E. Dowell

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 59 ft. (about)

Time of Observation 9 am (Entered to previous day)

Nearest Railway Station
Name Byfleet
Distance 1 mile Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·070	·050	–	–	·060	–	·030	·530	–	·170	1
2	–	–	·260	–	–	·170	·330	?	–	·060	–	–	2
3	–	·050	·090	–	–	·090	·010	?	–	–	–	·060	3
4	·160	–	·420	–	·080	·250	–	?	–	–	·240	–	4
5	·150	·080	·060	–	–	–	–	?	–	–	·060	·010	5
6	·350	·030	·020	–	–	–	–	?	–	–	–	·020	6
7	–	–	–	–	·110	1·040	–	?	–	–	–	·020	7
8	·270	·330	·210	–	–	·060	–	?	–	–	–	–	8
9	–	·150	·030	·010	–	–	–	?	–	–	–	·140	9
10	–	·060	–	–	–	·020	–	?	–	–	·070	·250	10
11	·040	·180	–	–	–	·030	–	?	–	–	–	·260	11
12	·030	·100	·070	–	·210	·190	·020	1·530	–	–	·010	–	12
13	–	–	·010	–	–	–	–	–	–	–	–	·020	13
14	–	–	–	–	·040	–	–	–	–	·040	–	·020	14
15	·010	·010	·100	–	·090	·560	–	–	–	–	·040	·210	15
16	·410	–	·070	–	·210	·070	–	·080	–	·040	·030	–	16
17	·510	–	·170	–	–	·020	–	·060	–	–	–	–	17
18	·110	–	·140	–	–	–	–	·150	–	–	·020	·080	18
19	·070	·070	·030	–	–	–	·150	·360	–	–	–	–	19
20	·030	–	·150	–	–	–	–	·140	–	·340	·030	–	20
21	·010	–	·090	–	·150	–	–	·070	–	·090	·140	·	21
22	·130	·140	·050	–	·080	–	–	·150	·	·020	–	·050	22
23	·450	·450	·300	–	–	–	·050	·370	–	·080	·170	·140	23
24	·350	·020	–	–	–	·040	~~·050~~	·270	–	–	–	–	24
25	·110	–	–	–	–	·160	–	·500	–	–	·170	·730	25
26	–	·060	–	–	–	–	–	·310	–	·290	·340	·250	26
27	–	–	–	–	–	·040	–	–	–	·180	–	·170	27
28	–	·050	·010	–	–	·160	·260	·060	·290	·340	·450	·100	28
29	–	·020	–	–	–	·120	·150	·230	1·470	·280	·030	–	29
30	–		–	–	·300	–	–	–	1·030	·160	–	–	30
31	–		·280		·010		·140	·070		–		–	31
Total	3·190	1·800	2630	·060	1·280	2·950	1·170	4·350	2·820	2·450	1·800	2·700	TOTAL for year
No. of Rain Days.	17	16	21	2	10	15	9	×	4	13	14	18	

W. 8,000, X. '11.

× From 2nd to 11th August the water was allowed to accumulate, but I think it is about accurate.

Ex. H86

REGISTER OF RAINFALL IN 19/3

FORM A2.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Byfleet

in the County of Surrey

by J H Dowell

6

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 2 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Byfleet
Distance 1m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·25	·05	·07	—	·01	—	—	·85	—	·04	·14	1
2	·05	·10	·01	·01	—	—	·12	—	·02	·14	·08	·01	2
3	—	—	·03	·16	·32	—	—	—	·01	·02	—	·03	3
4	·23	—	·01	·01	·35	—	·01	—	—	·22	·02	·04	4
5	·18	—	—	—	—	·05	·05	—	·22	·01	—	·02	5
6	·01	·03	·15	—	·03	·04	·07	—	—	·46	·07	·19	6
7	—	·11	—	—	·07	—	—	—	—	·27	·10	—	7
8	—	·03	—	·01	·09	·05	—	—	—	·03	—	—	8
9	—	·14	—	—	·01	—	·03	—	·13	—	·01	—	9
10	—	—	·06	·04	—	—	·02	·05	—	—	·36	—	10
11	·25	—	—	·42	·01	—	—	—	—	·56	·14	—	11
12	—	—	—	—	·04	—	—	—	—	·01	·19	—	12
13	·04	—	·01	—	—	—	—	·03	·11	—	·24	—	13
14	·08	·03	·08	·06	—	—	·49	·06	·05	·10	·05	—	14
15	·29	·04	·31	·20	—	—	·26	—	·07	—	·01	—	15
16	·11	—	·28	·05	—	—	—	—	·26	—	—	—	16
17	·01	·09(s)	·01	·02	—	—	·22	—	—	—	·01	—	17
18	—	—	·14	·06	—	—	—	—	—	—	·01	—	18
19	·21	—	·05	—	·04	·05	·10	—	·31	—	—	—	19
20	·14	—	·34	·03	·02	·30	—	—	—	·62	—	—	20
21	—	—	·14	·04	—	—	·02	—	—	·17	·66	—	21
22	·36	—	·19	—	—	—	·01	·17	·12	—	—	—	22
23	—	—	—	—	—	·03	·02	·04	·01	—	—	·49	23
24	·09	—	—	·04	—	—	—	—	—	—	—	—	24
25	—	·02	—	·23	—	—	—	—	—	—	—	—	25
26	—	—	·18	·10	—	—	—	·04	—	·67	—	·13	26
27	—	·01	·01	·04	·02	—	—	—	—	·02	—	—	27
28	·19	—	·30	·07	—	—	—	—	—	·16	—	—	28
29	·03		·05	·41	·59	—	—	·11	—	·05	·01	—	29
30	·25		—	·01	—	—	—	·17	—	·11	—	—	30
31	—		·11		—		—	·63		·06		—	31
Total	2·45	·85	2·51	2·08	1·59	·53	1·42	1·30	2·16	3·48	2·00	1·05	TOTAL for year 21·42
No. of Rain Days.	17	11	21	21	12	7	13	9	12	18	16	8	165

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Byfleet Ey 8Kl
in the County of Surrey 6
by J. E. Dowell

Lat. .... Long. ....
Time of Observation 9 Am
Nearest Railway Station Byfleet
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ..... ft. 10 in.
" " " " Sea Level abt 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					·05			·03	·04	1
2	·02					·02	·09	·05			·05	·17	2
3			·03	·01	·18		·07	·02			·01	·02	3
4	·04		·01	·17	·01		·01	·16			·28	·32	4
5	·06		·05	·19	·14	·04	·28	1·04					5
6		·13		·14		·12	·08				·07	·10	6
7		·30	·29	·24	·29	·13	·23					·06	7
8	·05	·33	·70			·20	·03	≠·13				·03	8
9	·21		·60	·24		·11			·07			1·86	9
10		·15	·02	·03	·07				·26				10
11		·27	·37		·03	·04					·04	·29	11
12		·07	·12				·54		·22	·01	·03	·40	12
13		·15	·17						·10		·02	·48	13
14		·09	·16			·13	·08			·44	·05	·40	14
15	·05		·13				·15	·05			·81	·02	15
16			·04						·03		·05		16
17		·31	·11						·01			·10	17
18		·03	·17									·29	18
19		·06	·25				·14				·15	·25	19
20		·26	·35						·08			·13	20
21		·51	·06							·05		·02	21
22			·02	·01	·14	·06	·18			·23			22
23		·10	·09		·08	·02				·06			23
24			·06								·10		24
25	·01		·22				·01	·14		·21			25
26			·01				·03	·07		·05	·22	·63	26
27	·03		~~·06~~								·03	·14	27
28		·02	~~·02~~		·02					·09	·47	·87	28
29	·04		·07							·25	·13		29
30			·02			~~·87~~				·08	·48	·49	30
31					·13		·02			·02		·03	31
Total	57	2·78	4·14	1·03	1·09	87	1·94	1·71	·77	1·49	3·02	7·14	YEAR'S TOTAL 26·49
Rain Days.	9	15	26	8	10	10	15	9	7	11	18	23	161

W. 8,000. X. 14.

295

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Woodlrie Cottage, Byfleet
in the County of Surrey 6
by J. E. Dowell

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Byfleet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 2 [illegible] ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·63	·16	·13	–	·07	–	·07	–	·12	·06	·13	·60	1
2	·35	·17	·24	·07	–	·03	–	·50	·03	·05	–	·19	2
3	·41	–	·08	·11	·01	–	–	·21	·02	–	–	·46	3
4	·03	–	–	–	–	–	–	·01	–	–	–	·20	4
5	·03	·51	–	–	–	–	–	·01	–	·06	–	·37	5
6	·47	·18	·04	·29	–	–	·61	·01	–	–	–	·21	6
7	·12	·22	·01	–	–	–	·15	–	–	–	–	·22	7
8	·04	·51	·02	·03	–	–	–	·10	–	–	–	–	8
9	·04	·11	–	·28	–	·05	–	·02	–	–	·32	·67	9
10	·18	·06	·01	–	–	–	–	·60	–	–	–	·18	10
11	·01	–	·03	–	–	–	–	·02	–	–	·62	·04	11
12	·04	·11	–	·38	·42	–	–	–	–	–	·21	–	12
13	–	·62	–	–	1·17	–	–	·04	·01	–	–	–	13
14	–	·02	–	–	–	–	·18	·44	·04	–	–	·36	14
15	·07	·03	–	–	·04	–	·04	·10	–	–	·12	·05	15
16	–	·36	–	–	–	–	·50	·14	–	–	–	–	16
17	–	·36	–	–	1·14	–	–	–	–	–	–	–	17
18	–	·30	·06s	–	·17	–	–	–	–	–	·03	–	18
19	–	·07	–	–	·02	–	·07	–	–	·04	–	–	19
20	·24	–	–	·04	–	–	–	–	–	–	–	·19	20
21	·15s	–	–	–	·04	–	–	–	–	·04	–	·03	21
22	1·25s	·12	·17	·02	–	–	·74	–	–	–	–	·10	22
23	·03	·10s	·05	–	–	·03	·13	–	·26	·62	–	·19	23
24	–	–	–	–	–	–	–	–	·38	·28	–	·38	24
25	–	–	·01	·10	–	·04	·17	–	–	·01	–	·10	25
26	–	·02	–	–	–	·04	·37	–	–	–	–	·60	26
27	–	·02	–	–	–	·22	·01	–	–	·23	–	·05	27
28	–	–	–	–	–	·04	–	–	1·31	·11	–	–	28
29	–	X	–	–	–	–	·33	·12	–	–	14	·01	29
30	·03	X	–	–	–	·85	–	–	–	17	·31	·02	30
31	·04	X	–	X	–	X	–	·01	X	1·11	X	·25	31
Total	~~4·16~~ 4	4·05	·85	1·32	3·11	1·30	3·37	2·33	2·17	2·78	1·87	5·46	YEAR'S TOTAL 32·77
Rain Days.	19	20	12	9	9	8	13	15	8	12	8	23	156

W. 8,000. X. 15.

21 W [illegible] [illegible] 283

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
10 JAN 1917

Kept at Byfleet

in the County of Surrey

by J. E. Dowell

Lat. ? Long. ?

Time of Observation 9 a.m.

Nearest Railway Station Byfleet Stn.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.02	.02	-	.18	.01	-	-	.33	-	.39	-	1
2	.17	.05	.16	-	.26	-	.01	-	.15	.52	.08	-	2
3	-	.72	.08	-	-	-	.03	-	.14	.33	.40	-	3
4	.11	.03	-	-	-	.26	-	-	.17	.01	.52	-	4
5	.02	-	-	.01	.15	.18	-	-	-	-	.80	.01	5
6	-	.12	.21	.11	.02	.24	.22	-	-	.07	.43	-	6
7	.05	-	.51	-	.19	.16	.42	-	-	.02	.47	.05	7
8	-	-	.10	-	.26	-	-	-	-	-	-	.15	8
9	-	-	-	-	.12	-	-	-	-	.12	-	.12	9
10	-	.22	.11	.05	.01	.12	.02	-	-	.01	.01	.08	10
11	-	.11	.03	.15	-	.15	-	-	-	-	-	.01	11
12	.05	.02	-	.03	.40	.12	.01	.02	.01	.06	-	-	12
13	-	.18	.62	.06	-	.03	.01	.08	-	-	-	-	13
14	-	.37	.07	.01	.05	-	-	.27	-	-	-	.09	14
15	-	.12	.20	.01	-	-	.06	.32	-	.10	-	.03	15
16	.01	.05	.43	.15	.01	-	.19	.25	-	.01	-	-	16
17	.09	.17	-	.07	-	-	.02	.13	.27	.50	-	-	17
18	-	.04	.04	.07	-	-	-	.27	.07	.44	70	.02	18
19	.10	-	.13	.16	-	-	-	.01	.16	-	.53	-	19
20	.09	-	.22	.01	-	-	-	-	-	-	.02	.52	20
21	.01	-	.44	-	-	-	.01	-	-	-	-	.19	21
22	.01	.01	.04	-	.02	-	-	-	-	.07	-	.45	22
23	-	.25	.01		-	.04	-	.02	-	.06	.02	-	23
24	-	.10	-	-	.07	.02	-	.03	-	.23	.04	.33	24
25	-	.73	.14	-	-	-	-	.10	-	.02	.05	.01	25
26	-	.29	.11	-	-	.06	-	.14	.03	.22	-	-	26
27	.01	-	.83	-	-	.03	-	.95	.02	.61	-	-	27
28	-	41	.16	-	-	.06	-	.01	.05	-	-	.10	28
29	-	.12		-	-	.12	-	.92	.04	.25	-	.13	29
30	-	×	-	-	-	-	-	.09	-	.38	-	-	30
31	-	×	-	×	-	×	-	.04	×	.21	×	.02	31
Total	.76	4.13	4.66	.89	1.74	1.60	1.00	3.65	1.44	4.24	4.46	2.31	YEAR'S TOTAL 30.88
Rain Days.	13	21	4·66 22	13	13	15	11	17	12	21	14	17	189

W. 8,000, VIII. 16

275

REGISTER OF RAINFALL IN 19 17

End

FORM A. BRITISH RAINFALL.

14 JAN 1918

Kept at Woodbine Cottage Byfleet

in the County of Surrey

by J. E. Arnell

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Byfleet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ______ in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·02	·22	–	–	–	1·24	·03	–	·07	–	1
2	–	–	–	·34	–	·09	–	·06	–	–	·08	–	2
3	–	–	–	·07	–	–	·28	·39	–	·13	–	–	3
4	–	·30	·08	–	–	–	·28	·07	–	·37	–	–	4
5	·29	–	·02	·21	–	–	–	–	·23	·29	·07	–	5
6	–	–	·35	·01	–	·08	–	–	·24	–	·06	–	6
7	·13	–	–	–	–	–	·15	–	–	·51	–	·02	7
8	·14	–	–	·05	–	–	·83	·06	·08	·24	·16	·38	8
9	·02	–	·05	·04	·02	–	·04	·08	·04	–	–	·90	9
10	·19	–	·08	·22	–	–	–	·09	–	–	·06	–	10
11	·08	–	·32	·24	–	·16	–	–	·20	–	–	–	11
12	·04	–	·06	·03	–	–	–	·02	–	·57	–	–	12
13	·04	–	·13	·08	–	–	–	·12	·02	·27	–	–	13
14	–	–	–	·15	–	–	–	·06	–	–	–	–	14
15	·01	–	–	·01	–	–	·21	–	–	–	–	–	15
16	·06	·11	–	·23	·03	·13	·15	·03	–	·47	–	·64	16
17	–	–	–	·10	·55	–	·32	·12	·37	·18	–	–	17
18	·03	·03	–	·06	·07	·60	·18	·02	·24	·01	–	–	18
19	·02	·13	·05	–	–	·03	–	–	·11	–	–	–	19
20	·01	·10	·02	–	·76	–	·08	·01	–	–	·02	–	20
21	–	·01	·02	–	–	·03	–	–	–	–	·05	–	21
22	·01	–	·06	–	–	·02	–	·06	–	·05	·01	–	22
23	–	·10	·01	–	·11	·05	–	·14	–	–	–	·03	23
24	–	·01	–	–	–	·18	·03	3 days total = ×	–	·20	–	–	24
25	–	·08	–	–	–	–	–		–	–	–	–	25
26	–	–	·05	–	–	–	–	×	·04	·01	·27	–	26
27	–	–	–	–	·28	–	–	·99 ×	–	–	–	–	27
28	–	–	–	–	–	1·09	–	·03	–	–	–	·05	28
29	–	×	·03	–	·51	·16	19	·02	–	23	–	·09	29
30	–		·33	–	–	–	1·67	·04	–	–	–	·01	30
31	·02		·02		–		·32	–		–		·01	31
Total	1·09 ✓	·83 ✓	1·70 ✓	2·04 ✓	2·33 ✓	2·62 ✓	4·73 ✓	3·65 ✓	1·60 ✓	3·52 ✓	·85 ✓	1·43 ✓	YEAR'S TOTAL 26·39
Rain Days.	15 ✓	9 ✓	18 ✓	16 ✓	8 ✓	12 ✓	14 ✓	22	11 ✓	14 ✓	10 ✓	9 ✓	158

probably

W. 8,000, IX. 17.

Exd. E.F.E.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

17.1

Kept at Byfleet (Woodbine Cottage)
in the County of Surrey
by J. E. Dowell

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Byfleet (1 mile west)
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level above 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	–	.01	–	–	.29	.01	1
2	–	.06	–	–	–	–	–	.26	–	.02	.19	.07	2
3	–	.02	.03	.16	.48	–	–	.11	–	–	.50	–	3
4	–	.04	.14	.01	–	–	–	.01	.11	–	.46	–	4
5	–	.02	.01	–	.08	–	–	.04	.43	.09	–	–	5
6	.21	.06	–	.32	–	–	–	–	.02	.01	–	.05	6
7	.01	.10	–	.17	.53	–	–	–	.23	.03	.21	–	7
8	–	.05	–	–	–	–	–	–	.11	.04	–	–	8
9	.02	.02	–	.16	–	.15	.22	–	.29	.11	–	.30	9
10	–	–	–	.10	–	–	.73	–	.04	.01	.02	.27	10
11	.01	–	–	.02	–	–	1.43	–	.01	.30	.08	.11	11
12	–	.03	–	–	.15	–	.22	–	.03	–	–	.01	12
13	.03	–	–	–	.13	–	.09	–	.11	–	–	.04	13
14	.14	–	.03	–	–	.32	.01	–	.12	.09	–	.27	14
15	1.31	–	–	.63	–	.01	.04	–	–	–	–	.06	15
16	.32	–	.02	.21	–	.10	–	–	.18	–	–	.02	16
17	.33	–	–	.18	.31	–	.09	.02	.01	–	–	.08	17
18	.42	–	–	–	–	.15	.08	–	1.40	.14	–	.12	18
19	.08	–	.06	.08	–	.35	.20	–	.01	.13	–	.05	19
20	.02	.10	–	.50	–	.03	.15	–	.17	.10	–	–	20
21	.13	.01	–	.90	–	–	.10	–	.63	.02	–	.01	21
22	.07	–	–	–	.22	–	.15	–	.14	–	–	.18	22
23	.03	–	–	.01	.10	–	.58	.04	.07	–	–	.02	23
24	–	.32	–	–	–	.02	.49	–	.07	–	.05	–	24
25	–	–	–	–	–	–	.30	.22	–	–	–	–	25
26	–	–	–	–	–	–	.86	.01	.01	.05	.09	.12	26
27	–	03	–	–	–	–	.17	.15	.04	–	.12	.01	27
28	–	07	.19	.05	–	–	–	.05	–	–	.09	.08	28
29	–		–	–	–	–	–	–	1.06	–	.03	–	29
30	–		.44	–	–	–	–	–	.04	–	.08	.07	30
31	–		–		–		–	–		.08		–	31
Total	3.13 ✓	.93 ✓	.92 ✓	3.50 ✓	2.00 ✓	1.13 ✓	5.91 ✓	.92 ✓	5.33 ✓	1.22 ✓	2.21 ✓	1.95 ✓	YEAR'S TOTAL 29.15 ✓
Rain Days.	15	14	8	15	8	8	18	11	24	15	13	21	170

W, 6,500, VII. 18. w w c

Ex. [illegible]

258

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at Woodbine Cottage – Byfleet

in the County of Surrey

by J. E. Dowell

Lat. Long.

Time of Observation 9 A

Nearest Railway Station Byfleet, 1 mile west.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ „ „ „ Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	·03	·02	·04	·03	–	·38	–	–	·02	–	1·09	1
2	·43	–	–	–	·04	–	·15	–	·08	·04	·10	·07	2
3	·28	–	·35	–	·01	–	·03	–	·03	–	·03	·36	3
4	·08	·03	·43	–	–	·06	·15	·03	·01	–	·01	·22	4
5	–	·30	·49	–	–	–	·09	–	·16	–	·10	·24	5
6	·22	–	·03	–	–	–	–	–	–	–	·01	·05	6
7	·03	–	·32	–	–	–	–	–	–	–	·01	–	7
8	·15	–	·08	·02	–	–	–	–	–	–	–	–	8
9	·03	–	·03	·10	·02	–	–	–	–	–	·05	–	9
10	·86	–	·04	·01	–	–	–	–	–	·02	·04	·02	10
11	·02	–	·07	·96	·03	–	·34	–	–	–	·01	·02	11
12	·01	–	·01	·01	–	–	–	–	–	·08	·04	–	12
13	·01	·01	–	·30	–	–	–	–	·02	·03	–	·02	13
14	·16	–	–	·21	–	–	·08	–	1·10	–	–	·01	14
15	·17	·02	·09	·11	–	–	–	–	–	·03	–	·40	15
16	·07	·57	–	–	–	–	–	–	–	–	·08	·01	16
17	–	·24	–	·02	–	–	–	–	–	–	·17	–	17
18	–	·22	·12	–	–	–	–	–	·02	–	·08	·03	18
19	–	·07	·61	–	–	·27	·76	·24	–	–	·05	–	19
20	·11	·03	·31	–	–	·65	·13	·09	·01	–	–	·01	20
21	·16	·22	·02	–	–	·02	·08	–	–	–	·01	·04	21
22	–	·02	–	–	–	–	·22	–	17	–	·02	·28	22
23	–	–	–	–	–	–	–	–	·03	–	·01	·08	23
24	–	–	–	·10	–	·02	·09	·04	–	·24	·03	·01	24
25	·03	·04	–	–	·11	·01	–	·15	–	–	–	·02	25
26	·05	·16	·12	·11	–	–	–	·04	·05	–	–	·25	26
27	·61	04	·01	·76	–	–	–	·35	–	–	·03	·03	27
28	·02	–	·36	·03	–	–	·02	·65	–	–	49	·30	28
29	·02	X	–	·12	–	·02	–	·29	–	·14	–	·03	29
30	–	X	·01	·24	–	·10	–	·25	–	·03	·21	·37	30
31	·04	X	·04	X	–	X	·08	–	X	·01	X	·06	31
TOTAL	3.87	2·00	3·56	2·44	·24	1·15	2·57	2·13	1·68	·64	1·58	3.99	YEAR'S TOTAL 25·85
Days with ·01 in. or more	23	15	21	16	6	8	14	10	11	10	21	25	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SE WND 239

2 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Woodlrim Cottage Byfleet

in the County of Surrey

by J. E. Dowell

Lat. Long.

Time of Observation 9 A

Nearest Railway Station Byfleet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	–	–	·36	·06	–	·22	–	–	·27	–	·24	1
2	–	–	·07	–	·01	–	–	·52	·08	·06	=	·06	2
3	–	·04	–	·06	–	–	·08	–	–	·09	–	·01	3
4	–	·04	–	·17	–	–	·81	·03	–	·19	–	·10	4
5	–	–	·12	·02	·01	–	·85	·03	–	–	–	·04	5
6	–	–	·17	–	·07	–	·43	–	–	–	–	·02	6
7	·02	–	·01	·11	·08	–	·14	–	–	–	–	–	7
8	–	–	–	·08	·11	–	·14	–	–	–	–	–	8
9	·28	–	–	·08	–	–	·02	–	–	–	–	–	9
10	·39	·04	·04	·01	–	–	·06	–	–	–	–	–	10
11	·11	–	07	·20	·02	·03	·20	–	–	–	–	·07	11
12	·04	–	–	·10	–	·77	–	–	=	–	·02	–	12
13	19	–	·12	·15	–	–	–	–	–	–	·02	–	13
14	–	·01	·21	·27	–	·18	–	–	·08	·01	·21	·05	14
15	·01	–	·06	·29	–	–	–	–	·48	·06	·06	·01	15
16	–	·01	·01	·17	–	·22	–	–	·35	·01	–	–	16
17	·02	–	–	·01	·10	–	·01	–	·42	–	–	·04	17
18	·04	–	–	–	·02	–	–	·80	·09	–	–	·05	18
19	·10	–	–	·19	–	·05	–	–	–	–	–	·01	19
20	·06	·09	–	·18	–	·55	–	–	–	–	–	·01	20
21	–	–	–	·02	–	–	·66	–	·47	–	–	·06	21
22	–	–	–	·24	–	–	–	·04	·03	–	–	·44	22
23	–	–	–	–	–	–	·41	·03	–	–	–	·31	23
24	·01	·01	·03	–	–	–	–	–	–	–	–	–	24
25	–	·01	–	–	–	–	·21	–	–	–	–	–	25
26	·04	–	·07	·01	–	·01	·17	–	–	–	·01	·05	26
27	·24	·02	·01	·25	–	·07	·07	–	–	–	·38	·06	27
28	·34	–	·25	·22	·02	–	·07	–	–	–	·08	·02	28
29	·26	–	·05	·02	–	–	–	–	–	–	·04	·11	29
30	·01		–	·01	·08	–	·11	–	·18	–	·18	·14	30
31	~~2·23~~		–		·01		–	–		·90		·04	31
TOTAL	2·23	·27	1·29	3·22	·59	1·88	4·66	1·45	2·18	1·59	1·00	1·94	YEAR'S TOTAL 22·30
Days with ·01 in. or more	18	9	15	24	12	8	18	6	9	8	9	22	158
Days with ·04 in. or more	13	4	11	17	6	6	16	3	8	6	6	16	112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BYFLEET
RECTORY

SURREY

~~1913 14 1915~~ 1913 - 17

FORM A.
BRITISH RAINFALL.

4 JAN 1914

RE

Kept at Byflee 8' 45"

fleet

in the County of 8 in.

by Rev G. E. M und — ft. 11 in.

Level 50 ft.

IMPORTANT result entered to the previous day. If an rule, he is earnestly requested to add the the space provided for it at the end of of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·25	0·03	0·08					0·96		0·03	0·14	1
2	0·03	0·09	0·01	0·01			0·12		0·01	0·14	0·08	0·01	2
3			0·04	0·15	0·34					0·02		0·04	3
4	0·22		0·01		0·37					0·22	0·02	0·04	4
5	0·18					0·05	0·07		0·27			0·02	5
6		0·03	0·14		0·02	0·06	0·06			0·08	0·07	0·20	6
7		0·09			0·06					0·67	0·08		7
8		0·02		0·01	0·10	0·03				0·03	0·01		8
9		0·14			0·01		0·03		0·14			0·02	9
10			0·05	0·04			0·03	0·06			0·38		10
11	0·25	0·01		0·40						0·58	0·10		11
12					0·05					0·01	0·28		12
13	0·04		0·02					0·03	0·12		0·23		13
14	0·05	0·01	0·08	0·06			0·43	0·05		0·09	0·06	0·01	14
15	0·31	0·04	0·30	0·16			0·39		0·11		0·01		15
16	0·11		0·27	0·08					0·24				16
17	0·01	0·06	0·02	0·02			0·24					0·01	17
18			0·16	0·05			0·01						18
19	0·20		0·01		0·04	0·05	0·09						19
20	0·14		0·33	0·04	0·02	0·36				0·41			20
21			0·16	0·04						0·17	0·65		21
22	0·35		} 0·19				0·02						22
23						0·03	0·02	0·20				0·52	23
24			0·01	0·04						0·01			24
25		0·01		0·26								0·01	25
26			0·17	0·08				0·04		0·68		0·12	26
27		0·01	0·01	0·04									27
28	0·20		0·28	0·07						0·17		0·01	28
29	0·04		0·05	0·41	0·60			0·14		0·05			29
30	0·21			0·01				0·17		0·13			30
31			0·12					0·64		0·05			31
Total	2·35	0·76	2·46	2·05	1·61	0·58	1·51	1·33	1·85	3·51	2·00	1·15	YEAR'S TOTAL 21·16
Rain Days.	16	12	23	20	10	6	12	8	7	17	13	13	157

W. 7,500, XI. ·12

R

8' 45"

FORM A.
BRITISH RAINFALL.

4 JAN 1914

Kept at Byfleet Rectory

in the County of Surrey

by Rev G. E. Money

Time of Observation 8 a.m

Nearest Railway Station Byfleet

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	0·01	0·25	0·03	0·08					0·96		0·03	0·14	1
2	0·03	0·09	0·01	0·01			0·12		0·01	0·14	0·08	0·01	2
3			0·04	0·15	0·34					0·02		0·04	3
4	0·22		0·01		0·37					0·22	0·02	0·04	4
5	0·18					0·05	0·07		0·27			0·02	5
6		0·03	0·14		0·02	0·06	0·06			0·08	0·07	0·20	6
7		0·09			0·06					0·67	0·08		7
8		0·02		0·01	0·10	0·03				0·03	0·01		8
9		0·14			0·01		0·03		0·14			0·02	9
10			0·05	0·04			0·03	0·06			0·38		10
11	0·25	0·01		0·40						0·58	0·10		11
12					0·05					0·01	0·28		12
13	0·04		0·02					0·03	0·12		0·23		13
14	0·05	0·01	0·08	0·06			0·43	0·05		0·09	0·06	0·01	14
15	0·31	0·04	0·30	0·16			0·39		0·11		0·01		15
16	0·11		0·27	0·08					0·24				16
17	0·01	0·06	0·02	0·02			0·24					0·01	17
18			0·16	0·05			0·01						18
19	0·20		0·01		0·04	0·05	0·09						19
20	0·14		0·33	0·04	0·02	0·36				0·41			20
21			0·16	0·04						0·17	0·65		21
22	0·35		} 0·19				0·02						22
23						0·03	0·02	0·20				0·52	23
24			0·01	0·04						0·01			24
25		0·01		0·26								0·01	25
26			0·17	0·08				0·04		0·68		0·12	26
27		0·01	0·01	0·04									27
28	0·20		0·28	0·07						0·17		0·01	28
29	0·04		0·05	0·41	0·60			0·14		0·05			29
30	0·21			0·01				0·17		0·13			30
31			0·12					0·64		0·05			31
Total	2·35	0·76	2·46	2·05	1·61	0·58	1·51	1·33	1·85	3·51	2·00	1·15	YEAR'S TOTAL 21·16 ✓
Rain Days.	16	12	23	20	10	6	12	8	17	17	13	13	157 ✓

W. 7,500, XI. 12

Written 17·II·15

Euro

cord for centre 8·11·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

2 JAN 1915

Kept at Byfleet Rectory

in the County of Surrey 6

by Rev. G. E. Money

Lat. 51½ Long. 0½ W

Time of Observation 8 am

Nearest Railway Station Byfleet

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level 55 ft.

IMPORTA

previous day.

requested to ad

for it at the e

the selection a

Organization ar

Dr. H. R. MIL

d the result entered to the

iversal rule, he is earnestly

ear in the space provided

ement of rain,

British Rainfall

application to

Jan. 1, following.

Thank you for kindly
correcting my total
I found I had omitted
the "1" on August 5 (when
my record was 1·06) in adding
the months total - and am
sorry I did not correct it
in the copy I sent you

G. E. Money
Byfleet Rectory
Feb 18-15

19 FEB 1915

actual EA

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											0·05	0·03	1
2											0·05	0·19	2
3	0·01										0·01	0·02	3
4	0·04										0·32	0·30	4
5	0·06												5
6		0·1									0·06	0·10	6
7		0·30	0·22	0·27	0·38	0·15	0·17					0·06	7
8	0·06	0·35	0·81			0·21	0·07	0·08				0·04	8
9	0·21		0·58	0·24		0·09			0·07			2·14	9
10		0·12	0·01	0·02	0·06				0·07			0·04	10
11		0·25	0·39		0·02	0·03			0·23		0·03	0·31	11
12		0·07	0·11				0·60		0·20		0·02	0·34	12
13		0·13	0·16						0·10	0·02	0·02	0·51	13
14		0·08	0·13			0·09	0·09			0·45	0·05	0·40	14
15	0·04	0·01	0·13				0·16	0·03		0·01	0·79	0·04	15
16			0·03								0·04		16
17		0·30	0·08						0·02				17
18		0·06	0·16									0·09	18
19		0·07	0·19				0·15				0·18	0·29	19
20		0·24	0·40						0·07			0·28	20
21		0·51	0·08							0·04		0·16	21
22			0·03	0·01	0·16	0·01	0·17	0·02		0·20		0·01	22
23		0·10	0·08		0·06					0·06			23
24			0·06				0·01				0·09		24
25			0·23					0·10		0·20		0·03	25
26			0·01				0·03	0·05		0·04	0·19	0·67	26
27	0·05										0·03	0·20	27
28		0·03								0·09	0·50	1·00	28
29	0·05									0·26	0·09		29
30		X	0·05							0·06	0·47	0·52	30
31		X	0·03	X	0·13	X	0·02		X		X	0·10	31
Total	0·52	2·76	4·13	1·05	1·14	0·75	1·97	1·63	0·76	1·43	2·99	7·87	YEAR'S TOTAL 27·00
Rain Days.	8	16	27	8	8	9	15	11	17	11	18	25	163

1·63

27·00

W. 8,000. X. 14.

Dr. H. R. Mi

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·01					0·04			0·05	0·03	1
2						0·01	0·12	0·06			0·05	0·19	2
3	0·01		0·04	0·01	0·18		0·07	0·05			0·01	0·02	3
4	0·04		0·01	0·16			0·01	0·13			0·32	0·30	4
5	0·06		0·06	0·21	0·15	0·04	0·23	1·06					5
6		0·14	0·04	0·13		0·12	0·07	0·01			0·06	0·10	6
7		0·30	0·22	0·27	0·38	0·15	0·17					0·06	7
8	0·06	0·35	0·81			0·21	0·07	0·08				0·04	8
9	0·21		0·58	0·24		0·09			0·07			2·14	9
10		0·12	0·01	0·02	0·06				0·07			0·04	10
11		0·25	0·39		0·02	0·03			0·23		0·03	0·31	11
12		0·07	0·11				0·60		0·20		0·02	0·34	12
13		0·13	0·16						0·10	0·02	0·02	0·51	13
14		0·08	0·13			0·09	0·09			0·45	0·05	0·40	14
15	0·04	0·01	0·13				0·16	0·03		0·01	0·79	0·04	15
16			0·03								0·04		16
17		0·30	0·08						0·02				17
18		0·06	0·16									0·09	18
19		0·07	0·19				0·15				0·18	0·29	19
20		0·24	0·40						0·07			0·28	20
21		0·51	0·08							0·04		0·16	21
22			0·03	0·01	0·16	0·01	0·17	0·02		0·20		0·01	22
23		0·10	0·08		0·06					0·06			23
24			0·06				0·01				0·09		24
25			0·23					0·10		0·20		0·03	25
26			0·01				0·03	0·05		0·04	0·19	0·67	26
27	0·05										0·03	0·20	27
28		0·03								0·09	0·50	1·00	28
29	0·05									0·26	0·09		29
30		X	0·05							0·06	0·47	0·52	30
31		X	0·03	X	0·13	X	0·02		X		X	0·10	31
Total	0·52	2·76	4·13	1·05	1·14	0·75	1·97	1·63	0·76	1·43	2·99	7·87	YEAR'S TOTAL 27·00
Rain Days.	8	16	27	8	8	9	15	11	17	11	18	25	163

W. 8,000. X. 14.

1·63

27·00

lx1 JB

296

REGISTER OF RAINFALL IN 1915

✓

Kept at Byfleet Rectory

in the County of Surrey 6

by the Rev G. G. Money, Rector

Lat. 51-20 N. Long. 1-30 E

Time of Observation 8 am

Nearest Railway Station Byfleet 1¾ m

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 50 ft.

FORM A.
BRITISH RAINFALL.

3 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·60	0·14	0·10		0·03		0·06		0·16	0·03	0·14	0·52	1
2	0·37	0·16	0·25	0·14	0·04	0·03		0·44	0·03	0·07		0·07	2
3	0·41		0·07	0·10				0·31	0·01		0·02	0·65	3
4	0·02							0·01				0·20	4
5	0·04	0·51								0·07		0·34	5
6	0·41	0·13	0·02	0·29			0·62	0·02			0·01	0·16	6
7	0·25	0·18	0·01				0·30	0·01				0·23	7
8	0·05	0·52		0·01			0·02	0·05					8
9	0·02	0·09		0·35		0·05		0·07			0·33	0·84	9
10	0·17	0·08	0·01					0·48				0·21	10
11		0·01	0·02					0·03		0·03	0·72		11
12	0·04	0·22		0·46	0·59			0·01			0·17	0·07	12
13		0·64			1·50			0·01					13
14	0·01	0·02					0·20	0·28	0·04			0·39	14
15	0·07	0·03			0·03		0·05	0·16			0·16	0·12	15
16		0·43			0·10		0·59	0·25				0·04	16
17		0·37			1·15								17
18		0·35	0·05		0·23						0·02		18
19		0·02			0·02		0·07			0·03		0·01	19
20	0·24	0·01	0·01	0·02	0·01							0·21	20
21	0·20						0·01			0·05		0·03	21
22	1·25	0·16	0·20	0·01			0·75					0·15	22
23	0·01	0·12	0·04			0·03	0·23		0·32	0·72		0·19	23
24							0·13		0·50	0·47		0·49	24
25			0·01	0·09		0·06	0·10					0·15	25
26		0·01				0·03	0·04					0·50	26
27		0·01				0·31	0·38			0·34		0·10	27
28		0·09				0·06			1·75	0·13	0·01		28
29		X				0·01	0·28	0·12	0·02	0·01	0·14	0·01	29
30		X				0·70				0·26	0·32	0·01	30
31	0·10	X		X		X			X	1·31	X	0·25	31
Total	4·26	4·30	0·79	1·47	3·70	1·28	3·83	2·25	2·83	3·52	2·04	5·94	YEAR'S TOTAL 36·21
Rain Days.	18	23	12	9	10	9	16	15	8	13	11	25	169

W. 8,000. X. 15.

2 R1. 284

FORM A. BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Byfleet Rectory
in the County of Surrey
by Rev G. E. Money

Lat. Long.
Time of Observation 8 a.m. for
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.
as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·01	·02		·21				·39	·05	·45		1
2	·17	·06	·13		·34				·16	·62	·08		2
3		·80	·21			·30			·17	·37	·57		3
4	·11	·03	·01						·21		·55		4
5	·02			·01	·19	·15				·04	·77		5
6		·04	·16	·12	·02	·20	·22			·02	·48		6
7	·06		·63		·21	·08	·42			·02	·55	·09	7
8					·30	·01					·05	·16	8
9		·01	·01		·14					·14		·21	9
10		·18	·11	·05		·11	·01					·06	10
11	·02	·21	·01	·18		·17						·04	11
12	·02	·03	·01	·01	·41	·15		·01		·07			12
13	·01	·18	·64	·09	·12	·02		·09		·03			13
14		·45	·08		·06			·31				·10	14
15	·01	·11	·25	·01			·30	·45		·05		·03	15
16	·01	·08	·43	·17			·02	·31					16
17	·08	·14		·10				·10	·34	·55			17
18	·01	·11	·03	·07				·37	·09	·48	·89		18
19	·12		·14	·22				·01	·17		·61		19
20	·08		·29	·01							·16	·39	20
21			·52				·01					·60	21
22		·01	·04							·06		·50	22
23	·02	·22				·02		·02		·06		·14	23
24		·10	·01		·08	·02		·03		·19	·12	·39	24
25	·01	·63	·15					·13	·02	·11	·08		25
26		·25	·12			·06		·17	·01	·27			26
27	·01	~~·25~~	·85			·03		1·16	·02	·78			27
28		·47	·20			·06		·03	·04			·14	28
29		·13				·15		1·05	·04	·25		·16	29
30								·11		·47		·02	30
31								·04		·17			31
Total	·78	4·25	5·05	1·04	2·08	1·53	·98	4·39	1·66	4·80	5·30	3·03	YEAR'S TOTAL 34·89
Rain Days.	17	22	24	12	11	15	6	17	12	21	13	15	185

W. 8,000, VIII. 16

and from auth   9. 7. 0.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

21 MAR 1918

Kept at Byfleet (The Rectory)

in the County of Surrey

by Rev G E Money
Per F C. Bayant

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·03	·09	-	-	-	1·30	·03	-	·12	-	1
2	-	-	-	·52	-	-	-	·07	-	-	·03	-	2
3	-	-	-	·07	-	-	·34	·32	-	·03	·03	-	3
4	-	·29	·09	-	-	-	·25	·15	-	·47	-	-	4
5	·32	-	·01	·08	-	·09	-	-	·25	-	10	-	5
6	-	-	·37	·16	-	·10	-	-	·28	·33	·07	-	6
7	·18	-	-	-	-	-	·05	-	-	·54	-	·04	7
8	·21	-	-	·05	-	-	·95	·09	·07	·25	·17	·30	8
9	·03	-	·03	·02	-	-	·04	·11	·10	·01	·07	·30	9
10	·17	-	·07	·03	-	·14	-	·09	-	-	-	·01	10
11	·17	-	·37	·45	-	-	-	·04	·18	·14	-	-	11
12	·06	-	·08	·03	-	-	-	·12	-	·48	-	-	12
13	·04	-	·15	·05	-	-	-	·06	·03	·26	-	-	13
14	-	-	-	·16	-	-	-	·04	-	-	-	-	14
15	·01	-	-	-	-	-	·17	·08	-	·02	-	-	15
16	·04	·13	-	·23	·03	·12	·18	-	-	·44	-	·65	16
17	-	-	-	·11	·65	-	·30	·07	·38	·21	-	-	17
18	·03	·02	-	·17	·08	·51	·21	·01	·26	·03	-	-	18
19	-	·11	·05	-	-	-	-	-	·14	-	-	-	19
20	-	·15	-	-	·72	-	·16	·01	-	~~·02~~	·02	-	20
21	·01	-	·02	-	-	·04	-	-	-	~~·44~~	·08	-	21
22	-	-	·06	-	-	·01	-	·15	-	·06	-	-	22
23	-	·13	-	-	·10	·06	-	·05	-	~~·03~~	-	-	23
24	-	·01	-	-	-	·17	·04	-	-	·22	-	-	24
25	-	·04	·01	-	-	-	·01	-	-	-	-	-	25
26	-	-	·03	-	-	-	-	·18	·07	-	·30	-	26
27	-	-	-	-	·20	-	-	·78	-	~~·06~~	-	~~·10~~	27
28	-	-	-	-	-	1·21	-	·04	-	-	-	·10	28
29	-	×	·02	-	·48	·18	·18	·02	-	·27	-	·08	29
30	-	×	·23	-	-	-	1·70	·05	-	·02	-	·06	30
31	·02	×	·21	×	-	×	·31	-	×	-	×	-	31
Total	1·29 1·39 ✓	·88 ✓	1·83 ✓	2·22 ✓	2·26 ✓	2·63 ✓	4·83 ✓	3·83 ✓	1·79 ✓	3·78 ✓	·99 ✓	1·54	YEAR'S TOTAL 27·87 27·84 ✓
Rain Days.	13 ✓	8 ✓	17 ✓	15 ✓	7 ✓	11 ✓	15 ✓	22 ✓	11 ✓	17 ✓	10 ✓	8 ✓	154 ✓

W. 8,000, IX. 17.

322

FORM A.
BRITISH RAINFALL.

4. JAN 1916

CAMBERLEY

SPRINGFIELD LODGE

SURREY

1915-18

REGIS

Kept at Springfield L
Cam
in the County of
by Colonel A. de B. V.

ukuly

uge 5 in.

round 1 ft. 6 in.

ea Level 350 ft.

IMPORTANT NOTE. e result entered to the previous day. If an Obser al rule, he is earnestly requested to add the reading in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·67	·19	·00	·00	·03	·00	·27	·00	·11	·07	·15	·35	1
2	·16	·16	·30	·14	·00	·04	·00	·90	·06	·05	·00	·22	2
3	·59	·00	·10	·06	·00	·00	·00	·52	·00	·00	·00	·35	3
4	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·21	4
5	·05	·54	·00	·00	·22	·00	·00	·03	·00	·02	·00	·38	5
6	·38	·08	·00	·23	·00	·00	·73	·13	·00	·00	·00	·49	6
7	·12	·26	·00	·00	·00	·00	·32	·02	·00	·00	·00	·15	7
8	·05	·60	·04	·04	·00	·00	·22	·06	·00	·00	·00	·00	8
9	·01	·09	·00	·14	·00	·04	·00	·02	·00	·00	·34	·71	9
10	·10	·00	·00	·00	·00	·00	·00	·20	·00	·00	·00	·20	10
11	·02	·00	·04	·00	·00	·00	·00	·04	·00	·03	·75	·03	11
12	·04	·34	·00	·33	·47	·00	·00	·06	·00	·00	·29	·01	12
13	·00	·57	·00	·00	·96	·00	·00	·06	·01	·00	·00	·00	13
14	·00	·02	·00	·00	·00	·00	·67	·28	·05	·00	·00	·31	14
15	·05	·00	·00	·00	·06	·00	·03	·01	·00	·00	·08	·18	15
16	·00	·50	·00	·00	·18	·00	·72	·27	·00	·00	·00	·13	16
17	·00	·18	·00	·00	1·08	·00	·02	·04	·00	·00	·00	·00	17
18	·00	·13	·14	·00	·04	·00	·00	·00	·00	·00	·00	·00	18
19	·00	·00	·00	·00	·03	·00	·06	·00	·00	·00	·00	·00	19
20	·21	·00	·00	·02	·08	·00	·00	·00	·00	·01	·00	·17	20
21	·02	·07	·00	·00	·05	·00	·03	·00	·00	·04	·00	·04	21
22	1·14	·00	·29	·00	·00	·00	·81	·00	·01	·00	·00	·14	22
23	·00	·17	·05	·00	·00	·10	·36	·00	·28	·40	·00	·18	23
24	·00	·00	·00	·00	·00	·00	·05	·00	·70	·35	·00	·51	24
25	·00	·00	·00	·06	·00	·00	·36	·00	·00	·00	·00	·17	25
26	·00	·03	·00	·00	·00	·26	·30	·00	·00	·00	·00	·70	26
27	·00	·00	·00	·00	·00	·34	·02	·00	·00	·31	·00	·07	27
28	·00	·11	·03	·00	·00	·05	·00	·00	1·25	·07	·00	·00	28
29	·00	X	·00	·00	·00	·10	·48	·10	·00	·00	·30	·04	29
30	·02	X	·00	·00	·00	·00	·00	·00	·00	·20	·44	·64	30
31	·11	X	·00	X	·00	X	·00	·00	X	1·68	X	·26	31
Total	3·74	4·04	·99	1·02	3·20	·93	5·45	2·74	2·47	3·23	2·35	6·04	YEAR'S TOTAL
Rain Days.	17	17	8	8	11	7	17	16	8	12	7	25	36·20

A. de B. V. Paget.

153

W. 8,000. X. 15.

322

FORM A.
BRITISH RAINFALL.

4. JAN 1916

REGIS

Kept at Springfield T
Camberley

in the County of Surrey 8

by Colonel A. de B. V. Paget

Nearest Railway Station Camberley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·67	·19	·00	·00	·03	·00	·27	·00	·11	·07	·15	·35	1
2	·16	·16	·30	·14	·00	·04	·00	·90	·06	·05	·00	·22	2
3	·59	·00	·10	·06	·00	·00	·00	·52	·00	·00	·00	·35	3
4	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·21	4
5	·05	·54	·00	·00	·22	·00	·00	·03	·00	·02	·00	·38	5
6	·38	·08	·00	·23	·00	·00	·73	·13	·00	·00	·00	·49	6
7	·12	·26	·00	·00	·00	·00	·32	·02	·00	·00	·00	·15	7
8	·05	·60	·04	·04	·00	·00	·22	·06	·00	·00	·00	·00	8
9	·01	·09	·00	·14	·00	·04	·00	·02	·00	·00	·34	·71	9
10	·10	·00	·00	·00	·00	·00	·00	·20	·00	·00	·00	·20	10
11	·02	·00	·04	·00	·00	·00	·00	·04	·00	·03	·75	·03	11
12	·04	·34	·00	·33	·47	·00	·00	·06	·00	·00	·29	·01	12
13	·00	·57	·00	·00	·96	·00	·00	·06	·01	·00	·00	·00	13
14	·00	·02	·00	·00	·00	·00	·67	·28	·05	·00	·00	·31	14
15	·05	·00	·00	·00	·06	·00	·03	·01	·00	·00	·08	·18	15
16	·00	·50	·00	·00	·18	·00	·72	·27	·00	·00	·00	·13	16
17	·00	·18	·00	·00	1·08	·00	·02	·04	·00	·00	·00	·00	17
18	·00	·13	·14	·00	·04	·00	·00	·00	·00	·00	·00	·00	18
19	·00	·00	·00	·00	·03	·00	·06	·00	·00	·00	·00	·00	19
20	·21	·00	·00	·02	·08	·00	·00	·00	·00	·01	·00	·17	20
21	·02	·07	·00	·00	·05	·00	·03	·00	·00	·04	·00	·04	21
22	1·14	·00	·29	·00	·00	·00	·81	·00	·01	·00	·00	·14	22
23	·00	·17	·05	·00	·00	·10	·36	·00	·28	·40	·00	·18	23
24	·00	·00	·00	·00	·00	·00	·05	·00	·70	·35	·00	·51	24
25	·00	·00	·00	·06	·00	·00	·36	·00	·00	·00	·00	·17	25
26	·00	·03	·00	·00	·00	·26	·30	·00	·00	·00	·00	·70	26
27	·00	·00	·00	·00	·00	·34	·02	·00	·00	·31	·00	·07	27
28	·00	·11	·03	·00	·00	·05	·00	·00	1·25	·07	·00	·00	28
29	·00		·00	·00	·00	·10	·48	·10	·00	·00	·30	·04	29
30	·02		·00	·00	·00	·00	·00	·00	·00	·20	·44	·04	30
31	·11		·00		·00		·00	·00		1·68		·26	31
Total	3·74	4·04	·99	1·02	3·20	·93	5·45	2·74	2·47	3·23	2·35	6·04	YEAR'S TOTAL
Rain Days.	17	17	8	8	11	7	17	16	8	12	7	25	36·20

152

A. de B. V. Paget.

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Springfield Lodge, Camberley

in the County of Surrey

by Colonel A. de B. V. Paget

Lat. Long.

Time of Observation 9 a. m

Nearest Railway Station Camberley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·03	·03	·00	·12	·01	·00	·00	·33	·09	·43	·00	1
2	·17	·05	·13	·00	·26	·00	·00	·00	·09	·49	·04	·00	2
3	·00	·74	·04	·00	·00	·00	·02	·00	·09	·30	·32	·00	3
4	·14	·09	·00	·00	·01	·20	·00	·00	·20	·00	·59	·00	4
5	·00	·00	·00	·03	·25	·08	·00	·00	·00	·04	·59	·00	5
6	·03	·07	·01	·08	·00	·14	·32	·00	·00	·04	·54	·00	6
7	·07	·00	·57	·00	·09	·11	·33	·00	·00	·04	·68	·05	7
8	·00	·00	·03	·00	·27	·00	·00	·00	·00	·00	·00	·28	8
9	·00	·00	·00	·00	·14	·02	·00	·00	·00	·11	·00	·26	9
10	·00	·29	·10	·05	·01	·22	·01	·00	·00	·00	·00	·11	10
11	·06	·09	·08	·11	·00	·17	·00	·00	·04	·00	·00	·07	11
12	·03	·05	·01	·02	·33	·09	·05	·24	·00	·09	·00	·00	12
13	·00	·17	·44	·10	·01	·04	·02	·16	·00	·01	·00	·00	13
14	·00	·36	·21	·00	·07	·00	·00	·12	·00	·04	·00	·16	14
15	·00	·21	·40	·00	·00	·00	·00	·18	·00	·06	·00	·00	15
16	·01	·05	·36	·20	·01	·00	·15	·41	·00	·00	·00	·00	16
17	·12	·19	·00	·04	·00	·00	·01	·25	·30	·48	·00	·00	17
18	·00	·08	·05	·06	·00	·00	·00	·27	·19	·22	·74	·02	18
19	·11	·00	·17	·33	·00	·00	·00	·08	·29	·00	·43	·03	19
20	·10	·00	·25	·00	·00	·00	·00	·00	·00	·00	·00	·56	20
21	·00	·00	·38	·00	·00	·00	·31	·00	·00	·00	·00	·30	21
22	·00	·00	·02	·00	·02	·00	·00	·00	·00	·08	·00	·46	22
23	·02	·21	·00	·00	·00	·13	·00	·02	·00	·09	·04	·04	23
24	·00	·05	·00	·00	·12	·10	·00	·03	·00	·35	·05	·26	24
25	·00	·76	·15	·00	·00	·00	·00	·07	·00	·02	·11	·07	25
26	·00	·19	·06	·00	·00	·09	·00	·20	·05	·28	·00	·00	26
27	·01	·00	·85	·00	·00	·00	·00	·32	·06	·26	·00	·00	27
28	·00	·33	·10	·00	·00	·05	·00	·00	·60	·04	·00	·07	28
29	·00	·21	·00	·00	·00	·22	·00	1·00	·09	·35	·00	·18	29
30	·00	X	·00	·00	·00	·00	·00	·07	·00	·63	·00	·00	30
31	·00	X	·00	X	·00	X	·00	·05	X	·18	X	·08	31
Total	·93	4·22	4·44	1·02	1·71	1·67	1·22	3·47	2·33	4·29	4·56	3·00	YEAR'S TOTAL 32·86
Rain Days.	13	20	22	10	14	15	9	16	12	23	12	17	183

W. 8,000, VIII. 16

30°

FORM A.
BRITISH RAINFALL.
2 JAN

REGISTER OF RAINFALL IN 1917.

Kept at Springfield Lodge - Camberley
in the County of Surrey
by Colonel A. de B. V. Paget.

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Camberley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·03	·12	·00	·00	·00	1·05	·04	·00	·05	·00	1
2	·00	·00	·00	·28	·00	·04	·00	·04	·00	·00	·11	·00	2
3	·00	·00	·00	·08	·00	·00	·67	·57	·00	·20 ~~·00~~ R.	·00	·00	3
4	·00	·35	·12	·00	·00	·00	·15	·15	·00	·40 ~~·00~~ R.	·00	·01	4
5	·32	·00	·04	·15	·00	·01	·00	·00	·33	·37 ~~·32~~ R.	·08	·00	5
6	·00	·00	·22	·12	·00	·04	·00	·00	·08	·00 ~~·06~~ R.	·03	·00	6
7	·12	·00	·00	·00	·00	·00	·16	·00	·00	·60	·00	·03	7
8	·26	·00	·00	·06	·00	·00	·76	·08	·07	·25	·16	·39	8
9	·00	·00	·07	·01	·02	·00	·12	·54	·05	·00	·04	·13	9
10	·13	·00	·14	·16	·02	·00	·00	·00	·00	·00	·00	·01	10
11	·16	·00	·34	·25	·00	·00	·00	·10	·13	·14	·00	·00	11
12	·05	·00	·01	·07	·06	·03	·00	·08	·00	·50	·00	·00	12
13	·07	·00	·15	·03	·00	·00	·00	·05	·02	·03	·00	·00	13
14	·00	·00	·00	·15	·00	·00	·00	·06	·00	·00	·00	·01	14
15	·00	·00	·00	·00	·00	·00	·17	·30	·00	·01	·00	·00	15
16	·04	·13	·00	·07	·05	·00	·23	·10	·00	·50	·00	·45	16
17	·00	·00	·00	·13	·40	·00	·32	·15	·40	·24	·00	·00	17
18	·03	·04	·00	·08	·14	·39	·10	·00	·23	·00	·00	·00	18
19	·01	·15	·09	·00	·00	·07	·00	·00	·20	·00	·00	·00	19
20	·00	·07	·01	·00	·56	·00	·00	·00	·01	·00	·06	·00	20
21	·00	·00	·02	·00	·00	·08	·00	·00	·00	·02	·00	·00	21
22	·00	·00	·03	·00	·00	·03	·00	(09)	·00	·04	·00	·00	22
23	·00	·16	·00	·00	·12	·11	·00	·12	·00	·00	·00	·00	23
24	·00	·04	·00	·00	·00	·07	·01	·00	·00	·20	·00	·00	24
25	·00	·09	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	25
26	·00	·00	·05	·00	·00	·00	·00	·36	·05	·01	·23	·00	26
27	·00	·00	·00	·00	·02	·01	·00	·70	·00	·00	·00	·00	27
28	·00	·00	·02	·00	·00	1·25	·00	·08	·00	·00	·00	·00	28
29	·00		·03	·00	·13	·13	·40	·00	·00	·30	·00	·10	29
30	·00		·20	·00	·00	·00	1·58	·10	·00	·01	·01	·10	30
31	·00		·27		·00		·23	·00		·01		·00	31
Total	1·19 ✓	1·03 ✓	1·84 ✓	1·76 ✓	1·52 ✓	2·26 ✓	4·40	4·72 ✓	1·61 ✓	3·83 ✓	·77 ✓	1·23 ✓	YEAR'S TOTAL 26·66 ✓
Rain Days.	10 ✓	8 ✓	18 ✓	15 ✓	10 ✓	13 ✓	13 ✓	18 ✓	12 ✓	18 ✓	9 ✓	9 ✓	153 ✓

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

Kept at Springfield Lodge - Camberley
in the County of Surrey & Berry Grove - Liss Hants
by Colonel A. de B. V. Paget.

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Camberley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 350' ft.

FORM A. BRITISH RAINFALL 2.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
			Camberley								Liss		
1	·00	·01	·00	·02	·00	·00	·00	·08	·00	·00	·61	·05	1
2	·00	·05	·00	·06	·00	·00	·00	·50	·00	·00	·36	·33	2
3	·00	·01	·05	·23	·55	·00	·00	·22	·00	·04	·27	·01	3
4	·00	·06	·10	·00	·00	·00	·00	·00	·38	·00	1·02	·04	4
5	·00	·04	·01	·00	·10	·00	·00	·07	·10	·19	·00	·03	5
6	·22	·07	·00	·29	·15	·00	·00	·02	·12	·04	·00	·11	6
7	·00	·08	·00	·19	·40	·02	·00	·04	·05	·08	·17	·04	7
8	·00	·08	·00	·00	·00	·00	·00	·00	·12	·03	·20	·01	8
9	·00	·04	·00	·17	·00	·18	·38	·00	·41	·19	·00	·48	9
10	·00	·00	·00	·08	·00	·02	·58	·00	·02	·08	·00	·29	10
11	·02	·00	·00	·01	·01	·00	·72	·00	·02	·38	·05	·07	11
12	·00	·03	·00	·00	·16	·00	·17	·00	·08	·00	·00	·03	12
13	·06	·01	·00	·00	·12	·00	·20	·00	·10	·00	·00	·04	13
14	·12	·00	·04	·00	·00	·30	·10	·00	·23	·17	·00	·26	14
15	1·25	·00	·00	·48	·00	·00	·21	·00	·61	·00	·00	·22	15
16	·43	·00	·01	·50	·00	·05	·00	·00	·85	·03	·00	·00	16
17	·23	·00	·00	·19	·00	·03	·27	·04	·06	·00	·00	·30	17
18	·54	·00	·00	·00	·00	·20	·14	·00	·48	·00	·00	·14	18
19	·07	·00	·09	·07	·03	·14	·36	·02	·05	·05	·00	·05	19
20	·06	·11	·00	·46	·00	·02	·08	·00	·17	·06	·02	·00	20
21	·13	·03	·00	·70	·00	·00	·00	·00	·58	·05	·00	·06	21
22	·11	·00	·00	·00	·43	·00	·16	·00	·19	·00	·00	·26	22
23	·02	·00	·00	·00	·07	·00	·63	·04	·02	·00	·01	·00	23
24	·00	·35	·00	·00	·00	·03	·38	·00	·09	·00	·14	·00	24
25	·00	·00	·00	·00	·00	·02	·37	·14	·00	·02	·00	·00	25
26	·00	·00	·00	·00	·00	·00	·39	·00	·01	·00	·10	·18	26
27	·00	·03	·00	·02	·00	·00	·13	·18	·06	·01	·10	·01	27
28	·00	·02	·24	·02	·00	·00	·00	·02	·00	·00	·16	·01	28
29	·00		·00	·00	·00	·00	·00	·00	1·22	·00	·00	·01	29
30	·00		·41	·00	·00	·00	·00	·00	·00	·05	·05	·02	30
31	·00		·00		·00		·00	·00		·20		·00	31
Total	3·26	1·02	·95	3·49	2·02	1·01	5·27	1·37	5·42	1·67	3·26	3·05	YEAR'S TOTAL ~~31·79~~
Rain Days.	13	16	8	16	10	11	17	12	24	17	14	25	~~183~~

A. de B. V. Paget.

moved

W. 8,000, IX. 17.

CAMBERLEY
PEMBROKE LODGE
SURREY

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

RE

N

Kept at Pembroke R.M. Camberley

in the County of Su 5 in.

by Colonel A. de l. ve Ground 1 ft. 3 in.

Sea Level 300 ft.

IMPORTANT NO the result entered to the previous day. If an versal rule, he is earnestly requested to add the re year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·0	·03	·0	·0	·0	·0	·07	·0	·0	·04	·04	1
2	·0	·0	·0	·0	·0	·0	·0	·07	·0	·0	·11	·17	2
3	·0	·0	·06	·0	·18	·0	·17	·06	·0	·0	·0	·13	3
4	·06	·01	·06	·39	·0	·0	·02	·09	·0	·0	·43	·25	4
5	·05	·0	·05	·24	·08	·05	·23	·70	·0	·0	·02	·0	5
6	·0	·13	·11	·19	·0	·06	·01	·02	·0	·0	·29	·17	6
7	·0	·59	·12	·15	·18	·11	·13	·0	·0	·0	·0	·13	7
8	·05	·34	·76	·01	·01	·05	·07	·14	·0	·0	·0	·0	8
9	·20	·0	·56	·06	·0	·22	·0	·0	·05	·0	·0	1·42	9
10	·0	·20	·02	·02	·13	·0	·0	·0	·19	·0	·0	·0	10
11	·0	·14	·34	·0	·02	·03	·0	·0	·07	·0	·0	·28	11
12	·0	·14	·15	·0	·0	·0	·69	·0	·23	·04	·02	·38	12
13	·0	·30	·20	·0	·0	·0	·0	·0	·12	·0	·0	·69	13
14	·01	·18	·11	·0	·0	·05X R	·06	·0	·01	·70	·0	·55	14
15	·06	·0	·09	·0	·0	·0	·02	·05	·0	·0	·10	·0	15
16	·0	·0	·0	·0	·0	·0	·01	·0	·02	·0	·0	·0	16
17	·0	·33	·11	·0	·0	·0	·0	·0	·03	·0	·0	·41	17
18	·0	·0	·10	·0	·0	·0	·0	·0	·0	·0	·0	·31	18
19	·0	·03	·30	·0	·0	·0	·16	·0	·0	·0	·17	·10	19
20	·0	·35	·37	·0	·0	·04	·0	·0	·0	·0	·0	·35	20
21	·0	·53	·06	·0	·0	·0	·0	·0	·0	·25	·0	·04	21
22	·0	·02	·08	·0	·13	·08	·08	·06	·0	·11	·0	·0	22
23	·0	·05	·10	·0	·03	·02	·01	·0	·0	·10	·0	·0	23
24	·0	·0	·02	·0	·01	·0	·0	·0	·0	·01	·09	·0	24
25	·0	·0	·11	·0	·0	·0	·0	·14	·0	·20	·01	·23	25
26	·0	·0	·04	·0	·0	·0	·03	·03	·0	·11	·0	·54	26
27	·08	·0	·0	·0	·0	·0	·0	·0	·0	·0	·0	·17	27
28	·0	·05	·01	·0	·05	·0	·0	·0	·0	·02	·47	1·04	28
29	·05		·08	·0	·01	·0	·0	·0	·0	·28	·0	·0	29
30	·0		·06	·0	·0	·0	·0	·0	·0	·15	·50	·52	30
31	·0		·0		·11		·01	·0		·0		·14	31
Total	·56	3·39	4·10	1·06	·94	·71	1·70	1·43	·72	1·97	2·25	8·06	YEAR'S TOTAL 26·89
Rain Days.	8	16	27	7	12	10	15	11	8	11	12	22	159

W. 7,500, XI. ·12

✓

RE

N

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Pembroke Lodge, Camberley

in the County of Surrey 8

by Colonel A. de B. V. Paget

Time of Observation 9 a.m

Nearest Railway Station Camberley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·0	·03	·0	·0	·0	·0	·07	·0	·0	·04	·04	1
2	·0	·0	·0	·0	·0	·0	·0	·07	·0	·0	·11	·17	2
3	·0	·0	·06	·0	·18	·0	·17	·06	·0	·0	·0	·13	3
4	·06	·01	·06	·39	·0	·0	·02	·09	·0	·0	·43	·25	4
5	·05	·0	·05	·24	·08	·05	·23	·70	·0	·0	·02	·0	5
6	·0	·13	·11	·19	·0	·06	·01	·02	·0	·0	·29	·17	6
7	·0	·59	·12	·15	·18	·11	·13	·0	·0	·0	·0	·13	7
8	·05	·34	·76	·01	·01	·05	·07	·14	·0	·0	·0	·0	8
9	·20	·0	·56	·06	·0	·22	·0	·0	·05	·0	·0	1·42	9
10	·0	·20	·02	·02	·13	·0	·0	·0	·19	·0	·0	·0	10
11	·0	·14	·34	·0	·02	·03	·0	·0	·07	·0	·0	·28	11
12	·0	·14	·15	·0	·0	·0	·69	·0	·23	·04	·02	·38	12
13	·0	·30	·20	·0	·0	·0	·0	·0	·12	·0	·0	·69	13
14	·01	·18	·11	·0	·0	·05 X A	·06	·0	·01	·70	·0	·55	14
15	·06	·0	·09	·0	·0	·0	·02	·05	·0	·0	·10	·0	15
16	·0	·0	·0	·0	·0	·0	·01	·0	·02	·0	·0	·0	16
17	·0	·33	·11	·0	·0	·0	·0	·0	·03	·0	·0	·41	17
18	·0	·0	·10	·0	·0	·0	·0	·0	·0	·0	·0	·31	18
19	·0	·03	·30	·0	·0	·0	·16	·0	·0	·0	·17	·10	19
20	·0	·35	·37	·0	·0	·04	·0	·0	·0	·0	·0	·35	20
21	·0	·53	·06	·0	·0	·0	·0	·0	·0	·25	·0	·04	21
22	·0	·02	·08	·0	·13	·08	·08	·06	·0	·11	·0	·0	22
23	·0	·05	·10	·0	·03	·02	·01	·0	·0	·10	·0	·0	23
24	·0	·0	·02	·0	·01	·0	·0	·0	·0	·01	·09	·0	24
25	·0	·0	·11	·0	·0	·0	·0	·14	·0	·20	·01	·23	25
26	·0	·0	·04	·0	·0	·0	·03	·03	·0	·11	·0	·54	26
27	·08	·0	·0	·0	·0	·0	·0	·0	·0	·0	·0	·17	27
28	·0	·05	·01	·0	·05	·0	·0	·0	·0	·02	·47	1·04	28
29	·05		·08	·0	·01	·0	·0	·0	·0	·28	·0	·0	29
30	·0		·06	·0	·0	·0	·0	·0	·0	·15	·50	·52	30
31	·0		·0		·11		·01	·0		·0		·14	31
Total	·56	3·39	4·10	1·06	·94	·71	1·70	1·43	·72	1·97	2·25	8·06	YEAR'S TOTAL 26·89
Rain Days.	8	16	27	7	12	10	15	11	8	11	12	22	159

W. 7,500, XI. 12

246

WAYS END CAMBERLEY

1918 – 20

IN 1918

°.20' N. Long. 0°.43' W

FORM A. BRITISH RAINFALL.

Kept at

of Observation 9 to 9.30 a.m. + extend on same day

est Railway Station Camberley

in the

eter of Funnel of Rain Gauge 5 in.

by

ht of top of Gauge above Ground – ft. 10½ in.

" " " Sea Level approx. 300 ft.

IMPORTAN… aily at 9 a.m. and the result entered to the previous day. If an Observer prefe… to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	-	·02	·01	-	-	-	-	-	·05	·04	·06	1
2	-	·03	-	-	-	-	-	·06	-	·01	·38	·07	2
3	-	·03	-	·05	-	-	-	·33	-	-	·42	·10	3
4	-	-	·04	·30	·50	-	-	·23	·01	-	·20	-	4
5	-	·05	·11	-	-	-	-	·01	·46	-	·65	-	5
6	-	·05	·02	-	·07	-	-	·06	·06	·08	-	·01	6
7	·20	·06	-	·27	·04	-	-	·02	·17	·01	-	·06	7
8	·01	·07	-	·18	38	·01	-	·04	·03	·05	·17	·01	8
9	-	·07	-	-	~~·38~~	-	-	-	·13	·12	-	·01	9
10	·01	·04	-	·17	-	·13	·39	-	·39	·09	-	·17	10
11	·02	-	-	·08	-	·05	·59	-	·04	·04	·01	·40	11
12	-	-	-	·01	·01	-	·63	-	·03	·36	·03	·16	12
13	-	·02	-	-	·15	-	·18	-	·07	-	-	-	13
14	·05	-	-	-	·12	-	·25	-	·10	·03	-	·02	14
15	-	-	·05	-	-	·27	·01	-	·22	·12	-	·25	15
16	1·27	-	-	·70	-	-	·17	-	-	-	-	·08	16
17	·40	-	·01	·29	-	·14	-	-	·89	-	-	·02	17
18	·26	-	-	·17	-	-	·25	·04	·03	-	-	·13	18
19	·54	-	-	·01	-	·19	·15	·01	·54	·11	-	·05	19
20	·07	·02	·08	·06	-	·17	·33	-	·02	·08	-	·01	20
21	·06	·08	-	·56	-	·02	·08	-	·18	·11	-	-	21
22	·14	·02	-	·43	-	-	-	-	·54	·02	·01	·01	22
23	·09	-	-	-	·22	-	·47	-	·21	-	-	·25	23
24	·02	-	-	·01	·07	-	·25	·05	·01	-	-	·02	24
25	-	·36	-	-	-	·03	·34	-	·08	-	·07	-	25
26	-	-	-	-	-	·02	·23	·14	-	·03	-	-	26
27	-	-	-	-	-	-	·38	-	·01	·03	·09	·14	27
28	-	·02	·01	·03	-	-	·04	·17	·05	-	·08	-	28
29	-		·19	·01	-	-	-	·02	-	-	·14	·04	29
30	·01		·05	-	-	-	-	-	1·19	-	·07	-	30
31	-		·33		-		-	-		-		·11	31
Total	~~3·19~~ 3·15	·02 ~~·92~~ ·94	·01 ~~·91~~ ·90	~~3·36~~ 3·33	1·66	1·03	4·74	1·18	·05 ~~5·46~~ 5·51	·04 ~~1·34~~ 1·33	·06 ~~2·36~~ 2·38	~~2·18~~ 2·12	YEAR'S TOTAL ~~28·31~~ 28·37
Rain Days.	~~16~~ 15	15	11	~~18~~ 19	9	10	17	13	~~24~~ 25	17	14	~~23~~ 22	185

W. 6,500, VII. 18. W W C

[redacted] IN 1918

FORM A. BRITISH RAINFALL.

1°.20' N. Long. 0°.43' W

Kept at Ways End, Camberley

in the County of Surrey

by Ernest Green.

Time of Observation 9 to 9.30 a.m. + extend over whole day

Nearest Railway Station Camberley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10½ in.

" " " " Sea Level approx. 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	-	·02	·01	-	-	-	-	-	·05	·04	·06	1
2	-	·03	-	-	-	-	-	·06	-	·01	·38	·07	2
3	-	·03	-	·05	-	-	-	·33	-	-	·42	·10	3
4	-	-	·04	·30	·50	-	-	·23	·01	-	·20	-	4
5	-	·05	·11	-	-	-	-	·01	·46	-	·65	-	5
6	-	·05	·02	-	·07	-	-	·06	·06	·08	-	·01	6
7	·20	·06	-	·27	·04	-	-	·02	·17	·01	-	·06	7
8	·01	·07	-	·18	38	·01	-	·04	·03	·05	·17	·01	8
9	-	·07	-	-	[illegible]	-	-	-	·13	·12	-	·01	9
10	·01	·06	-	·17	-	·13	·39	-	·39	·09	-	·17	10
11	·02	-	-	·08	-	·05	·59	-	·04	·04	·01	·40	11
12	-	-	-	·01	·01	-	·63	-	·03	·36	·03	·16	12
13	-	·02	-	-	·15	-	·18	-	·07	-	-	-	13
14	·05	-	-	-	·12	-	·25	-	·10	·03	-	·02	14
15	-	-	·05	-	-	·27	·01	-	·22	·12	-	·25	15
16	1·27	-	-	·70	-	-	·17	-	-	-	-	·08	16
17	·40	-	·01	·29	-	·14	-	-	·89	-	-	·02	17
18	·26	-	-	·17	-	-	·25	·04	·03	-	-	·13	18
19	·54	-	-	·01	-	·19	·15	·01	·54	·11	-	·05	19
20	·07	·02	·08	·06	-	·17	·33	-	·02	·08	-	·01	20
21	·06	·08	-	·56	-	·02	·08	-	·18	·11	-	-	21
22	·14	·02	-	·43	-	-	-	-	·54	·02	·01	·01	22
23	·09	-	-	-	·22	-	·47	-	·21	-	-	·25	23
24	·02	-	-	·01	·07	-	·25	·05	·01	-	-	·02	24
25	-	·36	-	-	-	·03	·34	-	·08	-	·07	-	25
26	-	-	-	-	-	·02	·23	·14	-	·03	-	-	26
27	-	-	-	-	-	-	·38	-	·01	·03	·09	·14	27
28	-	·02	·01	·03	-	-	·04	·17	·05	-	·08	-	28
29	-		·19	·01	-	-	-	·02	-	-	·14	·04	29
30	·01		·05	-	-	-	-	-	1·19	-	·07	-	30
31	-		·33		-		-	-		-		·11	31
Total	~~3·19~~ 3·15	·02 ~~·92~~ ·94	·01 ~~·91~~ ·90	~~3·36~~ 3·33	1·66	1·03	4·74	1·18	·05 ~~5·46~~ 5·51	·04 ~~1·34~~ 1·33	·06 ~~2·36~~ 2·38	~~2·18~~ 2·12	YEAR'S TOTAL 28·31 28·27
Rain Days.	~~16~~ 15	15	11	~~18~~ 19	9	10	17	13	~~24~~ 25	17	14	~~23~~ 22	~~186~~ 185

W. 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Camberley

in the County of Surrey

by E. Ernest Green

From E. E. GREEN,
WAY'S END,
CAMBERLEY, SURREY

JAN

Lat. Long.
Time of Observation 9 to 9.30 am
Nearest Railway Station Camberley
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.
Same as in last report.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	-	·01	·01	·01	-	·22	-	-	·02	·04	1·19	1
2	·22	·01	-	-	·02	-	·03	-	·07	-	·09	·09	2
3	·39	-	·35	-	·01	-	·03	-	·02	-	·02	·36	3
4	·11	·03	·48	-	-	·05	·11	-	·03	-	·05	·16	4
5	-	* ·35	·75	·01	-	-	·75	-	·19	-	·05	·23	5
6	·17	·01	·02	·01	-	-	-	-	-	-	·02	·11	6
7	·03	-	·47	-	-	-	-	-	-	-	·08	-	7
8	·18	-	·16	·01	-	-	-	-	-	-	-	-	8
9	·05	-	·01	·15	·02	-	-	-	-	-	·05	-	9
10	·18	-	·12	·04	-	-	-	-	-	·01	·04	·10	10
11	·02	-	·05	·25	·05	-	·24	-	-	-	-	-	11
12	-	-	·06	-	-	·02	·06	-	-	·05	* ·02	·01	12
13	·02	·01	-	·34	-	-	-	-	·01	·01	-	·02	13
14	·16	-	-	·26	-	-	·14	-	·94	·01	-	·02	14
15	·30	·04	·03	·03	-	-	-	-	-	·01	-	·62	15
16	·02	·67	-	·03	-	-	-	-	-	-	·12	·01	16
17	-	·38	-	-	-	-	-	-	-	-	·18	-	17
18	-	·14	·23	-	-	-	-	-	·02	-	·05	·02	18
19	·07	·11	1·04	-	-	·20	·47	·22	·01	-	·08	·01	19
20	·12	·07	·01	-	-	·55	·07	·17	-	-	·01	·01	20
21	·15	·29	·03	-	-	·08	·02	-	·01	-	·01	·06	21
22	-	·01	-	-	-	·01	·26	-	·08	-	-	·33	22
23	-	-	-	-	-	·02	-	·01	-	·06	·03	·01	23
24	-	·03	-	·14	-	·05	-	·01	-	·33	·05	·05	24
25	·02	·01	-	·01	-	-	-	·16	-	·01	-	-	25
26	* ·01	·25	·09	·12	-	-	·01	·12	·08	-	-	·25	26
27	* ·98	·07	-	* ·58	-	-	-	·42	-	-	-	·05	27
28	-	·03	* ·21	·03	-	-	-	·69	-	-	·53	·28	28
29	* ·10		·02	·07	-	-	-	·22	-	·18	·01	·02	29
30	-		·01	·24	-	·12	-	·38	-	·02	·42	·43	30
31	·01		·01		-		·09	-		·01		·16	31
TOTAL	3·56	2·51	4·16	2·33	·11	1·10	2·50	2·40	1·48	·72	1·95	4·60	YEAR'S TOTAL 27·42
Days with ·01 in. or more	22	18	21	18	5	9	14	10	11	12	21	25	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

* Snow

26

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Way's End Camberley
in the County of Surrey
by E. E. Green

Lat. 51°20′ Long. 0°43′
Time of Observation 10 a.m.
Nearest Railway Station Camberley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 11 in.
" " " " Sea Level 295·2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following: ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	-	·02	·48	·14	.	·19	.	·01	·63	·04	·31	1
2	-	-	·01	·02	.	.	·27	·66	·07	·01	.	·07	2
3	·01	·08	-	-	.	.	·11	.	-	·14	.	·01	3
4	·01	·01	-	·20	-	-	·70	·05	.	·16	.	·01	4
5	-	·01	·06	·03	.	-	·84	·07	-	·02	.	·01	5
6	-	-	·18	-	·05	-	·32	-	.	.	.	·03	6
7	·02	-	·01	·06	·02	-	·05	-	.	.	·01	·01	7
8	.	·01	-	·19	·16	.	·11	·03	.	.	.	-	8
9	·23	-	·01	·03	-	·02	·01	·01	.	.	.	.	9
10	·41	·06	·06	·06	-	·08	·06	-	.	.	·01	·01	10
11	·15	·01	·06	·28	·05	·01	·21	-	.	.	-	·05	11
12	·02	-	·01	·16	-	·52	-	-	.	.	·01	.	12
13	·13	·01	·11	·15	.	-	-	.	-	-	·03	.	13
14	-	·01	·28	·21	.	·02	.	.	·21	·20	·31	·02	14
15	·01	·04	·02	·23	.	.	·03	.	·44	·04	·06	·01	15
16	-	-	·01	·15	·02	.	-	-	·05	.	-	.	16
17	·01	.	.	·02	·14	.	·02	.	·35	.	.	·04	17
18	·07	.	·01	.	·02	.	-	·57	·08	.	.	·02	18
19	·04	-	.	·23	.	·06	-	·01	.	.	.	·01	19
20	·10	·04	.	·19	.	·53	.	-	.	.	-	·04	20
21	·01	-	-	·05	.	-	·94	·01	·34	.	.	·08	21
22	.	-	-	·28	.	-	-	-	·03	.	·01	·56	22
23	.	.	.	.	.	.	·45	·10	.	.	.	·24	23
24	·01	·04	·05	.	.	.	.	·01	.	.	-	·02	24
25	-	·01	·03	·02	·01	.	·16	-	.	-	.	·01	25
26	·08	-	·13	·01	·01	·02	·37	.	-	.	.	·03	26
27	·30	·03	.	·27	-	·04	·04	-	.	.	·26	·10	27
28	·35	-	·33	·02	·15	-	·08	-	.	-	·04	·01	28
29	·33	-	·09	-	·01	-	-	.	.	.	·05	·11	29
30	·01		.	·01	·06	·04	·17	-	·20	·01	·31	·16	30
31	·01		·05		-		·01	-		·61		·04	31
Total	2·37	·36	1·53	3·35	·84	1·34	5·14	1·52	1·78	1·82	1·14	2·01	Year's Total 23·20
Days with ·01 in. or more	22	13	20	24	13	10	21	10	10	9	12	26	190
Days with ·04 in. or more	12	5	10	16	7	6	17	5	8	6	7	12	112

55

FORM A2.
BRITISH RAINFALL.

23 FEB 1912

CARSHALTON

S. W.

SURREY

1911 - 1920

Kept at Car

in the County of

by Baldw

in.

und 1 ft. in.

Level 117.56 ft.

e

ance Direction

IMPORTANT

previous day. If a

requested to add th

for it at the end

the selection and

Organization are giv

Dr. H. R. Mill, 62

e result entered to the

al rule, he is earnestly

in the space provided

of rain,

Rainfall

ication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	—	·70	—	—	·02	·06	—	—	—	·06	1
2	·07	—	—	·39	·16	—	·03	—	—	—	·20	·08	2
3	—	—	—	—	·06.	—	—	—	—	—	·05	·02	3
4	·02	—	·05	·02	—	—	—	—	·01	·06	·15	·30	4
5	—	—	—	·02	—	—	—	—	—	·19	·04	·04	5
6	·20	—	·24	·01	—	—	—	—	—	—	·01	·39	6
7	·02	—	—	—	—	—	—	—	—	·12	·28	·18	7
8	·10	—	—	—	—	—	—	—	—	—	·29	·31	8
9	·20	—	·03	—	—	—	—	—	—	—	—	·04	9
10	·02	·12	·02	·03	—	—	—	—	—	—	·02	·80	10
11	·19	—	—	—	·11	—	—	—	—	—	·50	—	11
12	·03	—	·43	—	·02	—	—	—	·02	—	·10	—	12
13	—	—	·10	—	·20	—	—	—	·27	·14	·03	·23	13
14	—	·08	—	—	·21	—	—	—	—	—	—	·60	14
15	—	·04	·19	—	—	—	—	—	—	—	·02	—	15
16	·01	·04	—	—	—	·54	—	—	—	—	·38	·04	16
17	—	—	·05	—	—	—	—	—	—	—	·23	·19	17
18	—	·05	·01	—	—	·02	—	—	—	—	·50	·30	18
19	—	—	—	—	·03	·30	—	—	·33	·13	·15	·10	19
20	—	—	—	—	—	—	—	·10	—	·04	—	·62	20
21	—	·06	—	—	—	—	—	·45	—	·59	—	·14	21
22	·04	—	·18	—	—	·02	—	—	—	·05	—	·45	22
23	—	·10	·05	—	—	·80	—	—	·26	—	—	·07	23
24	—	·10	—	—	—	—	·02	·03	—	1·24	—	·17	24
25	—	·02	·03	·02	—	·15	·12	—	—	—	—	·01	25
26	—	—	·05	·17	·06	·25	·04	—	—	·15	—	·20	26
27	—	·20	·07	·03	—	—	—	—	·11	·03	·08	·10	27
28	—	·06	—	·22	—	—	—	·11	—	—	·02	—	28
29	—		—	·26	—	·26	·05	—	·04	·16	—	—	29
30	—		—	·02	—	—	—	·21	·12	·16	—	—	30
31	—		—		·15		—	—		·02		—	31
Total	·98 ✓	·87 ✓	1·50 ✓	1·89 ✓	1·00 ✓	2·34 ✓	·28 ✓	·96 ✓	1·16 ✓	3·08 ✓	3·05 ✓	5·44 ✓	TOTAL for year ✓ 22·55
No. of Rain Days	12 ✓	11 ✓	14 ✓	12 ✓	9 ✓	8 ✓	6 ✓	6 ✓	8 ✓	14 ✓	18 ✓	24 ✓	✓ 142

9,000, IX. '10.

58

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

Kept at Carshalton,

in the County of Surrey. 4

by Baldwin Latham.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. " in.
" " " Sea Level 117.56 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	–	–	·70	–	–	·02	·06	–	–	–	·06	1
2	·07	–	–	·39	·16	–	·03	–	–	–	·20	·08	2
3	–	–	–	–	·06	–	–	–	–	–	·05	·02	3
4	·02	–	·05	·02	–	–	–	–	·01	·06	·15	·30	4
5	–	–	–	·02	–	–	–	–	–	·19	·04	·04	5
6	·20	–	·24	·01	–	–	–	–	–	–	·01	·39	6
7	·02	–	–	–	–	–	–	–	–	·12	·28	·18	7
8	·10	–	–	–	–	–	–	–	–	–	·29	·31	8
9	·20	–	·03	–	–	–	–	–	–	–	–	·04	9
10	·02	·12	·02	·03	–	–	–	–	–	–	·02	·80	10
11	·19	–	–	–	·11	–	–	–	–	–	·50	–	11
12	·03	–	·43	–	·02	–	–	–	·02	–	·10	–	12
13	–	–	·10	–	·20	–	–	–	·27	·14	·03	·23	13
14	–	·08	–	–	·21	–	–	–	–	–	–	·60	14
15	–	·04	·19	–	–	–	–	–	–	–	·02	–	15
16	·01	·04	–	–	–	·54	–	–	–	–	·38	·04	16
17	–	–	·05	–	–	–	–	–	–	–	·23	·19	17
18	–	·05	·01	–	–	·02	–	–	–	–	·50	·30	18
19	–	–	–	–	·03	·30	–	–	·33	·13	·15	·10	19
20	–	–	–	–	–	–	–	·10	–	·04	–	·62	20
21	–	·06	–	–	–	–	–	·45	–	·59	–	·14	21
22	·04	–	·18	–	–	·02	–	–	–	·05	–	·45	22
23	–	·10	·05	–	–	·80	–	–	·26	–	–	·07	23
24	–	·10	–	–	–	–	·02	·03	–	1·24	–	·17	24
25	–	·02	·03	·02	–	·15	·12	–	–	–	–	·01	25
26	–	–	·05	·17	·06	·25	·04	–	–	·15	–	·20	26
27	–	·20	·07	·03	–	–	–	–	·11	·03	·08	·10	27
28	–	·06	–	·22	–	–	–	·11	–	–	·02	–	28
29	–		–	·26	–	·26	·05	–	·04	·16	–	–	29
30	–		–	·02	–	–	–	·21	·12	·16	–	–	30
31	–		–		·15		–	–		·02		–	31
Total	·98	·87	1·50	1·89	1·00	2·34	·28	·96	1·16	3·08	3·05	5·44	TOTAL for year 22·55
No. of Rain Days	12	11	14	12	9	8	6	6	8	14	18	24	142

9,000, IX. '10.

Obsr. notified 7/II/13

copy by Bayard 5-11-13

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
27 JAN 1913

Kept at Car

in the County of

by Bald

in.

1 ft. " in.

vel 117.56 ft.

IMPORTAN

previous day.

requested to add

for it at the end

the selection and

Organization are

Dr. H. R. Mill,

sult entered to the

ale, he is earnestly

he space provided

rain,

ainfall

ion to

Jan. 1, following.

Attach to A

BALDWIN LATHAM
M. INST. C.E.
Telephone No.:
Victoria 3078.

Parliament Mansions.
Orchard Street, Westminster, S.W.

February 7th 1913.

Dear Sir,

I beg to acknowledge the receipt of your letter of the 6th instant. The record at Carshalton for the 7th June last evidently is .73, which figure agrees with all the other records of the neighbourhood. This figure becomes the maximum for the month.

Yours faithfully

Baldwin Latham

Dr. H. R. Mill. D.Sc.
62, Camden Square.
N.W.

Date.	Jan.	Feb.									Nov.	Dec.	Date.
1	"	"										"	1
2	"	"										·28	2
3	·02	·04										·06	3
4	·19	"										"	4
5	·16	·02										·02	5
6	·35	·03										·04	6
7	"	"										·03	7
8	·25	·36										·06	8
9	"	·06										·04	9
10	"	·03										·25	10
11	·03	·17										·19	11
12	·03	·05										·01	12
13	"	"										"	13
14	"	"										·03	14
15	·01	"										·34	15
16	·36	"										"	16
17	·36	"										·05	17
18	·05	"										·11	18
19	"	·05	·06	"	"	"	·04	·79	"	"	"	"	19
20	"	·02	·28	"	"	·03	"	·09	"	·48	·05	"	20
21	"	"	·10	"	·03	"	"	·04	"	·09	·04	"	21
22	·25	·13	·07	"	"	"	·05	·15	"	"	"	·03	22
23	·27	·33	·24	"	"	"	"	·43	"	·06	·21	·18	23
24	·23	·01	"	"	"	·13	·02	·22	"	"	"	·14	24
25	·09	"	"	"	"	·19	"	·83	"	"	·18	·40	25
26	"	·04	"	"	"	"	"	·43	"	·23	·41	·40	26
27	"	"	"	"	"	·05	"	"	"	·14	"	·15	27
28	"	·07	"	"	"	·02	·30	·02	·10	·39	·59	·13	28
29	"	·02	"	"	"	·14	·17	·17	1·42	·17	"	"	29
30	"		"	"	·43	"	·04	·18	1·50	·17	"	"	30
31	·01		·06		"		·10	·15		·02		"	31
Total	2·66	1·43	2·65	·05	1·09	~~2·24~~ 2·94	1·47	6·31	3·11	2·48	1·92	2·94	YEAR'S TOTAL ~~28·36~~ 29·05
Rain Days.	16	16	17	1	7	18	12	26	5	14	11	21	164

W. 7,500, XI. '12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	„	„	·14	„	„	·10	·19	„	·08	·54	„	„	1
2	„	„	·28	„	„	·03	·30	·04	„	·03	„	·28	2
3	·02	·04	·05	„	„	·10	·02	·30	„	„	„	·06	3
4	·19	„	·55	„	·11	·17	„	·15	„	„	·20	„	4
5	·16	·02	·04	„	„	„	„	·40	„	„	·04	·02	5
6	·35	·03	„	„	„	„	„	·21	„	„	„	·04	6
7	„	„	„	„	·10	·73 ~~·23~~	·22	·11	„	„	„	·03	7
8	·25	·36	·21	„	„	·03	„	·53	„	„	„	·06	8
9	„	·06	„	·05	„	·10	·02	·03	„	„	„	·04	9
10	„	·03	„	„	„	„	„	·75	„	„	·06	·25	10
11	·03	·17	„	„	„	·02	„	·07	·01	„	·01	·19	11
12	·03	·05	·04	„	·11	·22	„	„	„	„	„	·01	12
13	„	„	„	„	„	„	„	„	„	„	„	„	13
14	„	„	„	„	„	„	„	·02	„	·03	„	·03	14
15	·01	„	·12	„	·27	·70	„	„	„	·02	„	·34	15
16	·36	„	·02	„	·04	·16	„	·07	„	„	·13	„	16
17	·36	„	·26	„	„	·02	„	·05	„	„	„	·05	17
18	·05	„	·13	„	„	„	„	·08	„	·11	„	·11	18
19	„	·05	·06	„	„	„	·04	·79	„	„	„	„	19
20	„	·02	·28	„	„	·03	„	·09	„	·48	·05	„	20
21	„	„	·10	„	·03	„	„	·04	„	·09	·04	„	21
22	·25	·13	·07	„	„	„	·05	·15	„	„	„	·03	22
23	·27	·33	·24	„	„	„	„	·43	„	·06	·21	·18	23
24	·23	·01	„	„	„	·13	·02	·22	„	„	„	·14	24
25	·09	„	„	„	„	·19	„	·83	„	„	·18	·40	25
26	„	·04	„	„	„	„	„	·43	„	·23	·41	·40	26
27	„	„	„	„	„	·05	„	„	„	·14	„	·15	27
28	„	·07	„	„	„	·02	·30	·02	·10	·39	·59	·13	28
29	„	·02	„	„	„	·14	·17	·17	1·42	·17	„	„	29
30	„		„	„	·43	„	·04	·18	1·50	·17	„	„	30
31	·01		·06		„		·10	·15		·02		„	31
Total	266	1·43	2·65	·05	1·09	~~2·45~~ 2·94	1·47	6·31	3·11	2·48	1·92	2·94	YEAR'S TOTAL 29·05 ~~29·36~~
Rain Days.	16	16	17	1	7	18	12	26	5	14	11	21	164

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

11 MAR 1914

Kept at Carshalton
in the County of Surrey 4
by Baldwin Latham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 117·56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	·23	·04	·12	"	"	"	"	·51	·01	·03	·19	1
2	"	·15	"	"	"	"	·10	"	[illegible]	·04	·07	·01	2
3	·01	"	·09	·28	·34	"	"	"	"	"	"	·10	3
4	·32	"	"	·01	·26	"	·06	"	·02	·25	·02	·07	4
5	·44	"	"	"	"	·07	·10	"	·34	·06	·02	·05	5
6	"	·03	·12	"	·01	·08	·16	"	[illegible]	·25	·10	·11	6
7	"	·10	"	"	·02	"	·01	·06	"	·49	·09	·01	7
8	"	·03	·01	"	·09	·03	"	"	"	·03	"	·02	8
9	"	·12	"	"	·03	·01	"	"	·08	"	·03	"	9
10	"	"	·18	·15	"	"	·04	·02	"	"	·44	·03	10
11	·33	"	"	·32	·04	"	"	"	"	·61	·30	"	11
12	"	"	"	"	·03	"	"	"	"	"	·32	"	12
13	·09	"	·05	"	"	"	"	"	·07	"	·28	"	13
14	·12	"	·10	·08	"	"	·97	·10	·01	·14	·02	"	14
15	·37	·09	·36	·25	"	"	·30	"	·03	"	"	"	15
16	·15	"	·34	·06	"	"	·01	"	·35	"	"	"	16
17	·02	·06	·06	·06	"	"	·19	"	"	"	"	"	17
18	"	"	·10	·12	·01	"	·02	"	"	"	"	"	18
19	·31	"	·18	"	"	"	·12	"	·14	"	"	"	19
20	·24	"	·48	·04	"	·07	"	"	"	·43	"	"	20
21	·01	"	·12	·03	"	"	·06	"	"	·22	·74	"	21
22	·32	"	·25	·05	"	"	"	·02	·08	"	"	"	22
23	"	"	"	"	"	·04	"	·33	"	"	"	·40	23
24	·01	"	"	·02	"	"	"	·11	"	"	·02	"	24
25	"	·01	"	·22	"	"	"	"	"	"	"	"	25
26	"	"	·17	·11	"	"	·01	·12	"	·79	"	·25	26
27	"	"	·02	·20	·03	"	"	"	"	·01	"	"	27
28	·20	"	·27	·07	"	"	"	"	"	·10	"	"	28
29	·06		·09	·50	·38	"	"	·06	"	·12	"	"	29
30	·35		"	·06	"	"	"	·32	"	·23	"	"	30
31	"		·05		"		"	1·08		·05		"	31
Total	3·35	·82	3·08	2·75	1·24	·30	2·15	2·22	1·63	3·83	2·48	1·24	YEAR'S TOTAL. 25·09
Rain Days.	17	9	20	20	11	6	14	10	10	17	14	11	159

W.7,000, XI. 13

19.10.15 Discrepancies with [illegible]

[illegible] 29.11.15

RI OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - FEB 1915

Long.

Kept at Carsh

in the County of

by Bal

ft. in.

117·56 ft.

IMPORTANT
previous day. If
requested to add t
for it at the end
the selection and
Organization are
Dr. H. R. Mill,

entered to the
he is earnestly
space provided
ain,
nfall
n to

Jan. 1, following.

BALDWIN LATHAM,
M.INST.C.E., M.INST.M.E.
TELEPHONE Nº
VICTORIA 3078.

Parliament Mansions,
Orchard Street, Westminster, S.W.

APR. 1915

April 29th 1915.

Dear Sir,

Referring to your letter of the 19th instant, I have now received an answer to my enquiry with regard to the record of rainfall at Carshalton, and the following are given to me as the correct figures:-

March 17th 1914	.14 inch
March 21st 1914	.10 "
July 2nd 1914	.15 "

It appears that the record for the 2nd July was not correctly supplied either to me or to the Croydon Natural History Society.

Yours faithfully
Baldwin Latham

Carle Salter, Esq.
62, Camden Square,
N.W.

Date	Jan.	Feb.									v.	Dec.	Date.
1	-	-									02	·03	1
2	-	-									25	·35	2
3	-	-									-	·05	3
4	·12	-									·18	·35	4
5	·03	-									·16	-	5
6	-	·1									·12	·13	6
7	-	·5									-	·07	7
8	·07										-	·04	8
9	·23										-	1·63	9
10	·01										·01	·03	10
11	-										·20	·21	11
12	·01										·07	·60	12
13	-										·02	·63	13
14	-										·04	·50	14
15	·01										·75	·04	15
16	-										-	-	16
17	-										-	·15	17
18	-	·03	·18	-	-						-	·30	18
19	-	·05	·24	-	-	-	·13	-	-		·21	·29	19
20	-	·25	·44	-	-	·06	-	-	·13	-	-	·04	20
21	-	·78	~~·21~~ 10	-	-	-	-	·02	-	-	-	·04	21
22	-	·03	-	·01	·24	·06	·23	-	-	·15	-	-	22
23	-	-	·07	·03	·12	·05	-	-	-	·05	-	·	23
24	-	-	·05	-	-	-	·02	-	-	·01	·09	·	24
25	-	-	·24	-	-	-	·02	·02	-	·21	-	·	25
26	-	-	·04	-	-	-	·12	·25	·	·05	·25	·67	26
27	·05	-	-	-	-	-	-	·01	·	-	-	·21	27
28	-	-	-	-	·02	-	-	-	·	·05	·38	·71	28
29	·05	✕	·04	-	-	-	-	-	-	·35	·14	-	29
30	·01	✕	·04	-	-	-	-	-	-	·04	·43	·26	30
31	-	✕	-	✕	·24	✕	·03	-	✕	-	✕	·03	31
Total	·59	3·47	4·~~91~~77	·94	1·44	1·27	1·~~9~~71	1·49	·96	1·26	3·32	7·36	YEAR'S TOTAL 28·58
Rain Days.	10	15	25	9	10	9	15	11	7	11	17	24	163

W. 8,000. X. 14.

4·77 1·71

FORM A.
BRITISH RAINFALL.

2 - FEB 1915

referred 29.10.15 [illegible] responses with [illegible]

[illegible] obs. 29.10.15

REGISTER OF RAINFALL IN 1914

Kept at Carshalton

in the County of Surrey 4

by Baldwin Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 117.56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·01	-	-	-	·01	·28	-	-	·02	·03	1
2	-	-	-	-	-	-	·15 ·05	·32	-	-	·25	·35	2
3	-	-	·07	-	·14	-	·01	-	-	-	-	·05	3
4	·12	-	·02	·18	-	-	-	·05	-	-	·18	·35	4
5	·03	-	·04	·23	·16	·05	·20	·40	-	-	·16	-	5
6	-	·11	-	·16	-	·23	-	·02	-	-	·12	·13	6
7	-	·50	·25	·18	·35	·11	·15	-	-	-	-	·07	7
8	·07	·39	·43	·01	·03	·06	·18	·09	-	-	-	·04	8
9	·23	-	·78	·11	-	·03	-	-	·19	-	-	1·63	9
10	·01	·15	·04	·03	·06	-	-	-	·23	-	·01	·03	10
11	-	·42	·35	-	·08	-	-	-	·06	-	·20	·21	11
12	·01	·08	·10	-	-	-	·24	-	·15	-	·07	·60	12
13	-	·18	·25	-	-	-	-	-	·15	-	·02	·63	13
14	-	·11	·55	-	-	·62	·02	-	-	·03	·04	·50	14
15	·01	·02	·21	-	-	-	·20	·03	-	·31	·75	·04	15
16	-	-	·09	-	-	-	-	-	·05	·01	-	-	16
17	-	·37	·14 ~~·17~~	-	-	-	-	-	-	-	-	·15	17
18	-	·03	·18	-	-	-	-	-	-	-	-	·30	18
19	-	·05	·24	-	-	-	·13	-	-	-	·21	·29	19
20	-	·25	·44	-	-	·06	-	-	·13	-	-	·04	20
21	-	·78	10 ~~·21~~	-	-	-	-	·02	-	-	-	·04	21
22	-	·03	-	·01	·24	·06	·23	-	-	·15	-	-	22
23	-	-	·07	·03	·12	·05	-	-	-	·05	-	-	23
24	-	-	·05	-	-	-	·02	-	-	·01	·09	-	24
25	-	-	·24	-	-	-	·02	·02	-	·21	-	-	25
26	-	-	·04	-	-	-	·12	·25	-	·05	·25	·67	26
27	·05	-	-	-	-	-	-	·01	-	-	-	·21	27
28	-	-	-	-	·02	-	-	-	-	·05	·38	·71	28
29	·05		·04	-	-	-	-	-	-	·35	·14	-	29
30	·01		·04	-	-	-	-	-	-	·04	·43	·26	30
31	-		-		·24		·03	-		-		·03	31
Total	·59	3·47	4·~~71~~ 77	·94	1·44	1·27	1·~~01~~ 71	1·49	·96	1·26	3·32	7·36	YEAR'S TOTAL 28·~~58~~ 68
Rain Days.	10	15	25	9	10	9	15	11	7	11	17	24	163

W. 8,000. X. 14.

4·77 1·71

137

FORM A. BRITISH RAINFALL.
1-FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Carshalton SW

in the County of Surrey 4

by Baldwin Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 117·56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·65	·05	·06	-	·06	-	-	-	·11	-	·28	·45	1
2	·31	·22	·22	·15	-	·01	-	·80	-	-	-	·18	2
3	·41	-	·05	·14	·02	-	-	·25	·05	-	-	·45	3
4	·01	-	·02	-	-	-	-	-	-	-	-	·25	4
5	·06	·58	-	-	-	-	-	-	-	·05	-	·29	5
6	·44	·03	-	·34	-	-	·62	-	-	-	-	·17	6
7	·20	·33	·04	-	-	-	·25	·02	-	-	-	·17	7
8	·09	·67	-	·05	-	-	·06	·43	-	-	-	-	8
9	·01	·03	-	·09	-	·08	-	·03	-	·02	·32	·09	9
10	·09	-	·04	-	-	-	-	-	-	-	-	·20	10
11	·01	-	-	-	-	-	-	-	-	-	·61	-	11
12	·04	-	·03	·31	·47	-	-	·10	-	-	-	·03	12
13	-	·54	-	-	1·04	-	-	·01	-	-	-	-	13
14	-	·06	-	-	-	-	·20	·32	·04	-	-	·31	14
15	·11	-	-	-	·05	-	·03	·10	-	-	·37	·09	15
16	-	·56	-	·01	-	-	·61	-	-	-	-	·05	16
17	-	·30	-	-	1·08	-	·03	-	-	-	-	-	17
18	-	·40	-	-	·23	-	-	-	-	-	·06	-	18
19	-	·15	·03	-	·02	-	·05	-	-	·02	-	-	19
20	·33	-	-	·01	-	-	-	-	-	-	-	·21	20
21	·15	-	-	-	-	-	·05	-	-	-	-	·07	21
22	·63	-	·08	·03	-	-	·63	-	-	·01	-	·05	22
23	-	·27	·05	-	-	·01	·37	-	·05	·60	-	·27	23
24	-	-	·04	-	-	·01	·02	-	·18	·23	-	·47	24
25	-	-	-	·14	-	-	·50	-	-	-	-	·11	25
26	-	-	-	-	-	-	·21	-	-	-	-	·42	26
27	-	-	-	-	-	·31	·05	-	-	·23	-	·09	27
28	-	·02	-	-	-	·13	-	-	1·54	·20	-	-	28
29	-	×	-	-	-	·01	·16	·11	-	·02	·05	-	29
30	·03	×	-	-	-	-	-	-	-	·03	·56	·01	30
31	-	×	-	×	-	×	-	-	×	1·00	×	·33	31
Total	3·57	4·21	·66	1·27	2·97	·56	3·84	2·17	1·97	2·41	2·25	4·76	YEAR'S TOTAL 30·64
Rain Days.	17	15	11	10	8	7	16	10	6	11	7	23	141

W. 8,000. X. 15.

Ex CSE

129

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Carshalton Sewage Works
in the County of Surrey.
by W Willes Gale Per G B. Latham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 117·56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	08				64	04			24	05	25		1
2	20	10	07		27	01	01		23	40	05		2
3		89	25			07			10	23	74		3
4	21	10	02	02		18			16		43		4
5				02	24	10				02	1·05		5
6		09	10	22	-	25	30			08	74		6
7	07		50		29	20	21				94	02	7
8			06		28	05						35	8
9					14	06						03	9
10		22	07			60	04					12	10
11	02	04	03	20		47							11
12		04		09	42	20		03		02			12
13		21	34	-		08	19	03		14			13
14	02	40	03	-	06			18					14
15		20	22	02			03	36				03	15
16		02	22	-			22	11		02			16
17	06	13		05				53	45	60			17
18		05	02	56				29	26	32	65		18
19	05	04	16	20				02	12		80		19
20	14		23	-							05	73	20
21	03		40	05			33					27	21
22												37	22
23		20	03									21	23
24		05			02	05		35		26	02	25	24
25		35	13			0		10		06	11		25
26		20				06		25		19			26
27	02	10	88			36		08	05	65			27
28		35	24					1·02	07			09	28
29		11				15		20		31		18	29
30		X						02		35			30
31		X		X		X			X	10	X		31
Total	90 ✓	3·84 ✓	4·00	1·43 ✓	2·36	2·87 ✓	1·33 ✓	3·57 ✓	1·68 ✓	3·80 ✓	5·88 ✓	2·65 ✓	YEAR'S TOTAL 34·36 ✓
Rain Days.	11 ✓	21 ✓	20 ✓	10 ✓	9 ✓	17 ✓	8 ✓	15 ✓	9 ✓	17 ✓	12 ✓	12 ✓	161 ✓

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
21 MAR 1918

Kept at Carshalton Sew. Wks

in the County of Surrey

by W W Gale
Per F. C Bayard

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·02	·26	–	–	–	1·82	·01	–	·07	–	1
2	–	–	–	23	–	02	–	16	–	–	·19	–	2
3	–	–	–	·36	–	–	·12	·30	–	·14	·01	–	3
4	–	·16	–	·10	–	–	56	·27	–	·41	–	–	4
5	29	–	·06	·05	–	–	–	=	·84	·16	·03	–	5
6	–	–	·10	·12	–	·10	–	–	·24	–	·13	–	6
7	16	–	–	–	–	–	·18	–	–	28	·02	·03	7
8	10	–	–	11	–	–	·82	09	–	25	·19	·22	8
9	–	–	·02	·15	·02	–	·12	·06	·08	–	·09	·42	9
10	06	–	·03	·10	–	–	–	–	–	–	·01	·02	10
11	10	–	·56	17	–	–	–	–	36	·19	=	–	11
12	12	–	–	·01	–	–	–	05	–	·40	–	–	12
13	–	–	02	07	–	–	–	05	03	·16	–	–	13
14	–	–	·08	·15	–	–	–	–	–	·04	–	–	14
15	06	–	–	·02	–	–	·44	–	–	–	–	–	15
16	05	15	–	·07	·25	–	·17	–	–	14	–	·48	16
17	–	–	–	·08	·50	–	·22	·04	·26	12	–	–	17
18	03	–	–	·03	·04	·02	·25	·10	·18	·09	–	–	18
19	05	-14 41	·05	–	·03	·03	–	–	·13	–	–	–	19
20	–	05	·04	–	·48	–	·04	·02	–	–	·04	–	20
21	–	–	·03	·02	·08	–	–	·03	–	–	·04	·09	21
22	–	–	–	–	–	·02	–	·08	–	09	–	–	22
23	–	15	02	–	·11	09	–	·05	–	18	–	–	23
24	–	–	–	–	–	·05	·02	·01	–	12	–	–	24
25	–	04	–	–	–	·03	–	·01	–	05	07	–	25
26	–	–	03	–	–	[illegible]	–	·21	03	·02	·58	–	26
27	–	–	–	–	–	±02	–	·98	–	–	–	–	27
28	–	–	–	–	–	1·30	–	·03	–	–	–	06	28
29	–	✕	15	–	·17	·18	·38	01	–	·41	–	·08	29
30	·01	✕	07	–	–	–	1·84	·05	–	–	–	·02	30
31	·03	✕	09	✕	–	✕	·42	–	✕	–	✕	·03	31
Total	1·06	0·69	1·37	1·98	1·68	1·86	5·58	4·42	2·26	3·25	1·47	1·45	YEAR'S TOTAL 27·07
Rain Days.	12	6	16	18	9	11	14	21	10	18	13	10	158

W. 8,000, IX. 17.

Exd C72

47

from M.S.

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL

10 4. 19

Kept at Carshalton Sewage Works.

in the County of Surrey

by W. W. Gale per F. C. Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05							·22		1
2		·04		·08				·16		·05	·09	·04	2
3			·05	·04	·31			·08		·03	·68	·01	3
4			·14	·02				·03	·24	·03	·62		4
5		·03	·02		·11			·08	1·35	·13			5
6	·25	·14		·26	·19			·02	·13	·04		·06	6
7		·07		·13	·36			·01	·14	·02	·04	·06	7
8		·02							·04		·20	·04	8
9		·06		·12		·07	·18		·31	·12		·25	9
10	·03	·01		·13		·02	·32			·03		·35	10
11				·03			1·00		·02	·21	·13	·13	11
12		·01			·16		·39		·04			·01	12
13	·03	·01			·13		·01		·05				13
14	·10		·05			·45	·05		·08	·06		·20	14
15	1·25			·81		·01	·21		·02			·12	15
16	·34		·01	·17		·06	·01		·15			·01	16
17	·25			·11			1·50	·05					17
18	·45						·06		·67	·27		·17	18
19	·06		·04	·12		·24			·01	·10		·04	19
20	·06	·12		·50		·03	·17		·30	·22		·03	20
21	·11	·01		·76			·06		30			·02	21
22	·03				·20		·08		·40			·19	22
23	·01			·04	·08		·75	·04	·14			·04	23
24		·34				·18	·43		·13				24
25				·16			·31	·17		·02			25
26							·58				·06	·09	26
27		·02		·12			·07	·13	·05		·09	·02	27
28			·20	·08				·04			·20	·09	28
29			·02						·96		·01		29
30		X	·37						·03	·04		·15	30
31		X	·04	X		X			X	·04	X		31
Total	2·97 ✓	·88 ✓	·94 ✓	3·73 ✓	1·54 ✓	1·06 ✓	6·18 ✓	·81 ✓	5·56 ✓	1·41 ✓	2·34 ✓	2·12 ✓	YEAR'S TOTAL 29·54 ✓
Rain Days.	13 ✓	13 ✓	10 ✓	19 ✓	8 ✓	8 ✓	18 ✓	11 ✓	22 ✓	16 ✓	11 ✓	22 ✓	171 ✓

W, 6,500, VII. 18. W W C

117

2+R1

17 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Carshalton, Sewage Works

in the County of Surrey

by W. W. Gale per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Carshalton	Carshalton	Carshalton	Carshalton	Carshalton	Carshalton	Carshalton	Carshalton	Carshalton	Carshalton	Carshalton	Carshalton	
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	·23	·03	..	..	·02	·05	·15	..	..	·01	·10	·85	1
2	·20	..	..	..	·07	..	·09	..	·09	..	·11	·16	2
3	·31	..	·45	..	·01	..	·20	..	·05	..	·03	·39	3
4	·08	·08	·45	..	..	·07	·15	·04	·01	..	·02	·12	4
5	..	·20	·57	..	..	..	..	..	·03	·03	·02	·24	5
6	·05	..	·05	..	..	..	..	..	..	·07	·01	·16	6
7	·03	..	·24	..	..	..	..	..	..	..	..	..	7
8	·32	..	·05	..	..	..	..	..	..	..	..	..	8
9	·16	..	·03	·07	..	..	..	..	..	..	·01	..	9
10	·27	..	·03	..	..	..	..	..	..	·02	..	·01	10
11	·01	..	·07	·32	..	..	·04	..	..	..	..	·03	11
12	·01	..	·07	·04	..	..	·32	..	..	·07	·03	·02	12
13	..	..	..	·36	..	..	..	..	..	·04	..	..	13
14	·18	..	..	·30	..	..	·09	..	·60	..	..	·01	14
15	·19	·01	·23	·07	..	..	..	..	..	..	..	·25	15
16	·15	·46	..	..	..	..	..	..	..	..	·09	·05	16
17	·03	·32	·03	..	..	..	..	..	..	..	·14	..	17
18	·03	·30	·05	..	..	..	..	..	..	..	·08	·02	18
19	·02	·06	·36	..	..	..	·31	·30	·02	..	·05	·01	19
20	·09	·07	·05	..	..	1·00	·33	·13	..	..	·03	·01	20
21	·08	·30	·01	..	..	·15	·06	..	..	..	..	·03	21
22	..	·04	..	..	..	..	·22	..	·05	..	·04	·30	22
23	..	..	..	..	..	·05	..	..	·31	..	..	·01	23
24	..	..	..	·19	..	·02	·10	·05	..	·14	·06	·01	24
25	·01	·01	..	..	..	..	..	·16	..	..	..	·03	25
26	·06	·17	·09	·10	..	..	·02	·17	·09	..	..	·21	26
27	·27	·06	·04	·71	..	..	..	·22	..	..	·05	·04	27
28	..	..	·20	·10	..	..	·02	·85	..	..	·21	·21	28
29	·03		·20	·06	..	..	..	·34	..	·23	·03	·08	29
30	·02		·01	·26	..	·11	..	·35	..	·06	·20	·43	30
31	·04		..		..		·03	..		..		·09	31
TOTAL	2·87 ✓ ..	2·11 ✓ 4·98 ✓	3·28 ✓ 8·26 ✓	2·58 ✓ 10·84 ✓	·10 ✓ 10·94 ✓	1·45 ✓ 12·39 ✓	2·13 ✓ 14·52 ✓	2·61 ✓ 17·13 ✓	1·25 ✓ 18·38 ✓	·67 ✓ 19·05 ✓	1·31 ✓ 20·36 ✓	3·77 ✓ 24·13 ✓	YEAR'S TOTAL 24·13
Days with ·01 in. or more	25	14	21	12	3	7	15	10	9	9	19	26	170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Extd 115

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Carshalton, Sewage Works

in the County of

by per Boyard W. W. Gale

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	..	..	·35	·01	..	·30	..	·01	·18	..	·23	1
2	..	..	·14	..	·01	..	·01	·54	·06	·02	..	·04	2
3	·01	·01	..	..	..	·02	..	..	..	·05	..	·04	3
4	..	·10	..	·13	..	..	·44	·04	..	·10	..	·01	4
5	..	..	·15	..	..	..	·60	·13	·01	..	..	·02	5
6	..	..	·43	..	·14	..	·21	..	..	..	..	·02	6
7	·02	..	..	·14	·02	..	·21	..	..	..	..	..	7
8	..	·01	..	·13	·08	..	·11	..	..	·02	..	..	8
9	·26	·04	..	·01	·03	..	·02	·01	..	..	..	..	9
10	·39	·07	..	·01	..	·02	·11	..	..	..	·06	·01	10
11	·15	..	·06	·20	..	..	·36	·10	..	..	..	·22	11
12	·07	..	..	·10	..	1·06	..	..	..	·05	..	..	12
13	·23	..	·09	·08	..	·01	..	..	..	..	·03	..	13
14	..	·01	·23	·18	..	·08	..	..	·07	·04	·17	..	14
15	·01	..	·06	·16	..	·01	..	..	·67	..	·06	..	15
16	..	..	·01	·03	..	·03	..	..	·31	..	·03	..	16
17	..	..	..	..	·11	..	·01	..	·44	..	..	·05	17
18	..	..	..	·03	·01	..	..	1·00	·23	..	..	·02	18
19	·10	..	..	·23	..	·53	..	..	..	..	..	·01	19
20	·06	·27	..	·26	..	..	..	·06	·02	..	..	..	20
21	·01	·02	..	·02	..	..	·63	..	·50	..	..	·12	21
22	..	..	..	·28	..	..	..	..	·16	..	..	·30	22
23	..	..	..	..	..	..	·38	·02	..	..	..	·30	23
24	..	·03	·02	..	..	..	·01	..	..	..	..	·02	24
25	..	·01	..	·02	..	·02	·18	..	·04	..	·01	..	25
26	·06	..	·29	..	..	·10	·12	..	·01	..	..	·01	26
27	·26	·06	..	·23	..	..	·08	..	..	..	·75	·11	27
28	·34	·06	·08	·04	·03	..	·08	..	..	..	..	·12	28
29	·42	..	·10	·01	..	..	·02	..	..	..	·07	·14	29
30	·02		..	·01	·04	..	·10	..	·40	..	·25	·11	30
31	·01		..		..		..	..		·40		·06	31
TOTAL	2·45	·69	1·66	2·65	·48	1·88	3·98	1·90	2·93	·86	1·43	1·96	YEAR'S TOTAL
	..	3·14	4·80	7·45	7·93	9·81	13·79	15·69	18·62	19·48	20·91	22·87	22·87
Days with ·01 in. or more	18	12	12	22	10	10	20	8	14	8	9	21	164
Days with ·04 in. or more	11	6	10	14	4	4	15	6	10	6	6	13	105

Carshalton (at the head of each monthly strip, IN.)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Gn. 5a

REC

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

CATERHAM
RESERVOIR

SURREY

1911 - 1920

Kept at Caterham

in the County of Surr

by F C Bayard

A.E. [illegible]

in.

und 1 ft. 0 in.

Level 705 ft.

ne

ance Direction

IMPORTANT NOTE e result entered to the previous day. If an Obs sal rule, he is earnestly requested to add the readi in the space provided for it at the end of this of rain, the selection and placing n Rainfall Organization are given in " lication to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date.	Jan.	Feb.	March.							ct.	Nov.	Dec.	*Date*
	in.	in.	in.							in.	in.	in.	
1	·06			·69				·02					1
2	·18			·27	·28		·03				·18	·28	2
3		·06			·22						·15	·12	3
4	·09	·02	·06	·12						·12	·39	·32	4
5		·01		·13						·46	·04	·15	5
6	·32		·16									·29	6
7	·12									·17	·52	·29	7
8	·09		·14								·34	·42	8
9	·27		·03	·02							·02	·08	9
10		·13	·12								·05	·73	10
11	·55		·04		·08						1·06		11
12			·48								·21		12
13			·12		·15				·47	·07	·04	·22	13
14		·08			·36							·59	14
15		·06	·31							·04	·15	·04	15
16						·41					·78	·13	16
17			·02								·49	·22	17
18		·17	·01			·01					·78	·38	18
19						·18			·27	·27	·31	·10	19
20	·02							·29		·17		·89	20
21	·02	·24						·05	·04	·82		·27	21
22	·05		·28			·15				·42		·54	22
23		·31	·05			·77			·34	·02	·04	·16	23
24		·15				·06	·03	·02		1·51		·42	24
25		·02		·05		·27	·12		·05				25
26		·01	·16	·25	·75	·28				·18	·02	·25	26
27		·49	·14	·12					·08	·22	·07	·13	27
28		·27		·22				·09			·02		28
29				·21		·16	·17		·24	·35			29
30				·02		·02		·08		·42		·02	30
31					1·08					·02			31
Total	1·77	2·02	2·12	2·10	2·92	2·31	·35	·55	1·49	5·26	5·66	7·04	TOTAL for year 33·59
No. of Rain Days	11	14	15	11	7	10	4	6	7	16	20	24	145

9,000, IX. '10.

Gr. Sa

REG

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Caterham, The Reservoir

in the County of Surrey 4

by F. C. Bayard, E. Surrey Water Co.
A. E. Cornwall-Walker

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 705 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·69				·02					1
2	·18			·27	·28		·03				·18	·28	2
3		·06			·22						·15	·12	3
4	·09	·02	·06	·12						·12	·39	·32	4
5		·01		·13						·46	·04	·15	5
6	·32		·16									·29	6
7	·12									·17	·52	·29	7
8	·09		·14								·34	·42	8
9	·27		·03	·02							·02	·08	9
10		·13	·12								·05	·73	10
11	·55		·04		·08						1·06		11
12			·48								·21		12
13			·12		·15				·47	·07	·04	·22	13
14		·08			·36							·59	14
15		·06	·31							·04	·15	·04	15
16						·41					·78	·13	16
17			·02								·49	·22	17
18		·17	·01			·01					·78	·38	18
19						·18			·27	·27	·31	·10	19
20	·02							·29		·17		·89	20
21	·02	·24						·05	·04	·82		·27	21
22	·05		·28			·15				·42		·54	22
23		·31	·05			·77			·34	·02	·04	·16	23
24		·15				·06	·03	·02		1·51		·42	24
25		·02		·05		·27	·12		·05				25
26		·01	·16	·25	·75	·28				·18	·02	·25	26
27		·49	·14	·12					·08	·22	·07	·13	27
28		·27		·22				·09			·02		28
29				·21		·16	·17		·24	·35			29
30				·02		·02		·08		·42		·02	30
31					1·08					·02			31
Total	1·77	2·02	2·12	2·10	2·92	2·31	·35	·55	1·49	5·26	5·66	7·04	TOTAL for year 33·59
No. of Rain Days	11	14	15	11	7	10	4	6	7	16	20	24	145

9,000, IX. '10.

Ex DL

FORM A2.
BRITISH RAINFALL.

12 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Caterham The Reservoir

in the County of Surrey 4

by F. C. Bayard, E. Surrey Water Co.

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 705 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·18		—	·13	·59		·03	·63		·22	1
2		·02	·34			·03	·26	·02	·04	·08			2
3	·03	·08	·07		·02	·18	·04	·42	·03			·17	3
4	·24		·58		·15	·33		·04			·20	·02	4
5	·13	·07	·15					·31			·24	·03	5
6	·52	·08			·05			·08				·25	6
7					·18	·44		·13	·01			·09	7
8	·25	·44	·21			·08		·14				·04	8
9	·01	·10	·01	·06		·22	·04	·03			·02	·17	9
10		·07				·01		·37	·01		·09	·32	10
11	·03	·37	·01			·02		·06	·05			·29	11
12	·02	·10	·02		·04	·10		·12			·04	·02	12
13		·02	·06					·01			·22	·05	13
14			·03		·04			·16		·06	·02	·05	14
15		·02	·32		·18	·89					·07	·38	15
16	·22		·10		·08	·09		·16		·12	·06		16
17	·44		·42			·10		·07			·03	·11	17
18	·05		·14					·29		·05	·02	·14	18
19	·07	·15	·23	·02		·01	·11	·39			·01	·02	19
20	·02	·06	·59					·07		·42	·05		20
21		·02	·44		·01			·11		·14	·06		21
22	·09	·42	·07		·03			·27		·06		·06	22
23	·33	·43	·43		·05			·65		·10	·31	·15	23
24	·12	·06				·21	·04	·39				·18	24
25	·11	·01				·45		·85		·06	·32	·37	25
26	·05	·05						·59		·42	·72	·53	26
27			·01				·02			·22		·27	27
28		·07				·02	·09	·09	·09	·78	·57	·17	28
29		·02				·27	·21	·25	1·68	·19	·08		29
30					·46	·49	·02	·02	1·63	·32			30
31	·01		·11				·24	·13		·03			31
Total	2·74	2·66	4·52	·08	1·29	4·07	1·66	6·22	3·57	3·68	3·13	4·10	TOTAL for year 37·72
No. of Rain Days.	19	21	22	2	12	19	11	28	9	16	19	24	202

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Caterham The Reservoir /4 RR

in the County of Surrey 4 4

by F C Bayard E Surrey Water Co

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 705 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.35		.19	.01				.12	.04	.15	.14	1
2	.05	.14	.08				.14		.26	.02	.12	.03	2
3	.02		.05	.34	.35					.06		.28	3
4	.47		.14	.06	.15		.06			.09	.05	.04	4
5	.43		.03			.05	.16		.36		.09	.06	5
6	.28	.25	.16		.02	.20	.42		.02	.43	.09	.12	6
7		.31		.02	.18	.05	.02	.03		.75	.08	.01	7
8		.03	.01		.16	.09		.02		.24	.07	.04	8
9		.16		.04	.09	.02	.02		.08		.03	.03	9
10			.06	.18			.12	.06			.53		10
11	.43			.44						.73	.17		11
12					.08					.02	.56	.01	12
13	.19		.09					.01	.05		.23		13
14	.10	.02	.24	.11			.85	.08	.12	.16	.12	.02	14
15	.28	.08	.27	.29			.34		.03				15
16	.16		.52	.35			.01		.49				16
17	.07	.09	.04	.06			.27	.03			.03	.02	17
18			.15	.19	.03		.03		.02		.12		18
19	.27		.27	.02	.04		.18		.29				19
20	.29		.42	.08	.01					.65	.05		20
21	.02		.32	.07			.03			.37	1.10		21
22	.42		.26	.02				.02	.18			.03	22
23			.17			.05	.03	.24	.03		.02	.46	23
24	.08		.01	.05					.01		.06		24
25		.01		.26								.04	25
26			.14	.05			.02	.24		.91		.33	26
27			.06	.19	.24					.04			27
28	.19		.29	.07						.19		.01	28
29	.06		.05	.44	.28			.57		.05	.02	.02	29
30	.46			.12				.27		.20			30
31	.01		.08					.83		.18			31
Total	4.32	1.44	3.91	3.64	1.64	.46	2.70	2.40	2.06	5.13	3.69	1.69	YEAR'S TOTAL 33.08
Rain Days.	21	10	24	23	13	6	16	12	14	18	20	18	195

W.7,000, XI. 13

from Croydon Tables

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
3 - MAR 1915

Kept at Caterham Reservoir

in the County of Surrey 4

by F C Bayard E Surrey W Co

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 705 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.02				.28			.03	.06	1
2						03	.22	.05			.24	.14	2
3	.01		.12	.05	.26		.10	.03			.02		3
4	.05		.05	.20	.06		.02	.07			.27	.31	4
5	.10		.10	.37	.40	.08	.21	.66			.06		5
6		.18	.03	.16	.03	.22		.03			.03	.36	6
7		.49	.41	.18	.03	.16	.15					.22	7
8	.19	.72	.51	.02	.02	.08	.10	.31				.17	8
9	.28		.82	.28		.06		.03	.25		.02	2.14	9
10	.05	.06	.06	.09	.16				.07		.02	.12	10
11		.69	.51	.04	.04	.03			.31		.13	.29	11
12	.03	.07	.10				.43	—	.26		.02	.67	12
13	.04	.50	.23			.08			.18	.06	.13	.95	13
14		.41	.31				.35		.02	.33	.07	.55	14
15	.03	.04	.25				.42	.06			.99	.08	15
16	.03		.06						.06				16
17		.42	.19						.14			.19	17
18		.12	.20									.44	18
19		.13	.52		—		.24			.04	.24	.26	19
20		.23	.46			.06			.03	.04		.14	20
21		.68	.12			.07		.09		.03		.04	21
22		.07	.02	.02	.26	.14	.17	.07		.23		.01	22
23		.01	.12	.01	.15		.05			.02		.09	23
24	.02		.11								.16		24
25	.03		.33				.03	.12		.44	.02	.05	25
26			.08				.12	.33		.10	.30	.65	26
27	.03							.02		.03	.08	.02	27
28	.03	.06			.02					.18	.56	.68	28
29	.17		06							.45	.28		29
30	.03	✕	.12		.02					.12	.89	.28	30
31	.10	✕		✕	.21	✕	.02		✕	.02	✕	.06	31
Total	1.22	4.88	5.89	1.44	1.66	1.01	2.63	2.15	1.32	2.09	4.56	8.97	YEAR'S TOTAL 37.82
Rain Days.	17	17	26	12	13	11	15	14	9	14	21	26	195

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

14 JAN 1916

Kept at Caterham The Reservoir

in the County of Surrey 4

by E Surrey Water Coy per Croydon Nat His Soc

Lat. Long.

Time of Observation

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 705 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.57	.19	.07		.03				.74	.03	.35	.58	1
2	.18	.22	.39	.19		.02		.92		.07		.07	2
3	.45	.01	.08	.22	.05			.38	.08		.02	.56	3
4	.07		.01									.41	4
5	.05	.53						.06		.06	.02	.39	5
6	.46	.08	.03	.51			.54	.15		.01		.36	6
7	.66	.46	.07				.44	.02			.01	26	7
8	.06	.72	.01	.06			.05	.09			.01		8
9	.05	.07		.21		.16		.07		.02	.46	.59	9
10	.33					.02				.01		.38	10
11	.03	.02	.02							.01	.56	.04	11
12	.08	.08	.02	.45	.43			.17		.05	.82	.02	12
13	.02	.75			1.28				.02				13
14	.03	.10					.09	.05	.06			.54	14
15	.18	.06			.07		.14	.12	.01		.25	.23	15
16		.46		.01	.05		.94	.03				.51	16
17		.54			.86		.06	.59					17
18	.01	.13	.14		.24					.02	.09		18
19		.19			.03		.06			.04			19
20	.37			.07	.01							.31	20
21	.24	.04								.12		.09	21
22	.96	.12	.09	.04			.97					.17	22
23	.02	.26	.08	.03		.06	.74		.02	.39		.37	23
24	.01	02	.01	.04			.22		.19	.29		.33	24
25				.16			.05					.29	25
26		.07				.12	.02		.05			.67	26
27	.01	.08	.02			.38	.23		.02	.37		.09	27
28		.09				.36			1.80	.24	.03		28
29			.01			.14	.52	.09	.02	.01	.26	.02	29
30	.05	×	.01			.13				06	.74	.04	30
31	06	×		×		×		.21	×	1.15	×	.39	31
Total	4.95	5.29	1.06	1.99	3.05	1.39	5.07	2.95	3.01	2.95	3.62	7.71	YEAR'S TOTAL 43.04
Rain Days.	24	24	16	12	10	9	15	14	11	18	13	25	191

W. 8,000. X. 15.

✓ Ex DL

FORM A.
BRITISH RAINFALL.
3 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Caterham, The Reservoir
in the County of Surrey
by F. C. Bayard, E. Surrey Water Co.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 705 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·02	·04		·52	·02			·23	·05	·38		1
2	·46	·17	·16		·33		·02		·10	·38	·14		2
3	·02	·69	·38				·02	—	·13	·53	·73		3
4	·29	·18	·04	·05		·43			·19	·01	·47		4
5	·02	·04	·01		·20	·20				·16	·70	·03	5
6	·04	·24	·21	·30	·04	·09	·40			·21	·71		6
7	·07		·62		·44	·05	·13			·11	1·36	·07	7
8			·03		·37							·42	8
9	·02		·02		·40		·01			·04		·13	9
10		·26	·16	·10		·30	·07			·01		·16	10
11	·02	·17		·18	·01	·38					·01		11
12	·05	·16	·02	·12	·62	·24	·08	·03		·11		·03	12
13		·36	·44	·10	·07	·13	·33	·03	·02	·14			13
14		·59	·02	·01	·12			·14		·06		·08	14
15	·02	·12	·21				·07	·77				·10	15
16	·03	·05	·20	·22			·14	·36					16
17	·26	·13		·08			·02	·62	·42	·83			17
18	·05	·14	·02	·26				·22	·32	·62	·77	·05	18
19	·42	·04	·15	·37	—	·12			·14		·60	·06	19
20	·18		·09	·07							·15	·43	20
21	·03	·01	·37				·18				·01	·29	21
22	·04	·02	·19								·01	·45	22
23	·03	·35	·06			·06		·01		·16	·11	·18	23
24		·06			·08	·08		·02		·24	·10	·37	24
25		·46	·30					·27		·14	·11		25
26		·38	·08			·41		·14	·02	·18			26
27	·08		·85			·26		·22	·07	1·06			27
28		·48	·27			·01		·07	·07	·04	·02	·18	28
29		·15				·36		·71	·05	·39		·34	29
30		X			·24			·27		·40			30
31		X		X		X		·06	X	·17	X	·06	31
Total	2·28	5·27	4·94	1·86	3·44	3·14	1·47	3·94	1·76	6·04	6·38	3·43	YEAR'S TOTAL 43·95
Rain Days.	20	24	25	12	13	16	12	16	12	23	17	18	208

W. 8,000. X. 15.

10·0

FORM A.
BRITISH RAINFALL.

28 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Caterham, The Reservoir

in the County of Surrey

by F. C. Bayard, E. Surrey Water Co,

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 705 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·01	·15				1·70	·10		·11	·02	1
2				·66				·36			·18		2
3	·01			·16			·18	·61		·18	·05		3
4		·28	·10				·23	·25		·48			4
5	·24		·03	·53					1·05	·23	·15		5
6			·14	·01		·10			·31	·02	·07		6
7	·30						·29			·33		·10	7
8	·17			·07			·87	·33	·03	·37	·32	·24	8
9	·02		·01	·17			·29	·05	·01		·06	·88	9
10	·50		·20	·11		·07		·08			·03	·04	10
11	·24	·03	·28	·37				·02	·72	·34			11
12	·09		·13	·01				·05		·54	·02	·01	12
13	·14		·17	·04				·04	·02	·23			13
14			·01	·22									14
15	·03		·01				·03	·10		·11		·06	15
16	·06	·14		·32	·13	·01	·04			·72		·54	16
17		·01		·14	·76		·33	·17	·55	·15	·01		17
18	·08	·02		·13	·08		·23	·03	·32	·03			18
19	·04	·12	·07		·02	·06			·12				19
20	·01	·17	·05		·90		·16	·02			·06		20
21			·06			·05				·01	·06	·02	21
22			·01			·02		·31		·17			22
23		·18			·22	·05		·16		·09		·03	23
24		·07				·17	·03	·02		·21		·07	24
25		·07	·05			·01					·08		25
26			·04					·39	·05	·03	·79		26
27			·01			·02		1·25				·02	27
28		·01	·04			1·34		·25				·07	28
29			·05		·16	·35	·20	·09		·33		·15	29
30	·02	✕	·50				1·96	·14		·04		·06	30
31	·17	✕	·02	✕		✕	·49	·05	✕	·01	✕	·03	31
Total	2·12	1·12	1·99	3·09	2·27	2·25	5·33	6·47	3·28	4·62	1·99	2·34	YEAR'S TOTAL 36·87
Rain Days.	16	12	22	15	7	12	14	23	11	21	14	16	183

W. 8,000, VIII. 16

5·32

from M.S. ✓

endorse

22

FORM A. BRITISH RAINFALL. 10 II. ·0

REGISTER OF RAINFALL IN 1918

Kept at Caterham, The Reservoir

in the County of Surrey

by E. Surrey Water Co, per. F. C. Bayard.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 705 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01			·01						·20	·12	1
2	·01	·05		·02				·19		·01	·16	·19	2
3			·12	·06	·35			·04		·03	·37	·02	3
4	·01	·28	·17	·02					·33		·67	·03	4
5		·05			·10			·17	·02	·10		·04	5
6	·29	·25		·30	·26			·06	·67	·06		·04	6
7	·02	·12		·18	·23	·02		103	·17	·08	·08	·08	7
8	·01	·27							·28	·05	·09	·12	8
9	·02	·02		·11		·04	·26		·53	·23	·02	·34	9
10				·12		·01	·64		·25	·15	·10	·35	10
11	·02			·01			·40		·04	·24		·12	11
12		·09			·24		·45		·05			·02	12
13	·08			·03	·13		·08		·13			·02	13
14	·18		·02	·01	·01	·28	·04		·19	·20		·15	14
15	1·39			·77		·09	·07		·01	·01		·23	15
16	·44			·23		·09	·01		·14			·01	16
17	·29		·01	·09	·19		·89	·09	·12			·30	17
18	·55					·22	·02		·71	·05		·06	18
19	·09		·09	·15	·35	·02	·15		·03	·14	·02	·03	19
20	·05	·28		·72		·04	·21		·19	·45	·01		20
21	·17	·01		·59			·07		·25	·16		·02	21
22	·07	·01			·39		·34		·21		·02	·21	22
23	·14			·01	·08		·56	·12	·03		·04	·04	23
24		·29				·02	·06		·31	·02			24
25	·01			·73		·05	·11	·23		·03			25
26							·74	·08	·03	·03	·21	·18	26
27		·06	·05	·18			·04	·23	·08		·12	·05	27
28		·02	·20	·02							·24	·09	28
29									1·15		·02	·01	29
30		✕	·44						·06	·08	·01	·18	30
31		✕	·09	✕		✕			✕	·07	✕	·02	31
Total	3·84 ✓	1·81 ✓	1·19 ✓	4·35 ✓	2·34 ✓	·88 ✓	5·14 ✓	1·24 ✓	5·98 ✓	2·19 ✓	2·38 ✓	3·07 ✓	YEAR'S TOTAL 34·41 ✓
Rain Days.	19 ✓	15 ✓	9 ✓	20 ✓	12 ✓	11 ✓	19 ✓	10 ✓	25 ✓	20 ✓	17 ✓	28 ✓	205 ✓

W, 6,500, VII. 18. W W C

E+RW

93

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Caterham, The Reservoir

in the County of Surrey

by E. Surrey Water Co. per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

" " " " Sea Level 705 ft.

17 MAR 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	
1	·32	·07	..	·01	·03	..	·04	..	·01	·10	·07	·83	1
2	·28	..	·02	..	·07	..	·16	..	·01	·08	·13	·12	2
3	·34	..	·47	..	·02	..	·13	..	·06	..	·10	·35	3
4	·17	·10	·55	..	..	·06	·31	·04	·02	..	·06	·12	4
5	·02	·28	·82	..	..	..	..	..	..	..	·07	·43	5
6	·05	..	·13	..	..	..	..	..	..	·01	·02	·12	6
7	·07	..	·48	..	..	..	·01	..	..	..	·06	..	7
8	·21	..	·10	·01	..	..	..	..	..	..	·03	..	8
9	·38	..	·07	·07	·05	..	..	..	..	..	·09	..	9
10	·23	..	·29	·01	..	..	..	..	..	·02	·02	·04	10
11	·14	..	·25	·31	·05	..	·25	..	..	..	..	·05	11
12	·04	..	·10	·09	..	·03	·16	..	..	·07	·07	·02	12
13	·05	..	·02	·43	..	..	·14	..	·02	·03	..	·06	13
14	·47	..	..	·36	..	..	..	..	·55	..	..	·09	14
15	·25	·03	·25	·14	..	..	..	..	..	..	..	·45	15
16	·05	·48	..	..	..	..	..	..	..	..	·10	·07	16
17	·01	·31	·12	·03	..	..	..	..	..	..	·20	·06	17
18	..	·24	·06	..	..	..	..	·02	·02	..	·08	·07	18
19	·04	·27	·52	..	..	·21	·36	·17	..	..	·12	..	19
20	·19	·17	·16	..	..	·65	·15	·23	..	..	·01	·08	20
21	·11	·40	·03	..	..	·11	·12	..	·01	..	·03	·02	21
22	·02	·04	·02	..	..	..	·27	..	·32	..	·03	·42	22
23	..	..	..	..	..	·02	·01	·03	·06	..	..	·10	23
24	..	..	..	·27	..	·03	·11	·02	..	·13	·11	·01	24
25	·06	·01	..	·05	..	..	·13	·19	..	..	·01	·02	25
26	·08	·26	·15	·10	..	..	..	·20	·14	..	·06	·46	26
27	·28	·06	·05	·61	..	..	..	·45	..	..	·09	·03	27
28	..	..	·07	·03	..	·01	·04	·83	..	..	·32	·52	28
29	·09		..	·03	..	..	..	·38	..	·26	·02	·15	29
30	·02		..	·23	..	·08	..	·40	..	·06	·36	·61	30
31	·10		·13		..		·06	..		·04		·06	31
	4·07	2·72	4·86	2·78	·22	1·20	2·45	2·96	1·22	·80	2·26	5·36	YEAR'S TOTAL
TOTAL	..	6·79	11·65	14·43	14·65	15·85	18·30	21·26	22·48	23·28	25·54	30·90	30.90
Days with ·01 in. or more	27	14	23	17	5	9	17	12	11	10	25	27	197

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 97

Copy by B.R.O.

REGISTER OF RAINFALL IN 1920

Kept at Caterham, The Reservoir

in the County of Surrey

by per Bayard, E Surrey Water Co.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 705 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Caterham (Reservoir)	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	Caterham (Reservoir) IN.	
1	·07	..	..	·25	·02	..	·40	..	·01	·52	..	·22	1
2	..	..	·07	..	·07	..	·06	·21	..	·12	..	·09	2
3	..	·03	..	·02	·04	·02	..	..	·01	·09	..	·10	3
4	..	·07	·01	·16	..	..	·71	·11	..	·18	·01	·06	4
5	..	..	·14	·02	·03	..	·59	·42	..	..	..	..	5
6	·09	..	·19	..	·12	..	·24	..	..	..	..	·04	6
7	..	..	·01	·17	·07	..	·27	..	..	·04	..	..	7
8	·22	·01	..	·07	·17	..	·38	..	..	..	..	..	8
9	·67	·05	·01	·04	·02	..	·13	..	..	..	..	..	9
10	·33	·13	·11	..	..	·16	·25	..	..	..	·05	..	10
11	·11	..	·09	·28	·01	·05	·22	·01	..	..	..	·14	11
12	·26	..	..	·22	..	·73	..	..	..	..	·02	..	12
13	·04	·02	·14	·21	..	..	..	..	..	..	·17	..	13
14		·01	·32	·30	..	·23	..	..	·18	·35	·30	·01	14
15	..	·02	·07	·19	..	..	..	..	1·26	·05	·15	·01	15
16	..	·02	·03	·09	·01	..	..	..	·11	..	..	·01	16
17	·07	..	..	·01	·17	..	·01	..	~~1·27~~	..	..	·12	17
18	·07	..	·03	·01	·06	..	..	·83	·13	..	·01	·10	18
19	·10	..	..	·31	..	·03	..	..	..	..	..	·04	19
20	·10	·15	..	·36	..	·76	..	..	·15	..	..	·02	20
21	..	·01	..	·07	..	..	·74	..	·46	..	..	·11	21
22	·07	..	..	·37	..	..	..	·01	·22	..	..	·29	22
23	..	..	..	..	..	..	·35	..	..	..	..	·40	23
24	..	·02	·08	..	..	..	..	..	·04	..	·01	·04	24
25	..	02	·02	·02	..	..	·33	..	..	..	·01	..	25
26	07	..	·14	·03	..	·16	·02	..	..	..	..	·04	26
27	·27	·14	·01	·19	..	·07	·02	..	..	..	·56	·18	27
28	·43	·01	·15	·06	·12	..	·13	..	..	..	·05	·06	28
29	·44	..	·13	·05	..	..	..	..	..	..	·07	·35	29
30	·06		..	..	·06	·10	·13	..	·41	..	·25	·25	30
31	·05		·02		·01		..	..		·41		·24	31
	3·52	·71	1·77	3·50	·98	2·31	4·98	1·59	4·25	1·76	1·66	2·92	YEAR'S TOTAL
TOTAL	..	4·23	6·00	9·50	10·48	12·79	17·77	19·36	23·61	25·37	27·03	29·95	29·95
Days with ·01 in. or more	19	15	20	24	15	10	18	6	12	8	13	23	183
Days with ·04 in. or more	19	5	12	18	9	8	15	4	10	8	8	19	135

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

REGIS

CATERHAM VALLEY
THE DEPOT
SURREY

1911 - 1920

Kept at Caterham Va

in the County of Surrey C

by F. C. Bayard, C

1 ft. 0 in.

el 431 ft.

Direction

IMPORTANT NOTE.—R … sult entered to the
previous day. If an Observe … ule, he is earnestly
requested to add the reading a … he space provided
for it at the end of this par … rain,
the selection and placing of … ainfall
Organization are given in "*Rul* … on to
Dr. H. R. Mill, 62, Camden S

Jan. 1, following.

Date.	Jan.	Feb.	March.	Ap							Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·05			·70				·05			·02		1
2	·18			·26	·30		·03				·16	·28	2
3		·04			·22						·14	·21	3
4	·09	·02	·06	·11					·02	·13	·42	·37	4
5		·02		·14						·43	·05	·14	5
6	·33		·15									·35	6
7	·12			·02						·16	·47	·31	7
8	·10		·17								·35	·44	8
9	·26			·02							·02	·11	9
10		·12	·15								·03	·85	10
11	·51		·05		·09						1·11		11
12	·01		·65								·24		12
13			·14		·21				·44	·07	·03	·24	13
14		·09			·24							·66	14
15		·05	·28							·03	·14	·04	15
16						·47					·79	·13	16
17			·02			·03					·54	·22	17
18		·21	·02								·73	·40	18
19		·04				·17			·24	·31	·25	·11	19
20	·02	·01	·01					·20		·17	·02	·89	20
21	·02	·18						·06	·03	1·02		·26	21
22	·06		·24			·16				·38		·57	22
23		·29	·05			·74			·35	·03	·04	·20	23
24		·17				·05	·07			1·04		·38	24
25		·02		·07		·29	·02		·05	·03			25
26		01	17	·29	·69	·23				·17	·03	·29	26
27		·47	·19	·09					·08	·21	·06	·14	27
28		·26		·23				·10			·02	·01	28
29				·22		·18	·20		·22	·38			29
30				·02		·02		·05		·41		·01	30
31					·61					·03			31
Total	1·75	2·00	2·35	2·17	2·36	2·34	·32	·46	1·43	5·00	5·66	7·61	TOTAL for year 33·45
No. of Rain Days	12	16	15	12	7	10	4	5	8	17	22	25	153

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

REGIS

Kept at Caterham Valley, The Depot
in the County of Surrey 4
by F. C. Bayard, E. Surrey Water Co.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 431 ft.
Time of Observation
Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·70				·05			·02		1
2	·18			·26	·30		·03				·16	·28	2
3		·04			·22						·14	·21	3
4	·09	·02	·06	·11					·02	·13	·42	·37	4
5		·02		·14						·43	·05	·14	5
6	·33		·15									·35	6
7	·12			·02						·16	·47	·31	7
8	·10		·17								·35	·44	8
9	·26			·02							·02	·11	9
10		·12	·15								·03	·85	10
11	·51		·05		·09						1·11		11
12	·01		·65								·24		12
13			·14		·21				·44	·07	·03	·24	13
14		·09			·24							·66	14
15		·05	·28							·03	·14	·04	15
16						·47					·79	·13	16
17			·02			·03					·54	·22	17
18		·21	·02								·73	·40	18
19		·04				·17			·24	·31	·25	·11	19
20	·02	·01	·01					·20		·17	·02	·89	20
21	·02	·18						·06	·03	1·02		·26	21
22	·06		·24			·16				·38		·57	22
23		·29	·05			·74			·35	·03	·04	·20	23
24		·17				·05	·07			1·04		·38	24
25		·02		·07		·29	·02		·05	·03			25
26		·01	·17	·29	·69	·23				·17	·03	·29	26
27		·47	·19	·09					·08	·21	·06	·14	27
28		·26		·23				·10			·02	·01	28
29				·22		·18	·20		·22	·38			29
30				·02		·02		·05		·41		·01	30
31					·61					·03			31
Total	1·75	2·00	2·35	2·17	2·36	2·34	·32	·46	1·43	5·00	5·66	7·61	TOTAL for year 33·45
No. of Rain Days	12	16	15	12	7	10	4	5	8	17	22	25	153

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
12 FEB 1913

Kept at Caterham Valley, The Depot

in the County of Surrey 4

by F. C. Bayard, E. Surrey Water Co

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 431 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·19			·15	·92		·03	·60		·23	1
2		·02	·37			·02	·24	·02	·03	·07			2
3	·03	·07	·06	—	·01	·27	·05	·39	·04	—	·01	·13	3
4	·23		·59	—	·13	·34		·04			·24		4
5	·18	·03	·17		·01			·34			·15	·03	5
6	·50	·07			·04			·11	·02	·01		·27	6
7					·15	·46		·15				·09	7
8	·33	·43	·23			·06	·01	·22	·01		·01	·04	8
9		·12	·01	·12		·23	·06	·03			·01	·17	9
10	·01	·07				·02		·42	·01		·06	·30	10
11	·03	·44	·01			·03		·07	·05			·30	11
12	·03	·11	·06		·05	·09		·09		·01	·03	·02	12
13	·01	·02	·03								·19	·04	13
14			·03		·04			·17	·01	·05	·01	·05	14
15	·02	·02	·24		·17	·80					·05	·35	15
16	·24	·01	·11		·08	·09		·15		·11	·06		16
17	·28		·47			·08		·07			·03	·11	17
18	·21		·22					·28		·05	·02	·11	18
19	·06	·16	·19			·02	·08	·35		·01	·01	·01	19
20	·01	·05	·58			·02		·08		·38	·05		20
21	·01	·05	·42		·02			·11		·15	·05		21
22	·10	·36	·06		·04		·03	·25		·07	·01	·05	22
23	·38	·41	·42		·05	·01		·61		·08	·28	·13	23
24	·11	·09				·18	·04	·38				·17	24
25	·11	·01				·47		·84		·05	·29	·61	25
26	·05	·05						·46		·47	·65	·34	26
27			·02			·01	·06			·20	—	·24	27
28		·08				·02	·08	·10	·17	·74	·54	·19	28
29		·04		·02		·26	·20	·26	1·72	·17	·06		29
30					·42	·41	·02	·02	1·56	·37			30
31			·11				·24	·15		·03			31
Total	2·94	2·71	4·59	·14	1·21	4·04	2·03	6·16	3·65	3·62	2·81	3·98	TOTAL for year 37·88
No. of Rain Days.	22	22	22	2	13	22	13	27	11	19	22	23	218

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Caterham Valley The Depot
in the County of Surrey 4 [illegible]
by F. C. Bayard E. Surrey Water Co

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 431 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.38		.21	.01				.10	.05	.13	.11	1
2	.07	.13	.07				.12		.09	.03	.10	.02	2
3	.02		.04	.35	.39					.02		.28	3
4	.44		.11	.05	.12		.05			.08	.04	.05	4
5	.55		.02			.05	.14		.34	.01	.08	.06	5
6	.18	.25	.15		.02	.17	.54		.02	.17	.06	.12	6
7		.29			.18	.03	.01	.07		.63	.09	.01	7
8		.03	.02		.16	.07				.13	.06	.03	8
9		.14		.03	.07	.03	.01		.07		.03	.03	9
10	.01		.04	.14			.03	.05			.53		10
11	.55			.42						.64	.18		11
12		.01			.09					.01	.56		12
13	.16		.09						.02		.22	.02	13
14	.13		.20	.09			.71	.07	.13	.15	.10	.01	14
15	.30	.08	.25	.34			.26		.04		.01		15
16	.20		.47	.32					.46				16
17	.06	.08	.04	.05			.28	.02	.01		.01	.01	17
18	.01		.14	.19	.03				.01		.12		18
19	.28		.25		.02	.03	.14		.26			.01	19
20	.26		.42	.11						.67	.04		20
21	.02		.32	.07			.04			.27	.92		21
22	.39		.35	.04			.01	.02	.15			.01	22
23			.17			.03	.02	.21	.01			.48	23
24	.06			.05		.01					.06		24
25		.01	.02	.25								.01	25
26		.02	.13	.04			.02	.26		.75		.36	26
27		.01	.06	.18	.12					.04			27
28	.21		.28	.06			.01			.17	.01		28
29	.06		.04	.42	.33			.20		.04		.01	29
30	.45			11				.23		19			30
31			.06					.77		.15			31
Total	4.44	1.43	3.74	3.52	1.54	.42	2.39	1.90	1.71	4.20	3.35	1.63	YEAR'S TOTAL 30.27
Rain Days.	22	12	24	21	12	8	16	10	14	19	20	18	196

W.7,000, XI. 13

Croydon Tables

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

3 - MAR 1915

Kept at Caterham Valley The Depot

in the County of Surrey 4

by F. C. Bayard E Surrey W. Co

Lat. Long.
Time of Observation
Nearest Railway Station —
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 431 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.01			.01	.28			.03	.05	1
2	.01					.03	.17	.05			.19	.13	2
3			.10	.06	.25		.08	.04					3
4	.03	.01	.04	.19	.05			.06			.23	.34	4
5	.08	.01	.08	.36	.34	.06	.18	.67			.05	.02	5
6		.16	.03	.16	.03	.17		.02			.02	.36	6
7		.55	.39	.15	.02	.18	.16					.19	7
8	.16	.74	.52		.03	.11	.08	.27				.14	8
9	.26		.85	.29		.06		.01	.12			2.25	9
10	.03	.07	.05	.08	.14				.07		.01	.08	10
11		.72	.48	.02	.04	.02			.30		.17	.37	11
12	.03	.06	.10		.01		.34		.25	.01	.02	.73	12
13	.02	.49	.23			.06			.16	.05	.14	1.04	13
14		.41	.31				.32		.01	.32	.12	.58	14
15	.04	.02	.26				.65	.05		.01	.94	.05	15
16	.03		.05				.01		.06				16
17		.39	.20						.10			.20	17
18		.10	.23									.47	18
19		.10	.59				.18			.03	.25	.28	19
20		.21	.41			.05			.01	.05		.12	20
21		.77	.12			.04		.11		.03		.05	21
22		.07		.01	.41	.11	.14	.05		.22		.04	22
23			.12	.01	14	.02	.04			.02		.09	23
24			.13				.01				.15	.01	24
25	.03		33				.02	.11		.47	.02	.08	25
26	.01		.04				.08	.24		.08	.27	.55	26
27	.02	.01						.01		.02	.06	.56	27
28	.03	.04			.02					.14	.55	.72	28
29	.15		.05							.46	.30		29
30	.02	×	.10		.03					.10	.82	.30	30
31	.07	×		×	.18	×	.01		×		×	.05	31
Total	1.02	4.93	5.81	1.34	1.69	.91	2.48	1.97	1.08	2.01	4.34	9.79	YEAR'S TOTAL 37.37
Rain Days.	17	19	25	11	14	12	16	14	9	15	19	28	199

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

14 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Caterham Valley The Depôt

in the County of Surrey 4

by E Surrey Water Coy per Croydon Nat His Soc

Lat. Long.
Time of Observation
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 431 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.60	.20	.14		.03				.76	.02	.37	.54	1
2	.16	21	.38	.16		.01	—	.78	.01	.05		.05	2
3	.43		.07	.19	.06	—		.37	.06		.01	.55	3
4	.10											.39	4
5	.04	.56		.01				.05		.06	.02	.36	5
6	.47	.08	.02	.50			.45	.10		.01		.33	6
7	.64	.50	.06		—	.02	.37	.01				.24	7
8	.08	.82	.01	.07			.14	.09					8
9	.01	.06		.17		.13		.05		.02	.39	.59	9
10	.33		.01			.02	—	.01		—		.33	10
11	.02	.01	.01								.68	.03	11
12	.09	.09		.38	.43			.21		.04	.60	.02	12
13	.02	.86			1.20			.02	.01				13
14	.04	.09					.07	.21	.04			.49	14
15	.17	.02			.06		.09	.02			.23	.23	15
16	.01	.55		.01	.05		.95	.54			.01	.60	16
17		.49			.90		.04						17
18	.01	.12	.09		.21						.09		18
19		.20			.02		.06			.04			19
20	.34			.08								.27	20
21	.26	.04			—					.07		.08	21
22	.85	.07	.08	.04			.90					.16	22
23	.02	.21	.08			.05	.68		.01	.37	.01	.35	23
24	.01	.01		.03			.11		.17	.25		.24	24
25			.03	.14			.02				.02	.27	25
26		.08				.13	.06		.03			.70	26
27		.08	.01			.28	.16		.01	.39		.03	27
28		.11				.26			1.72	.20	.01		28
29						.07	.69	.09			.30		29
30	.06	X				.30			.01	.15	.64	.03	30
31	.04	X		X		X		.19	X	1.06	X	.40	31
Total	4.80	5.46	.99	1.78	2.96	1.27	4.79	2.74	2.83	2.73	3.38	7.28	YEAR'S TOTAL 41.01
Rain Days.	24	23	13	12	9	10	15	15	11	14	14	24	184

W. 8,000. X. 15.

Ex DL

112

REGISTER OF RAINFALL IN 1916

Kept at Caterham Valley, The Depôt

in the County of Surrey

by F. C. Bayard, E Surrey Water Co.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 431 ft.

FORM A.
BRITISH RAINFALL.
3. MAR 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.18	.02	.05		.57	.01			.22	.05	.37	.01	1
2	.49	.15	.18		.31		.02		.07	.35	.12		2
3	.01	.73	.45				.02		.17	.50	.75		3
4	.29	.20		.03		.39			.19	.02	.55		4
5	.01	.21	.01	.02	.22	.11				.11	.72	.02	5
6	.03	.06	.21	.32	.03	.12	.37		.01	.19	.74		6
7	.06	.01	.88		.35	.02	.16			.15	1.31	.06	7
8			.03		.37						.01	.44	8
9	.01		.01		.45		.02			.05		.13	9
10		.27	.14	.10		.31	.05			.01	.02	.14	10
11	.03	.15	.02	.19	.01	.40			.01		.01	.02	11
12	.04	.14	.01	.08	.58	.27	.07	.02		.11	.01	.01	12
13		.35	.42	.11	.03	.03	.09	.03	.02	.12	.01		13
14		.66	.03	.02	.11			.12		.06		.08	14
15	.01	.13	.23				.05	.69		.01		.08	15
16	.02	.02	.16	.21			.16	.35		.01	—		16
17	.24	.14		.07			.03	.91	.39	.89		.02	17
18	.04	.12	.02	.25				.16	.28	.54	.71	.03	18
19	.39	.04	.15	.39		.08		.01	.11		.72	.08	19
20	.16		.10	.04							.13	.53	20
21	.02		.40				.12				.01	.29	21
22	.04	.02	.14		.01					.02	.02	.55	22
23	.03	.35	.05			.09	.01	.02		.13	.09	.17	23
24	.01	.04			.07	.05		.03		.27	.10	.43	24
25		.75	.27					.30		.09	.09	.01	25
26		.27	.08			.39	—	.21	.02	.21	.01		26
27	.07		.95			.67		.23	.09	.87			27
28		.38	.30			.02		.06	.06	.03	.02	.17	28
29	.01	.14	.01			.35		.61	.04	.42		.26	29
30		✕			.22			.25		.37			30
31		✕		✕		✕		.07	✕	.16	✕	.06	31
Total	2.19	5.35	5.30	1.83	3.33	3.31	1.17	4.07	1.68	5.74	6.52	3.59	YEAR'S TOTAL 44.08
Rain Days.	22	24	26	13	14	16	13	17	14	26	22	22	229

W. 5,000. X. 15.

FORM A.
BRITISH RAINFALL.
1918

REGISTER OF RAINFALL IN 1917

Kept at Caterham Valley, The Depôt

in the County of Surrey

by F. C. Bayard, E. Surrey Water Co,

Lat. Long.

Time of Observation –

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 431 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·01	·29				1·47	·10		·12	·02	1
2				·55		·01		·32			·08		2
3	·03	·01		·14			·14	·58		·17	·04		3
4		·17	17				·29	·25		·52			4
5	·32	·01	·02	·52					1·05	·21	·14		5
6			·11	·07		·11			·30	·02	·07		6
7	·32						·33			·41		·08	7
8	·16			·08			·68	·31	·03	·37	·33	·23	8
9	·02		·05	·16			·24	·07	·01		·07	·86	9
10	·26		·19	·18		·09		·09			·02	·04	10
11	·19	·02	·32	·29				·02	·25	·31			11
12	·05		·13	·01				·06		·46	·02		12
13	·12		·15	·05				·04	·03	·28			13
14			·03	·18				·01					14
15	·04						·04	·08		·11		·06	15
16	·06	·11		·24	·15		·08			·70		·90	16
17		·01		·13	·63		·28	·18	·52	·15			17
18	·07	·02		·12	·05	·02	·18	·03	·30	·04			18
19	·04	·10	·07	·01	·02	·07			·12				19
20	·05	·16	·04		·67		·16	·09			·06		20
21			·06	·02		·05				·01	·06		21
22	·01							·19		·16			22
23		·21	·01		·20	·05		·14		·06		·02	23
24		·10				·16	·03	·01		·21		·05	24
25		·04	·05			·01					·08		25
26			·04					·35	·04	·04	·75	·01	26
27			·01			·02		1·37				·01	27
28		·02	·02			1·16		·23				·07	28
29			·03		·12	·33	·15	·11		·35		·15	29
30	·02	X	·38				1·67	·15		·04		·05	30
31	·13	X	·02	X		X	·48	·05	X	·02	X	·05	31
Total	1·89	1·00	1·91	3·04	1·84	2·08	4·75	6·20	2·75	4·64	1·84	2·60	YEAR'S TOTAL 34·54
Rain Days.	17	14	21	17	7	12	14	24	11	21	13	15	186

W. 8,000, VIII. 16

from M.S. ✓ Exd CPE

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 10 4 19

Kept at Caterham Valley, The Depot.

in the County of Surrey

by E. Surrey Water. Co per F. C. Bayard.

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 431 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01			·02			·02			·23	·11	1
2	·01	·05		·02				·19		·01	·18	·24	2
3			·14	·08	·37					·02	·38	·03	3
4		·30	·15	·02				·04	·32		·81	·04	4
5		·05	·01		·12			·15	·09	·12		·04	5
6	·25	·24		·30	·23			·05	·53	·05		·09	6
7	·04	·12		·18	·22	·03		·03	·21	·09	·07	·03	7
8	·01	·25							·23	·04	·11	·15	8
9	·02	·03		·11		·03	·19		·47	·28	·01	·40	9
10				·15		·02	·67		·25	·17	·01	·34	10
11	·02			·01			·45		·03		·10	·11	11
12		·09			·27		·45		·04	·21		·03	12
13	·08	·01		·03	·12		·09		·14	·01		·02	13
14	·18	·01	·02	·02	·01	·26	·06		·18	·20		·17	14
15	1·44			·82		·08	·09		·02			·27	15
16	·34			·23		·09	·01		·14			·01	16
17	·29			·10	·11		·76	·09	·16			·32	17
18	·55			·01		·20	·03		·74	·07		·07	18
19	·09		·08	·13	·19	·04	·15		·03	·16		·04	19
20	·05	·26		·75		·04	·24		·21	·50			20
21	·17	·01		·85			·06		·28	·21	·03	·02	21
22	·07	·01			·39		·37		·22			·21	22
23	·11			·01	·09		·53	·12	·05			·04	23
24		·29				·06	·10		·33	·01	·05		24
25	·01			·69		·01	·11	·23		·03	·01		25
26		·01					·83	·01	·03	·03	·22	·19	26
27		·06	·05	·18			·05	·20	·09		·11	·06	27
28	·01	·02	·21	·04				·06			·25	·09	28
29									1·25		·02		29
30		×	·44						·06	·08	·02	·20	30
31		×	·10	×		×			×	·09	×	·02	31
Total	3·74 ✓	1·82 ✓	1·20 ✓	4·73 ✓	2·14 ✓	·86 ✓	5·24 ✓	1·19 ✓	6·10 ✓	2·38 ✓	2·61 ✓	3·34 ✓	YEAR'S TOTAL 35·35 ✓
Rain Days.	19 ✓	18 ✓	9 ✓	21 ✓	12 ✓	11 ✓	19 ✓	12 ✓	25 ✓	20 ✓	17 ✓	27 ✓	210 ✓

W, 6,500. VII. 18. w w ç

E+RR

10

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

17 MAR 20

REGISTER OF RAINFALL IN 1919.

Kept at Caterham Valley, The Depôt

in the County of Surrey

by E. Surrey Water Co., per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station –

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 431 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	Caterham Valley	Caterham Valley	Caterham Valley	Caterham Valley	Caterham Valley	Caterham Valley	Caterham Valley	Caterham Valley	Caterham Valley	Caterham Valley	Caterham Valley	Caterham Valley	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	·07	..	..	·02	..	·05	..	..	·09	·07	·88	1
2	·30	..	·02	..	·01	..	·11	..	·02	·12	·14	·15	2
3	·39	..	·45	..	·02	..	·08	..	·11	..	·07	·40	3
4	·19	·11	·44	..	..	·07	·39	·03	·03	..	·05	·14	4
5	·02	·32	·96	..	..	..	..	..	..	..	·08	·39	5
6	·06	..	·07	..	..	..	..	..	..	·01	·03	·09	6
7	·05	..	·42	..	..	..	..	..	..	..	·06	..	7
8	·25	..	·11	·02	..	..	..	..	..	..	·03	..	8
9	·46	..	·02	·05	·01	..	..	..	..	..	·08	..	9
10	·27	..	·13	·01	..	..	..	..	..	·02	·05	·05	10
11	·16	..	·18	·28	·04	..	·26	..	..	..	..	·05	11
12	·04	..	·07	·12	..	·03	·12	..	..	·08	·05	·01	12
13	·05	..	·02	·53	..	..	..	..	·02	·04	..	·04	13
14	·57	..	..	·41	..	..	·14	..	·57	..	..	·07	14
15	·22	·02	·25	·14	..	..	·02	..	..	..	..	·41	15
16	·04	·59	..	..	..	..	..	..	..	..	·11	·05	16
17	·03	·30	·08	·02	..	..	..	..	..	..	·22	·04	17
18	..	·31	·06	..	..	..	..	·02	·02	..	·10	·05	18
19	·04	·24	·62	..	..	·23	·30	·20	..	..	·13	·01	19
20	·20	·12	·15	..	..	·58	·15	·20	·01	..	·01	·05	20
21	·15	·40	·04	..	..	·06	·12	..	..	..	·03	·01	21
22	..	·06	·01	..	..	..	·20	..	·35	..	·04	·21	22
23	..	..	..	..	..	·02	·01	·05	·07	..	·04	·06	23
24	..	..	..	·21	..	·01	·07	·02	..	·10	·06	·01	24
25	·05	·02	..	..	..	..	·01	·19	..	..	·01	·03	25
26	..	·30	·11	·10	..	..	·28	·22	·13	..	·04	·53	26
27	·50	·08	·04	1·20	..	..	·02	·48	..	..	·09	·03	27
28	..	..	·19	·03	..	..	·05	·81	..	..	·41	·50	28
29	·08		..	..	..	..	..	·41	..	·30	·04	·13	29
30	·01		..	·24	..	·08	..	·33	..	·07	·26	·74	30
31	·11		·12		..		·07	..		·03		·06	31
TOTAL	4·64	2·94	4·56	3·36	·10	1·08	2·45	2·96	1·33	·86	2·30	5·19	YEAR'S TOTAL
	..	7·58	12·14	15·50	15·60	16·68	19·13	22·09	23·42	24·28	26·58	31·77	31·77
Days with ·01 in. or more	25	14	23	14	5	8	19	12	10	10	26	28	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

99

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Caterham Valley, The Depôt

in the County of Surrey

by per T Bayard E. Surrey Water Co.

Lat. Long.

Time of Observation

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 431 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Caterham Valley IN.	Caterham Valley IN.	Caterham Valley IN.	Caterham Valley IN.	Caterham Valley IN.	Caterham Valley IN.	Caterham Valley IN.	Caterham Valley IN.	Caterham Valley IN.	Caterham Valley IN.	Caterham Valley IN.	Caterham Valley IN.	
1	·09	..	..	·26	·06	..	·41	·01	..	·50	·01	·28	1
2	..	..	·08	..	·03	..	..	·21	·12	·11	..	·14	2
3	·02	·02	..	..	·04	·03	·02	..	·02	·09	..	·09	3
4	..	·09	·02	·19	..	..	·52	·12	..	·21	·01	·08	4
5	..	..	·15	..	·04	..	·61	·48	·05	..	..	·01	5
6	..	..	·20	..	·14	..	·27	..	..	..	..	·03	6
7	·06	..	..	·18	·10	..	·28	..	..	·05	..	..	7
8	..	·02	..	·09	·17	..	·34	..	..	·01	..	·01	8
9	·30	·04	·01	·03	..	..	·17	·02	..	..	..	..	9
10	·72	·14	·11	·02	..	·16	·21	..	..	..	·04	..	10
11	·35	..	·10	·24	·01	·05	·23	..	..	..	..	·14	11
12	·09	·02	·01	·20	..	·84	..	..	..	..	·02	..	12
13	·27	·01	·18	·18	..	..	..	..	..	..	·15	..	13
14	..	·02	·41	·37	..	·14	..	..	·17	·38	·40	..	14
15	·05	·03	·10	·25	..	..	..	..	1·22	·05	·22	·02	15
16	..	·02	·03	·09	·01	..	..	..	·13	..	..	·03	16
17	·03	..	..	·01	·16	..	·01	..	1·55	..	..	·13	17
18	·06	..	·03	·01	·06	..	..	·94	·15	..	..	·12	18
19	·12	..	..	·35	..	·04	..	..	..	..	..	·05	19
20	·08	·18	..	·40	..	·64	..	·02	·13	..	·01	·03	20
21	·02	..	..	·02	..	..	·74	·01	·56	..	..	·13	21
22	·04	..	..	·37	..	..	..	·01	·16	..	..	·40	22
23	·01	..	..	..	..	..	·36	..	·03	..	..	·49	23
24	..	·02	·08	..	..	..	..	..	..	..	·01	·05	24
25	·02	·03	·01	·02	..	..	·33	..	·02	..	..	·01	25
26	·03	..	·14	·03	..	·06	·02	..	..	..	..	·04	26
27	·31	·09	·01	·20	..	·08	·03	..	..	..	·55	·19	27
28	·53	·01	·17	·08	·11	..	·14	..	..	..	·05	·05	28
29	·53	..	·14	·05	..	..	..	..	..	..	·09	·37	29
30	·04		..	..	·06	·10	·17	..	·29	..	·22	·18	30
31	·06		..		·02		..	..		·49		·26	31
Total	3·83 ..	·74 4·57	1·98 6·55	3·64 10·19	1·01 11·20	2·14 13·34	4·86 18·20	1·82 20·02	4·60 24·62	1·89 26·51	1·78 28·29	3·33 31·62	Year's Total 31·62
Days with ·01 in. or more	23	15	19	23	14	10	18	9	14	9	13	25	192
Days with ·04 in. or more	17	5	12	16	10	9	14	4	11	8	8	18	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
3 APR 1912

✓

CATERHAM
ASYLUM
SURREY
1911- 1920

Kept at Caterh
in the County of
by F. C. Baya

in.
und 1 ft. 0 in.
Level 610 ft.
me
stance Direction

IMPORTANT e result entered to the previous day. If an Observer prefers not to conform to this al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04			·72			·01	·02			·01		1
2	·17			·26	·30						·12	·27	2
3		·04			·22						·15	·15	3
4	·06	·02	·05	·20						·10	·42	·41	4
5	·02	·01		·15						·49	·04	·13	5
6	·33		·16									·35	6
7	·12		·02							·14	·43	·28	7
8	·11		·18						·01		·35	·47	8
9	·25		·01	·05							·04	·13	9
10		·10	·11								·03	·88	10
11	·52		·03		·09						1·08		11
12			·70						·02		·19		12
13			·11		·14				·34	·05	·01	·21	13
14		·08	·03		·32							·65	14
15	·02	·06	·29							·03	·13	·04	15
16						·48					·72	·13	16
17						·04					·49	·20	17
18		·20	·05								·71	·38	18
19		·04				·18			·40	·41	·26	·18	19
20								·31		·22	·01	·93	20
21	·03	·18						·05	·04	·69		·27	21
22	·06		·22			·16				·26		·54	22
23		·28	·05			·82			·32	·02	·03	·20	23
24		·16				·04	·04	·02		1·30	·01	·32	24
25		·01		·07		·25	·05	·01	·04	·10		·01	25
26		·12	·18	·26	·71	·24				·19	·01	·27	26
27		·59	·15	·07					·09	·16	·09	·13	27
28		·11		·22				·06			·02	·01	28
29				·22		·17	·19		·21	·37			29
30				·02				·04	·03	·41		·01	30
31					·68								31
Total	1·73	2·00	2·34	2·24	2·46	2·38	·29	·51	1·50	4·94	5·35	7·55	TOTAL for year 33·29
No. of Rain Days.	12	15	16	11	7	9	4	7	10	16	23	26	156

W. 8,000, X. '11.

✓

FORM A2.
BRITISH RAINFALL.
3 APR 1912

Kept at Caterham Metropolitan Asylum

in the County of Surrey 4

by F. C. Bayard P. E. Campbell M.D.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 610 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04			·72			·01	·02			·01		1
2	·17			·26	·30						·12	·27	2
3		·04			·22						·15	·15	3
4	·06	·02	·05	·20						·10	·42	·41	4
5	·02	·01		·15						·49	·04	·13	5
6	·33		·16									·35	6
7	·12		·02							·14	·43	·28	7
8	·11		·18						·01		·35	·47	8
9	·25		·01	·05							·04	·13	9
10		·10	·11								·03	·88	10
11	·52		·03		·09						1·08		11
12			·70						·02		·19		12
13			·11		·14				·34	·05	·01	·21	13
14		·08	·03		·32							·65	14
15	·02	·06	·29							·03	·13	·04	15
16						·48					·72	·13	16
17						·04					·49	·20	17
18		·20	·05								·71	·38	18
19		·04				·18			·40	·41	·26	·18	19
20								·31		·22	·01	·93	20
21	·03	·18						·05	·04	·69		·27	21
22	·06		·22			·16				·26		·54	22
23		·28	·05			·82			·32	·02	·03	·20	23
24		·16				·04	·04	·02		1·30	·01	·32	24
25		·01		·07		·25	·05	·01	·04	·10		·01	25
26		·12	·18	·26	·71	·24				·19	·01	·27	26
27		·59	·15	·07					·09	·16	·09	·13	27
28		·11		·22				·06			·02	·01	28
29				·22		·17	·19		·21	·37			29
30				·02				·04	·03	·41		·01	30
31					·68								31
Total	1·73	2·00	2·34	2·24	2·46	2·38	·29	·51	1·50	4·94	5·35	7·55	TOTAL for year 33·29
No. of Rain Days.	12	15	16	11	7	9	4	7	10	16	23	26	156

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

·26 JAN 1913

Kept at Metropolitan Asylum, Caterham
in the County of Surrey 4
by Dr. P. E. Campbell (medical Supt.)

Lat.
Long.
Time of Observation 9 A.M.
Nearest Railway Station Caterham
Diameter of Rain Gauge ___ in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 607 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14			·13	·81		·03	·61		·20	1
2			·33			·01	·24	·03	·03	·08		·01	2
3	·02	·10	·05		·02	·25	·03	·43	·03			·14	3
4	·20		·50		·19	·27	·01	·04			·21		4
5	·18	·03	·19					·30			·15	·02	5
6	·47	·07			·03	·01	·01	·08	·01		·01	·27	6
7					·14	·47		·11				·09	7
8	·34	·40	·23			·04		·15				·03	8
9		·10	·01	·06		·25	·02	·01		·01	·01	·17	9
10	·01	·09						·46	·02		·04	·31	10
11	·03	·40				·01		·06	·04		·01	·32	11
12	·02	·10	·07		·04	·11		·10		·01	·02	·01	12
13	·01	·01	·03					·03			·17	·03	13
14			·03		·03			·20		·04	·01	·04	14
15	·01	·01	·18		·16	·76		·01			·05	·31	15
16	·25		·10		·06	·08		·15		·11	·05	·01	16
17	·39		·41			·05		·07			·03	·07	17
18	·05		·22			·01		·34		·04	·01	·12	18
19	·07	·12	·16				·08	·37			·01	·02	19
20	·01	·04	·66			·01	·01	·10		·46	·04		20
21		·04	·53		·02			·08		·16	·04		21
22	·10	·36	·06		·03		·03	·28		·~~8~~04	·01	·04	22
23	·34	·41	·41		·03			·55		·09	·28	·12	23
24	·12	·08			·01	·18	·03	·35				·17	24
25	·11	·01				·40		·80		·03	·27	·52	25
26		·04						·46		·44	·60	·44	26
27							·01			·21		·25	27
28		·06				·02	·09	·11	·06	·69	·63	·19	28
29		·04				·11	·30	·20	1·83	·13	·06		29
30					·42	·39	·02	·02	1·58	·27			30
31	·02		·09				·26	·14		·02			31
Total	2·75	2·51	4·40	·06	1·18	3·56	1·95	6·03	3·63	3·44 ~~4·24~~	2·71	3·90	36·12 YEAR'S TOTAL 36·~~9~~12
Rain Days.	20	20	20	1	13	20	15	29	9	18	22	25	212

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Caterham Metropolitan Asylum
in the County of Surrey 4
by F. C. Bayard P. E. Campbell MD

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.35	.07	.14	.01				.11	.02	.13	.09	1
2	.06	.12	.01				.10		.05	.02	.12	.01	2
3	.02		.04	.31	.31					.01		.25	3
4	.48		.08	.03	.16		.05			.10	.04	.02	4
5	.60		.02			.06	.13		.31	.01	.07	.04	5
6	.11	.19	.12		.01	.14	.43		.02	.35	.07	.12	6
7		.30			.15	.03	.02	.09		.68	.08	.01	7
8		.03			.13	.06		.01		.07	.05	.02	8
9		.13		.03	.07	.02			.07		.03	.02	9
10			.03	.25			.05	.04			.47		10
11	.54			.43	.01					.63	.14	.01	11
12				.01	.09						.43		12
13	.14		.08					.01	.05		.22		13
14	.13		.20	.07			1.00	.08	.10	.13	.09		14
15	.29	.07	.19	.31			.35		.01				15
16	.19		.47	.29					.37				16
17	.04	.02	.03	.02			.25	.02			.01	.01	17
18	.01	.04	.19	.15	.01		.01				.09		18
19	.26	.01	.17		.01	03	.13		.24				19
20	.26		.41	.09		.01				.65	.04		20
21	.01		.31	.03			.03			.30	.99		21
22	.39		.22	.03			.01	.02	.15				22
23	.01		.14			03	.02	.24	.01		.01	.46	23
24	.05		.01	.04							.04		24
25		01	.01	.27						.01	.01	.01	25
26		.01	.13	.05			.02	.24		.77		.31	26
27	.01	01	.05	.19	.13					.03			27
28	.20		.30	.06						.16			28
29	.05		.40	.46	.26			.32		.03		.01	29
30	.43			.09				.26	.04	.20			30
31			.06					.87		.16			31
Total	4.28	1.29	3.74	3.35	1.35	.38	2.60	2.20	1.53	4.33	3.13	1.39	YEAR'S TOTAL 29.57
Rain Days.	22	13	25	22	13	8	15	12	13	19	20	15	197

W.7,000, XI. 13

Form to Croydon Table

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
3 - MAR 1915

Kept at Caterham Metropolitan Asylum

in the County of Surrey 4

by F. C. Bayard Dr P. E. Campbell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 608 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.24			.02	.03	1
2						.01	.17	.02			.29	.05	2
3	.01		.09	.03	.25		.09					.02	3
4	.01		.03	.18	.03			.05			.25	.03	4
5	.09		.06	.36	.22	.05	.23	.40				45	5
6		.15	.02	.15	.02	.19		.01			.04	.41	6
7		.58	.33	.13	.05	.15	.14				.01	.22	7
8	.15	.76	.54		.02	.07	.08	.29				.19	8
9	.26		.84	.25		.03		.01	.19			1.82	9
10	.01	.08	.01	.07	.11				.05			.04	10
11		.69	.48	.01	.03	.01			.29		.15	.27	11
12	.03	.05	.11				.37		.23	.01	.10	.70	12
13	.02	.53	.21			.05			.13	.04	.12	1.01	13
14		.44	.32				.36			.31	07	.57	14
15	.04	.02	.22				.68	.04			1.07	.19	15
16	.02		.05						.07			.05	16
17		.42	.19						.08			.02	17
18		.06	.18									.54	18
19		.09	.53				25			.02	.22	.26	19
20		.22	.55			.03			.02			.10	20
21		.77	.09			.03		.05		.04	.01	.03	21
22		.06			.25	.05	.15	.03		.17		.02	22
23			.14		.16		.03			.03		.01	23
24			.13				.01			.01	.10	.08	24
25	.02		.31				.01	.11		.47	.02	.03	25
26			.05				.09	.26		.12	.30	.70	26
27	.01							.01			.06	.42	27
28	.02	.03								.14	.48	.66	28
29	.15		.05							.45	.36		29
30	.01		.11							.11	81	.03	30
31	07				.19		.01					.30	31
Total	92	4.97	5.64	1.18	1.33	.67	2.67	1.52	1.06	1.92	4.48	9.25	YEAR'S TOTAL 35.61
Rain Days.	16	16	25	8	11	11	15	13	8	13	19	30	185

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

14 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Caterham Metropolitan Asylum

in the County of Surrey

by Dr P. E. Campbell per Croydon Nat His Soc

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.70	.23	.10		.02			.01	.45		.42	.76	1
2	.16	.26	.45	.18		.05		.78		.06		.05	2
3	.38	.01	.08	.18	.05			.34	.05			.23	3
4	.17											.92	4
5	.01	.66						.02		.05	.01	.35	5
6	.55	.07	.02	.53			.56	.10				.18	6
7	.10	.52	.03				.39	.01				.25	7
8	.01	.72	.03	.07	.01		.18	.07					8
9	.08	.06		.03		.12		.06		.02	.40	.59	9
10	.36	.02	.02	.18			.05					.31	10
11	.03		.05								.61	.03	11
12	.08	.07		.39	.38	.01		.18		.03	.65		12
13	.06	.77			1.38						.01		13
14	.03	.08					.05	.02				.56	14
15	.17	.05			.05		.05	.30			.20	.26	15
16		.56		.01			.90					.41	16
17		.50			.85		.03	.87					17
18		.07	.03		.25						.09		18
19	.01	.06					.05						19
20	.32	.23	.05	.03								.26	20
21	.18	.02								.09		.07	21
22	.96	.03	.05		.03		.83					.28	22
23	.01	.16	.07			.03	.48		.05	.39		.18	23
24			.03	.06			.09		.18	.23		.35	24
25		.18	.01	.12								.31	25
26		.08				.07	.02					.61	26
27		.07	.03			.30	.18			.36		.09	27
28		.07				.15			1.69	.09			28
29						.17	.84	.09			.31		29
30	.05	X				.07			.04	.25	.48		30
31	.03	X		X		X		.21	X	1.10	X	.35	31
Total	4·45	5·55	1.05	1·78	3.02	·97	4·70	3·06	2.46	2.67	3.18	7·40	YEAR'S TOTAL 40·29
Rain Days.	22	25	15	11	9	9	15	14	6	11	10	22	169

W. 8,000. X. 15.

5 made ✓

Exc DL

167

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13 MAR 1917

Kept at Caterham, Metropolitan Asylum

in the County of Surrey

by F. C. Bayard, P. E. Campbell, M.D.

Lat. .... Long. ....

Time of Observation —

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18		·18		·49				·27	·02	·35		1
2	·47	·15	·03		·15				·06	·37	·11		2
3		·73	·56		·14				·14	·48	·76		3
4	·30	·16		·04		·43			·18	·01	·48		4
5				·02	·20	·08				·13	·73		5
6		·22	·22	·29	·04	·08	·32			·25	·78	·02	6
7	·06		·93		·38	·06	·19		·01	·08	1·46	·05	7
8					·31							·40	8
9					·40					·06		·21	9
10		·23	·13	·09		·27	·09				·01	·12	10
11		·15	·04	·15		·39						·01	11
12	·03	·11		·08	·56	·28	·06			·07			12
13		·23	·44	·02	·07	·19	·07		·02	·13	·01		13
14		·89		·09		·06		·08		·05		·08	14
15		·12	·14		·03			·58				·07	15
16	·07	·08	·27	·20			·18	·21					16
17	·19	·02		·03			·02	·87	·35	·86			17
18		·13	·02	·18			—	·19	·24	·57	·72	·02	18
19	·32	·03	·14	·52		·06			·16		·73		19
20	·15		·09	·02							·11	·50	20
21			·39				·19					·38	21
22	·03		·05							·01		·49	22
23		·43	·09					·01		·07	·11	·14	23
24					·14	·22				·31	·09	·37	24
25		·91	·27					·27		·10	·07		25
26	·02	·40	·07			·31		·25		·23			26
27	·10		·79			·36		·23	·08	1·14			27
28		·43	·21					·01	·04	·03		·16	28
29						·35		·60	·05	·31	·01	·25	29
30		✕			·17			·20		·41			30
31		✕		✕		✕		·02	✕	·15	✕	·05	31 ✓
Total	1·92	5·42	5·06	1·73	3·08	3·14	1·12	3·52	1·60	5·84	6·53	3·32	YEAR'S TOTAL 42·28 ✓
Rain Days.	12	18	20	13	13	14	8	13	12	23	16	17	179

W. 8,000. X. 15.

[illegible]

REGISTER OF RAINFALL IN 1917

28. FEB.

FORM A.
BRITISH RAINFALL.

Kept at Caterham, Metropolitan Asylum
in the County of Surrey
by F. C. Bayard, P. E. Campbell, M.D.

Lat. Lon.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·22				1·78	·07		·10	·02	1
2		·01	·01	·55		·01		·26			·13		2
3	·02			·15			·14	·49		·18	·05		3
4		·25	·19				·24	·24		·47			4
5	·32	·01	·04	·56					·97	·20	·15		5
6			·16	·01		·08			·26	·02	·06		6
7	·31						·19			·41		·07	7
8	·14			·07			·80	·24	·03	·37	·35	·17	8
9			·07	·10			·30	·18	·01		·05	·83	9
10	·26		·20	·10		·10		·08		·01	·02	·08	10
11	·22		·24	·30				·01	·13	·32			11
12	·04		·09	·04				·05		·49	·02	·01	12
13	·11		·15	·04				·05	·03	·31	·01		13
14			·02	·17									14
15	·04						·02	·15		·10		·06	15
16	·02	·13		·23	·07		·05			·74		·97	16
17	·06	·02		·10	·73		·21	·02	·53	·14			17
18	·08	·03		·11	·07		·26	·21	·28	·02			18
19	·02	·09	·04	·01	·01	·05			·12		·01		19
20	·03	·15	·04		·65		·24	·03	·01		·06		20
21			·05	·01	·04	·06	·01	·01			·07		21
22			·01		·01	·10		·22		·09			22
23		·19			·22	·04		·19		·06	·01	·03	23
24		·08	·01			·16	·01			·18		·05	24
25		·04	·05				·01				·06		25
26			·04					·41	·03	·03	·73		26
27			·02			·03		1·30			·01	·02	27
28		·01				1·12		·28				·03	28
29			·02		·14	·30	·16	·09		·35		·18	29
30		✕	·35				1·69	·10		·03		·03	30
31	·16	✕	·01	✕		✕	·46	·05	✕	·02	✕		31
Total	1·83	1·03	1·81	2·77	1·94	2·05	4·79	6·44	2·47	4·54	1·89	2·55	YEAR'S TOTAL 34·11
Rain Days.	15	13	21	17	9	11	16	23	12	21	17	14	189

W. 8,000, VIII. 16

from M.S. Chd CHL 26

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 10 4·19

Kept at Caterham Metropolitan Asylum
in the County of Surrey
by P. E. Campbell. M.D per F. C. Bayard.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·23	·10	1
2		·03		·01				·17			·15	·24	2
3		·01	·12	·07	·33						·47	·03	3
4		·33	·14	·01				·03	·34		·71	·08	4
5	·05	·05			·10			·15	·17	·10		·10	5
6	·24	·25	·01	·29	·18			·05	·32	·07		·12	6
7	·03	·16		·14	·29	·02		·02	·09	·07	·08	·03	7
8	·02	·33							·27	·05	·11	·10	8
9		·02		·11		·03	·21		·53	·23	·01	·24	9
10				·13			·68		·23	·16	·01	·32	10
11	·03			·03	·01		·50		·02	·27	·09	·12	11
12		·08			·25		·20		·05		·01	·02	12
13	·08	·01		·01	·16		·06		·10			·01	13
14	·18		·01	·01	·01	·25	·07		·20	·17		·14	14
15	1·39			·83		·11	·07		·01			·25	15
16	·42			·24		·06	·01		·08				16
17	·29			·10	·09		·97	·05	·01			·30	17
18	·61					·21	·02		·64	·13		·07	18
19	·09		·09	·15	·48	·04	·16		·04	·14		·02	19
20	·04	·26		·85		·03	·22		·23	·49		·01	20
21	·15	·01		·77			·03		·26	·13		·01	21
22	·07				·34		·22		·06			·19	22
23	·10				·05		·67	·13	·25		·02	·03	23
24	·01	·29				·05	·18		·29		·03		24
25				1·06			·07	·24		·04	·01		25
26							·74	·03	·02		·18	·20	26
27		·06	·03	·17			·04	·19	·05		·10	·03	27
28	·01	·03	·23	·05				·10			·23	·08	28
29			·01						1·21		·04		29
30			·42						·03	·07		·20	30
31			·06							·09		·01	31
Total	3·81	1·92	1·12	5·03	2·29	·80	5·12	1·16	5·50	2·21	2·48	3·00	YEAR'S TOTAL 34·44
Rain Days.	18	15	10	19	12	9	19	11	25	15	17	27	197

W. 6,500, VII. 18. W W C

G+ BR

97

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Caterham, Metropolitan Asylum
in the County of Surrey
by P. E. Campbell M.D., per Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	
1	·37	·06	..	·04	·03	..	·07	..	..	·13	·06	·95	1
2	·27	..	·02	..	·01	..	·11	..	·01	·12	·12	·15	2
3	·34	..	·44	..	..	..	·05	..	·01	..	·06	·31	3
4	·21	·09	·55	..	·01	·05	·35	·02	·01	..	·01	·11	4
5	·02	·33	·80	..	..	..	..	..	·01	·01	·01	·35	5
6	·06	..	·07	..	..	..	..	..	..	..	·07	·11	6
7	·04	..	·46	..	..	..	..	..	..	..	·06	·01	7
8	·27	..	·07	·02	..	..	..	..	·01	..	·02	..	8
9	·34	..	·03	·02	·02	..	..	..	·01	·01	·09	..	9
10	·30	..	·12	·02	..	..	..	..	..	..	·03	·06	10
11	·09	..	·17	·28	·03	..	·21	..	..	·01	..	·07	11
12	·07	..	·04	·08	..	·01	·21	..	..	·04	·04	·01	12
13	·04	..	..	·48	..	..	·01	..	·01	..	..	·05	13
14	·64	·01	..	·54	..	..	·09	..	·66	..	·01	·07	14
15	·32	·03	·24	·15	..	..	..	..	·01	..	..	·07	15
16	·02	·55	..	·01	..	..	·01	..	·01	..	·20	·03	16
17	·01	·35	·06	·01	..	..	..	..	..	..	·19	·05	17
18	..	·24	·06	..	..	..	..	·03	02	..	·04	·04	18
19	·04	·23	·63	..	..	·17	·27	·21	..	..	·05	·01	19
20	·21	·32	·11	..	..	·65	·17	·21	..	..	·01	·02	20
21	·12	·45	·03	..	..	·07	·07	..	..	..	·03	..	21
22	..	·04	·03	..	..	·01	·01	..	·34	..	·03	·01	22
23	·01	·01	..	..	..	·03	..	..	·08	..	·03	·01	23
24	..	..	..	·21	..	..	·09	·04	..	·10	·06	·01	24
25	·03	·01	..	..	..	·01	·01	·18	..	·01	..	·02	25
26	·06	·26	·09	·13	..	..	·30	·22	·16	..	·03	·41	26
27	·39	·06	·03	1·15	..	..	·02	·34	..	..	·08	·01	27
28	..	·01	·31	·02	..	..	·05	1·02	..	..	..	·48	28
29	·07		..	..	..	..	·01	·40	..	·32	·02	·14	29
30	·02		..	·23	..	·05	..	·33	..	·05	·25	·70	30
31	·10		·07		..		·06	..		·10		·05	31
TOTAL	4·46	3·05	4·43	3·39	·10	1·05	2·17	3·00	1·35	·90	1·60	4·31	YEAR'S TOTAL
	..	7·51	11·94	15·33	15·43	16·48	18·65	21·65	23·00	23·90	25·50	29·81	29·81
Days with ·01 in. or more	27	17	22	16	5	7	20	11	14	11	25	28	205

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

96

Copy by B.R.O. 2 APL 1921

Kept at Caterham Metropolitan Asylum

in the County of Surrey

by per Bayard P. E. Campbell M.D.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	Caterham (Asylum) IN.	
1	·05	·01	·03	·26	·05	..	·47	..	..	·70	..	·20	1
2	·06	..	..	..	·02	..	·02	·20	·11	·10	..	..	2
3	..	·02	..	·02	·02	·03	..	·01	·03	·06	..	·30	3
4	..	·09	·01	·16	..	..	·50	·11	..	·23	..	·10	4
5	..	..	..	·01	·05	..	·65	·45	·03	..	..	..	5
6	..	·01	·23	..	·13	..	·34	..	..	..	..	..	6
7	·07	..	·01	·18	·08	..	·40	..	..	·03	..	·10	7
8	..	·01	..	·08	·13	..	·36	..	..	..	..	..	8
9	·27	·03	·01	·04	·02	..	·23	·01	..	..	..	..	9
10	·72	·10	·02	·03	..	·12	·21	..	..	..	·03	..	10
11	·32	·01	·01	·21	·01	·08	·24	·02	..	..	..	·14	11
12	·06	·03	·03	·23	..	·75	..	..	..	..	..	..	12
13	·30	..	·30	·16	..	..	..	..	..	..	·12	..	13
14	..	·01	·28	·36	..	·10	..	..	·12	·44	·43	..	14
15	·03	·02	·06	·15	..	·05	..	..	·86	·12	·18	..	15
16	·01	·01	·02	·22	..	·01	..	..	·56	..	..	·04	16
17	·02	..	..	·01	·14	..	..	..	1·00	..	..	·12	17
18	·05	..	·02	..	·03	..	·02	·93	·19	..	·01	·14	18
19	·12	..	..	·36	..	..	..	..	..	..	..	·05	19
20	·07	·19	..	·36	..	·64	..	·01	·21	..	..	·03	20
21	·03	..	..	·01	..	..	·76	..	·40	..	..	·12	21
22	·03	·02	..	..	..	..	..	..	·23	..	..	·85	22
23	·01	..	..	..	..	..	·35	..	·01	..	..	·06	23
24	..	·02	..	..	..	..	..	..	..	..	·01	..	24
25	·01	·02	·01	·01	..	..	·35	..	·04	..	·01	..	25
26	·03	..	·10	·02	..	·05	·02	..	..	..	·01	·05	26
27	·35	·10	..	·19	..	·09	·04	..	..	..	·58	·20	27
28	·51	..	·14	·04	·10	..	·14	..	..	..	·06	·05	28
29	·57	..	·18	·05	..	..	..	..	..	..	·10	·35	29
30	·03		..	..	·02	·08	·13	..	·33	..	·32	·23	30
31	..		..		·01		..	..		·46		·21	31
	3·72	·70	1·46	3·16	·81	2·00	5·23	1·74	4·12	2·14	1·86	3·34	YEAR'S TOTAL
TOTAL	..	4·42	5·88	9·04	9·85	11·85	17·08	18·82	22·94	25·08	26·94	30·28	30·28
Days with ·01 in. or more	23	17	17	23	14	11	18	8	14	8	12	19	184
Days with ·04 in. or more	14	4	7	16	7	9	15	4	11	7	7	18	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CATERHAM
ASHFIELD
SURREY
1911- 15.

FORM A2.
BRITISH RAINFALL.
30 MAR 1912

F

ashfield

Kept at ~~ashf~~

ft. in.

vel 610 ft.

in the County of

n.

by a. W

Caterham

ce 3/4 mile Direction S.E.

IMPORTANT N esult entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·74			·02	·02			·01		1
2	·17			·25	·31						·18	·25	2
3		·04			·21						·15	·17	3
4	·05		·05	·14 S				~~·04~~	·01	·10	·39	·34	4
5		·02		·10 S						·48	·04	·12	5
6	·29		·17	·01 S								·26	6
7	·11			·01 S						·14	·42	·26	7
8	·09		·18								·35	·44	8
9	·24		·02								·02	·05	9
10		·10	·15	·02							·05	·72	10
11	·53		·04		·09						1·04		11
12			·59			·01			·02		·19		12
13			·13		·18				·36	·06	·03	·21	13
14		·08			·28							·66	14
15		·06	·24							·02	·12	·04	15
16						·42					·72	·13	16
17			·02			·04					·50	·17	17
18		·19	·01								·70	·32	18
19					·01	·19			·40	·29	·24	·15	19
20	·03	·02				·02		·30		·28		·88	20
21	·02	·21				·05		·03	·03	·74		·26	21
22	·05		·24			·91				·25		·52	22
23		·29	·06			·04			·29	·01	·03	·17	23
24		·16				·25	·03			1·26		·31	24
25		·02		·04		·19	·02		·04	·08		·01	25
26		·01	·15	·30	·59	·23				·15	·01 S	·27	26
27		·42	·16	·07					·09	·16	·08	·12	27
28		·23		·23				·06			·02		28
29				·23		·17	·16		·19	·33			29
30				·02		·01		·05	·02	·35		·01	30
31					·66 T.S.					·03			31
Total	1·61	1·85	2·21	2·16	2·33	2·53	·23	·46	1·45	4·73	5·29	6·84	TOTAL for year 31·04
No. of Rain Days.	11	14	15	13	8	13	4	5	10	17	21	25	156

W. 8,000, X. '11.

Form A2.
British Rainfall.
30 MAR 1912

Ashfield
Kept at ~~Ashfield~~, Caterham

in the County of Surrey 4

by A. Malden

Rain Gauge: Diameter of top	5 in.
Height of top above Ground	ft. in.
„ „ „ Sea Level	610 ft.
Time of Observation	9.0 a.m.
Nearest Railway Station: Name	Caterham
Distance	¾ mile
Direction	S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·74			·02	02			·01		1
2	·17			·25	·31						·18	·25	2
3		·04			·21						·15	·17	3
4	·05		·05	·14 S				~~·07~~	·01	·10	·39	·34	4
5		·02		·10 S						·48	·04	·12	5
6	·29		·17	·01 S								·26	6
7	·11			·01 S						·14	·42	·26	7
8	·09		·18								·35	·44	8
9	·24		·02								·02	·05	9
10		·10	·15	·02							·05	·72	10
11	·53		·04		·09						1·04		11
12			·59			·01			·02		·19		12
13			·13		·18				·36	·06	·03	·21	13
14		·08			·28							·66	14
15		·06	·24							·02	·12	·04	15
16						·42					·72	·13	16
17			·02			·04					·50	·17	17
18		·19	·01								·70	·32	18
19					·01	·19			·40	·29	·24	·15	19
20	·03	·02				·02		·30		·28		·88	20
21	·02	·21				·05		·03	·03	·74		·26	21
22	·05		·24			·91				·25		·52	22
23		·29	·06			·04			·29	·01	·03	·17	23
24		·16				·25	·03			1·26		·31	24
25		·02		·04		·19	·02		·04	·08		·01	25
26		·01	·15	·30	·59	·23				·15	·01 S	·27	26
27		·42	·16	·07					·09	·16	·08	·12	27
28		·23		·23				·06			·02		28
29				·23		·17	·16		·19	·33			29
30				·02		·01		·05	·02	·35		·01	30
31					·66 T.S.					·03			31
Total	1·61	1·85	2·21	2·16	2·33	2·53	·23	·46	1·45	4·73	5·29	6·84	TOTAL for year 31·01
No. of Rain Days.	11	14	15	13	8	13	4	5	10	17	21	25	156

W, 8,000, X. '11.

BRITISH RAINFALL.
FORM A.

1 FEB 1913

REGISTER OF RAINFALL IN 1912.

Kept at 'Ashfield' Caterham
in the County of Surrey 4
by A. Malden

Lat. Long.
Time of Observation 9·0 a.m.
Nearest Railway Station Caterham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12			·12	·82		·03	·60		·23	1
2			·31			·01	·23	·03	·03	·07			2
3	·03	·10^S	·06		·04	·23	·02	·41	·03	·08		·13	3
4	·21		·43		·17	·29		·03			·22		4
5	·19	·03	·20					·29			·14	·01	5
6	·44	·06			·03			·06	·01			·28	6
7					·14	·51		·14				·07	7
8	·32	·37	·18			·03		·23			·01	·02	8
9		·10		·09		·23	·03	·03				·17	9
10		·07				·02		·42	·02		·06	·30	10
11	·04	·42	·01			·02		·06	·04			·30	11
12	·03	·10	·05		·04	·10		·11			·03	·01	12
13		·01	·03								·17	·03	13
14			·02		·03			·19				·04	14
15	·01	·01	·29		·17	·74		·01			·06	·30	15
16	·23		·09		·06	·10		·15		·16	·05		16
17	·19		·37			·05		·06			·02	·08	17
18	·27		·20					·31		·04	·03	·12	18
19	·05	·12	·17	·01		·01	·09	·35			·01	·02	19
20		·04	·61			·02		·10		·47	·03		20
21	·01	·03	·36		·02			·11		·15	·04		21
22	·09	·35	·07		·03		·03	·22		·04	·01	·04	22
23	·35	·38	·39		·03			·55		·09	·27	·11	23
24	·13	·08				·21	·03	·33				·16	24
25	·11					·37		·78		·03	·26	·56	25
26	·02	·04						·48		·39	·55	·33	26
27			·02				·02			·19		·24	27
28		·06				·01	·10	·10	·16	·64	·61	·19	28
29		·03				·10	·32	·20	1·56	·13			29
30					·40	·31	·02	·01	1·54	·28			30
31			·05				·23	·12		·02			31
Total	2·72	2·40	4·03	·10	1·16	3·48	1·94	5·88	3·42	3·38	2·57	3·74	YEAR'S TOTAL 34·82 ✓
Rain Days.	18	19	21	2	12	20	12	28	9	16	18	23	198 ✓

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

31 JAN 1914

Kept at Ashfield, Caterham Est BR
in the County of Surrey 4
by A. Malden.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·36	·06	·13	·01				·11	·02	·14	·09	1
2	·04	·15					·12		·04	·03	·14		2
3	·01		·06	·32	·34					·01		·27	3
4	·43		·07	·05	·13		·05			·09	·04	·04	4
5	·49		·03			·04	·12		·30		·05	·05	5
6	·19	·16	·14		·01	·14	·36		·01	·25	·08	·11	6
7	·01	·27		·01	·16	·02		·06		·71	·07		7
8		·03	·01		·13	·08				·08	·06	·02	8
9		·12		·03	·03	·01			·06		·03	·03	9
10			·03	·15	·02		·03	·04			·45		10
11	·58			·41						·61	·13		11
12					·08						·44		12
13	·15		·08						·04		·23		13
14	·14	·01	·19	·07			·82	·07	·09	·13	·09		14
15	·27	·05	·20	·26			·28		·01			·01	15
16	·22		·45	·28					·36				16
17	·05	·09	·05	·05			·26	·01			·01		17
18			·15	·16	·02						·07		18
19	·25		·21			·04	·13		·22				19
20	·23		·48	·11	·01					·63	·04		20
21	·02		·31	·04			·03			·26	·97		21
22	·34		·22	·04				·01	·14		~~·01~~		22
23			·14			·03		·23	·01		·01	·51	23
24	·05			·04				·01		·02	·04		24
25				·25									25
26		·01	·14	·02			·01	·21		·78		·33	26
27			·05	·14	·13					·02			27
28	·18		·28	·05						·16			28
29	·05		·04	·44	·28			·16		·02			29
30	·37			·10				·22		·19			30
31			·06					·78		·13			31
Total	4·09	1.25	3.45	3.15	1.35	·36	2.21	1.80	1.39	4.14	3.09	1.46	YEAR'S TOTAL 27.74
Rain Days.	21	10	23	22	13	7	11	11	12	18	19	10	177

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

15 JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Ashfield, Caterham

in the County of Surrey 4

by A. Malden

Lat. Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Caterham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ „ „ „ Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·22			·02	·03	1
2	·02					·02	·18	·02			·24	·35	2
3			·09	·04	·22		·09	·01			·01		3
4	·03		·03	·18	·04			·04			·23	·23	4
5			·07	·38	·26	·07	·18	·42			·05		5
6		·13	·02	·15	·02	·20		·01			·01	·39	6
7		·39	·32	·15	·08	·29	·11					·23	7
8	·22	·68	·54	·01	·02	·08	·09	·24				·16	8
9	·26		·84	·22		·04			·12			2·36	9
10	·01	·03	·05	·07	·09				·06		·01	·07	10
11		·64	·40	·01	·03	·02			·26		·17	·37	11
12		·05	·10				·35		·21		·02	·70	12
13		·46	·20			·06			·14	·04	·12	·91	13
14		·42	·33				·34		·01	·33	·08	·55	14
15	·06	·03	·21				·86	·04			1·00	·05	15
16	·02		·05						·08				16
17		·36	·20						·05			·17	17
18		·09	·20									·40	18
19		·09	·52				·17			·02	·23	·27	19
20		·19	·49			·04						·10	20
21		·72	·10		·24	·03		·11		·03		·04	21
22		·05			·17	·05	·15	·03		·17		·02	22
23			·13			·02	·03			·01		·03	23
24			·17				·01				·14	·05	24
25	·03		·29				·01	·10		·41	·01	·05	25
26			·04				·06	·25		·12	·26	·54	26
27	·03		·01					·01			·13	·40	27
28	·02	·04								·11	·40	·68	28
29	·16		·04							·46	·32	·01	29
30		X	·11		·01					·10	·75	·32	30
31	·08	X		X	·18	X			X		X	·04	31
Total	·94	4·37	5·55	1·21	1·36	·92	2·63	1·50	·93	1·80	4·20	9·52	YEAR'S TOTAL 34·93
Rain Days.	12	16	26	9	12	12	14	13	8	11	20	28	181

W. 8,000. X. 14.

N.B. Gauge moved to Bromley Kent on 21 September 1915 -

115

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

19 FEB 1916

Kept at Ashfield Caterham | 7 King's Avenue Bromley

in the County of Surrey | Kent

by A. Malden 4

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 600 ft. Bromley 180

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·71	·18	·15		·02				·35		·33	·38	1
2	·17	·23	·32	·17		·01		·81	·01	·08		·01	2
3	·45	·01	·07	·16	·04			·36	·08			·60	3
4	·05											·19	4
5	·03	·63						·03		·03		·27	5
6	·47	·07	·01	·46			·52	·07				·04	6
7	·63	·50	·05				·42	·01				·16	7
8	·07	·70	·01	·05			·10	·11					8
9	·01	·06		·20		·12		·04		·04	·28	·67	9
10	·32					·01					·57	·22	10
11	·02		·02								·37	·02	11
12	·09	·10		·40	·42			·24		·02		·01	12
13	·01	·72			1·21								13
14	·02	·04					·04	·03	·04			·25	14
15	·17	·02			·04		·05	·22			·21	·07	15
16		·48		·01			·82	·02				·21	16
17		·43			·91		·04	1·02				·01	17
18		·09	·09		·20						·07		18
19		·24			·02		·05			·03			19
20	·32			·09							·01	·24	20
21	·24	·02								·03		·07	21
22	·87 S	·14	·06	·02			·86					·05	22
23	·03	·14	·09	·01		·03	·38		·01	·42		·27	23
24							·09		·20	·18		·28	24
25			·02	·13			·02					·20	25
26		·16				·09	·06					·48	26
27		·05				·34	·17			·20		·02	27
28		·08				·15			1·96	·14			28
29		X				·13	·80	·10			·09		29
30	·04	X				·06				·03	·33		30
31	·03	X		X		X		·20	X	·92	X	·30	31
Total	4·75	5·09	·89	1·70	2·86	·94	4·42	3·26	2·65	2·12	2·26	5·02	YEAR'S TOTAL 35·96
Rain Days.	21	22	11	11	8	9	15	14	7	12	9	24	163

8L
58

CATER~~HAM~~
BRADENHURST
SURREY
1911 - 14

42

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Braden

in the County of E

by H. Haes

1 ft. in.

el 600 ft.

Direction

IMPORTANT NO esult entered to the previous day. If an Observer prefers not to conform to this almost rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·88			·03	·03			·01		1
2	·21			·10	·33						·17	·29	2
3		·04			·22						·14	·20	3
4	·09	·02	·05	·10					·02	·13	·33	·40	4
5	·01	·02		·13						·46	·04	·09	5
6	·30		·15	·01							·01	·29	6
7	·13			·02						·17	·46	·27	7
8	·12		·17								·35	·44	8
9	·26		·01	·03						·01	·01	·09	9
10	·01	·13	·14	·01	·10						·04	·89	10
11	·47		·03								1·11		11
12			·54		·24				·02		·26		12
13			·16		·27				·46	·07	·01	·25	13
14		·04	·01									·65	14
15			·33							·04	·13	·03	15
16		·01				·50					·75	·12	16
17		·18	·02			·03					·53	·24	17
18			·02								·81	·42	18
19						·20			·21	·38	·29	·14	19
20	·03	·02	·02					·25	·02	·07	·01	·86	20
21	·02	·19						·05	·02			·27	21
22	·06		·27			·16		·01		1·35		·64	22
23		·26	·05			·77			·36	·04	·02	·20	23
24		·16				·06	·05	·02		1·47		·39	24
25		·02		·06		·25	·07	·01	·05	·01		·01	25
26		·01	·17	·29	·81	·27				·18	·03	·27	26
27		·52	·16	·08					·08	·26	·05	·15	27
28	·01	·23		·25				·09			·01		28
29				·24		·16	·20	·01	·22	·41	·01		29
30				·02		·03		·07	·01	·39		·01	30
31					·86					·02			31
Total	1·77	1·85	2·30	2·22	2·83	2·43	·35	·54	1·47	5·46	5·58	7·61	TOTAL for year 34·41
No. of Rain Days	14 ~~77~~	15	17	14	7	10	4	9	11	18 ~~16~~	24	25	168

9,000, IX. '10.

42

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Bradenhurst, Caterham Valley

in the County of E. Surrey 4

by H. Haes

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 600 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·88			·03	·03			·01		1
2	·21			·10	·33						·17	·29	2
3		·04			·22						·14	·20	3
4	·09	·02	·05	·10					·02	·13	·33	·40	4
5	·01	·02		·13						·46	·04	·09	5
6	·30		·15	·01							·01	·29	6
7	·13			·02						·17	·46	·27	7
8	·12		·17								·35	·44	8
9	·26		·01	·03						·01	·01	·09	9
10	·01	·13	·14	·01	·10						·04	·89	10
11	·47	—	·03								1·11		11
12			·54		·24				·02		·26		12
13			·16		·27				·46	·07	·01	·25	13
14		·04	·01									·65	14
15			·33							·04	·13	·03	15
16		·01				·50					·75	·12	16
17		·18	·02			·03					·53	·24	17
18			·02								·81	·42	18
19						·20			·21	·38	·29	·14	19
20	·03	·02	·02		—			·25	·02	·07	·01	·86	20
21	·02	·19		—				·05	·02	}		·27	21
22	·06		·27			·16		·01		1·35		·64	22
23		·26	·05			·77			·36	·04	·02	·20	23
24		·16				·06	·05	·02		1·47		·39	24
25		·02		·06		·25	·07	·01	·05	·01		·01	25
26		·01	·17	·29	·81	·27				·18	·03	·27	26
27		·52	·16	·08					·08	·26	·05	·15	27
28	·01	·23		·25				·09			·01		28
29				·24		·16	·20	·01	·22	·41	·01		29
30				·02		·03		·07	·01	·39		·01	30
31					·86					·02			31
Total	1·77	1·85	2·30	2·22	2·83	2·43	·35	·54	1·47	5·46	5·58	7·61	TOTAL for year 34·41
No. of Rain Days	14 ~~11~~	15	17	14	7	10	4	9	11	18 ~~16~~	24	25	168

9,000, IX. '10.

82 ✓

See DSL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

21 JAN 1913

Kept at Bradenhurst, Caterham

in the County of Surrey 4

by H. Haes

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·19	·01		·15	·78		·06	·64		·25	1
2		·01	·36	—		—	·25	·02		·07		·01	2
3	·02	·08	·05		·02	·21	·06	·47	·03		·01	·16	3
4	·22		·61		·16	·36		·05			·32		4
5	·19	·04	·14		·01			·34			·13	·03	5
6	·52	·07			·05			·10	·01			·29	6
7					·19	·49		·14				·10	7
8	·31	·48	·22			·07		·19	·01		·01	·03	8
9	·01	·12	·01	·07		·18	·06	·03			·01	·19	9
10	—	·07			—	·01		·36	·02		·06	·34	10
11	·03	·46	·01			·03		·06	·05			·29	11
12	·03	·10	·06		·05	·11		·13		·01	·03	·01	12
13		·01	·02					·01			·21	·02	13
14			·03		·04			·17		·06	·01	·03	14
15	·02	·02	·24		·18	·82		·01		·01	·05	·35	15
16	·28	·01	·12		·07	·12		·14		·12	·05		16
17	·30		·51			·09		·08			·02	·12	17
18	·22		·24					·32		·05	·02	·12	18
19	·04	·16	·17			·01	·09	·35		·01	·01	·01	19
20	·01	·04	·76					·05		·42	·05		20
21	·01	·05	·38		·02			·10		·15	·06		21
22	·11	·37	·07		·02		·02	·35		·07	·01	·05	22
23	·39	·41	·43		·05	·01		·64		·11	·49	·14	23
24	·12	·11				·18	·03	·44				·17	24
25	·12	·01				·40		·89		·05	·31	·51	25
26	·01	·04						·57		·46	·63	·41	26
27			·02			·01	·04			·22		·21	27
28		·07				·23	·07	·18	·24	·71	·53	·18	28
29		·05				·08	·22	·20	1·80	·19	·06		29
30					·48	·44	·04	·02	1·54	·35			30
31			·10				·27	·14		·03			31
Total	2·97	2·78	4·74	·08	1·34	4·00	1·93	6·55	3·76	3·73	3·08	4·02	TOTAL for year 38·98
No. of Rain Days.	21	22	22	2	13	20	12	29	9	19	22	24	215

W. 8,000, X. '11.

82

30

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bradenhurst, Caterham Valley

in the County of Surrey

by H. Haes

4

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·36	·07	·16	·01				·12	·02	·13	·12	1
2	·05	·12					·13		·33	·02	·09	·01	2
3	·02		·04	·33	·42					·04		·26	3
4	·46		·07	·03	·12		·05			·08	·03	·03	4
5	·56	·01	·02			·06	·15		·42	·01	·07	·05	5
6	·11	·23	·18		·02	·23	·64		·01	·56	·06	·12	6
7		·26			·20	·01	·02	·04		·54	·15	·01	7
8		·03	·01		·16	·06		·01		·17	·01	·02	8
9		·15		·03	·07	·02	·02		·07		·03	·02	9
10	·01		·04	·16			·08	·04			·55		10
11	·56			·44						·71	·17	·01	11
12		·01			·09					·01	·52		12
13	·15		·08					·01	·03		·26		13
14	·14	·01	·17	·12			·80	·07	·12	·15	·08	·01	14
15	·28	·07	·24	·35			·26		·02				15
16	·19		·48	·28			·01		·48				16
17	·06	·10	·03	·01			·31	·02			·02	·02	17
18	·01		·16	·15	·02				·01		·09		18
19	·38		·17	·09	·04	·01	·18		·32				19
20	·23		·45	·15						·72	·03		20
21	·02		·34	·05			·03			·32	·87	·01	21
22	·51		·27	·02	·01			·07	·16			·01	22
23			·17			·02	·02	·18	·01		·01	·52	23
24	·05		·01	·04						·01	·04		24
25		·01	·01	·26									25
26		·01	·14	·03			·02	·24		·78		·35	26
27	·01	·01	·10	·20	·23					·04			27
28	·25		·29	·05				·03		·19		·01	28
29	·05		·04	·48	·30			·45		·04	·01		29
30	·45			·10				·25		·22			30
31			·07					·87		·16			31
Total	4·58	1·38	3·65	3·53	1·69	·41	2·72	2·28	2·10	4·79	3·22	1·58	YEAR'S TOTAL 31·93
Rain Days.	23	14 ~~12~~	25	22	13	7	15	13	13 ~~12~~	20 ~~19~~	20	17	~~198~~ 202

W. 7,500, XI. 12

8L

[illegible]

REGISTER OF RAINFALL IN 1914

26

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Bradenhurst, Caterham Valley

in the County of Surrey 4

by H. Haes

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01			·01	·25			·02	·04	1
2	·01					·03	·26	·04			·22	·12	2
3		·01	·11	·05	·24		·08	·04			·01		3
4	·05	·01	·03	·20	·05		·01	·06			·28	·35	4
5	·07		·08	·38	·41	·07	·18	·84			·05		5
6		·17	·03	·14	·03	·21		·02			·01	·34	6
7		·55	·42	·16	·01	·17	·16	·01				·18	7
8	·16	·72	·56	·01	·02	·08	·05	·27				·12	8
9	·28		·84	·26		·05		·01	·16			2·16	9
10	·03	·07	·04	·09	·15				·17		·01	·05	10
11		·68	·54	·02	·03	·01			·16		·12	·36	11
12	·04	·06	·12			·01	·40		·26		·02	·78	12
13	·01	·47	·23			·07			·17	·01	·12	1·00	13
14		·32	·27				·38		·01	·05	·11	·64	14
15	·04	·02	·24				·47	·04		·36	·99	·04	15
16	·03		·05						·07				16
17		·49	·18						·08			·20	17
18		·05	·20									·46	18
19		·12	·57			·01	·22			·02	·23	·30	19
20		·22	·46			·04			·01	·04		·12	20
21		·81	·08			·02		·02		·03		·05	21
22		·06	·05	·01	·34	·14	·17	·05		·24		·01	22
23			·13	·01	·13	·01	·05			·02		·08	23
24	·01		·08					·01			·12		24
25	·02		·38				·01	·12		·48	·02	·10	25
26			·05				·10	·29		·07	·28	·75	26
27	·03		·01					·01		·01	·05	·42	27
28	·02	·04			·01					·16	·56	·69	28
29	·13		·05							·48	·29		29
30	·01		·10							·11	·80	·35	30
31	·05				·19		·01			·01		·03	31
Total	·99	4·87	5·90	1·34	1·61	·92	2·56	2·08	1·09	2·09	4·31	9·74	YEAR'S TOTAL 37·59
Rain Days.	17	18	27	12	12	14	16	16	9	15	20	26	202

W.7,000, XI. 13

FORM A2.
BRITISH RAINFALL.

24 FEB 1913

CATERHAM
MOUNT VERNON
SURREY
1912-15, 17-19

Kept at Mount V
in the County of Su
by Marten Llen

Zambra
n.
d 1 ft. in.
evel 500 ft.
Caterham
nce 1/4 mile Direction N.

IMPORTANT N result entered to the previous day. If an rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.19			0.14	0.78		0.03	0.28			1
2	0.01		0.38			0.02	0.20		0.02	0.10		0.24	2
3	0.03	0.07	0.04			0.22	0.05	0.42	0.04			0.15	3
4	0.22		0.56		0.13			0.07			0.27	0.02	4
5	0.18		0.17					0.28			0.16	0.03	5
6	0.49	0.17			0.02			0.08	0.01			0.27	6
7		0.01			0.18	0.44		0.12				0.11	7
8	0.34	0.43	0.23			0.07		0.14			0.02	0.05	8
9		0.12		0.10		0.18		0.03				0.18	9
10						0.00		0.35			0.07	0.33	10
11	0.05					0.03		0.07	0.04		0.03	0.30	11
12	0.03	0.59	0.02		0.04	0.08		0.11				0.03	12
13		0.02									0.18	0.05	13
14			0.09		0.04			0.15		0.08	0.03	0.05	14
15	0.04	0.02	0.23		0.15	0.76					0.05	0.35	15
16	0.25		0.11		0.07	0.08		0.15		0.13	0.06		16
17	0.25		0.47			0.08		0.07			0.04	0.12	17
18			0.20					0.28		0.06	0.03	0.12	18
19	0.36	0.19	0.18				0.06	0.36			0.02		19
20	0.02		0.60					0.06		0.30	0.05		20
21		0.05	0.43					0.11		0.28	0.06		21
22	0.12	0.36	0.07		0.05		0.02	0.27		0.02	0.03	0.06	22
23	0.40	0.41	0.35		0.04			0.64		0.13	0.20	0.15	23
24	0.11	0.09	0.08			0.15	0.04	0.41				0.19	24
25	0.11	0.02				0.45		0.83			0.39	0.59	25
26		0.05						0.43		0.50	0.65	0.36	26
27		0.01					0.04			0.10		0.24	27
28		0.07				0.02	0.06	0.11	0.39	0.50	0.58	0.20	28
29		0.04				0.24	0.18	0.27	1.80	0.20	0.08		29
30					0.45	0.40		0.03	1.53	0.65			30
31			0.10				0.24	0.15		0.03			31
Total	3.01	2.72	4.50	0.10	1.17	3.36	1.67	5.99	3.86	3.36	3.00	4.19	TOTAL 36.93
No. of Rain Days.	17	18	19	1	10	16	10	26	8	15	20	23	183

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
24 FEB 1913

Kept at Mount [redacted] Zanha

in the County of Surrey 4

by Marten Llewellyn Evans

GAUGE Height of top above Ground 1 ft. in.
" " " Sea Level 500 ft.

Time of Observation 9 am.

Nearest Railway Station Name Cecham
Distance ¼ mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.19			0.14	0.78		0.03	0.28			1
2	0.01		0.38			0.02	0.20		0.02	0.10		0.24	2
3	0.03	0.07	0.04			0.22	0.05	0.42	0.04			0.15	3
4	0.22		0.56		0.13			0.07			0.27	0.02	4
5	0.18		0.17					0.28			0.16	0.03	5
6	0.49	0.17			0.02			0.08	0.01			0.27	6
7		0.01			0.18	0.44		0.12				0.11	7
8	0.34	0.43	0.23			0.07		0.14			0.02	0.05	8
9		0.12		0.10		0.18		0.03				0.18	9
10						0.00		0.35			0.07	0.33	10
11	0.05					0.03		0.07	0.04		0.03	0.30	11
12	0.03	0.59	0.02		0.04	0.08		0.11				0.03	12
13		0.02									0.18	0.05	13
14			0.09		0.04			0.15		0.08	0.03	0.05	14
15	0.04	0.02	0.23		0.15	0.76					0.05	0.35	15
16	0.25		0.11		0.07	0.08		0.15		0.13	0.06		16
17	0.25		0.47			0.08		0.07			0.04	0.12	17
18			0.20					0.28		0.06	0.03	0.12	18
19	0.36	0.19	0.18				0.06	0.36			0.02		19
20	0.02		0.60					0.06		0.30	0.05		20
21		0.05	0.43					0.11		0.28	0.06		21
22	0.12	0.36	0.07		0.05		0.02	0.27		0.02	0.03	0.06	22
23	0.40	0.41	0.35		0.04			0.64		0.13	0.20	0.15	23
24	0.11	0.09	0.08			0.15	0.04	0.41				0.19	24
25	0.11	0.02				0.45		0.83			0.39	0.59	25
26		0.05						0.43		0.50	0.65	0.36	26
27		0.01					0.04			0.10		0.24	27
28		0.07				0.02	0.06	0.11	0.39	0.50	0.58	0.20	28
29		0.04				0.24	0.18	0.27	1.80	0.20	0.08		29
30					0.45	0.40		0.03	1.53	0.65			30
31			0.10				0.24	0.15		0.03			31
Total	3.01	2.72	4.50	0.10	1.17	3.36	1.67	5.99	3.86	3.36	3.00	4.19	TOTAL FOR 3693
No. of Rain Days.	17	18	19	1	10	16	10	26	8	15	20	23	183

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
12 JAN 1914

Kept at Mount Vernon Caterham Valley
in the County of Surrey.
by M. Ll. Evans.

4

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Caterham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·03	0·38	0·07	0·20	0·01				0·09		0·13	0·12	1
2	0·06	0·13					0·10		0·25		0·13	0·02	2
3	0·02		0·03	0·32	0·45							0·29	3
4	0·46		0·10	0·04	0·04		0·04			0·06	0·04	0·04	4
5	0·53		0·02				0·14		0·35	0·08	0·07	0·06	5.
6	0·18	0·23			0·02		0·58		0·02	0·11	0·05	0·13	6
7		0·29	0·01	0·01	0·19		0·01	0·09		0·61	0·02		7
8	0·01	0·04	0·01		0·16	0·10		0·01		0·15	0·05	0·04	8
9		0·13		0·04	0·08		0·01		0·09		0·04	0·04	9
10			0·04	0·14			0·05	0·04			0·60		10
11	0·53			0·43						0·68	0·19		11
12					0·10						0·55		12
13	0·15		0·09								0·22		13
14	0·13		0·15	0·10			0·65	0·07	0·05	0·16	0·11		14
15	0·30	0·09	0·45	0·33			0·22		0·10				15
16	0·20		0·20	0·30			0·01		0·48				16
17	0·08	0·05	0·09	0·08			0·28	0·02	0·28				17
18			0·16	0·17	0·03						0·13		18
19	0·30		0·21		0·03	0·01	0·14						19
20	0·19		0·08	0·13	0·01					0·67	0·04		20
21			0·45	0·07						0·31	0·93		21
22	0·50		0·55	0·04					0·14				22
23			0·17				0·04	0·22	0·25			0·54	23
24				0·05				0·01			0·06		24
25			0·01	0·25						0·01			25
26			0·13	0·03			0·02	0·26		0·80		0·37	26
27		0·11		0·18						0·04			27
28	0·23		0·35	0·06	0·68					0·18			28
29	0·05		0·04	0·45				0·39		0·03	0·01	0·03	29
30	0·43		0·04	0·11				0·23		0·25			30
31			0·07					0·76		0·08			31
Total	4·38 ~~3·52~~	1·45 ~~3·53~~	3·52	3·53	1·80	0·11	2·29	2·10	2·10	4·22	3·37	1·68	YEAR'S TOTAL 30·55
Rain Days.	19	9	24	22	12	2	14	11	11	16	18	11	169

W. 7,500, XI. ·12

Cor. for auth. 19.IV.15

FORM A.
BRITISH RAINFALL.
6 - APR 1915

REGISTER OF RAINFALL IN 1914

Kept at Mount Vernon Caterham Valley

in the County of Surrey 4

by M. Llewellyn Evans

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Caterham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								0·24			0·03	0·04	1
2						0·03	0·20	0·13			0·21	0·15	2
3			0·10	0·06	0·19		0·09	0·04					3
4	0·05		0·04	0·14	0·04			0·34			0·26	0·34	4
5	0·09		0·09	0·44	0·30	0·07	0·19	0·49			0·05		5
6		0·18		0·15	0·02	0·20		0·14				0·36	6
7		0·59	0·42	0·17	0·01	0·19	0·10	0·17				0·20	7
8	0·18	0·75	0·56	0·01	0·03	0·11	0·14	0·08				0·16	8
9	0·26		0·84	0·28		0·07			0·15			2·34	9
10	0·03	0·09	0·04	0·09	0·10				0·17			0·07	10
11		0·74	0·54	0·03	0·03				0·17		0·17	0·39	11
12	0·02	0·06	0·12				0·36		0·22	0·02	0·01	0·73	12
13	0·04	0·49	0·23			0·10			0·17	0·07	0·13	1·06	13
14		0·39	0·27				0·37		0·01	0·30	0·07	0·63	14
15	0·04	0·01	0·24				0·51				1·07	0·06	15
16			0·05				0·01	0·06	0·06				16
17		0·42	0·18						0·09			0·21	17
18		0·07	0·20									0·47	18
19		0·11	0·57				0·23			0·03	0·25	0·30	19
20		0·21	0·46			0·11	0·01		0·02	0·05		0·11	20
21		0·80	0·08					0·10		0·03		0·05	21
22		0·07	0·05	0·01	0·54	0·13	0·15	0·07		0·15		0·04	22
23		0·01	0·13	0·01	0·14	0·02	0·04	0·05		0·10		0·07	23
24			0·08								0·16		24
25			0·38				0·02			0·46	0·03	0·09	25
26			0·05				0·10	0·15		0·08	0·28	0·70	26
27	0·02		0·01					0·15		0·01	0·06	0·46	27
28	0·06	0·04			0·02					0·16	0·57	0·70	28
29			0·05							0·47	0·30		29
30	0·05	X	0·10		0·02					0·11	0·84	0·32	30
31	0·19	X		X	0·20	X			X		X	0·04	31
Total	1·03	~~5·01~~ 5·03	5·88	1·39	~~1·56~~ 1·64	1·03	2·52	2·21	1·06	2·04	4·49	10·09	YEAR'S TOTAL ~~38·31~~ 38·41
Rain Days.	12	17	26	11	13	10	15	14	9	14	17	26	184

W. 8,000. X. 14.

120

FORM A.
BRITISH RAINFALL.
22 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Mount Vernon Caterham Valley

in the County of Surrey. 4

by M. Le. Evans.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Caterham.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.64	0.38	0.14		0.04				1.05	0.02	0.13	0.62	1
2	0.18	0.21	0.40	0.23		0.02		0.84		0.04		0.06	2
3	0.35		0.08	0.20	0.05			0.32	0.10			0.59	3
4	0.17								0.03			0.43	4
5	0.04	0.62						0.06		0.06		0.40	5
6	0.54	0.25	0.03	0.48			0.46	0.16				0.32	6
7	0.64	0.35	0.07			0.02	0.36	0.02				0.27	7
8	0.08	0.84		0.08			0.10	0.10					8
9	0.02	0.06		0.18		0.12		0.06			0.43	0.64	9
10	0.33					0.03		0.01		0.02		0.36	10
11	0.02		0.02								0.77	0.04	11
12	0.09	0.10		0.38	0.47			0.24		0.05	0.62	0.02	12
13	0.01	0.86		0.01	1.18				0.01				13
14	0.03	0.09					0.07	0.03	0.05			0.55	14
15	0.20	0.02			0.06		0.11	0.14			0.30	0.26	15
16	0.01	0.60					1.03	0.03				0.65	16
17		0.53			0.97		0.05	0.68					17
18		0.12	0.03		0.20						0.02		18
19	0.01	0.19			0.03		0.06			0.03			19
20	0.36			0.06	0.01							0.28	20
21		0.04					0.01			0.08		0.09	21
22	0.90	0.08	0.14				0.99					0.17	22
23		0.15	0.10	0.04		0.05	0.64		0.01	0.39		0.34	23
24		0.08	0.01				0.11		0.17	0.26		0.39	24
25		0.07	0.02	0.15			0.03					0.23	25
26						0.15			0.03			0.72	26
27		0.08				0.28	0.24		0.01	0.42		0.08	27
28		0.10	0.02			0.27		0.10	1.78	0.22			28
29						0.10	0.61		0.01		0.37		29
30		X				0.17				0.13	0.70	0.04	30
31	0.01	X		X		X		0.09	X	1.14	X	0.44	31
Total	4.63	5.82	1.06	1.81	3.01	1.21	4.87	2.88	3.25	2.86	3.34	7.99	YEAR'S TOTAL 42.73
Rain Days.	20	22	12	10	9	10	15	15	11	13	8	24	169

W. 8,000. X. 15.

#C72 108

FORM A. BRITISH RAINFALL 13 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Mount Vernon Caterham Valley
in the County of Surrey.
by M. Llewellyn Evans.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Caterham
Diameter of Funnel of Rain Gauge 5 ~~10~~ in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.01	0.48			0.01	1.50	0.14		0.15	0.04	1
2				0.35				0.25			0.09		2
3	0.02			0.18				0.12		0.20	0.05		3
4		0.30	0.18				0.20	0.90		0.46			4
5	0.32.		0.03	0.44				0.20	1.22	0.23	0.15		5
6			0.14	0.11	0	0.12			0.30	0.02	0.09		6
7	0.34						0.50		0.01	0.45		0.10	7
8	0.17			0.08			0.66	0.12	0.03	0.36	0.34	0.20	8
9				0.11			0.32	0.12	0.02	0.01	0.07	1.00	9
10	0.02		0.21	0.11		0.09		0.24			0.02	0.03	10
11	0.53		0.28	0.22					0.34	0.33			11
12	0.05		0.14	0.30	0.01					0.50	0.02		12
13	0.12		0.16	0.07				0.02	0.02	0.25			13
14			0.03	0.03							0.01		14
15			0.01				0.04	0.10		0.12		0.08	15
16	0.08	0.12		0.02	0.18	0.01	0.05			0.77		1.18	16
17					0.66		0.29	0.01	0.56	0.17			17
18	0.11			0.40	0.06	0.02	0.20	0.22	0.33	0.04			18
19			0.07	0.13	0.02	0.07			0.12				19
20		0.18	0.05		0.68		0.20	0.08			0.07		20
21		0.02	0.06	0.03	0.06	0.06		0.01			0.07		21
22			0.01					0.22		0.19	0.01		22
23		0.18	0.01		0.21	0.06		0.14		0.08			23
24		0.10				0.15		0.02		0.24	0.01		24
25		0.05	0.06				0.03				0.06		25
26			0.04					0.36	0.06	0.03	0.83	0.04	26
27			0.01			0.05		1.40					27
28		0.02	0.04			1.21		0.31				0.10	28
29			0.05		0.10	0.37	0.16	0.09		0.38			29
30	0.01	✗	0.39				1.77	0.16		0.05		0.01	30
31	0.05	✗	0.03	✗		✗	0.32	0.04	✗	0.01	✗		31
Total	1.82	0.97	2.01	3.06	1.98	2.21	4.75	6.63	3.15	4.89	2.04	2.78	YEAR'S TOTAL 36.29
Rain Days.	12.	8	22	16	9	11	14	23	12	21	16	10	174

W. 8,000, VIII. 16

not typed 3.III.19

~~W.~~ E.F.E. cont for auth

30

FORM A. BRITISH RAINFALL.

13.1.19

REGISTER OF RAINFALL IN 1918

Kept at Mount Vernon Caterham Valley

in the County of Surrey

by M. Llewellyn Evans M.A. F.R. Met. Soc.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Caterham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		~~0.20~~	0.20		0.01			0.01			0.24	0.10	1
2		0.06	0.10	0.03				0.19		0.01	0.17	0.28	2
3		0.02		0.09	0.39			0.01		0.03	0.42	0.03	3
4		0.30		0.02				0.04	0.34		0.82	0.04	4
5		0.04			0.11			0.16	0.08	0.16		0.04	5
6	0.34	0.24		0.43	0.16			0.06	0.63	0.02		0.10	6
7	0.04	0.13	0.30	0.06	0.34	0.03		0.01	0.24	0.08	0.08	0.04	7
8	0.04	0.27							0.30	0.05		0.10	8
9		0.03		0.20		0.04	0.20		0.50	0.30	0.01	0.42	9
10				0.05		0.02	0.78		0.04	0.18	0.01	0.36	10
11				0.02			0.49		0.08	0.12	0.10	0.13	11
12		0.09			0.21		0.50		0.05	0.01		0.03	12
13	0.20				0.20		0.09		0.15			0.03	13
14			0.02	0.02		0.28	0.05		0.20	0.21		0.19	14
15	1.58			0.54		0.07	0.10		0.02			0.26	15
16	0.32			0.62		0.08	0.01		0.15	0.01		0.02	16
17	0.39			0.11	0.17		0.88		0.01			0.33	17
18	0.59					0.21	0.02		0.88	0.06		0.07	18
19	0.13		0.09	0.14	0.22	0.04	0.15		0.04	0.17		0.04	19
20	0.02	0.29		0.90		0.04	0.28		0.22	0.55		0.01	20
21		0.02		0.85		0.01	0.03		0.28	0.21		0.03	21
22	0.08				0.43		0.19		0.24			0.25	22
23				0.02	0.09		0.79		0.03	0.01		0.04	23
24	0.11	0.33				0.07	0.07		0.36	0.01	0.06		24
25	0.20			0.81			0.13	0.40		0.04	0.01		25
26							0.86	0.08	0.03	0.03	0.24	0.20	26
27			0.03	0.20			0.05		0.10		0.14	0.07	27
28		0.09	0.24	0.05				0.26			0.26	0.10	28
29								0.03	1.36		0.03		29
30			0.55						0.06	0.09		0.23	30
31			0.06							0.10		0.02	31
Total	~~3.04~~ 4.04	1.91 ✓	1.59 ✓	5.16 ✓	2.33 ✓	0.89 ✓	5.67 ✓	1.25 ✓	6.39 ✓	2.45 ✓	2.59 ✓	3.56 ✓	YEAR'S TOTAL ~~36.83~~ 37.83
Rain Days.	13 ✓	13 ✓	9 ✓	19 ✓	11 ✓	11 ✓	19 ✓	11 ✓	25 ✓	22 ✓	14 ✓	28 ✓	195. ✓

W. 8,000, IX. 17.

Surrey 30

Mount Vernon.
Caterham Valley.
March 7. 1919.

C. Salter Esq.
British Rainfall Organization
62 Camden Square. NW1.

Dear Sir

I am much obliged by your letter of the 3rd inst pointing out my error in entering the total for January 1918. It should read as you point out 4.04 in. not 3.04 in. as I returned it.

Yours very truly
M. Llewellyn Evans.

[illegible] ~~W~~ 1806

29 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Mount Vernon Caterham Valley

in the County of Surrey

by M. Llewellyn Evans.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Caterham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.40	0.10			0.03		0.09			0.10	0.08	0.89	1
2	0.31		0.03		0.02					0.13	0.16	0.20	2
3	0.41		0.46						0.28		0.07	0.41	3
4	0.21		0.44			0.07	0.63	0.03			0.05	0.12	4
5	0.02	0.45	1.08								0.05	0.39	5
6	0.07		0.05									0.10	6
7	0.06		0.37										7
8	0.28		0.10	0.01									8
9	0.44		0.03	0.06									9
10	0.28		0.12	0.02						0.02		0.04	10
11	0.14		0.19	0.31	0.05		0.23					0.07	11
12	0.05		0.06	0.12			0.23			0.08	0.30	0.02	12
13			0.02	0.46					0.11	0.05		0.04	13
14	0.63			0.48			0.14		0.62			0.08	14
15	0.22	0.03	0.28	0.15									15
16	0.04	0.59		0.01			0.02				0.13		16
17	0.03	0.19	0.09	0.02							0.24	0.51	17
18		0.45	0.06					0.02			0.10	0.06	18
19	0.03	0.23	0.59			0.19	0.30	0.20			0.16	0.01	19
20	0.20	0.14	0.16			0.67	0.17	0.21	0.01			0.04	20
21	0.15	0.36	0.04			0.10	0.09				0.04	0.02	21
22		0.14	0.02			0.01	0.23		0.35		0.05	0.29	22
23						0.03			0.09		0.03	0.09	23
24				0.23			0.09		0.01	0.11	0.07	0.02	24
25		0.01										0.01	25
26	0.06	0.32	0.14	0.16		0.02	0.29	0.10	0.14		0.03	0.44	26
27	0.57	0.08	0.05	1.26			0.02	1.10			0.12	0.03	27
28			0.29	0.04			0.05	0.35			0.40	0.52	28
29				0.02						0.33		0.14	29
30		X	0.01	0.23		0.05		0.49		0.07	0.30	0.74	30
31	0.10	X	0.12	X		X	0.08	0.32	X	0.03	X	0.06	31
TOTAL	4.70	3.09	4.80	3.58	0.10	1.14	~~2.96~~ 2.66	2.82	1.61	~~0.93~~ .92	2.38	5.34	YEAR'S TOTAL ~~33.45~~ 33.14
Days with ·01 in. or more	22	13	24	16	3	8	15	9	8	9	18	26	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Sr

CHALDON
THE RECTORY
SURREY
1911- 1919

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Chaldon
in the County of S
by F. C. Bay

in.
ound 1 ft. 0 in.
Level 542 ft.
e
ance Direction

IMPORTANT NO … result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·75			·04	·04			·03		1
2	·16			·18	·30		·01				·16	·36	2
3		·06			·20						·15	·15	3
4	·05	·02	·06	·17						·08	·38	·37	4
5	·02			·03						·40		·11	5
6	·30		·21									·36	6
7	·12		·01	·02						·13	·51	·31	7
8	·12		·21								·35	·42	8
9	·25		·03	·04							·02	·16	9
10	·01	·12	·14								·03	·87	10
11	·54		·03								1·01		11
12	·02		·60						·04		·16		12
13			·10		·23				·34	·03	·02	·22	13
14		·08	·02		·33							·67	14
15			·26							·03	·15	·03	15
16						·44					·75	·06	16
17			·06			·10					·56	·26	17
18		·22									·71	·40	18
19						·21			·40	·37	·27	·33	19
20		·02						·29		·28	·01	·84	20
21		·10						·04	·06	·57		·26	21
22	·09		·26			·16				·36		·53	22
23		·27	·05			·89			·34	·03	·03	·20	23
24		·15				·04	·04	·01		1·05		·33	24
25						·26		·02	·03	·03			25
26		·04	·18	·35	·79	·25				·16		·26	26
27		·45	·13	·04					·08	·15	·11	·14	27
28		·21		·24				·08			·02		28
29				·25		·17	·16		·26	·36			29
30				·03		·01		·03		·37			30
31					1·76					·02			31
Total	1·73	1·74	2·35	2·10	3·61	2·53	·25	·51	1·55	4·42	5·43	7·64	TOTAL for year 33·86
No. of Rain Days	12	12	16	11	6	10	4	7	8	17	20	23	146

9,000, IX. '10.

Sa

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Chaldon, The Rectory

in the County of Surrey 4

by F. C. Bayard, Rev G. E. Belcher

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 542 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·75			·04	·04			·03		1
2	·16			·18	·30		·01				·16	·36	2
3		·06			·20						·15	·15	3
4	·05	·02	·06	·17						·08	·38	·37	4
5	·02			·03						·40		·11	5
6	·30		·21									·36	6
7	·12		·01	·02						·13	·51	·31	7
8	·12		·21								·35	·42	8
9	·25		·03	·04							·02	·16	9
10	·01	·12	·14								·03	·87	10
11	·54		·03								1·01		11
12	·02		·60						·04		·16		12
13			·10		·23				·34	·03	·02	·22	13
14		·08	·02		·33							·67	14
15			·26							·03	·15	·03	15
16						·44					·75	·06	16
17			·06			·10					·56	·26	17
18		·22									·71	·40	18
19						·21			·40	·37	·27	·33	19
20		·02						·29		·28	·01	·84	20
21		·10						·04	·06	·57		·26	21
22	·09		·26			·16				·36		·53	22
23		·27	·05			·89			·34	·03	·03	·20	23
24		·15				·04	·04	·01		1·05		·33	24
25						·26		·02	·03	·03			25
26		·04	·18	·35	·79	·25				·16		·26	26
27		·45	·13	·04					·08	·15	·11	·14	27
28		·21		·24				·08			·02		28
29				·25		·17	·16		·26	·36			29
30				·03		·01		·03		·37			30
31					1·76					·02			31
Total	1·73	1·74	2·35	2·10	3·61	2·53	·25	·51	1·55	4·42	5·43	7·64	TOTAL for year 33·86
No. of Rain Days	12	12	16	11	6	10	4	7	8	17	20	23	146

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

12 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Chaldon, The Rectory

in the County of Surrey 4

by F. C. Bayard, Rev. G. E. Belcher

Rain Gauge: Pattern

Diameter of top 5 in.

Height of top above Ground 1 ft. 0 in.

" " " Sea Level 542 ft.

Time of Observation

Nearest Railway Station: Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·14			·17	·89		·05	·62		·26	1
2			·34			·01	·24			·07			2
3		·12	·08			·19	·04	·05	·04			·16	3
4	·25		·59		·17	·29		·49			·26		4
5	·20	·02	·29					·35	·01		·13	·04	5
6	·42	·06			·04			·14				·33	6
7					·16	·54		·14				·09	7
8	·35	·43	·26			·04		·14				·02	8
9		·10		·09		·24	·02	·03				·19	9
10		·11						·40	·03		·05	·30	10
11	·04	·45				·02		·06	·03			·33	11
12		·10	·07		·05	·08					·02		12
13			·03					·10			·18	·03	13
14			·03					·21		·04	·01	·02	14
15	·04	·04	·18		·23	·80					·05	·34	15
16	·29		·11		·09	·08		·16		·12	·07	·04	16
17			·46			·07		·08				·02	17
18	·17		·26					·18				·08	18
19	·25	·15	·15				·08	·40			·01		19
20	·06	·04	·65			·01		·07		·51	·05		20
21		·04	·40					·09		·16	·05		21
22	·03	·36	·06		·02		·03	·30		·03		·07	22
23	·33	·39	·43		·04			·56		·07	·27	·12	23
24	·16	·08			·03	·22		·36				·18	24
25	·10	·01				·44	·03	·81		·03	·22	·64	25
26		·05						·45		·44	·58	·29	26
27							·04					·25	27
28		·05				·06	·15	·18	·18	·68	·65		28
29		·05				·04	·34	·13	1·66	·10			29
30					·47	·46		·02	1·60	·20			30
31					·01		·27	·12		·02			31
Total	2·69	2·65	4·53	·09	1·31	3·76	2·13	6·02	3·60	3·09	2·60	3·80	TOTAL for year 36·27
No. of Rain Days.	14	19	18	1	11	18	11	26	8	14	15	21	176

W. 8,000, X. '11.

Amade ✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 MAR 1914

Kept at Chaldon The Rectory Ry Pt

in the County of Surrey 4 4

by F. C. Bayard Rev J. E. Belcher

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.23	.06						.11		.14	.10	1
2	.02	.12					.14		.12	.04	.13	.01	2
3	.03		.03	.30	.41					.02		.26	3
4	.52			.03	.17		.03			.15	.03	.05	4
5	.54				.02	.07	.12		.36	.01	.08		5
6	.13	.30				.15	.34		.01	.19		.16	6
7		.29			.12	.03	.01	.02		.74	.11		7
8		.03			.16			.04				.05	8
9		.13		.01		.07					.04	.03	9
10			.20	.17			.12	.04			.54		10
11	.51			.42						.66	.11		11
12					.09						.44		12
13	.19		.08						.04		.24		13
14	.15		.20	.07			1.91	.08	.06		.09	.02	14
15	.34	.07	.21	.36			.28						15
16	.20		.46	.21					.42				16
17	.05	.07					.27						17
18			.21	.18							.10		18
19	.30		.14				.15		.26				19
20	.24		.46	.05						.13	.04		20
21	.01		.21	.04			.03			.72	1.07		21
22	.45		.20						.15		.02	.02	22
23			.10					.27	.01			.47	23
24	.05			.05									24
25				.30									25
26			.15	.06				.21		.79		.29	26
27		.02	.05	.21	.19					.03			27
28	.18		.33	.05						.18		.02	28
29	.05			.46	.42			.37		.05			29
30	.47			06				.22		.24			30
31			.12					.82		.13			31
Total	4.47	1.26	3.21	3.03	1.58	.32	3.40	2.07	1.54	4.08	3.18	1.48	YEAR'S TOTAL 29.62
Rain Days.	20	9	17	18	8	4	11	9	10	15	15	12	148

W.7,000, XI. 13

from Croydon Tables

[illegible] [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

3 - MAR 1915

Kept at Chaldon Rectory

in the County of Surrey

4

by F. C. Bayard   Rev. J. E. Belcher

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01							.27					1
2							.37	.02			.37	.34	2
3			.11		.26		.07						3
4	.05		.09	.21	.05			.03			.26	.32	4
5	.06			.36	.26	.07	.18	.41			.07		5
6		.17		.15	.02	.21		.03				.40	6
7		.57	.38	.18	.05	.15	.13					.26	7
8	.15	.87	.53		.02	.20	.08	.39				.22	8
9	.26		.73	.21		.04		.01	.32			2.06	9
10	.02	.08	.04	.07	.13				.30			.03	10
11		.77	.48	.02	.03				.20		.11	.38	11
12		.07	.11				.39		.25			.68	12
13	.04	.52	.25			.06			.14	.04	.11	1.05	13
14		.47	.29				1.00		.01	.34		.56	14
15		.02	.23				.49				.97	.05	15
16			.03						.07				16
17		.43	.28						.08			.23	17
18		.09	.18									.51	18
19		.09	.53				.16				.20	.26	19
20		.24	.49			.07						.09	20
21		.96	.10							.06		.03	21
22		.04	.01		.11	07	.15	.05		.20			22
23			.15		.19					.02		.03	23
24			.15								.12		24
25	.05		.30				.02	.12		.46	.02	.11	25
26			.05				.11	.05		.11	.28	.69	26
27			.01								.06	.45	27
28		.04								.15	.47	.79	28
29	.20		.05							.51	.38		29
30		X	.11							.10	.78	.36	30
31	.07	X		X	.23	X			X		X	.03	31
Total	.91	5.43	5.68	1.20	1.35	.87	3.15	1.38	1.37	1.99	4.20	9.93	YEAR'S TOTAL 37.46
Rain Days.	10	16	25	7	11	8	12	10	8	10	14	24	155

W. 8,000. X. 14.

~~Bayard 31.57~~

112

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Chaldon The Rectory

in the County of Surrey 4

by Rev G. E. Belcher per Croydon Nat His Soc

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.73	.28							.97	.02	.35	.60	1
2	.28	.24	.37	.16				.86	.03	.03		.06	2
3	.45		.07	.16				.23				.45	3
4	.08												4
5	.04	.68						.05		.05		.51	5
6	.52	.04	.07	.59			.62	.07				.18	6
7	.54	.54	.01				.37	.01				.37	7
8	.05	.80		.09			.02	.07					8
9	.04	.05		.15		.12		.04			.35	.65	9
10	.36											.35	10
11								.01			.66	.03	11
12	.08			.38	.52			.05			.63		12
13		.77			1.26				.05				13
14	.04	.07					.05	.03				.61	14
15	.17							.29			.17	.26	15
16		.81			.11		.92	.03				.35	16
17		.49			.74		.04	.13					17
18		.08	.12		.19								18
19		.38								.05			19
20	.48			.07								.27	20
21	.15									.05		.07	21
22	.90	.11	.09	.05			.97					.15	22
23		.20	.06			.05	.40		.01	.43		.34	23
24	.03		.02				.05		.21	.23		.36	24
25		.08		.13			.02					.30	25
26						.08						.91	26
27		.05				.39	.28			.41		.05	27
28		.07				.35			1.72	.16			28
29						.11	.54	.09			.43		29
30		╳								.09	.66	.04	30
31		╳		╳		╳		.24	╳	1.21	╳	.39	31
Total	4.94	5.74	.81	1.78	2.82	1.10	4.28	2.20	2.99	2.73	3.25	7.30	YEAR'S TOTAL 39.94
Rain Days.	17	18	8	9	5	6	12	15	6	11	7	22	136

W. 8,000. X. 15.

5 made ✓ Exe Dt 104

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3. MAR 1917

Kept at Chaldon The Rectory
in the County of Surrey
by F. C. Bayard, Rev G. E Belcher

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.05			.54		.02		.26		.40		1
2	.49	.18	.18		.31				.04	.40	.71		2
3	.03	.85	.42				.02		.13	.49			3
4	.39	.11				.44			.17	.01	.52		4
5		.05		.02	.17	.10				.13	.75		5
6		.20	.96	.29		.09	.33			.27	.78		6
7	.05		.55		.42	.07	.34			.06	1.25	.08	7
8					.57							.76	8
9					.41					.06		.04	9
10		.39	.18	.11		.22	.12					.12	10
11		.10			.01	.23		.12				.01	11
12	.05	.10	.05	.09	.63	.25	.05			.08			12
13		.39	.44	.07	.01	.05	.06	.02	.03	.05			13
14		.55	.02		.10			.05		.06		.06	14
15		.09	.18					.58					15
16	.03		.20	.20			.18	.30					16
17	.25	.05	.02	.07				.77	.37	.87			17
18	.05	.09	.15	.20				.25	.27	.65	.79	.12	18
19	.30			.36					.15		.72	.06	19
20	.15		.07	.03							.10	.58	20
21	.03		.40				.27					.26	21
22			.28		.08			.01		.05		.57	22
23	.04		.14		.03	.09					.10	.09	23
24	.03	1.03	.34			.14		.02		.30	.09	.20	24
25		1.82	.08					.33		.05	.08		25
26			.04			.25		.26		.28			26
27			.90			.20		.25	.11	.97			27
28		.55	.19			.02			.05			.37	28
29		.18				.33		.65	.03	.05	.02	.26	29
30		X			.19			.23		.40			30
31		X		X		X		.05	X	.41	X	.06	31
Total	2.02	6.78	5.79	1.44	3.47	2.48	1.39	3.89	1.61	5.64	6.31	3.64	YEAR'S TOTAL 44.46
Rain Days.	14	18	21	10	13	14	9	15	11	20	13	16	174

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Chaldon, The Rectory

in the County of Surrey

by F. C. Bayard, Rev. G. E. Belcher

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01					1·75	·05		·30		1
2				1·00				·42			·17		2
3			·01	·26			·16	·55		·26	·05		3
4		·49	·01				·16	·25					4
5	·32		·19	·61					·72	·21	·15		5
6			·04	·06		·07			·27		·05		6
7	·33		·16				·18			·38		·07	7
8	·15			·08			·76	·25	·02	·38	·36	·17	8
9	·01		·06	·15				·23	·01		·05	·89	9
10	·39		·19	·14		·11		·09			·01	·02	10
11	·19		·36	·25				·01	·37	·30			11
12			·05	·01				·02		·53			12
13	·17		·13	·04				·07	·02	·20			13
14				·18									14
15								·17		·08		·08	15
16	·09	·18		·25	·10					·77		·90	16
17		·01		·12	·67		·33	·01	·50				17
18	·11	·03			·07		·21	·18	·30	·11			18
19		·11	·06			·03			·11	·03			19
20		·16	·05		·82		·22	·02			·07		20
21			·09			·10					·07		21
22	·03				·01			·20		·13			22
23		·16			·20			·15		·09		·09	23
24		·07								·13			24
25			·05				·02				·04		25
26			·04					·35	·03		·69		26
27			·01					1·42		·03			27
28						1·30		·25					28
29			·01		·15	·24	·25	·08		·37		·21	29
30		✕	·39				1·78	·05		·03	·02	·05	30
31	·15	✕	·03	✕		✕	·41	·03	✕		✕		31
Total	1·94	1·21	1·94	3·15	2·02	1·85	4·48	6·55	2·40	4·03	2·03	2·48	YEAR'S TOTAL 34·08
Rain Days.	11	8	20	13	7	6	11	22	11	17	13	9	148

W. 8,000, VIII. 16

from M.S.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
10·4·19

Kept at Chaldon, The Rectory
in the County of Surrey
by Rev. G. E. Belcher per Campbell-Bayard

Lat. .... Long. —
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·24	·12	1
2		·05		·02				·20				·23	2
3			·15	·06	·30						·44		3
4		·35	·11					·04	·30		·74	·04	4
5		·06			·10			·17	·04	·08		·03	5
6	·28	·22		·38	·16			·09	·45			·07	6
7		·12		·18	·26	·06		·01	·07		·10	·03	7
8		·32							·21	·10	·10	·11	8
9	·05	·02		·08			·21		·52	·26		·46	9
10				·11			·66		·15	·14		·37	10
11				·01			·55		·01	·25	·10	·12	11
12		·07			·25		·20		·05	·24			12
13		·01		·02	·15		·13		·12				13
14	·25					·25	·08			·17		·16	14
15	1·60			·86		·18	·11					·32	15
16	·69			·27		·08			·09				16
17	·37			·08	·06		1·34	·06				·08	17
18	·68					·18	·01		·70	·10			18
19	·10	·07	·19	·08	·70		·18		·05	·16			19
20	·04	·24		·48		·07	·20		·25	·46			20
21	·17			1·12			·04		·30	·16			21
22	·05				·24		·15		·25			·20	22
23	·10				·05		·71	·12	·04				23
24		·30					·11				·06		24
25				·62			·09	·20					25
26							·74			·07	·16	·22	26
27		·05		·16			·09	·19	·08		·12	·04	27
28			·26	·04				·06			·24	·08	28
29									1·12		·02		29
30		✕	·44						·05	·08		·20	30
31		✕	·07	✕		✕			✕	·08	✕	·01	31
Total	4·38 ✓	1·88 ✓	1·22 ✓	4·57 ✓	2·27 ✓	·82 ✓	5·60 ✓	1·14 ✓	4·85 ✓	2·35 ✓	2·32 ✓	2·89 ✓	YEAR'S TOTAL 34·29 ✓
Rain Days	12 ✓	13 ✓	6 ✓	17 ✓	10 ✓	6 ✓	18 ✓	10 ✓	20 ✓	14 ✓	11 ✓	19 ✓	156 ✓

W, 6,500. VII. 18. W W C

Imps 24·R1 94

13 more

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Chaldon, The Rectory

in the County of Surrey

by Rev. G. E. Belcher, per Bayard

Sept Observer moved

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Chaldon IN.	Chaldon IN.	Chaldon IN.	Chaldon IN.	Chaldon IN.	Chaldon IN.	Chaldon IN.	Chaldon IN.					
1	·36	..	..	·01	·05	..	·08	..					1
2	·30	..	·04	..	..	..	·22	..					2
3	·41	..	·50	..	..	·06	·04	..					3
4	·16	·25	·49	..	..	..	·26	..					4
5	·01	·31	·79	..	..	..	..	..					5
6	·08	..	·07	·03	..	..	..	..					6
7	·04	..	·48	..	..	..	..	..					7
8	·25	..	·07	·02	..	..	..	..					8
9	·41	..	..	·29	·12	..	..	..					9
10	·30	..	·04	·08	..	..	..	..					10
11	·13	..	·05	·63	·04	..	·17	..					11
12	·04	..	·04	·50	..	..	·25	..					12
13	·04	..	..	·19	..	..	..	..					13
14	·63	..	..	..	..	..	·06	..					14
15	·16	·02	·21	..	..	..	..	..					15
16	·08	·57	..	..	..	..	..	..					16
17	..	·16	·05	..	..	..	..	..					17
18	..	·47	·05	..	..	..	..	..					18
19	·09	·24	·63	..	..	·18	·16	·21					19
20	·21	·11	·11	..	..	·65	..	·20					20
21	..	·56	·06	..	..	·19	·04	..					21
22	..	·04	..	..	..	..	·21	..					22
23	..	..	..	..	..	..	..	..					23
24	..	..	..	·24	..	·03	·15	·04					24
25	..	..	..	..	..	..	..	·18					25
26	·04	·25	·10	·14	..	..	·09	·19					26
27	·50	·05	·02	1·21	..	..	..	·31					27
28	..	..	·35	·02	..	..	·04	·90					28
29	·06		..	..	..	..	..	·31					29
30	..		..	·25	..	·04	..	·35					30
31	..		·10		..		·05	..					31
TOTAL	4·30 ..	3·03 7·33	4·25 11·58	3·61 15·19	·21 15·40	1·15 16·55	1·82 18·37	2·69 21·06	#=	–	–		YEAR'S TOTAL
Days with ·01 in. or more	21	12	20	13	3	6	12	9					

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CHARLWOOD
GREENINGS
SURREY
1912 - 17

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

N

Kept at Green... ...rden ... in.

...und 1 ft. — in.

in the County of ... Level 300 ft.

A M

by John ... ...he Harby

...ance 5 Direction E

IMPORTANT N... ...result entered to the previous day. If an ... ...l rule, he is earnestly requested to add the r... ...in the space provided for it at the end of t... ...of rain, the selection and pla... ...gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·13	—	—	·06	·21	—	·03	·59	—	·23	1
2	—	—	·44	·06	—	·04	·24	·04	—	·04	—	—	2
3	—	—	·15	—	—	·27	·01	·36	·05	—	—	·03	3
4	·16	—	·61	—	·16	·16	—	·08	—	—	·17	—	4
5	·42	—	·19	—	—	—	—	·44	—	—	·11	—	5
6	·23	—	—	—	·04	·01	—	·12	—	—	—	·34	6
7	—	—	—	—	·17	·52	—	·22	—	—	—	·06	7
8	·28	·62	·27	—	·01	·05	—	·12	—	—	—	—	8
9	—	·11	·03	·07	—	·18	·03	·07	—	—	—	·16	9
10	—	·11	—	—	—	·01	—	·09	—	—	·09	·30	10
11	·05	·39	—	—	·07	·09	—	·03	—	—	·01	·21	11
12	·04	·09	·08	—	—	—	—	·21	—	—	·03	·02	12
13	~~·02~~	·01	·02	—	—	—	·03	—	—	—	·16	·03	13
14	~~·34~~	—	—	—	·05	—	—	·02	—	·05	—	—	14
15	·02	·01	·12	—	·10	·70	—	·01	—	~~·03~~	—	·35	15
16	·34	—	·26	—	·14	·07	—	·09	—	·07	·10	—	16
17	·37	—	·48	—	—	·05	—	·11	—	~~·07~~	·03	·20	17
18	·16	—	·24	—	—	—	—	·24	—	—	—	·12	18
19	·05	—	·13	—	—	—	·02	·37	—	·07	·01	·02	19
20	·03	·10	·57	—	—	—	—	·01	—	·29	·03	—	20
21	—	·85	·28	—	·06	—	—	·10	—	·20	·05	—	21
22	·10	·42	·13	—	—	—	·01	·25	—	·01	—	·02	22
23	·35	·23	·31	—	—	·01	—	·49	—	·13	·24	·09	23
24	·08	·05	—	—	—	·08	—	·19	—	—	—	·16	24
25	·10	—	—	—	—	·33	—	·78	—	·39	·31	·59	25
26	—	·02	—	—	—	·04	—	·45	—	·21	·40	·30	26
27	—	—	—	—	—	·05	·01	·01	—	·67	—	·29	27
28	—	·05	—	—	—	·21	·13	·26	·15	—	·52	·16	28
29	—	·06	—	—	—	—	·21	·35	[illegible]	·10	·03	—	29
30	—		—	—	·54	·29	·08	·06	1·47	·42	—	—	30
31	—		—		—		·29	·12	~~1·47~~	—		—	31
Total	2·78	2·31	4·44	·13	1·34	3·22	1·27	5·69	3·51	3·24	2·29	3·68	TOTAL for year 33·90
No. of Rain Days.	16	15	18	2	10	20	12	29	5	14	16	20	33·90

177

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

N

REGISTER OF RAINFALL IN 1912

Kept at Greenings Charlwood
in the County of Surrey 5
by John Innes

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 300 ft.

Time of Observation 9.0 AM

Nearest Railway Station
Name Horley
Distance 5 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·13	—	—	·06	·21	—	·03	·59	—	·23	1
2	—	—	·44	·06	—	·04	·24	·04	—	·04	—	—	2
3	—	—	·15	—	—	·27	·01	·36	·05	—	—	·03	3
4	·16	—	·61	—	·16	·16	—	·08	—	—	·17	—	4
5	·42	—	·19	—	—	—	—	·44	—	—	·11	—	5
6	·23	—	—	—	·04	·01	—	·12	—	—	—	·34	6
7	—	—	—	—	·17	·52	—	·22	—	—	—	·06	7
8	·28	·62	·27	—	·01	·05	—	·12	—	—	—	—	8
9	—	·11	·03	·07	—	·18	·03	·07	—	—	—	·16	9
10	—	·11	—	—	—	·01	—	·09	—	—	·09	·30	10
11	·05	·39	—	—	·07	·09	—	·03	—	—	·01	·21	11
12	·04	·09	·08	—	—	—	—	·21	—	—	·03	·02	12
13	~~[illegible]~~	·01	·02	—	—	—	·03	—	—	—	·16	·03	13
14	~~·34~~	—	—	—	·05	—	—	·02	—	·05	—	—	14
15	·02	·01	·12	—	·10	·70	—	·01	—	~~·05~~	—	·35	15
16	·34	—	·26	—	·14	·07	—	·09	—	·07	·10	—	16
17	·37	—	·48	—	—	·05	—	·11	—	~~·07~~	·03	·20	17
18	·16	—	·24	—	—	—	—	·24	—	—	—	·12	18
19	·05	—	·13	—	—	—	·02	·37	—	·07	·01	·02	19
20	·03	·10	·57	—	—	—	—	·01	—	·29	·03	—	20
21	—	·05	·28	—	·06	—	—	·10	—	·20	·05	—	21
22	·10	·42	·13	—	—	—	·01	·25	—	·01	—	·02	22
23	·35	·23	·31	—	—	·01	—	·49	—	·13	·24	·09	23
24	·08	·05	—	—	—	·08	—	·19	—	—	—	·16	24
25	·10	—	—	—	—	·33	—	·78	—	·39	·31	·59	25
26	—	·02	—	—	—	·04	—	·45	—	·21	·40	·30	26
27	—	—	—	—	—	·05	·01	·01	—	·67	—	·29	27
28	—	·05	—	—	—	·21	·13	·26	~~·15~~	—	·52	·16	28
29	—	·05	—	—	—	—	·21	·35	1·87	·10	·03	—	29
30	—		—	—	·54	·29	·08	·06	1·47	·42	—	—	30
31	—		—		—		·29	·12	~~1·47~~	—		—	31
Total	2·78	2·31	4·44	·13	1·34	3·22	1·27	5·69	3·51	3·24	2·29	3·68	TOTAL for year 33·90
No. of Rain Days.	16	15	18	2	10	20	12	29	5	14	16	20	33·90

177

W. 8,000, X. '11.

Eo 7.6

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
14 JAN 1914

Kept at Greenings Charlwood
in the County of Surrey
by J Innes

5

Lat. Long.
Time of Observation 9.0 AM
Nearest Railway Station Horley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·34	·08	·20	·12	—	—	—	·29	·02	·16	·24	1
2	—	·14	·01	—	—	—	·08	—	·08	·23	·10	—	2
3	·02	—	·05	·29	·37	—	—	—	—	—	—	·25	3
4	·45	—	·10	·01	·20	—	—	—	·24	·25	·06	·02	4
5	·55	·03	·02	—	—	·10	·10	—	·37	·01	·14	·02	5
6	·13	·16	·11	—	·03	·16	·46	—	—	·29	·05	·19	6
7	—	·28	·01	—	·26	·04	·01	—	—	·38	·13	—	7
8	—	·06	—	—	·14	·03	—	·09	—	·37	·01	·03	8
9	—	·08	—	·01	·12	·01	·04	—	·15	—	·04	—	9
10	·02	—	—	·06	—	—	·04	·01	—	—	·39	—	10
11	·52	—	—	·46	—	—	—	—	—	·66	·13	—	11
12	—	—	—	—	·12	—	—	—	—	·01	·54	—	12
13	·15	—	·04	·03	—	—	—	·02	·14	—	·26	—	13
14	·18	—	·15	—	—	—	·70	·02	—	·08	·17	·01	14
15	·36	·10	·14	·28	—	—	·25	—	·18	—	—	—	15
16	·17	—	·49	·26	—	—	·03	—	·33	—	—	—	16
17	·20	·04	·06	·19	—	—	·31	—	·14	—	·02	—	17
18	·01	—	·13	·12	—	—	·02	—	—	—	·09	—	18
19	·32	—	·16	·02	—	·05	·11	—	·28	—	—	—	19
20	·31	—	·23	·06	—	·10	~~·03~~	—	—	·65	·03	—	20
21	—	—	·44	·08	—	—	—	—	—	·37	·76	—	21
22	·36	—	·22	·12	—	—	·03	—	·10	—	—	·01	22
23	·02	—	·15	—	—	·02	·02	·22	—	—	—	·66	23
24	·07	—	—	·06	—	·01	—	—	—	—	·04	—	24
25	—	·02	—	·26	—	—	—	—	—	—	—	·01	25
26	—	—	·14	·09	—	—	—	—	—	·79	—	·18	26
27	—	—	·05	·16	·45	—	—	·14	—	·05	—	—	27
28	·24	—	·43	·08	—	—	—	—	—	·10	—	—	28
29	·05		·06	·42	·42	—	—	·24	—	·10	—	—	29
30	·43		—	·08	—	—	—	·26	—	·26	—	—	30
31	—		·16		—		—	·73		·09		—	31
Total	4·58	1·25	3·43	3·34	2·23	·52	2·20	1·73	2·30	4·71	3·12	1·62	YEAR'S TOTAL 31·03 ✓
Rain Days.	21	10	23	22	10	9	14	9	11	18	18	11	176 ✓

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.
20 JAN 1915

Kept at Greenings, Charlwood
in the County of Surrey. 5
by John Innes

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 300 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Horley
Distance 5 m. Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·01	—	—	—	·25	—	—	·21	·78	1
2	—	—	—	—	—	·04	·10	—	—	—	·18	—	2
3	—	·01	·08	—	·08	—	·01	·01	—	—	—	·18	3
4	·02	—	·02	·26	·01	—	·01	·12	—	—	·39	·35	4
5	·04	—	·09	·45	·18	·06	·20	·23	—	—	·9	·03	5
6	—	·21	·02	·13	·03	·08	—	·01	—	—	—	·26	6
7	—	·47	·36	·20	·08	·05	·13	—	—	—	—	·41	7
8	·13	·72	·47	—	—	·08	·08	·18	—	—	—	·12	8
9	·26	—	1·05	·10		·12	—	—	·45	—	—	1·30	9
10	—	·11	·02	·12	·07	—	—	—	·16	—	—	·04	10
11	—	·72	[illegible]	·02	—	·03	—	—	·18	—	·09	·52	11
12	—	·12	·11	—	—	—	·50	—	·49	·08	·03	·24	12
13	—	·62	·21	—	—	·06	—	—	·28	·06	·16	1·05	13
14	—	·31	·25	—	—	—	—	·01	—	·39	·11	·21	14
15	·08	·03	·22	—	—	—	·04	·02	—	·02	·81	—	15
16	—	—	·01	—	—	—	—	—	·08	—	—	·03	16
17	—	·51	·15	—	—	—	·01	—	·25	—	—	·13	17
18	—	·03	·19	—	—	—	—	—	·04	—	—	·43	18
19	—	·11	·71	—	—	—	·23	—	—	·03	·15	·12	19
20	—	·26	·41	—	—	—	—	—	—	—	—	·10	20
21	—	·85	·01	—	—	·05	—	·08	·07	·08	—	—	21
22	—	·05	·01	—	·06	·15	·15	·06	—	·21	—	—	22
23	—	—	·20	·01	·11	·06	—	—	—	·03	—	—	23
24	·03	—	·07	—	·01	—	—	—	—	—	·24	—	24
25	·05	—	·18	—	—	—	—	—	—	·25	·03	—	25
26	—	—	·01	—	—	—	·01	·07	—	·11	·28	·21	26
27	—	—	—	—	—	—		·13	—	—	·04	31	27
28	·03	·02	—	—	·02	—	—	—	—	·21	53	53	28
29	·14		·05	—	—	—	—	—	—	·42	·26	—	29
30	·02		·11	—	—	—	—	—	—	·08	·36	·22	30
31	—		—		·09		·01	—		·02			31
Total	·75	5·02	5·70	1·30	·94	·68	1·48	1·22	1·70	1·98	3·96	7·61	TOTAL for year 32·49
No. of Rain Days.	10	17	26	9	11	11	13	12	9	14	17	22	171

W. 8,000, X. '11.

Cwd fr auth 21·11·16 W.L.N.

149

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915.

Kept at The Greenings, Charlwood
in the County of Surrey 5
by John A. Innes.
Step Son A. J. Innes

Lat. Long.
Time of Observation
Nearest Railway Station Horley.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·74	·21	·11	—	·04	—	·16	—	·08	—	·06	·66	1
2	·12	·17	·28	·16	—	—	—	·48	·23	·12	—	·10	2
3	·04	—	·10	·12	·05	—	—	·13	·09	·03	—	·57	3
4	·11	—	—	—	·04	—	—	·05	—	—	—	·54	4
5	—	—	—	—	—	—	—	·08	—	·03	—	·46	5
6	·57	·54	·04	·56	—	—	·53	—	—	—	—	·24	6
7	·10	·43	·03	—	—	—	·21	—	—	—	—	·42	7
8	—	·96	—	·04	—	—	·24	·09	—	—	—	—	8
9	·08	·09	—	·35	—	·02	—	·06	—	—	—	·73	9
10	·22	—	—	—	—	—	—	—	—	—	—	·32	10
11	—	—	·05	—	—	—	—	—	—	—	·64	—	11
12	·06	·15	—	·19	·52	—	—	·32	—	·04	·61	—	12
13	—	·81	—	—	1·64	—	—	—	—	—	—	—	13
14	—	·06	—	—	—	—	·04	·07	—	—	—		14
15	·14	—	—	—	~~·06~~	—	·03	·09	—	—	·06	2	15
16	—	·66	—	—	1·16	—	1·12	·11	—	—	·09		16
17	—	·51	—	—	·16	—	·05	·10	—	—	—	8	17
18	—	·08	·06	—	—	—	—	—	—	—	·05	—	18
19	—	·14	—	—	—	—	·08	—	—	·04	—	—	19
20	·41	—	—	—	—	—	—	—	—	—	—	·15	20
21	·08	—	—	—	—	—	·04	—	—	·05	—	·55	21
22	·02	·13	·09	·04	—	—	·93	—	—	—	—	·19	22
23	·51	—	·04	—	—	·05	·48	—	—	·46	—	·36	23
24	·03	·03	—	—	—	—	·03	—	·08	·48	—	·48	24
25	—	—	—	·06	—	—	·18	—	·59	—	—	·26	25
26	—	·08	—	—	—	·03	·03	—	—	—	—	·64	26
27	—	·04	—	—	—	·09	—	—	—	·47	—	·05	27
28	—	·12	—	—	—	·12	~~·43~~	—	—	·32	—	—	28
29	—		—	—	—	·06	~~·73~~	—	1·11	—	38	~~·46~~	29
30	·11	X	—	—	—	·04	—	—		·12	68	·64	30
31	·07	X	—	X	—	X	—	·19	X	·92	X	·43	31
Total	3·42	5·21	·80	1·52	3·67	·41	4·88	1·77	2·18	3·05	2·57	7·86 7·56	YEAR'S TOTAL 37·04 37·04
Rain Days.	17	18	9	8	8	7	15	12	6	12	8	(22)	142

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

16. JAN 1917

Kept at Greenings Charlwood
in the County of Surrey
by J A Innes

Lat. .... Long. —
Time of Observation 9.0 AM
Nearest Railway Station Horley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.12	.04	.04	—	—	—	.02	—	.21	.14	.49	—	1
2	.42	.15	.05	—	.39	—	.03	—	.07	.64	—	—	2
3	.04	.84	.26	—	—	—	.05	—	.12	—	.81	—	3
4	.21	.17	—	—	.23	.37	—	—	.19	—	.55	—	4
5	.05	.04	.02	—	.07	.06	.41	—	—	.48	.75	—	5
6	—	.23	.04	.14	.36	.24	.06	—	—	.17	—	—	6
7	.08	.08	.34	—	.35	.08	—	—	—	.04	1.10	.08	7
8	—	—	.14	—	.28	—	.03	—	—	—	—	.04	8
9	—	—	.06	—	—	—	.10	—	—	.03	—	—	9
10	—	.26	.05	.09	—	.11	—	—	—	—	.03	—	10
11	—	.21	—	.23	.18	.15	—	—	—	.14	—	.63	11
12	.05	.12	.19	.08	—	.21	.12	—	—	—	—	.21	12
13	—	.27	.54	.10	.16	.05	—	.02	.03	.03	—	—	13
14	—	.54	.10	—	—	—	.08	—	—	.02	—	.08	14
15	—	.09	.18	.05	—	—	—	.48	—	—	—	—	15
16	—	.12	.33	.16	—	—	.15	.46	—	—	—	—	16
17	.26	.16	—	.04	—	—	.06	.11	.42	.96	—	.08	17
18	.03	.12	—	.03	—	—	—	.72	.11	.25	.63	—	18
19	.19	—	.12	.26	—	.15	—	.08	.10	—	.54	—	19
20	.08	—	.09	.04	—	—	—	—	—	—	.11	1.15	20
21	.05	—	.28	—	—	—	.05	—	—	.04	—	.09	21
22	.03	—	.04	—	—	.04	—	—	—	.08	.02	—	22
23	.05	—	.03	—	—	—	—	.15	—	—	.05	—	23
24	—	—	—	—	.08	.06	—	.06	—	—	—	.20	24
25	—	—	.38	—	—	—	—	.35	—	.25	.22	—	25
26	.03	—	—	—	—	.18	—	.04	.07	—	—	.02	26
27	.02	.52	1.08	—	—	.10	—	.36	.06	1.04	—	—	27
28	—	1.62	.13	—	—	.18	—	.06	.20	—	—	.09	28
29	—	.19	.05	—	—	.32	—	.74	.08	.45	—	.43	29
30	—	╳	—	—	.09	—	—	.10	—	.36	—	—	30
31	—	╳	—	╳	—	╳	—	.04	╳	.14	╳	.04	31
Total	1·71	5·32	4·54	1·22	2·19	2·30	1·16	3·77	1.66	5·26 5.26	5·30	3·14	YEAR'S TOTAL 37·57 ✓
Rain Days.	16	19	23	11	10	15	12	15	12	18	12	13	176 ✓

W. 8,000. X. 14.

134

FORM A.
BRITISH RAINFALL.

27. FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at The Greenings Charlwood

in the County of Surrey

by J A Inves

Lat. Long.

Time of Observation 9.0 AM

Nearest Railway Station Horley (5 miles)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	—	·01	—	—	—	·95	·41	—	—	—	1
2	·08	—	—	·13	—	—	—	·09	—	—	—	—	2
3	·20	—	—	·65	—	—	·66	·40	—	·15	·20	—	3
4	—	—	—	·20	—	—	·10	·30	—	·29		—	4
5	·09	·08	·40	—	—	—	—	·09	·48	·28		—	5
6	~~·11~~	—	·28	·30	—	·20	~~·20~~	—	7 ·35	—		—	6
7	·12	—	—	·10	—	—	·09	·04	—	·40	—	·09	7
8	—	—	—	—	—	—	·96	·27	—	·30	·47	·12	8
9	—	—	—	·13	—	—	·10		·04		—	·74	9
10	—	—	·29	—	—	—	—	·08	—		—	—	10
11	·32	—	·33	·14	—	·03	—		·18	·32	—	—	11
12	—	—	·06	·35	—	—	—	·05	—		—	·02	12
13	·09	—	·18	·06	—	—	—		·04	·68	—	—	13
14	—	—	—	·18	—	—	—	·04	—		—	—	14
15	—	—	—	·18	—	—	·14	·47		·23	—	·32	15
16	—	—	—	—	·05	—	·14	—	—	·48	—		16
17	·03	·09	—	·20	·26	—	·19	·10	·42	·16	—		17
18	—	—	—	·10	·09	—	·19	·06	·28	~~·16~~	—		18
19	·08	—	·30	·12	·02	·07	—	·12	·13	—	—	1·00	19
20	—	·12	—	—	·54	—	·10	·23	·10	—	—		20
21	—	·04	—	—	—	—	—	—	—	—	—		21
22	·02	—	—	—		·10	—	·19	—	·16	·32		22
23	—	—	—	—	·20	·03	—	·21	—		—		23
24	—	·05	·06	—	—	~~·07~~	~~·07~~	—	—	·19	·06		24
25	—	—	—	—	—		·04		—	—	—		25
26	·02	—	·41	—	—	·07	—	·35	·08	—	·72		26
27	—	—	—	—	—	·14	—	1·12	—	—	—		27
28	—	—	—	—	·26	·08	—	·19	—	—	—		28
29	—		0·5	—	—	·80	~~1·50~~	·14	—	·34	—		29
30	—	X	·19	—	·06	·08	1·50	·11	—	·03	—		30
31	—	X	·28	X	—	X	·41	·02	X	·04	X		31
Total	1·05	·40	2·43	2·85	1·48	1·60	4·43	5·34	2·51	3·99	1·47	2·29	YEAR'S TOTAL 29·84
Rain Days.	10	6	12	15	8	10	13	23	11	15	5	6	134

W. 8,000, VIII. 16

3·35

STATION, HORLEY.

THE GREENINGS,
CHARLWOOD,
SURREY.

25/2/18

The Director
British Rainfall Organization

Dear Sir

I am sorry that owing to my absence enclosed return has not been sent in earlier. I think that the total rainfall is correct but the

CHARTHAM PARK

SURREY

1915 - 1920

Cod for arith 9·11·1

REGI

64

FORM A. BRITISH RAINFALL.

2 - JAN 1915

Kept at Chartham Park, ... 1'W.

... n.

in the County of Surrey ... Grinstead.

... 5 in.

by J. D. Margary ... Ground 1 ft. ... in.

... Sea Level 270. ft.

IMPORTANT NOT... the result entered to the previous day. If an Ol... ersal rule, he is earnestly requested to add the rea... r in the space provided for it at the end of thi... nent of rain, the selection and placin... itish Rainfall Organization are given i... application to Dr. H. R. Mill, 62, Ca...

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·00	·00	·00	·02	·00	·00	·00	·19	·00	·00	·03	·04	1
2	·00	·00	·00	·00	·00	·04	·21	·01	·00	·00	·20	·15	2
3	·00	·00	·08	·08	·28	·00	·00	·04	·00	·00	·01	·00	3
4	·00	·00	·01	·31	·05	·00	·00	·03	·00	·00	·26	·32	4
5	·12	·00	·06	·39	·16	·01	·20	·14	·00	·00	·01	·00	5
6	·00	·15	·04	·20	·03	·15	·07	·03	·00	·00	·00	·38	6
7	·00	·85	·41	·29	·05	·10	·14	·00	·00	·00	·00	·29	7
8	·12	·72	·45	·00	·00	·14	·06	·17	·00	·00	·00	·09	8
9	·32	·00	1·04	·23	·00	·00	·00	·00	·23	·00	·00	1·14	9
10	·00	·09	·06	·14	·07	·00	·00	·00	·06	·00	·00	·05	10
11	·00	·64	·49	·03	·00	·00	·00	·00	·26	·00	·09	·36	11
12	·01	·11	·08	·00	·00	·00	·42	·00	·30	·00	·01	·80	12
13	·01	·65	·26	·00	·00	·04	·00	·00	·10	·03	·12	·91	13
14	·00	·44	·31	·00	·00	·00	·11	·00	·00	·36	·17	·69	14
15	·01	·07	·25	·00	·00	·00	·15	·03	·00	·00	1·15	·03	15
16	·01	·01	·08	·00	·00	·00	·00	·00	·06	·00	·00	·00	16
17	·00	·51	·23	·00	·00	·00	·02	·00	·21	·00	·00	·21	17
18	·00	·13	·22	·00	·00	·00	·00	·00	·00	·00	·00	·55	18
19	·00	·08	·66	·00	·00	·00	·21	·00	·00	·01	·20	·11	19
20	·00	·28	·16	·00	·00	·10	·00	·00	·02	·03	·00	·13	20
21	·00	·91	·08	·00	·00	·01	·00	·06	·00	·06	·00	·04	21
22	·00	·02	·00	·00	·42	·08	·12	·04	·00	·25	·00	·00	22
23	·00	·00	·25	·00	·12	·03	·00	·00	·00	·00	·00	·04	23
24	·00	·00	·02	·00	·00	·00	·00	·00	·00	·00	·18	·00	24
25	·07	·00	·36	·00	·00	·00	·00	·07	·00	·35	·01	·04	25
26	·00	·00	·06	·00	·00	·00	·03	·25	·00	·08	·24	·66	26
27	·02	·00	·00	·00	·00	·00	·00	·01	·00	·00	·06	·67	27
28	·02	·01	·00	·00	·01	·00	·00	·00	·00	·15	·46	·58	28
29	·12		·02	·00	·00	·00	·00	·00	·00	·43	·33	·00	29
30	·01		·13	·00	·00	·00	·00	·00	·00	·09	1·20	·37	30
31	·03		·00		·18		·01	·00		·00		·04	31
Total	·87	5·67	5·91 5·81	1·69	1·37	·70	1·75	1·07	1·24	1·84	4·73	8·69	YEAR'S TOTAL 35·53 35·43
Rain Days.	13.	17.	25.	9.	10.	10.	13.	13.	8.	11.	18.	25.	172.

W. 7,500, XI. 12

Cod for arith 9.11.1

REGI

64

1'W.

FORM A.
BRITISH RAINFALL.

29 JAN 1915

Kept at Chartham Park, East Grinstead

in the County of Surrey.

by T. D. Margary

Time of Observation 9 a.m.

Nearest Railway Station E. Grinstead.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·00	·00	·00	·02	·00	·00	·00	·19	·00	·00	·03	·04	1
2	·00	·00	·00	·00	·00	·04	·21	·01	·00	·00	·20	·15	2
3	·00	·00	·08	·08	·28	·00	·00	·04	·00	·00	·01	·00	3
4	·00	·00	·01	·31	·05	·00	·00	·03	·00	·00	·26	·32	4
5	·12	·00	·06	·39	·16	·01	·20	·14	·00	·00	·01	·00	5
6	·00	·15	·04	·20	·03	·15	·07	·03	·00	·00	·00	·38	6
7	·00	·85	·41	·29	·05	·10	·14	·00	·00	·00	·00	·29	7
8	·12	·72	·45	·00	·00	·14	·06	·17	·00	·00	·00	·09	8
9	·32	·00	1·04	·23	·00	·00	·00	·00	·23	·00	·00	1·14	9
10	·00	·09	·06	·14	·07	·00	·00	·00	·06	·00	·00	·05	10
11	·00	·64	·49	·03	·00	·00	·00	·00	·26	·00	·09	·36	11
12	·01	·11	·08	·00	·00	·00	·42	·00	·30	·00	·01	·80	12
13	·01	·65	·26	·00	·00	·04	·00	·00	·10	·03	·12	·91	13
14	·00	·44	·31	·00	·00	·00	·11	·00	·00	·36	·17	·69	14
15	·01	·07	·25	·00	·00	·00	·15	·03	·00	·00	1·15	·03	15
16	·01	·01	·08	·00	·00	·00	·00	·00	·06	·00	·00	·00	16
17	·00	·51	·23	·00	·00	·00	·02	·00	·21	·00	·00	·21	17
18	·00	·13	·22	·00	·00	·00	·00	·00	·00	·00	·00	·55	18
19	·00	·08	·66	·00	·00	·00	·21	·00	·00	·01	·20	·11	19
20	·00	·28	·16	·00	·00	·10	·00	·00	·02	·03	·00	·13	20
21	·00	·91	·08	·00	·00	·01	·00	·06	·00	·06	·00	·04	21
22	·00	·02	·00	·00	·42	·08	·12	·04	·00	·25	·00	·00	22
23	·00	·00	·25	·00	·12	·03	·00	·00	·00	·00	·00	·04	23
24	·00	·00	·02	·00	·00	·00	·00	·00	·00	·00	·18	·00	24
25	·07	·00	·36	·00	·00	·00	·00	·07	·00	·35	·01	·04	25
26	·00	·00	·06	·00	·00	·00	·03	·25	·00	·08	·24	·66	26
27	·02	·00	·00	·00	·00	·00	·00	·01	·00	·00	·06	·67	27
28	·02	·01	·00	·00	·01	·00	·00	·00	·00	·15	·46	·58	28
29	·12		·02	·00	·00	·00	·00	·00	·00	·43	·33	·00	29
30	·01		·13	·00	·00	·00	·00	·00	·00	·09	1·20	·37	30
31	·03		·00		·18		·01	·00		·00		·04	31
Total	·87	5·67	5·91 5·81	1·69	1·37	·70	1·75	1·07	1·24	1·84	4·73	8·69	YEAR'S TOTAL 35·53 35·43
Rain Days.	13.	17.	25.	9.	10.	10.	13.	13.	8.	11.	18.	25.	172.

W. 7,500, XI. 12

comp with 21·11·16 WLMcC

95

notified 22/2/16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

3 - JAN 1916

Kept at Chartham Park, East Grinstead

in the County of Surrey 2

by T. D. Margary

Lat. 51°9′N. Long. 0°1′W.
Time of Observation 9 A.M.
Nearest Railway Station East Grinstead
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·67	·17	·03	....	·02	...	....	....	·17	·02	·09	·37	1
2	·20	·18	·22	·15	·01	...	....	·30	·01	·07	....	·08	2
3	·37	....	·04	·19	·07	...	....	·20	·05	....	....	·45	3
4	·06	....	....	....	...	...	....	·09	....	·01	....	·68	4
5	·02	·62	....	....	...	...	....	·18	....	·08	....	·46	5
6	·43	·20	·06	·75	...	...	·44	·01	....	....	....	·19	6
7	·32	·49	·06	....	...	...	·25	....	....	....	....	·41	7
8	·02	·79	·01	·01	...	...	·21	·08	....	....	·01	....	8
9	·03	·08	....	·17	...	·25	....	·07	....	....	·44	·66	9
10	·37	·02	....	....	...	·01	....	....	....	....	....	·54	10
11	....	·01	....	....	...	...	....	....	....	....	·57	·02	11
12	·04	·13	....	·20	·41	...	....	·09	....	·05	·69	·01	12
13	·01	·95	....	....	1·61	...	....	....	·01	....	....	....	13
14	·02	·05	·01	....	...	...	·08	·06	·03	....	....	·48	14
15	·15	·10	....	....	·02	...	·16	·26	....	....	·20	·38	15
16	....	·86	....	·01	·07	...	1·15	·11	....	....	·01	·10	16
17	....	·59	....	....	1·17	...	·03	·09	....	....	....	....	17
18	....	·04	·01	....	·19	...	....	....	....	....	·06	....	18
19	....	·18	....	....	·02	...	·04	....	....	·05	....	....	19
20	·28	....	....	·02	·03	...	....	....	....	....	....	·22	20
21	·15	....	....	....	...	...	....	....	....	·05	....	·05	21
22	·44	·18	·04	....	...	...	·88	....	....	....	....	·20	22
23	·01	·11	·10	·02	...	·01	·19	....	·01	·36	....	·39	23
24	....	....	....	·02	...	·01	·29	....	·23	·29	....	·84	24
25	....	....	....	·09	...	...	·15	....	....	....	....	·39	25
26	·01	·08	....	....	...	·04	·01	....	....	....	....	·57	26
27	....	·04	·02	....	...	·13	·13	....	....	·44	....	·08	27
28	....	·14	....	....	...	·20	....	....	1·09	·32	·01	....	28
29	....	╳	....	....	...	·03	·31	·21	....	....	·48	....	29
30	·08	╳	....	....	...	·21	....	....	....	·10	·73	·05	30
31	·06	╳	....	╳	...	╳	....	·45	╳	·86	╳	·39	31
Total	3·74	6·01	·60	1·63	3·62	·89	4·32	2·20	1·60	2·70	3·29	8·01	YEAR'S TOTAL 38·61 ~~44·61.~~
Rain Days.	21.	22.	11.	11.	11	9.	15.	14.	8.	13.	11.	24.	170. ✓

W. 8,000. X. 14.

Chatham Park
Surrey

3RD ROYAL SUSSEX RECT.

Newhaven.
4/3/'16.

Dear Sir,

I must apologize for this long delay in replying to your letter of the 22nd. ult., but, being away from home on military service, your letter had to be forwarded here to me, and I then had to send home to have my rainfall register checked, and hence the delay. All the rainfall totals have been checked, and, as you thought, the error was found in the addition of all the monthly totals, so that the correct total is 38·61 in., agreeing exactly with that proposed by you. I myself completed and dispatched the forms at the beginning of the year, and I cannot imagine how such a foolish error can have got in, for I usually add up at least twice to eliminate possible errors.

Trusting that this has not caused much trouble and inconvenience,

Yours sincerely,

J. D. Margary, 2nd Lt.

3rd Batn. Royal Sussex Regt.

Carle Salter Esq. British Rainfall Organisation.

4 BR

87

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Chartham Park, East Grinstead,
in the County of Surrey.
by T. D. Margary, Esq.

Lat. 51° 9′ N. Long. 0° 1′ W.
Time of Observation 9 A.M.
Nearest Railway Station East Grinstead.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1. ft. 0. in.
" " " " Sea Level 270. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	....	·02	....	·21	·01	....	....	·16	·04	·28	....	1
2	·48	·15	·11	....	·39	....	·03	....	·09	·49	·31	....	2
3	·01	1·00	·23	....	·01	....	·03	....	·21	·45	·79	....	3
4	·19	·09	....	·11	....	·53	....	....	·36	·04	·46	....	4
5	·01	·04	·01	....	·23	·05	....	....	....	·11	·82	....	5
6	·01	·25	·17	·31	·01	·28	·32	....	·01	·13	·87	....	6
7	·10	·05	·56	....	·32	·17	·01	....	....	·08	1·01	·02	7
8	....	....	·01	....	·18	....	....	....	....	....	....	·69	8
9	....	....	·01	....	·38	....	·02	....	....	....	....	·19	9
10	....	·24	·12	·08	·01	·26	·21	....	....	·01	....	·21	10
11	·01	·16	·01	·20	·01	·08	·01	....	....	....	....	·03	11
12	·04	·06	....	·08	·16	·18	·09	....	....	·07	....	....	12
13	....	·26	·28	·09	·03	·04	·18	·19	....	·05	....	....	13
14	....	·49	·09	....	·17	....	....	·02	....	·03	....	·09	14
15	....	·10	·15	....	....	....	·02	·47	....	·02	....	·04	15
16	·01	·06	·17	·12	....	....	·18	·08	....	....	....	....	16
17	·23	·15	....	·04	....	....	....	·31	·38	·85	....	....	17
18	....	·10	·01	·02	....	....	....	·40	·24	·56	·73	·02	18
19	·23	·01	·16	·27	....	·14	....	....	·08	....	·49	·15	19
20	·14	....	·10	·06	....	....	....	....	....	....	·21	·61	20
21	·01	....	·70	....	....	....	·20	....	....	....	·01	·39	21
22	....	·01	·07	....	....	....	....	....	....	·01	·01	·64	22
23	·01	·26	·07	....	....	·10	....	·02	....	·12	·12	·10	23
24	....	....	·02	....	·07	·02	....	·01	....	·28	·11	·32	24
25	....	·61	·19	....	....	....	....	·36	....	·13	·04	....	25
26	·02	·22	....	....	....	·13	....	·05	·02	·30	....	....	26
27	·01	·01	1·03	....	....	·21	....	·50	·14	·35	....	....	27
28	....	·40	·23	....	....	·05	....	·08	·14	·09	·01	·15	28
29	....	·16	·01	....	....	·33	....	·52	·07	·49	....	·27	29
30	....		....	....	·27	....	....	·06	....	·37	....	....	30
31	....		....		....		....	·01		·21		·02	31
Total	1·73	4·88.	4·53.	1·38.	2·45.	2·58.	1·30.	3·08.	1·90.	5·28.	6·27.	3·94	YEAR'S TOTAL 39·32
Rain Days.	17.	23.	25.	11.	15.	16.	12.	15.	12.	24.	16.	17	203

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Chartham Park,
in the County of Surrey.
by I. D. Margary, Esq.

Lat. 51° 9′N. Long. 0° 1′W.
Time of Observation 9 A.M.
Nearest Railway Station East Grinstead.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	....	·09	·02	·36	....	....	....	1·42	·11	....	·09	·01	1
2	....	....	....	·23	....	....	....	·22	....	....	·11	....	2
3	....	....	....	·13	....	....	·58	·36	....	·09	·10	....	3
4	....	·18	·14	....	....	....	·19	·21	....	·39	....	....	4
5	·25	....	·03	·35	....	·01	....	·02	·79	·26	·09	....	5
6	....	....	·13	·05	....	·24	....	....	·44	·01	·14	....	6
7	·40	....	....	....	....	....	·10	....	....	·28	....	·02	7
8	·11	....	....	·09	....	....	·50	·30	....	·33	·29	·22	8
9	·01	....	·04	·09	....	....	·10	·12	....	....	·02	·55	9
10	·17	....	·19	·14	....	·09	....	·19	....	....	·01	....	10
11	·13	....	·15	·40	....	....	....	·08	·11	·39	....	....	11
12	·05	....	·06	....	....	....	....	·17	....	·23	·01	....	12
13	·04	....	·10	·02	·04	....	....	·01	·02	·20	....	....	13
14	....	....	·01	·19	....	....	....	·06	....	....	·01	....	14
15	·03	....	....	....	....	....	....	·10	....	·11	....	·07	15
16	·07	·09	....	·38	·11	....	·27	....	....	·79	....	·95	16
17	....	....	....	·12	·35	....	·16	·08	·31	·20	....	....	17
18	·03	·07	....	·09	·02	·14	·11	·08	·37	·03	....	....	18
19	·02	·10	·17	....	·01	·18	....	·02	·13	....	....	....	19
20	·01	·09	·08	....	·63	....	·05	·09	·07	....	·05	....	20
21	....	....	·05	·02	·01	....	....	....	....	·04	·03	....	21
22	·01	....	·03	....	....	·26	....	·17	....	·15	....	....	22
23	....	·18	....	....	·30	·01	....	·15	....	....	....	·02	23
24	....	·03	....	....	....	·14	·01	·01	....	·22	·01	·05	24
25	....	·10	·09	....	....	·10	....	....	....	....	·04	....	25
26	....	....	·02	....	....	·01	....	·49	·04	....	·83	....	26
27	....	....	....	....	....	....	....	1·31	....	....	....	·01	27
28	....	....	·02	....	....	·82	....	·22	....	....	....	·05	28
29	....	✕	·07	....	1·56	·08	·16	·07	....	·80	....	·19	29
30	....	✕	·33	....	....	·01	1·25	·15	·01	·02	....	·04	30
31	....	✕	·08	✕	....	✕	·59	·05	✕	....	✕	....	31
Total	1·33.	0·93.	1·81.	2·66.	3·03.	2·09.	4·07.	6·15.	2·40.	4·54.	1·83.	2·18.	YEAR'S TOTAL 33·02.
Rain Days.	14.	9.	20.	15.	9.	13.	13.	26.	11.	18.	15.	12.	175.

[illegible] 6

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL 4. 1. 1[illegible]

Kept at Chartham Park, East Grinstead,

in the County of Surrey.

by Lt. I. D. Margary.

Lat. 51° 9′N. Long. 0° 1′W.

Time of Observation 9 A.M. (G.M.T.)

Nearest Railway Station East Grinstead

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	....	....	....	·02	....	....	·01	....	....	·27	·05	1
2	....	·02	....	·07	....	....	....	·33	·01	....	·19	·17	2
3	....	....	·10	·09	·42	....	....	·12	....	·05	·38	·02	3
4	....	·26	·02	·02	·01	....	....	·04	·18	....	·99	·01	4
5	....	·02	·01	....	·08	....	....	·11	·30	·08	....	·01	5
6	·22	·17	....	·22	·19	....	....	·08	·01	·01	....	·04	6
7	·05	·14	....	·08	·11	....	....	....	·20	·10	·05	·02	7
8	....	·17	....	....	....	....	....	....	·40	·02	·22	·10	8
9	·02	·01	....	·05	....	·03	·21	....	·60	·22	·01	·36	9
10	....	....	....	·07	....	·01	·47	....	·29	·08	....	·30	10
11	....	....	....	....	....	....	·35	....	....	·28	·08	·13	11
12	....	·09	....	....	·15	....	·03	....	·07	·02	....	·01	12
13	·14	·01	....	....	·07	....	·07	....	·08	....	....	·03	13
14	·17	....	·03	....	....	·13	·07	....	·26	·19	....	·12	14
15	1·34	....	....	·42	....	·13	·46	....	....	....	....	·20	15
16	·02	....	·01	·06	....	·10	·01	....	·16	....	....	....	16
17	·42	....	....	·14	....	·01	·48	·03	....	....	....	·33	17
18	·48	....	....	....	....	·23	·01	....	·38	·02	....	·09	18
19	·13	....	·05	·02	....	·22	·05	....	·12	·03	....	·02	19
20	·07	·13	....	1·10	....	·02	·41	....	·35	·18	....	....	20
21	·22	....	....	·98	....	....	·19	....	·36	·06	....	·02	21
22	·08	·01	....	·01	·21	....	·41	....	·89	....	....	·18	22
23	·09	....	....	·01	·09	....	·55	·05	·06	....	....	·04	23
24	....	·24	....	·03	....	·03	....	....	·23	....	·02	....	24
25	....	....	....	·55	....	·01	·02	·11	....	·03	....	....	25
26	....	....	....	....	....	....	·52	....	·01	·05	·08	·17	26
27	....	·10	·05	·06	....	....	·10	·15	·07	....	·11	·02	27
28	....	....	·33	·03	....	....	....	·01	....	·01	·20	·02	28
29	....	✕	·01	·01	....	....	....	....	1·04	....	·01	....	29
30	....	✕	·39	....	....	....	....	....	·05	·07	....	....	30
31	....	✕	·05	✕	....	✕	....	....	✕	·05	✕	·01	31
Total	3·49 ✓	1·37 ✓	1·05 ✓	4·02 ✓	1·35 ✓	·92 ✓	4·41 ✓	1·04 ✓	6·12 ✓	1·55 ✓	2·61 ✓	2·47 ✓	YEAR'S TOTAL 30·40 ✓
Rain Days.	15. ✓	13. ✓	11. ✓	20. ✓	10. ✓	11. ✓	18. ✓	11. ✓	23. ✓	19. ✓	13. ✓	25. ✓	189. ✓

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919.

FORM A.
BRITISH RAINFALL.

Kept at Chartham Park,
in the County of Surrey
by I D Margary, Esq.

Lat. 51° 9'N. Long. 0°1'W.
Time of Observation 9 A.M. (G.M.T)
Nearest Railway Station East Grinstead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·06	·04	....	·07	....	·06	....	....	·14	·08	·85	1
2	·20	·03	·04	....	·09	....	·02	....	·02	·03	·06	·26	2
3	·41	....	·33	....	·01	....	·29	....	·19	....	·04	·32	3
4	·23	·06	·56	....	....	·07	·22	·06	·03	....	·04	·11	4
5	....	·32	·72	....	....	....	....	....	·01	....	·16	·40	5
6	·11	·01	·05	....	....	....	....	....	....	....	·01	·04	6
7	·08	....	·54	....	....	....	....	....	....	....	·05	....	7
8	·59	....	·08	....	....	....	....	....	....	....	·03	....	8
9	·34	....	·08	·04	·01	....	....	....	....	....	·10	....	9
10	·31	....	·10	·01	....	....	....	....	....	....	....	·07	10
11	·11	....	·29	·33	·03	....	·37	....	....	....	....	·06	11
12	·10	....	·03	·12	....	....	·22	....	....	·02	·04	....	12
13	·02	·04	....	·57	....	....	....	....	....	·01	·01	·04	13
14	·68	....	....	·34	....	....	·05	....	·33	·03	....	·07	14
15	·39	·04	·08	·02	....	....	....	....	....	....	....	·32	15
16	·13	·47	....	....	....	....	....	....	....	....	·07	·04	16
17	....	·20	·05	·01	....	....	....	....	....	....	·19	·05	17
18	....	·10	·06	....	....	....	....	·02	·03	....	·10	·05	18
19	·01	·20	·55	....	....	·18	·36	·16	....	....	·06	....	19
20	·28	·13	·15	....	....	·63	·08	·21	....	....	....	·02	20
21	·09	·53	·03	....	....	·01	·05	....	....	....	·03	·03	21
22	....	·04	·01	....	....	....	·21	....	·40	....	·04	·24	22
23	....	....	....	....	....	·02	·01	....	·24	....	·02	·05	23
24	....	....	....	·16	....	·03	·08	·10	....	·08	·14	·02	24
25	·01	....	....	·09	....	....	·02	·25	....	....	....	·04	25
26	·04	·15	·10	·08	....	....	....	·03	·09	....	·12	·51	26
27	·28	·02	·06	·86	....	....	·01	·46	....	....	·06	·03	27
28	·37	....	·26	·02	....	....	·01	·74	....	....	·39	·26	28
29	·05		·01	·01	....	·04	....	·29	....	·22	·09	·09	29
30	....		·01	·23	....	·05	....	·53	....	·02	·19	·99	30
31	·13		·04		....		·01	....		·02		·06	31
Total	5·39	2·40	4·27	2·89	·21	1·03	2·07	2·85	1·34	·57	2·12	5·02	YEAR'S TOTAL 30·16.
Rain Days.	24.	16.	25.	15.	5.	8.	17.	11.	9.	9.	24.	26.	189.

W. 6,500, VII. 18. W W C

and 970

78

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Chartham Park, East Grinstead,
in the County of Surrey.
by I. D. Margary, Esq

Lat. 51°9′N Long. 0°1′W.
Time of Observation 9 A.M. G.M.T.
Nearest Railway Station Lingfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	....	....	·16	·06	....	·31	....	....	·33	....	·37	1
2	....	....	·18	....	·03	....	....	·26	·05	·16	....	·14	2
3	·01	....	....	....	·11	....	....	....	·01	·10	....	·09	3
4	....	·08	....	·09	....	....	1·61	·17	....	·08	....	·02	4
5	....	....	·06	....	·01	....	·59	·08	·03	....	....	·01	5
6	....	....	·17	....	·13	....	·26	....	....	....	....	·03	6
7	·04	....	....	·19	·15	....	·32	....	....	·01	....	·02	7
8	....	....	....	·03	·07	....	·69	·01	....	....	....	·01	8
9	·25	·03	....	·02	·05	....	·02	....	....	....	....	....	9
10	·71	·19	·06	·04	....	·10	·31	....	....	....	·02	·01	10
11	·34	....	·06	·19	·02	·02	·19	·01	....	....	....	·12	11
12	·08	....	....	·28	....	·35	·01	....	....	....	....	....	12
13	·27	·02	·27	·01	....	....	....	....	....	....	·09	....	13
14	....	·01	·41	·44	....	·04	....	....	·13	·11	·44	....	14
15	·02	·01	·05	·17	....	....	....	....	1·10	·25	·16	·01	15
16	....	....	·02	·20	·02	....	....	....	·23	....	....	....	16
17	·01	....	....	·01	·16	....	....	....	1·50	....	....	·11	17
18	·01	....	....	....	·13	....	....	1·03	·32	....	....	·10	18
19	·08	....	....	·50	....	·03	....	....	....	....	....	·05	19
20	·07	·14	....	·22	....	·49	....	....	·14	....	....	·01	20
21	....	....	....	·02	....	....	·93	....	·33	....	....	·20	21
22	·02	....	....	·27	....	....	....	....	·16	....	....	·35	22
23	....	....	....	....	....	....	·46	·01	....	....	....	·27	23
24	....	....	·08	·01	....	....	....	....	....	....	....	·04	24
25	....	·01	·02	....	....	....	·33	....	·03	....	....	....	25
26	·04	....	·11	·03	....	....	·01	....	....	....	....	·05	26
27	·56	·04	....	·27	....	·07	·04	....	....	....	·49	·28	27
28	·55	·01	·15	·02	·16	....	·10	....	....	....	·10	·02	28
29	·82	....	·12	·06	....	....	....	....	....	....	·17	·26	29
30	·03		....	....	·02	·07	·17	....	·22	....	·39	·22	30
31	·03		·11		·01		....	....		·45		·31	31
TOTAL	4·01	·54	1·87	3·23	1·13	1·17	6·35	1·57	4·25	1·49	1·86	3·10	YEAR'S TOTAL 30·57
Days with ·01 in. or more	20	10	15	22	15	8	17	7	13	8	8	25	168
	13	4	13	14	9	6	14	4	10	7	7	16	117

(44,283). Wt. [illegible],958—2[illegible]. 7500. 10/19. Gp132. A.&E.W.

New Record

REG

CHELSHAM · WOLDINGHAM

W. W.

SURREY

1915 – 1920

FORM A.
BRITISH RAINFALL.

17 MAR 1916

Kept at CHELSHAM & WATERWORKS, … 1. … ldingham

in the County of S U R …

by

Gauge 5 in.

Ground 1 ft. 0 in.

Sea Level 479 ft.

IMPORTANT NOT … the result entered to the previous day. If an O … rsal rule, he is earnestly requested to add the rea … in the space provided for it at the end of thi … ent of rain, the selection and placing … ish Rainfall Organization are given i … pplication to Dr. H. R. Mill, 62, Ca…

Jan. 1, following.

Date.	Jan.	Feb.	March.								Nov.	Dec.	Date.
1	.64	.19	.04							1	.41	.53	1
2	.14	.21	.35	.15	.	.	.	.76	.08	.04	.01	.05	2
3	.32	.	.06	.18	.	.	.	.32	.02	.	.	.48	3
4	.18	.	.	.	.	.	.	.05	.	.	.	.38	4
5	.02	.48	.	.	.	.	.	.05	.	.	.01	.40	5
6	.50	.08	.02	.54	.	.	.49	.04	.	.06	.	.28	6
7	(.51)	.54	.04	.	.	.	.33	.01	.	.	.	.26	7
8	.08	.85	.	.05	.	.	.11	.08	.	.	.	.	8
9	.01	.09	.	.16	.	.18	.	.07	.	.	.36	.54	9
10	.35	.	.	.	.	.	.	.	.	.	.	.39	10
11	.01	.	.	.	.	.	.	.	.	.	.59	.	11
12	.08	.08	.	.40	.38	.	.	.47	.	.	.56	.05	12
13	.	.90	.	.	1.25	.	.	.	.	.	.	.	13
14	.02	.07	. .	.	.	.	.06	.02	.02	.	.	.58	14
15	.19	.	.	.	.05	.	.12	.11	.	.	.26	.24	15
16	.	.58	.	.	.	.	.96	.09	.	.	.	.85	16
17	.	.55	.	.	1.14	.	.04	.	.	.	.	.	17
18	.01	.13	.07	.	.23	.	.	.	.	.	.09	.	18
19	.	.20	.	.	.02	.	.05	.	.	.04	.	.	19
20	.32	.	.	.07	.01	.	.	.	.	.	.	.25	20
21	.15S	.07	.	.	.	.	.	.	.	.04	.	.09	21
22	[illegible]	.06	.08	.03	.	.	.90	.	.	.	.	.15	22
23	1.00S	.24	.05	.02	.	.05	.85	.	.	.35	.	.32	23
24	.	.	.	.	.	.	.06	.	.	.26	.	.31	24
25	.	.	.04	.15	.	.	.	.	.15	.44	.	.28	25
26	.	.09	.	.	.	.10	.03	.	.	.20	.	.67	26
27	.	.07	.	.	.	.15	.20	.	.	.	.	.07	27
28	.	.06	.	.	.	.19	.	.	1.69	.	.	.	28
29	.	.	.	.	.	.04	.48	.10	.	.	.32	.	29
30	.05	X	.	.	.	.	.	.02	.	.	.67	.03	30
31	.02	X	.	X	.	X	.	.18	X	1.12	X	.34	31
Total	4.60 ✓	5.54	0.75	1.75	3.15	0.72	4.68	2.37	2.46	2.56	3.28	7.54	YEAR'S TOTAL 39.50 ✓
Rain Days.	20	20	9	10	9	7	14	15	6	10	10	23	153 ✓

W. 8,000. X. 15.

New Record

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

17 MAR 1916

Kept at CHELSHAM & WOLDINGHAM WATERWORKS.
in the County of SURREY.
by

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Woldingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 479 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.64	.19	.04	.	.02	.01	.	.	.50	.01	.41	.53	1
2	.14	.21	.35	.15	.	.	.	.76	.08	.04	.01	.05	2
3	.32	.	.06	.18	.	.	.	.32	.02	.	.	.48	3
4	.18	.	.	.	.	.	.	.05	.	.	.	.38	4
5	.02	.48	.	.	.	.	.	.05	.	.	.01	.40	5
6	.50	.08	.02	.54	.	.	.49	.04	.	.06	.	.28	6
7	(.51)	.54	.04	.	.	.	.33	.01	.	.	.	.26	7
8	.08	.85	.	.05	.	.	.11	.08	.	.	.	.	8
9	.01	.09	.	.16	.	.18	.	.07	.	.	.36	.54	9
10	.35	.	.	.	.	.	.	.	.	.	.	.39	10
11	.01	.	.	.	.	.	.	.	.	.	.59	.	11
12	.08	.08	.	.40	.38	.	.	.47	.	.	.56	.05	12
13	.	.90	.	.	1.25	.	.	.	.	.	.	.	13
14	.02	.07	. .	.	.	.	.06	.02	.02	.	.	.58	14
15	.19	.	.	.	.05	.	.12	.11	.	.	.26	.24	15
16	.	.58	.	.	.	.	.96	.09	.	.	.	.85	16
17	.	.55	.	.	1.14	.	.04	.	.	.	.	.	17
18	.01	.13	.07	.	.23	.	.	.	.	.	.09	.	18
19	.	.20	.	.	.02	.	.05	.	.	.04	.	.	19
20	.32	.	.	.07	.01	.	.	.	.	.	.	.25	20
21	.15S	.07	.	.	.	.	.	.	.	.04	.	.09	21
22	.	.06	.08	.03	.	.	.90	.	.	.	.	.15	22
23	1.00S	.24	.05	.02	.	.05	.85	.	.	.35	.	.32	23
24	.	.	.	.	.	.	.06	.	.	.26	.	.31	24
25	.	.	.04	.15	.	.	.	.	.15	.44	.	.28	25
26	.	.09	.	.	.	.10	.03	.	.	.20	.	.67	26
27	.	.07	.	.	.	.15	.20	.	.	.	.	.07	27
28	.	.06	.	.	.	.19	.	.	1.69	.	.	.	28
29	.	.	.	.	.	.04	.48	.10	.	.	.32	.	29
30	.05	X	.	.	.	.	.	.02	.	.	.67	.03	30
31	.02	X	.	X	.	X	.	.18	X	1.12	X	.34	31
Total	4.60 ✓	5.54	0.75	1.75	3.15	0.72	4.68	2.37	2.46	2.56	3.28	7.54	YEAR'S TOTAL 39.50 ✓
Rain Days.	20	20	9	10	9	7	14	15	6	10	10	23	153 ✓

W. 8,000. X. 15.

11 APR 1916

Sutton Rainfall Records 1915.

W. VAUX GRAHAM,
M. INST. C.E.
TELEGRAPHIC ADDRESS
GRALLATOR, VIC, LONDON.
TELEPHONE Nº
556 VICTORIA

5, Queen Anne's Gate,
Westminster,
LONDON, S.W.

April 10 th 1916

Dear Mr Salter,

I sent your letter and the forms to Mr Derry at Sutton and now return them with his reply. I am sorry for these mistakes which I hope will not occur again.

Having less confidence in the Woldingham observer I altered the record for the 22nd January to correspond with Sutton but it appears that the Woldingham record was correct. Perhaps you will kindly make this alteration also.?

Yours very truly,

W Vaux Graham

Carle Salter Esq.
62, Camden Square.
N.W.

105

FORM A.
BRITISH RAINFALL.
27. FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Woldingham Waterworks

in the County of Surrey

by [illegible]

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Woldingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 479 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·25	—	—	—	1·53	·15	—	·10	·02	1
2	—	—	—	·38	—	—	—	·29	—	—	·11	—	2
3	·01	—	—	·14	—	—	—	·69	—	·32	·14	—	3
4	—	·19	·14	—	—	—	·12	·35	—	·39	—	—	4
5	·30	—	·02	·49	—	—	·27	—	·78	·18	·16	—	5
6	—	—	·09	·08	—	·09	—	—	·30	·01	·07	—	6
7	·35	—	—	—	—	—	·26	—	—	·52	—	·07	7
8	·13	—	—	·09	—	—	·78	·37	·02	·36	·38	·20	8
9	·02	—	·05	·09	—	—	·28	·03	—	—	·08	·96	9
10	·26	—	·20	·12	—	·01	—	·10	—	—	—	·05	10
11	·19	·03	·25	·32	—	—	—	·03	·43	·38	—	—	11
12	·07	—	·11	—	—	—	—	·06	—	·44	·02	—	12
13	·08	—	·12	·04	—	—	—	·02	·02	·32	—	—	13
14	—	—	·03	·17	—	—	—	—	—	—	—	—	14
15	·04	—	—	—	—	·02	·02	·09	—	·10	—	·04	15
16	·07	·15	—	·23	·17	—	·05	—	—	·78	—	·80	16
17	—	—	—	·11	·67	—	·27	—	·51	·11	—	—	17
18	·08	·05	—	·18	·04	—	·17	·21	·32	·08	—	—	18
19	—	·11	·08	—	—	·06	—	—	·12	—	—	—	19
20	—	·12	·06	—	·70	—	·14	·01	—	—	·05	—	20
21	—	—	·06	·04	—	·06	—	—	—	—	·04	—	21
22	—	—	·01	—	—	·02	—	·22	—	·16	—	—	22
23	·02	·20	—	—	·25	·03	—	·14	—	·10	—	·02	23
24	—	·06	—	—	—	·15	·02	—	—	·19	—	·05	24
25	—	·05	·03	—	—	·01	—	·01	—	—	·05	—	25
26	—	—	·05	—	—	—	—	·42	—	·03	·72	·01	26
27	—	—	·01	—	—	—	—	1·28	—	—	—	—	27
28	—	·02	—	—	—	1·23	—	·21	—	—	—	·08	28
29	—	—	·01	—	·09	·36	·08	·05	—	·40	—	·17	29
30	·01	X	·34	—	—	—	1·76	·14	—	·04	—	·05	30
31	·10	X	·02	X	—	X	·58	·03	X	·02	X		31
Total	1·73	0·98	1·68	2·73	1·92	2·04	4·80	6·28	2·65	4·93	1·92	2·52	YEAR'S TOTAL 34·18
Rain Days.	15	10	19	15	6	11	14	22	9	20	12	13	166

W. 8,000, IX. 17.

Exd C 3E

108

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at Chelsham & Woldingham Waterworks

in the County of Surrey

by

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Woldingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 479 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·01	·02	—	·53	—	—	—	·22	·04	·36	—	1
2	·52	·14	·17	—	·35	—	·02	—	·10	·36	·07	—	2
3	—	·61	·43	—	—	—	·01	—	·17	·45	·82	—	3
4	·34	·16	—	·19	—	·43	—	—	·12	·01	·56	—	4
5	—	·05	—	·02	·25	·14	—	—	—	·14	·75	·03	5
6	·02	·20	·18	·37	·02	·14	·36	—	—	·23	·77	—	6
7	·06	—	·79	—	·30	·02	·19	—	—	·07	1·23	·03	7
8	·02	—	—	—	·36	—	—	—	—	—	—	·56	8
9	—	—	·02	—	·48	—	·01	—	—	·06	—	·22	9
10	—	·27	·14	·10	—	·51	·09	—	—	—	—	·12	10
11	·04	·14	·02	·16	—	·60	—	—	—	—	—	—	11
12	—	·10	—	·07	·54	·28	·07	·03	—	·09	—	—	12
13	—	·37	·36	·13	·04	·01	·22	·02	·05	·10	—	—	13
14	—	·63	·03	·01	·11	—	—	·13	—	·05	—	·09	14
15	—	·13	·22	·01	—	—	·06	·65	—	·02	—	·08	15
16	·01	—	·14	·19	—	—	·17	·18	—	—	—	—	16
17	·22	·10	—	·07	—	—	·04	·62	·40	·91	—	—	17
18	·04	·10	·01	·25	—	—	—	·27	·12	·62	·70	—	18
19	·37	·09	·12	·30	—	·05	—	—	·10	—	·73	·12	19
20	·16	—	·11	·04	—	—	—	—	—	—	·17	·53	20
21	·01	—	·42	—	—	—	·20	—	—	—	—	·30	21
22	·03	·20	·13	—	—	—	—	—	—	·02	—	·51	22
23	·02	S ·48	·06	—	—	·10	—	·01	—	·09	·10	·20	23
24	—	S ·08	—	—	·07	·05	—	·04	—	·30	·09	·42	24
25	—	S ·72	·29	—	—	—	—	·32	—	·05	·10	—	25
26	—	S ·20	·05	—	—	·28	—	·21	—	·19	—	—	26
27	·04	—	·88	—	—	·98	—	·30	·08	·59	—	—	27
28	—	·46	·29	—	—	·01	—	·06	·06	·03	·01	·18	28
29	—	·19	—	—	—	·35	—	·68	·03	·44	—	·23	29
30	—	✕	—	—	·29	—	—	·19	—	·36	—	—	30
31	—	✕	—	✕	—	✕	—	·07	✕	·19	✕	·05	31
Total	2·06	5·43	4·88	1·91	3·34	3·95	1·44	3·78	1·45	5·41	6·46	3·67	YEAR'S TOTAL 43·78
Rain Days.	16	22	22	14	12	15	12	16	11	24	14	16	194

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
29 . 1 . 19

Kept at Chelsham & Woldingham Waterworks
in the County of Surrey
by

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Woldingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 479 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	—	—	·02	—	—	—	—	—	·22	·10	1
2	—	·04	—	—	—	—	—	·19	—	—	—	·20	2
3	—	—	·14	·08	·45	—	—	·04	—	·02	·56	—	3
4	—	·31	·13	—	—	—	—	·04	·23	—	·80	·05	4
5	—	·03	—	—	·11	—	—	·14	·13	·09	—	·03	5
6	·27	·25	·07	·31	·23	—	—	·05	·21	·07	—	·10	6
7	·03	·14	—	·07	·29	·01	—	·02	·19	·09	·07	·04	7
8	—	·25	—	—	—	—	—	—	·24	·05	·09	·22	8
9	·02	·02	—	·12	—	·02	·23	—	·50	·24	—	·32	9
10	—	—	—	·15	—	·07	·72	—	·17	·17	·01	·34	10
11	—	—	—	·01	—	—	·39	—	·02	·32	·12	·10	11
12	—	·09	—	—	·33	—	·32	—	·10	·01	—	·03	12
13	·09	·01	—	·02	·11	—	·09	—	·12	—	—	—	13
14	·18	—	—	·02	—	·25	·04	—	·18	·22	—	·12	14
15	1·45	—	—	·85	—	·26	·15	—	·01	—	—	·30	15
16	·36	—	—	·20	—	·04	·02	—	·18	·01	—	—	16
17	·22	—	—	·10	·10	—	·77	·07	·02	—	—	·32	17
18	·58	—	—	·01	—	·20	·01	—	·75	·15	—	·09	18
19	·09	—	·09	·09	·12	·03	·15	—	·04	·15	—	·05	19
20	·04	·24	—	·40	—	·03	·28	—	·22	·58	—	·02	20
21	·18	·01	—	1·40	—	—	·05	—	·31	·16	—	—	21
22	·06	—	—	—	·22	—	·30	—	·29	—	—	·18	22
23	·08	—	—	·02	·12	—	·60	—	·02	—	—	·03	23
24	—	·29	—	—	—	·07	·10	·44	·28	—	·08	—	24
25	—	—	—	·80	—	—	·12	·22	—	—	—	—	25
26	·01	—	—	—	—	—	·87	·03	·02	—	·20	·15	26
27	—	—	·02	·17	—	—	·08	·21	·09	·03	·10	·06	27
28	—	—	·26	·04	—	—	—	·02	—	—	·27	·09	28
29	—	—	—	—	—	—	—	—	1·25	—	·02	—	29
30	—	✕	·44	—	—	—	—	—	·05	·09	—	·15	30
31	—	✕	·05	✕	—	✕	—	—	✕	·07	✕	·02	31
Total	3·66	1·69	1·14	4·86	2·10	0·98	5·29	1·17	5·62	2·52	2·54	3·11	YEAR'S TOTAL 34·68
Rain Days.	15	13	8	19	11	10	19	12	25	18	12	24	186

W. 6,500, VII. 18. w w c

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Woldingham Waterworks
in the County of Surrey
by

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Woldingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 479 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	·06	·	·01	·03	·	·10	·	·	·07	·07	·90	1
2	·29	·	·04	·	·	·	·13	·	·02	·10	·14	·21	2
3	·32	·	·39	·	·03	·	·06	·	·17	·	·06	·41	3
4	·19	·07	·40	·	·	·09	·20	·01	·	·	·06	·13	4
5	·02	·32	·86	·	·	·	–	·	·02	·	·05	·34	5
6	·07	·	·06	·	·	·	·	·	·	·	·05	·10	6
7	·03	·	·44	·	·	·	·	·	·	·	·06	·	7
8	·25	·	·08	·02	·	·	·	·	·	·	·03	·	8
9	·47	·	·02	·02	·	·	·	·	·	·	·10	·	9
10	·23	·	·14	·	·	·	·	·	·	·	·01	·03	10
11	·12	·	·20	·28	·03	·	·25	·	·	·01	·	·	11
12	·06	·02	·06	·09	·02	·	·16	·	·	·07	·03	·	12
13	·05	·	·	·54	·	·	·	·	·	·05	·	·	13
14	·60	·	·	·53	·	·	·08	·	·55	·	·	·07	14
15	·19	·04	·14	·	·	·	·	·	·	·	·	·31	15
16	·03	·56	·	·16	·	·	·	·	·	·	·10	·04	16
17	·02	·23	·04	·02	·	·	·	·	·	·	·20	·02	17
18	–	·32	·05	·	·	·	·	·	·01	·	·10	·	18
19	·05	·23	·64	·	·	·20	·35	·23	·	·	·12	·	19
20	·18	·16	·10	·	·	·61	·22	·21	·	·	·	·01	20
21	·15	·42	·04	·	·	·03	·08	·	·	·	·	·04	21
22	–	·09	·02	·	·	·	·24	·	·35	·	·05	·26	22
23	·	·	·	·	·	04	·02	·04	08	·	·02	07	23
24	·	·	·	·17	·	·05	·05	·	·	·11	·07	·01	24
25	·	·01	·	·	·	·	·	·17	·	·	·	·01	25
26	·09	·34	·12	·09	·	·	·	·20	·15	·	·	·43	26
27	·45	·11	·05	1·12	·	·	·02	·55	·	·	·	·04	27
28	·	·	·25	·04	·	·	·05	·83	·	·	·40	·44	28
29	·	·	·	·03	·	·	·	·35	·	·38	·03	·13	29
30	·	✕	·	·26	·	·09	·	·30	·	·08	·23	·69	30
31	·18	✕	·07	✕	·	✕	·06	·	✕	·04	✕	·09	31
Total	4·44	2·98	4·21	3·38	0·11	1·11	2·07	2·89	1·35	0·91	1·98	4·78	YEAR'S TOTAL 30·21
Rain Days.	23	15	22	15	4	7	16	10	8	9	21	23	173

W, 6,500, VII. 18. W W C

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

9 FEB 1921

97

REGISTER OF RAINFALL IN 1920.

Kept at Woldingham Waterworks
in the County of Surrey
by

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Woldingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 479 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·25	·04		·32			·23		·29	1
2					·02		·02	·22	·09	·18		·11	2
3		·01	·02		·02					·07		·09	3
4		·10	·01	·19			·92	·09		·13		·06	4
5	·02		·14		·02		·54	·46	·04			·01	5
6			·15		·14		·26					·03	6
7	·06			·18	·05		·31						7
8				·09	·17		·42	·02					8
9	·31	·05		·03			·15						9
10	·63	·08	·08	·02		·15	·20			·03	·04		10
11	·36		·09	·28		·04	·25					·21	11
12	·07			·18		·75					·02		12
13	·26	·02	·21	·12							·16		13
14			·40	·31		·05			·12	·67	·36	·01	14
15	·01		·06	·24					1·49	·04	·20		15
16	·03	·02	·01	·09					·03				16
17	·01			·01	·15				1·60			·12	17
18	·05				·05			·93	·15			·13	18
19	·17			·38		·05		·02				·06	19
20	·02	·17		·40		·50			·18			·02	20
21				·02			·76	·01	·53			·14	21
22	·02			·38					·09			·36	22
23							·39					·46	23
24		·06	·07				·31					·05	24
25			·01	·03	·01				·05				25
26			·15	·02		·02	·01					·03	26
27	·35	·06		·18		·07	·11				·51	·20	27
28	·52	·01	·19	·03	·11						·05	·04	28
29	·53		·13	·05							·09	·38	29
30	·04				·03	·11	·12		·29		·29	·16	30
31	·04				·02					·46		·26	31
TOTAL	3·57	·58	1·72	3·48	·83	1·74	5·09	1·75	4·66	1·81	1·72	3·22	YEAR'S TOTAL 30·27
Days with ·01 in. or more	20	10	15	22	13	9	16	7	12	8	9	22	163
Days with ·04 in. or more	14	6	11	15	7	8	14	4	11	7	8	17	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

CHELSHAM

FAIRCHILDS

SURREY

1911

MONTHLY

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

RE

Kept at Fairchil .... in.

Ground 1 ft. – in.

in the County of Su .... Sea Level 600 ft.

by ....

Name A. S. Daniell

Distance 5½ miles Direction S.W.

IMPORTANT NOT ... the result entered to the previous day. If an Ob ... ersal rule, he is earnestly requested to add the rea ... ear in the space provided for it at the end of thi ... nent of rain, the selection and placin ... itish Rainfall Organization are given in ... application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	1·65	1·59	1·95	2·15	1·64	2·28	·40	·69	1·34	6·03	5·49	7·81	TOTAL for year
No. of Rain Days.													33·02 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGISTER OF RAINFALL

Kept at Fairchildes, Chelsham

in the County of Surrey 3

by

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 600 ft.

Time of Observation

Nearest Railway Station Upper Warlingham
Name A. S. Daniell
Distance 5½ miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	1·65	1·59	1·95	2·15	1·64	2·28	·40	·69	1·34	6·03	5·49	7·81	TOTAL for year
No. of Rain Days.													33·02 ✓

W. 8,000, X. '11.

REG

CHIDD~~ING~~FOLD
ROVEHURST
SURREY
1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

Kept at Chiddingf

in the County of Su

by J. C. Ha

.in.

Ground ft. in.

Sea Level ft.

IMPORTANT NOT he result entered to the previous day. If an Ob sal rule, he is earnestly requested to add the rea in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·07.					1
2													2
3													3
4				·35	·35.		·09.						4
5	·16.				·03		·10.						5
6				·54	·33.	·09.						·35	6
7			·11		·23.	·08							7
8				·15.		·15	·22.					·40	8
9				·26.		·10							9
10	·21.		1·60	·05		·08.		·07.			1·10.	2·00	10
11	·03.	2·5 (2·05)			·14				·50				11
12			·60				·70						12
13			·11									1·20	13
14		1·55							·19	·32		·35	14
15		·58.								·03			15
16													16
17		·72	·70.				·07.					·41	17
18						·18.		·0·8	·33			·47	18
19		·10.										·32	19
20							·40					·54	20
21		·35			·74	·04						·05	21
22		·56											22
23													23
24													24
25				·01.				·33		·37		·08	25
26			1·35							·27.		·80	26
27		·10										·38	27
28										·55		·77	28
29					·07.					·13	3·10		29
30												·74	30
31	·38											·02	31
Total	·78	6·01	4·47	1·36	1·89	0·72	1·58	·55	1·02	1·67	4·20	8·88	YEAR'S TOTAL 33·13 ✓
Rain Days.	4												

W.7,000, XI, 13

3-45

REG

H

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

Kept at Chiddingfold, ROUEHURST
in the County of Surrey
by G. C. Hatahan
[illegible] Mrs H F Hol[illegible]

Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·07					1
2													2
3													3
4				·35	·35		·09						4
5	·16				·03		·10						5
6				·54	·33	·09						·35	6
7			·11		·23	·08							7
8				·15		·15	·22					·40	8
9				·26		·10							9
10	·21		1·60	·05		·08		·07½			1·10	2·00	10
11	·03	2·5			·14				·50				11
12		(2·05)	·60				·70						12
13			·11									1·20	13
14		1·55							·19	·32		·35	14
15		·58								·03			15
16													16
17		·72	·70				·07					·41	17
18						·18		·0·8	·33			·47	18
19		·10										·32	19
20							·40					·54	20
21		·35			·74	·04						·05	21
22		5·6											22
23													23
24													24
25				·01				·33		·37		·08	25
26			1·35							·27		·80	26
27		·10										·38	27
28										·55		·77	28
29					·07					·13	3-10		29
30												·74	30
31	·38											·02	31
Total	·78	6·01	4·47	1·36	1·89	0·72	1·58	·55	1·02	1·67	4·20	8·88	YEAR'S TOTAL 33·13 ✓
Rain Days.	4												

W.7,000, XI, 13

3-45

23/2/20

89

FORM A. BRITISH RAINFALL.
18 JAN. 1916

CHIDDINGFOLD
FAIRFIELD
SURREY
1915

REGIS

Kept at Fairfield C 1.

in the County of Surre

in.

by Miss Halaha

round 1 ft. — in.

ea Level ft.

IMPORTANT NOTI e result entered to the previous day. If an Ob al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·13	·03	·28	·07	·14	·53	1
2		·46	·30	·08				·33	·10			·18	2
3				·16	·10			·07				·40	3
4			·11									·53	4
5	·12	·77		·03				·07				·58	5
6	·50	·16	·02	·57			·91	·10				·29	6
7	·31	·58					·31					·39	7
8	·03	1·07		·07			·08	·05				·02	8
9	·06	·30		·09				·05			·47	·78	9
10	·27	·05				·10						·24	10
11	·06		·07							·12	·76	·01	11
12	·05	·30			·46						·43		12
13	·05	·67		·35	1·46			·02	·03				13
14	·03	·01						·11	·06			·69	14
15	·03				·07		·15	·12			·07	·40	15
16	·04	·84			·10		·99	·11					16
17		·62			1·24			·68				·11	17
18		·21			·23						·07		18
19		·31			·05								19
20	·31				·04							·14	20
21	·13			·04	·07					·19		·05	21
22	1·28	·25					·91						22
23		·09	·21				·20		·44	·37		·60	23
24			·01				·20		·37	·29		·40	24
25				·08								·18	25
26		·07				·13	·38					·86	26
27		·04				·10			·08	·44		·06	27
28						·12			·93				28
29						·35	·07	·10			·54	·03	29
30	·10	X					·12			·66	·66	·03	30
31	·03	X		X		X		·35	X	1·21	X	·49	31
Total	3·40	6·80 ~~6·79~~	·72	1·47	3·82	·80	4·45	2·19	2·29	3·35 ~~2·35~~	3·14	7·99	YEAR'S TOTAL 40·42 ~~39·41~~
Rain Days.	17	18	6	9	10	5	12	14	8	8	8	24	139

W. 8,000. X. 14.

23/2/16

REGIS

FORM A.
BRITISH RAINFALL.

18 JAN 1916

Kept at Fairfield Chiddingfold
in the County of Surrey
by Miss Halahan

Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·13	·03	·28	·07	·14	·53	1
2		·46	·30	·08				·33	·10			·18	2
3				·16	·10			·07				·40	3
4			·11									·53	4
5	·12	·77		·03				·07				·58	5
6	·50	·16	·02	·57			·91	·10				·29	6
7	·31	·58					·31					·39	7
8	·03	1·07		·07			·08	·05				·02	8
9	·06	·30		·09				·05			·47	·78	9
10	·27	·05				·10						·24	10
11	·06		·07							·12	·76	·01	11
12	·05	·30			·46						·43		12
13	·05	·67		·35	1·46			·02	·03				13
14	·03	·01						·11	·06			·69	14
15	·03				·07		·15	·12			·07	·40	15
16	·04	·84			·10		·99	·11					16
17		·62			1·24			·68				·11	17
18		·21			·23						·07		18
19		·31			·05								19
20	·31				·04							·14	20
21	·13			·04	·07					·19		·05	21
22	1·28	·25					·91						22
23		·09	·21				·20		·44	·37		·60	23
24			·01				·20		·37	·29		·40	24
25				·08								·18	25
26		·07				·13	·38					·86	26
27		·04				·10			·08	·44		·06	27
28						·12			·93				28
29						·35	·07	·10			·54	·03	29
30	·10	×					·12			·66	·66	·03	30
31	·03	×		×		×		·35	×	1·21	×	·49	31
Total	3·40	~~6·99~~ 6·80	·72	1·47	3·82	·80	4·45	2·19	2·29	~~2·35~~ 3·35	3·14	7·99	YEAR'S TOTAL ~~39·41~~ 40·42
Rain Days.	17	18	6	9	10	5	12	14	8	8	8	24	139

W. 8,000. X. 14.

Sa

R

CHIPSTEAD

NEPICAR

SURREY

1911

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Chipstea

in.

nd 1 ft. 0 in.

in the County of Su

Level 550 ft.

by F. C. Bayar

ce Direction

IMPORTANT NOT result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·72			·01	·06			·02		1
2	·18			·23	·28						·17	·15	2
3		·08			·16			·02			·08	·13	3
4	·05	·02	·05	·11						·11	·28	·39	4
5	·02									·36	·05	·01	5
6	·30		·21								·02	·35	6
7	·05									·11	·46	·29	7
8	·10		·15								·31	·42	8
9	·20		·06	·04							·03	·20	9
10		·10									·03	·64	10
11	·44		·02		·05						·79		11
12	·01		·49						·04		·09		12
13			·06		·20				·14	·03	·04	·23	13
14		·07	·02		·39							·67	14
15		·05	·27							·03	·06	·02	15
16			·02			·70					·65	·05	16
17			·05			·05					·79	·21	17
18		·10	·01			·01					·43	·35	18
19					·02	·30			·20	·25	·08	·19	19
20	·02	·01	·01			·01				·15	·01	·78	20
21		·10				·01		·52	·11	·65		·20	21
22			·26			·06				·12		·53	22
23		·22	·09			·86			·27	·02	·03	·17	23
24		·13				·02	·03			1·53		·21	24
25		·01				·13	·05		·02	·09		·01	25
26			·08	·05	·44	·25	·06			·22	·01	·27	26
27		·33	·13	·15	·08				·13	·11	·13	·12	27
28		·15		·11				·13			·02		28
29				·26		·15	·10		·14	·23			29
30				·02		·01		·15		·24			30
31					3·00					·01			31
Total	1·42	1·37	1·99	1·69	4·62	2·56	·25	·88	1·05	4·26	4·58	6·59	TOTAL for year 31·26
No. of Rain Days	11	13	18	9	9	13	5	5	8	17	23	24	155

9,000, IX. '10.

Sa

R

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Chipstead, Nepicar

in the County of Surrey 4

by F. C. Bayard, J. Ashfield

RAIN GAUGE Diameter of top [illegible] in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 550 ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·72			·01	·06			·02		1
2	·18			·23	·28						·17	·15	2
3		·08			·16			·02			·08	·13	3
4	·05	·02	·05	·11						·11	·28	·39	4
5	·02									·36	·05	·01	5
6	·30		·21								·02	·35	6
7	·05									·11	·46	·29	7
8	·10		·15								·31	·42	8
9	·20		·06	·04							·03	·20	9
10		·10									·03	·64	10
11	·44		·02		·05						·79		11
12	·01		·49						·04		·09		12
13			·06		·20				·14	·03	·04	·23	13
14		·07	·02		·39							·67	14
15		·05	·27							·03	·06	·02	15
16			·02			·70					·65	·05	16
17			·05			·05					·79	·21	17
18		·10	·01			·01					·43	·35	18
19					·02	·30			·20	·25	·08	·19	19
20	·02	·01	·01			·01				·15	·01	·78	20
21		·10				·01		·52	·11	·65		·20	21
22			·26			·06				·12		·53	22
23		·22	·09			·86			·27	·02	·03	·17	23
24		·13				·02	·03			1·53		·21	24
25		·01				·13	·05		·02	·09		·01	25
26			·08	·05	·44	·25	·06			·22	·01	·27	26
27		·33	·13	·15	·08				·13	·11	·13	·12	27
28		·15		·11				·13			·02		28
29				·26		·15	·10		·14	·23			29
30				·02		·01		·15		·24			30
31					3·00					·01			31
Total	1·42	1·37	1·99	1·69	4·62	2·56	·25	·88	1·05	4·26	4·58	6·59	TOTAL for year 31·26
No. of Rain Days	11	13	18	9	9	13	5	5	8	17	23	24	155

9,000, IX. '10.

X made

RE

CHIP~~STEAD~~
EYHURST
SURREY

1911 - 1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Eyhurst.

in the County of Surr

by David Morp

& Jambra

5 in.

Ground – ft. 11 in.

Sea Level 537 ft.

7.45. a.m.

Name Kingswood.

Distance 1¼ Direction N.W.

IMPORTANT NOTE he result entered to the previous day. If an Obse rsal rule, he is earnestly requested to add the readi following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	—	—	·74	·01	—	·06	·05	—	—	·03	—	1
2	·12	—	·02	·22	·28	—	·05	—	—	—	·15	·17	2
3	—	·03	—	—	·17	—	—	·01	—	—	·11	·10	3
4	·05	·02	·07	·03	—	—	—	—	·01	·05	·28	·26	4
5	·02	·02	—	·09	—	—	—	—	—	·38	·07	·22	5
6	·37	—	·21	—	—	—	—	—	—	—	—	·30	6
7	·06	—	·01	·06	—	—	—	—	—	·13	·46	·41	7
8	·07	—	·17	—	—	—	—	—	—	·01	·32	·45	8
9	·32	—	·09	·03	—	—	—	—	—	—	·03	·15	9
10	—	·12	·16	·02	—	—	—	—	—	—	·02	·65	10
11	·48	—	·02	—	·07	—	—	—	—	—	·93	—	11
12	·02	·01	·37	—	—	—	—	—	·03	—	·09	—	12
13	—	—	·12	—	·17	—	—	—	·18	·05	·08	·22	13
14	—	·08	·01	—	·42	—	—	—	—	—	·01	·60	14
15	—	·07	·21	—	—	—	—	—	—	·03	·10	·03	15
16	—	—	—	—	—	·70	—	—	—	—	·67	·13	16
17	—	—	·07	—	—	·05	—	—	—	—	·50	·25	17
18	—	·18	·02	—	—	—	—	—	—	—	·72	·41	18
19	—	·03	—	—	·03	·32	—	—	·22	·06	·24	·15	19
20	·02	—	·01	—	—	—	—	·15	—	·40	·02	·91	20
21	·02	·12	·01	—	—	—	—	—	·02	·61	—	·30	21
22	·05	—	·22	—	—	·08	—	—	—	·15	—	·53	22
23	·01	·20	·05	—	—	·87	—	—	·25	·01	·04	·16	23
24	·01	·14	—	—	—	·07	·03	—	—	1·70	—	·25	24
25	—	·01	—	·04	—	·19	·02	—	·03	·05	—	—	25
26	—	—	·10	·22	·74	·19	·09	—	—	·20	—	·27	26
27	—	·33	·15	·13	·10	—	—	—	·11	·08	·12	·13	27
28	·01	·17	—	·24	—	—	—	·11	—	—	·03	·01	28
29	—		—	·31	—	15	·11	—	·17	·26	—	—	29
30	—		—	·10	—	·02	—	·11	—	·29	—	—	30
31	—		·01		1·47		—	—		·04		—	31
Total	1·67	1·53	2·10	2·23	3·46	2·64	·36	·43	1·02	4·50	5·02	7·06	TOTAL for year 32·02 ✓
No. of Rain Days.	16	15	21	13	10	10	6	5	9	18	22	24	169

W. 8,000, X. '11.

make

RE 1

& Zambra

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Eyhurst. Chipstead.

in the County of Surrey. 4

by David Morphew.

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground — ft. 11 in.
" " " Sea Level 537 ft.

Time of Observation 7.30 - 7.45 a.m.

Nearest Railway Station Name Kingswood.
Distance 1¼ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	—	·74	·01	—	·06	·05	—	—	·03	—	1
2	·12	—	·02	·22	·28	—	·05	—	—	—	·15	·17	2
3	—	·03	—	—	·17	—	—	·01	—	—	·11	·10	3
4	·05	·02	·07	·03	—	—	—	—	·01	·05	·28	·26	4
5	·02	·02	—	·09	—	—	—	—	—	·38	·07	·22	5
6	·37	—	·21	—	—	—	—	—	—	—	—	·30	6
7	·06	—	·01	·06	—	—	—	—	—	·13	·46	·41	7
8	·07	—	·17	—	—	—	—	—	—	·01	·32	·45	8
9	·32	—	·09	·03	—	—	—	—	—	—	·03	·15	9
10	—	·12	·16	·02	—	—	—	—	—	—	·02	·65	10
11	·48	—	·02	—	·07	—	—	—	—	—	·93	—	11
12	·02	·01	·37	—	—	—	—	—	·03	—	·09	—	12
13	—	—	·12	—	·17	—	—	—	·18	·05	·08	·22	13
14	—	·08	·01	—	·42	—	—	—	—	—	·01	·60	14
15	—	·07	·21	—	—	—	—	—	—	·03	·10	·03	15
16	—	—	—	—	—	·70	—	—	—	—	·67	·13	16
17	—	—	·07	—	—	·05	—	—	—	—	·50	·25	17
18	—	·18	·02	—	—	—	—	—	—	—	·72	·41	18
19	—	·03	—	—	·03	·32	—	—	·22	·06	·24	·15	19
20	·02	—	·01	—	—	—	—	·15	—	·40	·02	·91	20
21	·02	·12	·01	—	—	—	—	—	·02	·61	—	·30	21
22	·05	—	·22	—	—	·08	—	—	—	·15	—	·53	22
23	·01	·20	·05	—	—	·87	—	—	·25	·01	·04	·16	23
24	·01	·14	—	—	—	·07	·03	—	—	1·70	—	·25	24
25	—	·01	—	·04	—	·19	·02	—	·03	·05	—	—	25
26	—	—	·10	·22	·74	·19	·09	—	—	·20	—	·27	26
27	—	·33	·15	·13	·10	—	—	—	·11	·08	·12	·13	27
28	·01	·17	—	·24	—	—	—	·11	—	—	·03	·01	28
29	—		—	·31	—	15	·11	—	·17	·26	—	—	29
30	—		—	·10	—	·02	—	·11	—	·29	—	—	30
31	—		·01		1·47		—	—		·04		—	31
Total	1·67	1·53	2·10	2·23	3·46	2·64	·36	·43	1·02	4·50	5·02	7·06	TOTAL for year 32·02 ✓
No. of Rain Days.	16	15	21	13	10	10	6	5	9	18	22	24	169

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Eyhurst. Chipstead
in the County of Surrey. 4
by David Morphew.

Rain Gauge:
Pattern Negretti & Zambra.
Diameter of top 5 in.
Height of top above Ground — ft. 11 in.
" " " Sea Level 587. ft.

Time of Observation 7.40 a.m.

Nearest Railway Station:
Name Kingswood
Distance 1 mile Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·21	—	—	·10	·31	—	·02	·61	—	·21	1
2	—	·03	·39	—	—	·06	·28	·14	·10	·08	—	—	2
3	·02	·06	·05	—	—	·17	·05	·40	·02	—	—	·10	3
4	·24	—	·62	—	·12	·29	—	·06	—	—	·10	·01	4
5	·17	·02	·16	—	—	—	—	·65	—	—	·23	·03	5
6	·50	·10	·02	—	·04	·01	—	·10	—	—	·01	·20	6
7	·01	·01	—	—	·14	·47	—	·12	—	—	—	·09	7
8	·33	·46	·25	—	—	·03	·01	·25	·02	—	·01	·03	8
9	·01	·11	·02	·03	—	·25	·02	—	—	—	—	·12	9
10	—	·08	—	—	—	—	—	·35	—	—	·06	·27	10
11	·04	·25	·01	—	—	·03	—	·03	·02	—	—	·31	11
12	·01	·19	·05	—	·20	·16	—	·10	—	·02	—	·04	12
13	·02	·02	·04	—	—	—	—	—	—	—	·14	·02	13
14	—	—	·02	—	·04	—	—	·22	·01	·06	·02	·04	14
15	—	—	·20	—	·23	·72	—	—	—	·01	·05	·30	15
16	·21	·01	·11	—	·10	·14	—	·15	—	·06	·07	—	16
17	·24	—	·44	—	—	·04	—	·09	—	—	·03	·10	17
18	·36	—	·15	—	—	·15	—	·32	—	·06	·01	·17	18
19	·07	·11	·21	·01	—	·01	·10	·39	—	—	·02	·03	19
20	·03	·07	·58	—	—	·01	—	·05	—	·41	·03	—	20
21	·01	·03	·45	—	—	—	—	·11	—	·15	·06	—	21
22	·22	·25	·07	—	·07	—	·03	·18	—	·06	—	·05	22
23	·32	·28	·36	—	—	—	—	·45	—	·12	·27	·15	23
24	·43	·03	—	—	—	·23	—	·34	—	—	—	·17	24
25	·18	·03	—	—	—	·41	—	·72	—	·03	·21	·49	25
26	·01	·04	—	—	—	·01	—	·58	—	·36	·57	·25	26
27	—	·01	·02	—	—	·04	·04	—	—	·18	—	·16	27
28	—	·05	—	·02	—	·03	·30	·09	·13	·65	·58	·17	28
29	—	·02	—	—	—	·06	·30	·23	1·50	·09	·09	—	29
30	—		—	—	·48	—	·04	·06	2·18	·16	—	—	30
31	—		·07		—		·19	·11		·03		—	31
Total	3·44	2·26	4·50	·06	1·42	3·42	1·67	6·29	4·00	3·14	2·56	3·51	TOTAL for year 36·27
No. of Rain Days.	22	23	23	3	9	22	12	26	9	18	19	24	210

W. 8,000, X. '11.

J malle ✓

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

Kept at Eyhurst. Chipstead Et BR
in the County of Surrey. 4
by David Morphew

Lat. Long.
Time of Observation 7.30 a.m.
Nearest Railway Station Kingswood. (S.E.&C.Rly)
Diameter of Rain Gauge 5 — in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 538. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·34	·05	·24	—	—	—	—	·35	·01	·10	·10	1
2	·03	·12	—	—	—	—	·15	—	·05	·02	·14	·01	2
3	·01	·01	·03	·23	·47	—	—	—	—	·02	—	·16	3
4	·51	—	·03	·03	·28	—	·01	—	—	·28	·03	·04	4
5	·43	—	·02	—	·01	·08	·13	—	·36	·01	·05	·04	5
6	·19	·12	·11	—	·03	·12	·18	—	·01	·08	·12	·15	6
7	·01	·22	—	—	·04	·02	·01	—	—	·53	·07	·01	7
8	—	·02	—	—	·16	·12	—	·36	—	·23	·05	·01	8
9	—	·13	—	·02	·08	—	·01	—	·08	—	·04	·03	9
10	·02	—	·02	·13	—	—	·19	·05	—	—	·27	—	10
11	·44	—	—	·46	·19	—	—	—	—	·63	·45	—	11
12	—	·01	—	—	·08	—	—	—	—	·01	·45	—	12
13	·07	—	·03	—	—	—	—	·01	·13	—	·18	—	13
14	·19	·01	·13	·08	—	—	1·35	·08	·04	·13	·17	·01	14
15	·41	·10	·26	·17	—	—	·43	—	·08	—	—	—	15
16	·22	·01	·36	·37	—	—	·01	—	·33	—	—	—	16
17	·03	·04	·02	·04	—	—	·22	—	·01	—	—	—	17
18	·01	—	·06	·12	·03	—	·04	—	—	—	·06	—	18
19	·21	—	·20	·01	·02	—	·13	—	·25	—	—	—	19
20	·34	—	·45	·12	—	·01	—	—	—	·50	·01	—	20
21	·06	—	·10	·05	—	—	—	—	—	·33	·99	—	21
22	·30	—	·19	—	·01	—	·03	—	·13	—	·01	·01	22
23	·01	—	·14	—	—	·01	·02	·35	·02	—	—	·47	23
24	·07	—	·01	·04	—	·04	—	—	—	—	·03	—	24
25	—	·02	—	·24	—	—	—	—	—	—	·01	·02	25
26	—	·01	·14	·06	—	—	·01	·15	—	—	—	·24	26
27	—	·01	·02	·24	·55	—	—	—	—	·01	—	—	27
28	·21	—	·35	·08	—	—	—	—	—	·12	—	—	28
29	·04		·04	·42	·44	—	—	·14	—	·08	—	—	29
30	·33		—	·05	—	—	—	·20	—	·23	—	—	30
31	—		·07		—		—	·77		·06		—	31
Total	4·16	1·17	2·83	3·20	2·39	-·40	2·92	2·11	1·84	3·28	3·23	1·30	YEAR'S TOTAL 28·83
Rain Days.	24 ✓	15 ✓	23 ✓	21 ✓	14 ✓	7 ✓	16 ✓	9 ✓	13 ✓	18 ✓	19 ✓	14 ✓	193.

W. 7,500, XI. ·12

Slits made 3/3/15

Ex LMC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Chipstead. EYHURST

in the County of Surrey. 4

by David Morphew.

Lat. Long.

Time of Observation 7·30 a.m.

Nearest Railway Station Kingswood (S.E.C

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 7 — ft. 11 in.

" " " " Sea Level 587 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·21	—	—	·01	—	1
2	—	—	—	—	—	·04	·23	·04	—	—	·08	·25	2
3	·01	·01	·10	—	·22	—	·08	·03	—	—	·22	—	3
4	—	·01	·04	·20	·01	—	·02	·03	—	—	·19	·25	4
5	·15	—	·08	·32	·27	·07	·17	·45	—	—	·08	—	5
6	—	·15	—	·14	·01	·25	—	·01	—	—	·01	·26	6
7	—	·56	·32	·20	·13	·18	·02	—	—	—	—	·18	7
8	·13	·65	·35	—	·03	·05	·14	·12	—	—	·01	·07	8
9	·32	—	·66	·13	—	·05	—	—	·19	—	—	1·82	9
10	·02	·05	·01	·06	·06	—	—	—	·03	—	·02	·17	10
11	—	·65	·41	·01	·06	·02	—	—	·26	—	·05	·29	11
12	·02	·09	·09	—	—	—	·37	—	·21	—	·01	·65	12
13	—	·37	·21	—	—	·02	—	—	·11	·03	·08	·77	13
14	—	·22	·19	—	—	—	—	—	·01	·34	·09	·80	14
15	·03	·03	·16	—	—	—	·56	·03	—	·04	1·11	·08	15
16	·01	—	·03	—	—	—	—	—	—	—	—	—	16
17	—	·30	·17	—	—	—	—	—	·08	—	—	·19	17
18	—	·24	·14	—	—	—	—	—	—	—	·01	·47	18
19	—	·10	·31	—	—	—	·27	·02	—	—	·24	·24	19
20	—	·26	·41	—	—	·06	·02	—	·10	—	—	·09	20
21	—	·66	·10	—	—	—	—	·01	—	·01	—	·02	21
22	—	·06	·01	—	·13	·04	·14	·02	—	·20	—	·03	22
23	—	—	·15	·01	·06	·04	·02	—	—	·01	—	·01	23
24	·01	—	·12	—	—	—	—	—	—	—	·11	·02	24
25	·01	—	·27	—	—	—	·01	·09	—	·37	—	·07	25
26	—	—	·10	—	—	—	·19	·12	—	·05	·24	·67	26
27	·02	—	—	—	—	—	—	·02	—	—	·06	·32	27
28	·01	·03	—	—	—	—	—	—	—	·14	·42	·74	28
29	·10	×	·05	—	—	—	—	—	—	·45	·22	—	29
30	·02	×	·07	—	—	—	—	—	—	·08	·70	·33	30
31	·02	×	—	×	·19	×	·01	—	×	—	×	·14	31
Total	·88 ✓	4·44 ✓	4·55 ✓	1·07 ✓	1·17 ✓	·82 ✓	2·25 ✓	1·20 ✓	·99 ✓	1·72 ✓	3·96 ✓	8·93 ✓	YEAR'S TOTAL 31·98 ✓
Rain Days.	15	18	25	8	11	11	15	14	8	11	21	26.	183 ✓

W. 8,000. X. 14.

113

FORM A.
BRITISH RAINFALL.

4. JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at 'Eyhurst' Chipstead

in the County of Surrey 4

by David Morphew

Lat. Long.

Time of Observation 7.30 a.m.

Nearest Railway Station Kingswood (S.E. Rly)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 538 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·59	·14	—	—	·02	—	·01	—	·18	—	·28	·41	1
2	·28	·24	·23	·10	—	—	—	·80	·01	·05	—	·03	2
3	·38	—	·10	·14	·03	—	—	·35	·08	—	·01	·53	3
4	·19	—	·01	—	—	·01	—	—	—	—	—	·29	4
5	·03	·48	—	—	—	—	—	·03	—	·04	·01	·38	5
6	·43	·06	·04	·44	—	—	·55	·10	—	—	—	·08	6
7	·69	·40	·04	—	—	—	·52	·02	—	—	—	·27	7
8	·04	·63	—	·04	—	—	·05	·03	—	—	—	—	8
9	·06	·24	—	·23	—	·11	—	·15	—	·01	·36	·53	9
10	·28	·02	—	—	—	—	—	—	—	—	—	·29	10
11	·02	—	·02	—	—	—	—	—	—	—	·56	·04	11
12	·05	·02	—	·42	·31	—	—	·22	—	—	·66	·02	12
13	·01	·68	—	—	1·22	—	—	—	·01	—	—	—	13
14	—	·06	—	—	—	—	·05	·04	·02	—	—	·35	14
15	·18	—	—	—	·03	—	·10	·30	—	—	·22	·21	15
16	—	·38	—	·01	—	—	·78	·02	—	—	—	·12	16
17	—	·68	—	—	·88	—	·03	—	—	—	—	—	17
18	—	·17	·07	—	·25	—	—	—	—	—	·06	—	18
19	—	·22	—	—	·01	—	·04	—	—	·02	·02	—	19
20	·28	—	·01	·01	—	—	—	—	—	—	—	·23	20
21	·15	—	—	—	—	—	—	—	—	·02	—	·08	21
22	·80	·07	·09	·02	—	—	·70	—	—	—	—	·14	22
23	·03	·10	·06	—	—	·02	·34	—	·19	·38	—	·32	23
24	—	—	·04	—	—	·01	—	—	·42	·23	—	·31	24
25	—	—	·02	·08	—	—	·11	—	—	—	—	·32	25
26	—	·04	—	—	—	·07	—	—	—	—	—	·52	26
27	—	·08	—	—	—	·24	·15	—	—	·26	—	·11	27
28	—	·09	—	—	—	·15	—	—	1·77	·22	—	—	28
29	—	✗	—	—	—	·13	·60	·11	·04	—	·20	—	29
30	·02	✗	—	—	—	·37	—	—	—	·07	·54	·02	30
31	·05	✗	—	✗	—	✗	—	·13	✗	1·02	✗	·24	31
Total	4·56	4·80	·73	1·49	2·75	1·11	4·03	2·30	2·72	2·32	2·92	5·84	YEAR'S TOTAL 35·57
Rain Days.	20	20	12	10	8	9	14	13	9	11	11	24	161

W. 8,000. X. 15.

5 made ✓ E d P S E 105

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

4 JAN

Kept at 'Eyhurst' ~~Ho~~ Chipstead.
in the County of Surrey.
by David Morphew.

Lat. Long.
Time of Observation abt 7.30 a.m.
Nearest Railway Station Kingswood (S. E. & C. Rly)
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 538. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·01	·04	—	·37	—	—	—	·28	·01	·32	·01	1
2	·30	·13	·08	—	·27	—	·01	—	·10	·39	·19	—	2
3	—	·58	·37	—	—	—	·01	—	·27	·33	·66	—	3
4	·20	·26	—	·02	—	·32	—	—	·21	·13	·49	—	4
5	—	·01	·01	—	·17	·06	—	—	·01	·06	·66	—	5
6	—	·14	·15	·20	·10	·12	·04	—	—	·25	·68	—	6
7	·06	·02	·55	—	·24	·06	·65	—	—	·04	·88	·07	7
8	—	—	—	—	·31	—	—	—	—	—	·03	·34	8
9	—	—	·01	—	·39	—	—	—	—	·03	—	·15	9
10	—	·18	·12	·08	—	·27	·15	—	—	·01	—	·13	10
11	·04	·20	·01	·08	·01	·17	—	—	—	—	—	·13	11
12	·02	·07	·01	·14	·51	·24	·03	·03	—	·03	—	·01	12
13	·01	·27	·41	·09	·11	·14	·03	—	—	·15	—	—	13
14	—	·51	·02	—	·11	—	—	—	—	·03	—	·05	14
15	—	·04	·24	—	—	—	—	·23	—	·01	—	—	15
16	—	·04	·27	·14	—	—	·22	·06	—	—	—	—	16
17	·17	·05	—	·07	—	—	·01	·44	·35	·70	—	·02	17
18	·02	·15	·02	·08	—	—	—	·39	·11	·63	·73	·06	18
19	·11	·01	·19	·31	—	·05	—	—	·29	—	·69	·01	19
20	·10	—	·14	·01	—	—	—	—	—	—	·03	·32	20
21	·01	—	·41	—	—	—	·39	—	—	—	·07	·61	21
22	·01	—	·10	—	—	—	—	—	—	·01	—	·46	22
23	·01	·44	·05	—	—	·01	—	·01	—	·07	·07	·18	23
24	—	—	—	—	·04	·03	—	—	—	·15	·03	·56	24
25	—	·68	·16	—	·05	—	—	·42	—	·19	·13	—	25
26	—	·17	·01	—	—	·20	—	·23	·01	·18	—	—	26
27	·05	—	·69	—	—	·40	—	·26	·16	·62	—	·01	27
28	—	·46	·25	—	—	·04	—	—	·03	·02	·01	·12	28
29	—	·11	·02	—	—	·23	—	·61	·10	·30	—	·22	29
30	—	×	—	—	—	—	—	·17	—	·43	—	·01	30
31	—	×	—	×	—	×	—	—	×	·09	×	·06	31
Total	1·26	4·53	4·33	1·22	2·68	2·34	1·54	2·85	1·92	4·86	5·67	3·33	YEAR'S TOTAL 36·53
Rain Days.	15	22	25.	11.	13.	15.	10	11	12	25.	16	21	196

W. 8,000, VIII. 16

102

FORM A.
BRITISH RAINFALL.

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Eyhurst Chipstead.

in the County of Surrey.

by David Morphew.

Lat. Long.

Time of Observation 7·15 a.m.

Nearest Railway Station Kingswood.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 538. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	·02	·33	—	—	—	1·31	·03	—	·09	·01	1
2	—	—	—	·42	—	—	—	·20	·11	—	·23	—	2
3	—	—	—	·11	—	—	·27	·45	—	·13	·03	—	3
4	—	·27	·10	~~·49~~	—	—	·18	·55	—	·43	—	—	4
5	·28	—	·10	·49	—	—	—	—	—	·23	·05	—	5
6	—	—	·18	—	—	·10	—	—	·44	·06	·15	—	6
7	·33	—	—	·05	—	—	·14	—	·17	·43	—	·04	7
8	·13	—	—	·12	—	—	·67	·12	·08	·30	·27	·16	8
9	·01	—	·06	·05	—	—	·30	·30	·03	—	·04	·67	9
10	·25	—	·21	·31	—	·15	—	·08	·01	—	·04	·15	10
11	·12	·04	·34	·01	—	—	—	·01	—	·22	—	—	11
12	·09	—	·07	·07	—	—	—	·05	·26	·43	·01	·01	12
13	·10	—	·13	·13	—	—	—	·05	—	·20	—	—	13
14	·01	—	·02	—	—	—	—	·03	·01	—	·01	—	14
15	·04	—	—	—	—	—	·09	·35	—	·03	—	·03	15
16	·03	·15	—	·30	·04	—	·05	—	—	·62	·01	·74	16
17	—	·01	—	·10	·65	—	·12	—	—	·20	—	—	17
18	·07	·02	—	·13	·04	—	·33	·03	·46	·10	—	—	18
19	·02	·07	·03	·02	—	·05	·01	·20	·25	—	—	—	19
20	·02	·24	·03	—	·04	—	·23	—	·14	—	·04	—	20
21	—	·01	·03	·01	·06	·04	—	·02	—	—	·09	—	21
22	—	—	·01	—	—	—	—	—	—	·12	—	—	22
23	—	·19	—	—	·12	·04	—	·11	—	·09	—	·04	23
24	—	·06	—	—	—	·12	·01	·17	—	·13	—	·05	24
25	—	·07	·05	—	—	·03	·03	·01	·01	—	·03	—	25
26	—	—	·04	—	—	·02	—	—	—	·07	·66	—	26
27	—	—	—	—	—	·01	—	·30	·03	—	—	—	27
28	—	·01	·02	—	—	1·07	—	1·20	—	—	—	·07	28
29	—	—	·03	—	·03	·24	·42	·29	—	·34	—	·13	29
30	·02	X	·28	—	—	—	1·85	·07	—	·10	—	·01	30
31	·10	X	·04	X	—	X	·48	·08.	X	·01	X	·05.	31
Total	1·62	1·15	1·79	2·65	1·58	1·87	5·18	5·98	2·03	4·24	1·75	2·16	YEAR'S TOTAL 32·00
Rain Days.	16	13	20	16	7	11	16	23	14	20	15	14	185.

W. 8,000, IX. 17.

~~Smart~~ 24

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8. 1. 19

Kept at Eyhurst, Chipstead.
in the County of Surrey
by David Morphew.

Lat. Long.
Time of Observation 7.15 a.m.
Nearest Railway Station Kingswood S.E.C.
Diameter of Funnel of Rain Gauge 5· in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 538· ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	—	·01	—	—	—	—	—	—	·27	·09	1
2	—	·03	—	·02	—	—	—	·16	—	—	·10	·17	2
3	—	—	·12	·04	·32	—	—	—	—	·01	·60	·02	3
4	—	·31	·14	·02	—	—	—	·01	·22	—	·84	·03	4
5	—	·08	—	—	·10	—	—	·13	·77	·08	—	·01	5
6	·21	·13	—	·18	·08	—	—	·05	·01	—	—	·09	6
7	·02	·06	—	·28	·40	·02	—	·01	·08	·09	·02	—	7
8	—	·23	—	—	—	—	—	·01	·12	—	·24	·11	8
9	·01	·01	—	·05	—	·13	·02	—	·61	·24	·01	·30	9
10	—	—	—	·08	—	—	·42	—	·13	·06	·01	·70	10
11	·01	—	—	·02	—	—	·37	—	—	·23	·12	·06	11
12	—	·05	—	—	·08	—	·53	—	·10	—	—	·07	12
13	·07	—	—	·02	·24	—	·03	—	·07	— ~~·16~~	—	—	13
14	·16	—	·02	—	·01	·20	·09	—	·19	·16	—	·12	14
15	1·27	—	—	·83	—	·15	1·07	—	—	—	—	·18	15
16	·38	—	·01	·23	—	·18	—	—	·10	—	—	·01	16
17	·27	—	·01	·10	·02	—	·85	·06	—	— ~~·10~~	—	·21	17
18	·54	—	—	—	—	·24	·07	—	·68	·10	—	·05	18
19	·10	—	·09	·16	·44	·03	·10	—	·04	·10 ~~·37~~	—	·02	19
20	·05	·14	—	·40	—	·03	·16	—	·32	·37 ~~·26~~	—	—	20
21	·18	—	—	·96	—	—	·02	—	·26	·06	·01	·01	21
22	·08	—	—	—	·26	—	·08	—	·21	— ~~·07~~	—	·14	22
23	·07	—	—	—	·23	—	·81	·08	·08	·01.	·01	·08	23
24	—	·34	—	·01	—	·07	·08	—	·19	— ~~·01~~	·06	—	24
25	—	—	—	·30	—	—	·07	·22	—	·03	·01	—	25
26	—	—	—	—	—	—	·49	—	—	·03	·17	·15	26
27	·01	·06	·01	·18	—	—	·04	·19	·10	—	·09	·03	27
28	·01	·04	·22	·05	—	—	—	·05	—	—	·24	·08	28
29	—	X	·01	·01	—	—	—	—	1·10	—	·03	—	29
30	—	X	·46	—	—	—	—	—	·12	·05	—	·13	30
31	—	X	·18	X	—	X	—	—	X	·09	X	·05	31
Total	3·44	1·49	1·27	3·95	2·18	1·05	5·30	·97	5·50	1·71	2·85	2·91	YEAR'S TOTAL 32·60
Rain Days.	17	13	11	21	11	9	18	11	21	16	17	25	190

W. 8,000, IX. 17.

Ec H

·95

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Eyhurst ~~King~~ Chipstead
in the County of Surrey
by David Morphew

Lat. Long.
Time of Observation 7.15 a.m.
Nearest Railway Station Kingswood S.E.&C.Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 539 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·41	·08	·02	·02	·08	—	·10	—	—	—	·09	·87	1
2	·32	—	·02	—	·01	—	·05	—	·04	·10	·11	·53	2
3	·31	—	·46	—	·01	—	·02	·02	·03	—	·07	·38	3
4	·13	·05	·30	—	—	·06	·24	—	·02	—	·02	·10	4
5	—	·33	1·06	—	—	—	—	—	·02	—	·03	·33	5
6	·05	—	·04	—	—	—	—	—	—	—	·02	·09	6
7	·10	—	·37	—	—	—	—	—	—	—	·07	—	7
8	·26	—	·06	·03	—	—	—	—	—	—	·01	—	8
9	·38	—	·06	·01	·01	—	—	—	—	—	·08	—	9
10	·37	—	·09	·03	—	—	—	—	—	·02	·02	·04	10
11	·14	—	·16	·24	·04	—	·06	—	—	—	—	·09	11
12	·10	—	·03	·09	—	—	·30	—	—	·05	·08	·01	12
13	—	·01	—	·33	—	—	—	—	·02	·02	—	·07	13
14	·57	—	—	·61	—	—	·10	—	77	—	—	·10	14
15	·18	·01	·31	·19	—	—	—	—	—	—	—	·57	15
16	·06	·50	—	—	—	—	·01	—	—	—	·11	·06	16
17	—	·29	·02	·01	—	—	—	—	—	—	·18	—	17
18	—	·20	·06	—	—	—	—	·01	·03	—	·03	·02	18
19	·01	·19	·66	—	—	·01	·28	·14	·03	·01	·13	—	19
20	·30	·15	·13	—	—	·80	·25	·21	—	—	—	·02	20
21	·13	·20	·01	—	—	·05	·06	—	·01	·01	·01	·02	21
22	—	·08	·01	—	—	—	·25	—	·36	—	·03	·24	22
23	—	—	—	—		·03	—	—	·24	—	—	·12	23
24	—	—	—	·25	—	·02	·18	·05	—	·11	·11	·01	24
25	·02	·01	—	—	—	—	—	·18	—	—	·02	·04	25
26	·05	·16	·02	·07	—	—	·02	·04	·13	—	·01	·40	26
27	·32	·07	·12	1·15	—	—	—	·13	—	—	·11	·05	27
28	—	—	·30	·05	—	—	·05	1.13	—	—	·26	·42	28
29	·06		—	·05	—	—	—	·43	—	·33	·15	·11	29
30	—		—	·23	—	·05	—	·42	—	·11	·17	·68	30
31	·05		·06		—		·07	—		—		·09	31
TOTAL	4·32	2·33	4·37	3·34	·15	1·02	2·04	2·76	1·70	·76	1·92	5·46	YEAR'S TOTAL 30·17
Days with ·01 in. or more	22	15	23	16	5	7	16	11	12	9	24	26	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Chipstead
in the County of Surrey
by David Morphew.

Lat. Long.
Time of Observation 7.20 a.m.
Nearest Railway Station Kingswood S. E. C Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 539. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	—	·33	·05	—	·62	—	—	·22	—	·27	1
2	—	—	·10	·01	·01	—	·04	·25	·16	·10	—	·09	2
3	—	—	—	·04	·01	·03	—	—	—	·09	—	·15	3
4	—	·10	·03	·13	—	—	1·23	·10	—	·22	—	·04	4
5	—	—	·12	·03	·01	—	·59	·17	—	—	—	·02	5
6	—	—	·40	·01	·08	—	·40	·01	—	·01	—	·03	6
7	·05	·01	—	·19	·08	—	·39	—	—	·03	—	—	7
8	—	—	—	·08	·15	—	·13	—	—	—	—	—	8
9	·18	·03	—	·03	·05	—	·08	·03	—	—	—	—	9
10	·54	·08	·11	·04	—	·11	·21	—	—	—	·03	·01	10
11	·36	—	·12	·22	—	·07	·38	·15	—	—	—	·17	11
12	·08	·02	·02	·24	—	·83	·01	—	—	—	·03	—	12
13	·28	—	·21	·10	—	—	—	—	·40	—	·08	—	13
14	—	·03	·41	·24	—	·07	—	—	—	·05	·38	·01	14
15	·02	·02	·09	·41	—	·01	—	—	·46	·09	·16	·01	15
16	·01	·01	·02	·24	—	·02	—	—	·99	—	—	—	16
17	·01	—	—	—	·12	—	·01	—	·45	—	—	·13	17
18	·05	—	·02	·02	·02	—	—	1·05	·17	—	·01	·09	18
19	·17	—	—	·32	—	—	—	—	—	—	—	·04	19
20	·08	·33	—	·31	—	·62	—	—	·01	—	—	·02	20
21	—	—	—	·01	—	—	·70	·01	·67	—	—	·14	21
22	·01	—	—	·42	—	—	—	—	·22	—	—	·40	22
23	—	·01	—	—	—	—	·38	·01	—	—	—	·43	23
24	—	·01	·07	—	—	—	·02	—	—	—	—	·06	24
25	—	·03	·01	·01	—	—	·32	—	·04	—	·01	—	25
26	·05	—	·33	·01	—	·02	·09	—	·02	—	—	·05	26
27	·46	·09	·02	·23	—	·10	·06	—	·01	—	·90	·22	27
28	·49	·01	·06	·10	·06	—	·14	—	—	—	·09	·02	28
29	·57	—	·21	·07	—	—	—	—	·02	—	·14	·30	29
30	·01		·01	—	·04	·02	·10	—	·39.	—	·39	·11	30
31	·05		—		·02		—	—		·37		·32	31
TOTAL	3·55	·78	2·36	3·84	·70	1·90	5·90	1·78	4·01	1·18	2·22	3·13	YEAR'S TOTAL 31·35
Days with ·01 in. or more	20	14	19	26	13	11	20	9	14	9	11	24	190
Days with ·04 in. or more	15	4	12	18	8	6	17	5.	10	7	7	17	126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

It made

RE

FORM A2.
BRITISH RAINFALL.

12 FEB 1913

CHIPSTEAD
DIAL COTT
SURREY
1912 - 1915

Kept at Chipstead ,

in the County of Surr

by F. C. Bayard

1 ft. 0 in.

el 5·5·0 ft.

Direction

IMPORTANT NOT sult entered to the previous day. If an Observer prefers rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·11			·12	·51		·02	·62		·21	1
2		·04	·30				·26	·12	·05	·08			2
3	·02	·11	·08			·22	·04	·44	·01			·09	3
4	·23		·41		·14	·27		·03			·26		4
5	·23	·05	·12					·47			·07	·04	5
6	·37	·07			·03			·11	·01		·01	·18	6
7	·01				·11	·53	·02	·14				·09	7
8	·27	·37	·23			·03	·01	·50			·01	·02	8
9		·09		·03		·14	·02	·02				·11	9
10		·08						·36			·04	·26	10
11	·04	·26	·01			·03		·04	·01			·29	11
12	·03	·18	·03		·24	·16		·08			·03		12
13		·02									·12	·02	13
14			·01		·03			·19	·02	·05	·01	·01	14
15	·02	·01	·15		·21	·69					·04	·22	15
16	·20		·09		·07	·13		·18		·06	·08		16
17	·30		·51			·03		·10			·02	·11	17
18	·14		·20					·29		·03	·01	·17	18
19	·07	·12	·13				·08	·26			·01	·02	19
20	·01	·03	·79					·08		·41	·04		20
21		·03	·33					·09		·12	·05		21
22	·20	·23	·10		·05		·03	·20		·06		·04	22
23	·37	·30	·35		·01			·53		·07	·28	·12	23
24	·28	·04				·31	·01	·16				·12	24
25	·20					·44		·75		·01	·17	·51	25
26	·01	·02						·50		·41	·48	·22	26
27			·01			·05	·02			·16		·14	27
28		·04				·06	·25	·06	·14	·55	·64	·14	28
29		·03				·02	·32	·24	1·57	·11	·04		29
30					·44	·33		·03	2·19	·15			30
31			·04				·21	·14		·02			31
Total	3·00	2·12	4·00	·03	1·33	3·56	1·78	6·11	4·02	2·91	2·41	3·13	TOTAL for year 34·40
No. of Rain Days.	19	20	20	1	10	17	13	27	9	16	20	22	194

W. 8,000, X. '11.

Il made

RE

FORM A2.
BRITISH RAINFALL.

12 FEB 1913

Kept at Chipstead, Dial Cottage

in the County of Surrey 4

by F. C. Bayard, W. O. Milne

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 550 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11			·12	·51		·02	·62		·21	1
2		·04	·30				·26	·12	·05	·08			2
3	·02	·11	·08			·22	·04	·44	·01			·09	3
4	·23		·41		·14	·27		·03			·26		4
5	·23	·05	·12					·47			·07	·04	5
6	·37	·07			·03			·11	·01		·01	·18	6
7	·01				·11	·53	·02	·14				·09	7
8	·27	·37	·23			·03	·01	·50			·01	·02	8
9		·09		·03		·14	·02	·02				·11	9
10		·08						·36			·04	·26	10
11	·04	·26	·01			·03		·04	·01			·29	11
12	·03	·18	·03		·24	·16		·08			·03		12
13		·02									·12	·02	13
14			·01		·03			·19	·02	·05	·01	·01	14
15	·02	·01	·15		·21	·69					·04	·22	15
16	·20		·09		·07	·13		·18		·06	·08		16
17	·30		·51			·03		·10			·02	·11	17
18	·14		·20					·29		·03	·01	·17	18
19	·07	·12	·13				·08	·26			·01	·02	19
20	·01	·03	·79					·08		·41	·04		20
21		·03	·33					·09		·12	·05		21
22	·20	·23	·10		·05		·03	·20		·06		·04	22
23	·37	·30	·35		·01			·53		·07	·28	·12	23
24	·28	·04				·31	·01	·16				·12	24
25	·20					·44		·75		·01	·17	·51	25
26	·01	·02						·50		·41	·48	·22	26
27			·01			·05	·02			·16		·14	27
28		·04				·06	·25	·06	·14	·55	·64	·14	28
29		·03				·02	·32	·24	1·57	·11	·04		29
30					·44	·33		·03	2·19	·15			30
31			·04				·21	·14		·02			31
Total	3·00	2·12	4·00	·03	1·33	3·56	1·78	6·11	4·02	2·91	2·41	3·13	TOTAL for year 34·40
No. of Rain Days.	19	20	20	1	10	17	13	27	9	16	20	22	194

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

2 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Chipstead Dial Cottage
in the County of Surrey 4
by F C Bayard W. O. Milne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.34	.05	.15					.25	.01	.08	.07	1
2	.01	12					.13		.04	.02	.12		2
3	.02		.06	.30	.43				.01	.02		.16	3
4	.55		.03	.05	.29		.03			.25	.03	.03	4
5	.43		.02		.07	.06	.13		.39	.01	.05	.04	5
6	.13	.12	.11		.03	.07	.18		.01	.60	.12	.14	6
7		.16	.01		.04	.03	.01			.45	.12	.01	7
8		.02	.01		.18	.05		.22		.09		.01	8
9		13		.01	.07	.01	.01		.09	.03	.04	.02	9
10			.03	.17	.01		.15	.06			.48		10
11	.51			.37	.08					.60	.30		11
12					.09						.43		12
13	.17		.04						.05		.26		13
14	.16		.12	.07			2.07	.10		.14	.02		14
15	.42	.10	.20	.09			.31		.06			.01	15
16	.21		.37	.27			.01		.35				16
17	.02	.04	.02	.02			.25				.01		17
18			.10	.09							.06		18
19	.24		.11			.02	.12		.26				19
20	.34		.50	.13		.02				.61	.02		20
21	.03		.11	.06			.04			.26	1.00		21
22	.43		.20		.01		.01	.18	.16				22
23	.01		.12			.03	.02	.28	.01		.01	.49	23
24	.63			.09				.02			.03		24
25		.02	.01	.25						.01			25
26		.01	.13	.06			.02	.17		.76		.18	26
27		.01	.03	.19	27					.02			27
28	.24		.40	.07						.17			28
29	.05		05	.46	.41			.26		.08			29
30	.29			.08				.18		.22	.02		30
31			.11					.92		.06			31
Total	4.30	1.07	2.94	2.98	1.98	.29	3.49	2.39	1.68	4.41	3.15	1.16	YEAR'S TOTAL 29.84
Rain Days.	21	11	25	20	13	8	16	10	12	20	19	11	186

W.7,000, XI. 13

from Croydon Table

Ext RR

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

3 - MAR 1915

Kept at Chipstead Dial Cottage

in the County of Surrey

4

by F. C. Bayard W. O. Milne

Lat. Long.

Time of Observation

Nearest Railway Station —

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.25			.05	.01	1
2							.18	.06			.39	.21	2
3			.10		.19		.06	.04				.01	3
4	.08		.03	.19			.02	.06			.21	.22	4
5	.03		.06	.26	.26	.10	.17	.43			.08		5
6		.15	.06	.12	.03	.21		.02			.02	.38	6
7		.47	.22	.15	.15	.30	.02					.13	7
8	.12	.81	.44		.03	.09	.14	.15				.07	8
9	.25		.75	.12		.05		.01	.46			2.16	9
10	.01	.11	.03	.06	.07				.14		.01		10
11		.62	.35	.02	.04	.02			.17		.09	.35	11
12	.04	.09	.10				.39		.26		.03	.65	12
13	.01	.27	.16			.04			.12	.05	.08	.71	13
14		.19	.14			.02				.36	.14	.68	14
15	.04	.02	.17				.81	.05			.92	.04	15
16	.01		.01						.05				16
17		.40	.18						.03			.16	17
18		.04	.26									.39	18
19		.08	.33				.18				.20	.24	19
20		.27	.25			.06			.04			.09	20
21		.76	.08			.02		.17		.07		.03	21
22		.08	.02		.14	.04	.16	.04		.16			22
23			.19		.06	.07	.03			.03			23
24			.12				.01			.01	.12		24
25	.02		.26				.02	.11		.36	.02	.15	25
26			.04				.12	.15		.07	.23	.49	26
27	.03							.03			.07	.36	27
28	.01	.01			.01					.13	.38	.69	28
29	.08		.07							.42	.21	.02	29
30		×	.05							.08	.50	.41	30
31	.03	×		×	.22	×	.03		×	.01	×	.02	31
Total	.76	4.37	4.47	.92	1.20	1.02	2.34	1.57	1.21	1.75	3.75	8.67	YEAR'S TOTAL 32.03
Rain Days.	14	16	26	7	11	12	15	14	8	12	19	25	179

W. 8,000. X. 14.

2+131 114

FORM A.
BRITISH RAINFALL.

14 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Chipstead Dial Cottage

in the County of Surrey 4

by W. O. Milne for Croydon Nat His Soc

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.61	.18	.04		.02				.16		.27	.40	1
2	.28	.19	.20	.21				.83		.05		.04	2
3	.38	.01	.10	.03	.05			.21	.04			.51	3
4	.03											.31	4
5	.02	.59			.04			.05		.04		.40	5
6	.54	.09	.03	.43			.60	.07				.11	6
7	.54	.40	.04				.50					.33	7
8	.07	.80	.01	.05				.12					8
9	.02	.03		.16		.10		.04			.41	.56	9
10	.24		.03									.38	10
11	.01		.01								.74		11
12	.05	.20		.39	.54			.22			.53		12
13		.48			1.14				.01				13
14	.01	11					.09	.04				.53	14
15	.17	.02			.04		.02	.14			.20	.25	15
16		.59		.02	.17		.73					.10	16
17		.33			.75		.03	.05					17
18		.12	.11		.13						.08		18
19		.25					.06						19
20	.34		.01	.04								.25	20
21	.24											.05	21
22	.81	.08	.09	.04			.90					.15	22
23	.02		.06				.30		.47	.43		.33	23
24		.16	.08	.05					.33	.20		.36	24
25				.08			.14					.34	25
26							.22					.57	26
27	.01	.09				.30				.35		.12	27
28		.06				.15			1.72	.16			28
29						.03	.90	.10			.27		29
30	.03	X				.35					.60		30
31	04	X		X		X		.11	X	1.12	X	.29	31
Total	4.46	4.78	.81	1.50	2.88	.93	4.49	1.98	2.73	2.35	3.10	6.38	YEAR'S TOTAL 36.39
Rain Days.	21	20	13	11	9	5	12	12	6	7	8	21	145

W. 8,000. X. 15.

RE

CHIPST~~EAD~~
WALPOLE AVE
SURREY
1916 - 1920

FORM A.
BRITISH RAINFALL.

13. MAR 1917

Kept at Chipstead

in the County of Surr

by F. C. Bayard

auge 5 in.

Ground 1 ft. 0 in.

Sea Level 530 ft.

IMPORTANT N he result entered to the previous day. If an rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02		·34				·25		·34		1
2		·16	·10		·43				·11	·41	·13		2
3		·98	·38						—	·45	·79		3
4		·12	·01			·36			·28		·47		4
5					·20	·07					·70		5
6		·17	·21	·27	·02	·06				·30	·80		6
7			·65		·35	·07	·67				·80	·07	7
8			·01		·35							·43	8
9					·38								9
10		·20	·11			·15	·10		—			·17	10
11		·21	·01	·28		·27							11
12		·06		·05	·48	·22	·04			·25			12
13		·26	·50	·06	·08	·09	·04						13
14		·50	·03		·25								14
15		·06	·20							·03			15
16			·26	·07			·20						16
17		·10		·07					·20	·75			17
18		·16	·01	·20					·06	·61	·74		18
19			·20	·35		·03			·15		·67		19
20			·15								·10	·62	20
21			·40				·37					·44	21
22			·12							·02		·49	22
23		·80								·01	·08	·08	23
24		·12				·04				·34	·11	·20	24
25		·79	·20								·06	·10	25
26		·30				·20				·18			26
27		·18	·97			·22			·13	·68			27
28		·44	·28			·04			·09			·20	28
29		·13				·27			·02	·32		·24	29
30		×			·18					·43			30
31		×		×		×			×	·11	×	·08	31
Total	1·15	5·74	4·82	1·35	3·06	2·09	1·42	3·36	1·29	4·89	5·79	3·12	YEAR'S TOTAL 38·08
Rain Days.		19	21	8	11	14	6		9	15	13	12	

W. 8,000. X. 15.

[illegible]

RE

FORM A.
BRITISH RAINFALL.
13 MAR 1917

Kept at Chipstead Walpole Avenue

in the County of Surrey

by F. C. Bayard H. G. Sharp

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02		·34				·25		·34		1
2		·16	·10		·43				·11	·41	·13		2
3		·98	·38							·45	·79		3
4		·12	·01			·36			·28		·47		4
5					·20	·07					·70		5
6		·17	·21	27	·02	·06				·30	·80		6
7			·65		·35	·07	·67				·80	·07	7
8			·01		·35							·43	8
9					·38								9
10		·20	·11			·15	·10					·17	10
11		·21	·01	·28		·27							11
12		·06		·05	48	·22	·04			·25			12
13		·26	·50	·06	·08	·09	·04						13
14		·50	·03		·25								14
15		·06	·20							·03			15
16			·26	·07			·20						16
17		·10		·07					·20	·75			17
18		·16	·01	·20					·06	·61	·74		18
19			·20	·35		·03			·15		·67		19
20			·15								·10	62	20
21			·40				·37					44	21
22			·12							·02		·49	22
23		·80								·01	·08	·08	23
24		·12				·04				·34	·11	·20	24
25		·79	·20								·06	·10	25
26		·30				·20				·18			26
27		·18	·97			·22			·13	·68			27
28		·44	·28			·04			·09			·20	28
29		·13				·27			·02	·32		·24	29
30					·18					·43			30
31										·11		·08	31
Total	1·15	5·74	4·82	1·35	3·06	2·09	1·42	3·36	1·29	4·89	5·79	3·12	YEAR'S TOTAL 38·08
Rain Days.		19	21	8	11	14	6		9	15	13	12	

W. 3,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

29 FEB

Kept at Chipstead, Walpole Avenue
in the County of Surrey
by F. C. Bayard, H. G. Sharp

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								2.29					1
2				.97				.21			.31		2
3				.29				.50		.25	.04		3
4		.25	.21				.10	.56		.34			4
5	.21			.50					.60	.31	.12		5
6			.22			.10			.26		.08		6
7	.31									.60			7
8	.11			.09			1.30	.47	.06	.32	.26	.32	8
9			.25	.30			.10	.09			.11	.62	9
10						.07		.11					10
11	.45		.48	.22				.03	.16	.30			11
12	.15		.07					.03		.52			12
13	.10		.13	.10				.10		.38			13
14				.15				.02					14
15							.06	.38				.08	15
16	.05	.22		.29			.04					.68	16
17				.13	.84			.10	.53				17
18				.10	.06		.26	.14	.35	.74			18
19		.13	.05			.03			.09	.11			19
20		.21			.70		.56			.06	.10		20
21					.11	.05					.07		21
22			.09			.08		.14					22
23		.17			.19			.19					23
24		.09				.13				.14			24
25		.06	.05										25
26								.40	.03	.08	.77		26
27								1.50					27
28						1.28		.14					28
29			.09		.05	.26	.62	.07		.50		.39	29
30		X	.35				2.16			.04			30
31	.30	X	.04	X		X	.48	.15	X		X		31
Total	1.68	1.13	2.03	3.14	1.95	2.00	5.68	7.62	2.08	4.69	1.86	2.09	YEAR'S TOTAL 35.95
Rain Days.	8	7	12	11	6	8	10	21	8	15	9	5	120

W. 8,000, VIII. 16

from N.8. Etd CFR 25

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

10 4. 19

Kept at Chipstead Walpole Avenue

in the County of Surrey

by H. G. Sharp. per F. Campbell-Bayard.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·29	·07	1
2		·03						·22			·23	·17	2
3			·11		·37					·02	·57	·05	3
4		·35	·16	·11					·28		·62	·05	4
5		·02			·14			·20	1·11	·09			5
6	·26	·30		·21	·37			·17				·04	6
7		·09		·24	·15				·70	·12	·12	·09	7
8	·07	·19							·13		·13	·14	8
9				·07		·12			·60	·26		·55	9
10				·16		·03	·75		·06	·07	·05	·55	10
11				·03	·05		·43		·07	·30	·90	·14	11
12		·07			·15		·32		·06				12
13					·12				·11	·03		·02	13
14						·25	·19		·15	·19		·15	14
15	1·67			·76		·17	·98					·14	15
16				·21		·17			·10				16
17				·10			1·17					·23	17
18	1·32					·30	·17		·76	·17		·06	18
19			·09	·13	·48		·15			·13			19
20		·20		·63		·05	·19		·38	·41			20
21	·25			·98			·11		·33	·09		·04	21
22					·38		·38		·24			·22	22
23					·08		·73	·18	·07				23
24		·36				·08	·14				·09		24
25				·22			·11	·27					25
26							·64			·08	·17	·20	26
27		·06		·26			·05	·20	·12		·13	·04	27
28			·28					·05			·25	·08	28
29				·03					1·21		·01		29
30		✕	·52						·09	·07	·09	·17	30
31		✕	·18	✕		✕			✕	·10	✕	·02	31
Total	3·57 ✓	1·67 ✓	1·34 ✓	4·14 ✓	2·29 ✓	1·17 ✓	6·51 ✓	1·29 ✓	6·57 ✓	2·13 ✓	3 8·65 ✓	3·22 ✓	YEAR'S TOTAL 37·55 ✓
Rain Days.	5 ✓	10 ✓	6 ✓	15 ✓	10 ✓	8 ✓	16 ✓	7 ✓	19 ✓	15 ✓	14 ✓	22 ✓	147 ✓

W. 6,500, VII. 18. W W C

G4 RR

96

Bourne

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Chipstead, Walpole Avenue
in the County of Surrey
by H. G. Sharp per Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Chipstead IN.	Chipstead IN.	Chipstead IN.	Chipstead IN.	Chipstead IN.	Chipstead IN.	Chipstead IN.	Chipstead IN.	Chipstead IN.	Chipstead IN.	Chipstead IN.	Chipstead IN.	
1	·53	·07	..	·05	·08	..	·12	..	..	·07	..	1·18	1
2	·32	..	·46	..	..	..	·04	..	..	·12	·22	..	2
3	·35	·01	·65	..	..	..	·03	..	·07	..	·05	·44	3
4	·15	..	·88	..	..	·07	·24	03	·07	..	·04	·19	4
5	..	·35	..	..	..	..	..	..	·06	..	·04	·35	5
6	·09	..	·18	..	..	..	..	..	·06	..	..	·11	6
7	·07	..	·37	..	..	..	..	..	..	..	·09	..	7
8	·26	..	·10	..	..	..	..	..	..	..	..	..	8
9	·34	..	..	·07	·05	..	..	..	..	..	·06	..	9
10	·26	..	·12	..	..	..	..	..	..	·05	..	..	10
11	·16	..	·16	·33	..	..	·20	..	..	..	..	·08	11
12	·09	..	..	..	..	..	·20	..	..	·04	·06	..	12
13	·05	..	·06	·58	..	..	..	..	..	·07	..	·08	13
14	·44	..	..	·51	..	..	·13	..	·85	..	..	·08	14
15	·22	..	·29	..	..	..	..	..	..	..	..	·48	15
16	·09	·19	..	..	..	..	..	..	..	..	·08	·03	16
17	..	·50	..	..	..	..	..	..	..	..	·20	..	17
18	..	·50	..	..	..	..	..	..	·06	..	·11	·04	18
19	·05	·29	·70	..	..	..	·42	·09	..	..	·06	..	19
20	·31	·16	·12	..	..	·88	·10	·21	..	..	..	·03	20
21	·13	·55	·07	..	..	·15	·07	..	..	..	..	..	21
22	..	·07	..	..	..	..	·26	..	·50	..	..	·26	22
23	..	..	..	..	..	·06	..	..	·14	..	·07	·09	23
24	..	..	..	·28	..	..	·21	·07	..	·14	·10	..	24
25	..	..	..	..	..	..	..	·18	..	..	..	..	25
26	·09	·24	..	·15	..	..	·08	..	·16	..	..	·58	26
27	·39	·07	·06	1·33	..	..	..	·35	..	..	·13	..	27
28	·07	..	·35	·06	..	..	·05	1·04	..	..	·31	·23	28
29	..		..	·07	..	..	..	·55	..	·41	..	·09	29
30	..		..	·27	..	·06	..	·06	..	·09	·29	·76	30
31	·11		·10		..		·08	·40		·02		..	31
TOTAL	4·57 ..	3·00 7·57	4·67 12·24	3·70 15·94	·13 16·07	1·22 17·29	2·23 19·52	2·98 22·50	1·97 24·47	1·01 25·48	1·91 27·39	5·10 32·49	YEAR'S TOTAL 32·49
Days with ·01 in. or more	22	12	16	11	2	5	15	10	9	9	16	18	145

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 94

REGISTER OF RAINFALL IN 1920.

Kept at Chipstead, Walpole Avenue

in the County of

by per Bayard H. G. Sharp

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Chipstead

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	·04	..	·35	·05	..	·70	..	..	·26	..	·29	1
2	..	..	·10	..	·03	..	..	·30	·20	·04	..	·10	2
3	·06	..	..	·06	·02	·02	..	..	..	..	..	·15	3
4	..	·15	..	·16	·04	..	·13	·13	..	·24	..	..	4
5	..	..	·10	..	..	..	·50	·15	..	·02	..	..	5
6	..	..	·41	..	·10	..	·37	..	..	..	..	..	6
7	..	..	..	·23	·12	..	·27	..	..	..	..	..	7
8	..	..	..	..	·25	..	·18	..	..	..	..	..	8
9	..	·04	..	..	..	..	·05	·08	..	..	..	..	9
10	·90	·08	·12	..	..	·02	·23	..	..	..	·05	..	10
11	·29	..	·08	·30	·03	·03	·41	·15	..	..	..	·30	11
12	·08	..	..	·25	..	1·10	..	..	..	..	·04	..	12
13	..	..	·17	·10	..	..	..	..	..	..	..	..	13
14	..	·07	·51	·30	..	·10	..	..	·18	·08	·40	..	14
15	..	..	·02	·33	..	..	..	..	·57	·08	·12	..	15
16	·03	..	..	·15	..	..	..	..	·15	..	..	..	16
17	..	..	..	..	·15	..	..	..	1·10	..	..	·15	17
18	·03	..	..	·05	·02	..	..	1·15	·16	..	..	·10	18
19	..	..	..	·40	..	..	..	..	..	..	..	..	19
20	..	·30	..	·37	..	·67	..	..	..	..	..	·12	20
21	·25	..	..	·04	..	..	·75	..	·75	..	..	·03	21
22	..	..	..	·48	..	..	..	..	·16	..	..	·40	22
23	..	..	..	..	..	..	·45	..	..	..	..	·50	23
24	..	..	·08	..	..	..	..	..	..	..	..	·02	24
25	..	..	..	·02	..	..	·45	..	·05	..	..	..	25
26	..	..	·37	·03	..	..	..	..	..	..	..	..	26
27	·06	·14	·02	·23	..	·02	·06	..	..	..	·10	·30	27
28	·46	..	·12	·09	·07	..	·12	..	..	..	..	·08	28
29	·51	..	·14	·06	..	..	..	..	..	..	·05	·25	29
30	·57		..	·06	..	..	·10	..	·40	..	·42	·15	30
31	·03		..		..		..	..		·45		·20	31
TOTAL	3·27 ..	·82 4·09	2·24 6·33	4·06 10·39	·88 11·27	1·96 13·23	4·77 18·00	1·96 19·96	3·72 23·68	1·17 24·85	1·18 26·03	3·14 29·17	YEAR'S TOTAL 29·17
Days with ·01 in. or more	12	7	13	21	11	7	15	6	10	7	7	16	~~132~~
Days with ·04 in. or more	9	7	11	19	7	3	15	6	10	6	7	14	114

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

85

CHOBHAM

SANDPIT HALL

SURREY

1911 - 1920

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

Kept at Cho

in the County of S

by K. H. P

5 in.

ove Ground ~~1~~ ft. 12 in.

, Sea Level 100 ft.

8 a.m

Name Woking

Distance 2½ miles Direction S-E

IMPORTANT NO … nd the result entered to the previous day. If an O … iversal rule, he is earnestly requested to add the re … year in the space provided for it at the end of t … rement of rain, the selection and plac … British Rainfall Organization are given … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06			·45			·03	·06					1
2	·05			·28	·20		·08				·17	·06	2
3	·02	·03			·15						·10	·10	3
4	·02	·02	·06	·05					·02	·07	·18	·24	4
5	·02			·05						·13	·08	·13	5
6	·25		·13								·01	·30	6
7	·05			·03						·14	·30	·26	7
8	·09		·24								·14	·36	8
9	·15		·06	·01								·08	9
10		·13	·13	·02							·03	·54	10
11	·32										·73		11
12	·01		·45		·37				·01		·28	·02	12
13			·06		·06				·34		·05	·56	13
14		·05	·02		·21							·42	14
15		·06	·06							·75	·05	·03	15
16						·37					·37	·06	16
17			·03								·47	·20	17
18		·15	·02	·01		·65					·59	·30	18
19									·22		·10	·13	19
20		·02	·02					·04	·07			·67	20
21	·03	·11	·01					·05	·03			·21	21
22	·09		·18			·47					·02	·53	22
23		·11							·17		·05	·07	23
24		·12				·04		·04		1·00			24
25		·02	·04	·04	·13	·15	·96	·01	·02			·43	25
26		·01	·01	·25	·11	·07	·11			·11	·02		26
27		·32	·13	·08			·04		·09			·20	27
28		·14		·23				·13			·05		28
29				·16		·17	·14		·15	·18	·01		29
30				·01		·02		·18	·03	·21		·03	30
31					·02					·04			31
Total	1·16	1·29	1·65	1·67	1·25	1·94	1·36	·51	1·15	2·63	3·80	5·93	TOTAL for year 24·34
No. of Rain Days.	13	14	17	14	8	10	6	7	11	12	21	25	158

W. 8,000, X. '11.

58

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

Kept at Chobham

in the County of Surrey 7

by K. H. Power

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 4 ft. 12 in.
" " " Sea Level 100 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Woking
Distance 2½ miles Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06			·45			·03	·06					1
2	·05			·28	·20		·08				·17	·06	2
3	·02	·03			·15						·10	·10	3
4	·02	·02	·06	·05					·02	·07	·18	·24	4
5	·02			·05						·13	·08	·13	5
6	·25		·13								·01	·30	6
7	·05			·03						·14	·30	·26	7
8	·09		·24								·14	·36	8
9	·15		·06	·01								·08	9
10		·13	·13	·02							·03	·54	10
11	·32										·73		11
12	·01		·45		·37				·011		·28	·02	12
13			·06		·06				·34		·05	·56	13
14		·05	·02		·21							·42	14
15		·06	·06							·75	·05	·03	15
16						·37					·37	·06	16
17			·03								·47	·20	17
18		·15	·02	·01		·65					·59	·30	18
19									·22		·110	·13	19
20		·02	·02					·04	·07			·67	20
21	·03	·11	·01					·05	·03			·21	21
22	·09		·18			·47					·02	·53	22
23		·11							·17		·05	·47	23
24		·12				·04		·04		1·00			24
25		·02	·04	·04	·13	·15	·96	·01	·02			·43	25
26		·01	·01	·25	·11	·07	·11			·11	·02		26
27		·32	·13	·08			·04		·09			·20	27
28		·14		·23				·13			·05		28
29				·16		·17	·14		·15	·18	·011		29
30				·01		·02		·18	·03	·21		·03	30
31					·02					·04			31
Total	1·16	1·29	1·65	1·67	1·25	1·94	1·36	·51	1·15	2·83	3·80	5·93	TOTAL for year 4·34
No. of Rain Days.	13	14	17	14	8	10	6	7	11	12	21	25	158

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Sandpit Hall Chobham
in the County of Surrey 7
by K. H. Power

RAIN GAUGE
Pattern British Association
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 400 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Woking
Distance 2½ Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·14	·02		·05	·1		·03	·52		·19	1
2		·03	·15			·1	·36	·03		·07			2
3	·01	·04	·12			·13	·02	·25				·06	3
4	·11	·02	·4		·08	·27		·05			·17		4
5	·14		·06					·3			·12	·02	5
6	·54	·08	·03		·01			·25	·02			·04	6
7	·02		·01		·11	1·42		·16				·02	7
8	·3	·26	·25	·02		·06		·2				·02	8
9		·2	·04			·04	·02	·1				·19	9
10	·02	·08	·01			·1		·17			·08	·27	10
11	·06	·2			·01	·03					·02	·25	11
12	·04	·13	·1		·15	·27		·03		·04	·03	·03	12
13		·01					·05				·02	·03	13
14			·05		·03			·06		·03		·04	14
15	·02	·02	·09		·09	·54						·24	15
16	·4	·02	·08		·17	·06		·04		·04	·05		16
17	·49		·15			·03		·09					17
18	·21		·12					·14			·02	·07	18
19	·06	·1	·16			·02	·18	·36			·02		19
20	·05	·02	·14			·01	·02	·12		·32	·04		20
21	·02	·03	·2		·28			·1		·05	·06		21
22	·17	·13	·05		·02		·05	·15				·05	22
23	·44	·36	·34					·39		·13	·17	·18	23
24	·35	·03				·05		·25					24
25	·11					·37		·38			·19	1·02	25
26		·06						·22		·36	·44		26
27			·02			·03				·24	·58	·2	27
28		·05				·04	·12	·05	·21	·38		·18	28
29		·02		·02		·2	·27	·26	1·47	·37			29
30					·28	·02		·02	1·04	·19			30
31			·3		·01		·16	·07		·03		·04	31
Total	3·56	1·89	3·01	·06	1·24	3·84	1·35	4·24	2·77	2·77	2·01	3·14	TOTAL for year 29·88
No. of Rain Days.	20	21	23	3	12	21	11	26	5	14	16	22	194

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL
-9 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Sandpit Hall Chobham
in the County of Surrey
by K H Power

Lat. .... Long. ....
Time of Observation 8 AM
Nearest Railway Station Woking
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ... in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·28	·06	·14		·02			·6		·07	·2	1
2	·07	·12	·02	·02					·03	·21	·08	·02	2
3	·02		·05	·16	·41				·01	·02	·04	·11	3
4	·24		·02	·02	·22				·02	·19		·04	4
5	·14					·09	·05		·2	·04		·05	5
6	·02	·05	·14	·01	·04	·08	·22		·02	·29	·04	·22	6
7		·21			·07					·76	·08		7
8	·02	·03			·12	·1				·1			8
9		·15			·03				·18			·03	9
10	·02		·08	·06			·14	·07			·42		10
11	·33			·39	·12					·57	·14		11
12		·02			·1					·02	·17		12
13	·04		·03					·02	·07	·01	·21		13
14	·07	·02	·1	·05	·03		·17	·07		·1	·07	·02	14
15	·22	·06	·3	·18			·34		·12		·02		15
16	·12		·37	·15					·16	·01	·01		16
17	·04	·11	·03	·04			·21			·01		·03	17
18	·01		·11	·07			·03		·03		·03		18
19	·49		·18			·01	·08		·26				19
20	·13		·39	·05		·2				·65			20
21			·19	·09						·13	·74		21
22	·37		·27	·01			·02	·1	·14	·01			22
23			·01			·02	·03	·14	·02		·01	·47	23
24				·04						·01	·02		24
25		·01		·19			·01			·01			25
26		·03	·18	·15				·12		·56		·16	26
27		·02	·02	·05						·02			27
28	·15		·26	·13			·02			·15	·02		28
29	·04		·08	·65	·53			·1		·07	·01		29
30	·3							·17		·18			30
31			·06					·55		·06			31
Total	2·85	1·11	2·95	2·65	1·67	·52	1·32	1·34	1·86	4·15	2·18	1·35	YEAR'S TOTAL 23·95
Rain Days.	21	13	22	21	10	7	12	9	14	24	18	11	182

W.7,000, XI. 13

ex 1466

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Sandpit Hall Chobham

in the County of Surrey

7

by R. H. Power

Lat. Long.

Time of Observation 8 A.M.

Nearest Railway Station Woking

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02					·09			·08	·06	1
2	·01		·01			·02	·06	·11			·05	·15	2
3			·06	·04	·17		·2	·02			·07	·03	3
4	·03	·02	·03	·22			·02	·12			·32	·29	4
5	·08		·07	·3	·11	·04	·25	·89			·01		5
6		·12		·17	·02	·13	·02	·02				·11	6
7		·32	·3	·18	·16	·2	·24				·02	·13	7
8	·07	·32	·74		·02	·1	·04	·12				·03	8
9	·22	·01	·57	·19		·12			·11			2·04	9
10		·1	·05	·04	·08	·04			·02			·03	10
11		·26	·43		·05				·24		·04	·32	11
12		·07	·11				·48		·21		·02	·37	12
13		·2	·18						·11	·06	·03	·56	13
14		·12	·25			·14	·06			·6	·07	·54	14
15	·06	·02	·1				·16	·05	·03	·06	·61		15
16			·01						·02		·03	·13	16
17		·25	·08						·04	·02			17
18		·04	·24									·36	18
19		·07	·25			·35	·15				·18	·37	19
20		·3	·37						·04			·1	20
21		·56	·06							·06		·02	21
22		·01	·09		·11	·05	·13	·03		·16			22
23		·26	·16		·06	·03	·05		·01	·13			23
24	·02		·04		·04			·01		·02	·11		24
25	·02		·17				·01	·13		·25	·01		25
26			·03				·04	·06		·08	·19	·68	26
27	·05										·03	·16	27
28		·04			·03						·49	·85	28
29	·07		·07		·02					·21	·12	·46	29
30		✕	·06							·1	·54	·07	30
31		✕		✕	·11	✕		0	✕		✕		31
Total	·63	3·09	4·55	1·14	·98	1·22	1·91	1·65	·83	1·75	3·02	7·86	YEAR'S TOTAL 28·63 ✓
Rain Days.	10	19	27	7	13	11	15	12	10	12	20	23	179 ✓

W. 8,000. X. 14.

306

FORM A.
BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Sandpit Hall Chobham

in the County of Surrey

by K. N. Brown

7

Lat. Long.

Time of Observation 8 AM

Nearest Railway Station Woking

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·25

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·6	·19	·2		·05		·03		·05	·04	·12	·58	1
2	·3	·2	·27	·05		·04	·03	·01	·02	·07		·07	2
3	·44		·09	·14	·01			·48	·01		·02	·54	3
4	·05							·41				·2	4
5	·05	·49						·04		·03		·32	5
6	·34	·11	·05	·24			·63	·02				·55	6
7	·21	·22	·03				·27	·02				·17	7
8	·05	·52	·04	·03			·06	·02					8
9	·04	·13		·22		·14		·04		·01	·32	·73	9
10	·18	·02	·02					·06				·15	10
11	·01		·03					·06		·04	·68	·04	11
12	·04	·04		·37	·39			·01			·32	·02	12
13	·02	·7			1·32			·14					13
14	·01	·02					·26	·08	·05			·31	14
15	·1				·05		·1	·37			·12	·17	15
16	·01	·32			·02		·59	·04				·06	16
17		·35			1·19		·62	·11					17
18		·21	·07		·19			·12			·03		18
19		·16			·03		·05			·02	·01		19
20	·25			·04								·15	20
21	·04	·02			·24		·01			·06		·03	21
22	1·33	·08	·18				·62		·27			·13	22
23		·11	·03			·02	·44		·52	·5		·18	23
24	·02					·09	·21			·32		·42	24
25				·1		·11	·2			·01	·01	·14	25
26		·03				·06	·23					·62	26
27						·4	·26			·28		·15	27
28		·09				·21			1·4	·17			28
29						·08	·44			·13	·24	·03	29
30	·04	X				·75		·1		1·87	·43	·05	30
31	·07	X		X		X			X		X	·25	31
Total	4·2	4·01	1·01	1·19	3·49	1·90	4·42	2·13	2·32	3·55	2·3	6·06	YEAR'S TOTAL 36·58
Rain Days.	22	20	11	8	10	10	17	18	7	14	11	25	173

W. 8,000. X. 15.

293

FORM A.
BRITISH RAINFALL.

12. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Sandpit Hall Chobham

in the County of Surrey

by R. H. Power

Lat. .... Long. ....

Time of Observation 9 AM

Nearest Railway Station Woking

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·02	·05		·15	·02			·31	·09	·31	·06	1
2	·17	·06	·11		·24				·17	·52	·04	·24	2
3		·61	·09		·02		·04			·34	·43	·16	3
4	·11	·11				·18			·17		·41	·06	4
5	·03			·01	·33	·11				·04	·52	·05	5
6		·07	·6	·12		·26	·33		·01	·05	·45		6
7	·08				·09	·07	·15			·03	·47		7
8			·03		·24	·04							8
9			·02		·13					·09			9
10		·23	·11	·04	·02	·15	·04						10
11	·03	·13	·09	·14	·01	·25							11
12	·04	·04	·01	·02	·4	·11	·03	·33		·1			12
13		·17	·77	·1		·04	·02						13
14		·38	·12		·07			·07		·11		·13	14
15	·01	·17	·25	·01				·31					15
16		·04	·34	·16			·2	·67					16
17	·1	·14		·08			·04	·19	·35	·56			17
18	·01	·08	·05	·08				·39		·3	·65	·03	18
19	·1		·21	·24				·02	·25		·59	·02	19
20	·11		·2	·01								·48	20
21			·39									·26	21
22	·01		·04		·01					·05		·43	22
23	·02	·57				·03		·03		·03	·03	·04	23
24	·01				·15	·06		·19		·23	·06	·31	24
25	—	·84	·21							·03	·07		25
26		·2	·07			·1		·66	·06	·22			26
27	·02		·86			·03			·04	·48			27
28		·34	·07			·12		·96	·1	·05		·09	28
29		·14				·17			·05	·35		·14	29
30		×						·03		·32		~~·43~~	30
31		×		×		×		·04	×	·21	×	·03	31
Total	·89	4·34	4·69	1·01	1·91	1·76	·85	3·89	1·51	4·22	4·03	2·53	YEAR'S TOTAL 31·63
Rain Days.	16	20	22	12	13	16	8	17	12	21	12	16	185

W. 8,000, VIII. 16

286

Error 40

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26. JAN 1918

Kept at Sandpit Hall Chobham
in the County of Surrey
by K. H. Power

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Woking
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·25				1·04	·02		·07	·01	1
2				·26		·06		·02			·09		2
3				·13			·53	·44		·14	·01		3
4		·28	·08				·21	·19		·34			4
5	·29		·04	·14					·09	·31	·11		5
6			·36			·09			·14		·05		6
7	·14						·19			·47		·03	7
8	·19			·06			·74	·08	·08	·25	·24	·28	8
9	·02		·06	·03	·02		·07	·27	·04		·06	·2	9
10	·11		·1	·21	·02			·08			·02		10
11	·17		·34	·12		·07			·56	·13			11
12	·06		·02	·04				·12		·45		·03	12
13	·04		·17	·06				·57	·03	·05			13
14				·12				·42					14
15	·02						·21	·12		·03		·02	15
16	·05	·12		·16	·09	·06	·23			·43		·44	16
17				·08	·41		·31	·11	·37	·26			17
18	·04	·05		·09	·13	·23	·12	·08	·26	·01			18
19	·03	·18	·05		·01	·09			·12				19
20	·02	·14	·02		·61		·05	·01			·04		20
21		·01				·16				·02	·02		21
22	·02		·03			·03		·15		·06	·01		22
23		·15	·01		·1	·11		·1				·03	23
24		·02				·19	·02	·02		·23			24
25		·06								·01			25
26			·06			·02		·4	·04		·24		26
27					·1			·99					27
28		·01	·02			1·17		·08				·07	28
29			·05		·06	·15	·35	·02		·25		·11	29
30	·01	×	·41				1·69	·09				·03	30
31	·02	×	·03	×		×	·25	·02	×	·02	×	·03	31
Total	1·23	1·02	1·87	1·75	1·55	2·43	4·97	5·42	1·75	3·26	·96	1·27	YEAR'S TOTAL 27·68
Rain Days.	16	10	18	14	10	13	14	23	11	18	12	12	171

W. 8,000, IX. 17.

192

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Sandpit Hall Chobham
in the County of Surrey
by K. H. Power

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Woking
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·32

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04				·06			·32	·07	1
2		·08		·06				·29		·02	·31	·1	2
3		·01	·05	·34	·41			·06			·41		3
4		·08	·16	·02					·37		·55		4
5		·04	·02		·07			·06	·15	·12			5
6		·07		·28	·19			·08	·07	·02		·06	6
7		·1		·23	·35				·11	·04	·13	·02	7
8	·21	·08		[illegible]					·05	·05	·05	·02	8
9	·01	·04		·23		·18	·22		·39	·15		·24	9
10				·12		·01	·78		·03	·02	·02	·34	10
11	·02			·02			·91		·02	·4	·08	·13	11
12		·05			·18		·13		·07				12
13	·04			·02	·1		·14		·11				13
14	·13		·05	·01		·2	·03		·16	·17		·22	14
15	1·32			·6			·13		·02			·08	15
16	·46		·02	·27		·22			·47			·03	16
17	·26		·01	·2		·03	·15	·03	·02			·12	17
18	·48		[illegible]			·15	·11		·68	·14		·08	18
19	·1		·04	·07	·03	·05	·30	·02	·04	·1		·05	19
20	·06			·76		·03			·18	·14	·02		20
21	·22	·1		·53			·54		·64	·02			21
22	·12	·02			·88				·22			·22	22
23	·03			·02	·1		·45	·06	·03		·01	·02	23
24		·33				·06	·32		·08		·06		24
25							·34	·11	[illegible]	·02			25
26							·47		·02	·03	·07	·13	26
27		·03		·07			·13	·14	·06		·12		27
28		·04	·23	·02				·01			·11	·07	28
29									1·22		·03	·09	29
30		X	·39						·08		·06		30
31		X		X		X			X	·1	X		31
Total	3·46	1·07	·97	3·91	2·31	·93	5·15	·92	5·29	1·54	2·35	2·09	YEAR'S TOTAL 29·99
Rain Days.	14	14	9	20	9	9	18	12	25	16	16	19	181

W. 8,000, IX. 17.

266

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

22 JAN 20

Kept at Sandpit Hall Chobham

in the County of Surrey

by K. H. Power

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Woking

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·07

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	·03	·02	·05	·01		·21			·03	·04	1·26	1
2	·42		·02		·04		·06		·1	·03	·11	·71	2
3	·27		·41		·02		·05		·03		·02	·46	3
4	·07	·04	·51			·07	·1	·04	·05		·02	·17	4
5		·47	·61				·62		·32		·1	·27	5
6	·14		·04								·02	·09	6
7	·06		·34								·03		7
8	·13		·09	·02									8
9	·17		·03	·18	·04						·05		9
10	·7		·08	·02						·03	·03	·06	10
11	·04		·08	·24	·05		·38					·02	11
12			·03	·01		·01	·07			·1	·03		12
13	·03			·27					·03	·04		·02	13
14	·23			·24			·1		1·07			·02	14
15	·23	·05	·1	·05						·04		·47	15
16	·05	·63		·04							·1	·01	16
17		·18									·16	·02	17
18		·29	·2						·04		·07	·06	18
19	·02	·12	·74			·22	·78	·19	·03		·05	·01	19
20	·19	·09	·22			·61	·07	·1	·04			·02	20
21	·19	·3	·03			·08	·04		·15		·02	·12	21
22		·04					·23		·05		·02	·32	22
23						·02				·02	·03	·05	23
24				·09		·04	·15	·04		·29	·03	·02	24
25		·05				·02		·21				·08	25
26	·1	·19	·11	·1			·02	·09	·07			·33	26
27	·22	·04		·65				·54			·01	·04	27
28	·53		·35	·02			·01	·75			·45	·32	28
29	·04			·11				·21		·11	·02	·02	29
30		✕		·22		·12		·28		·03	·28	·42	30
31	·03	✕	·04	✕		✕	·09		✕	·01	✕	·07	31
TOTAL	4·18	2·52	4·[illegible]5	2·31	·16	1·19	2·98	2·45	1·98	·73	1·69	4·81	YEAR'S TOTAL 29·05
Days with ·01 in. or more	22	14	20	16	5	9	16	10	12	11	22	27	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

347

10 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sandpit Hall Chobham

in the County of Surrey

by K. N. Power

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Woking

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·24

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·1			·41					·03	·32	·02	·24	1
2			·05	·01			·25	·71	·11	·02		·06	2
3	·01	·05		·04	·09				·01	·08		·03	3
4		·05		·12			·94	·03		·25		·06	4
5			·06	·03			·95	·03				·03	5
6			·22				·52					·03	6
7	·02		·02	·1	·05		·12						7
8		·01		·12	·02		·17	·03					8
9	·25		·02	·03				·01					9
10	·43	·04	·03	·06	·08						·01	·02	10
11	·19		·07	·23		·05						·09	11
12	·04		·03	·13		·64					·02		12
13	·18		·13	·27							·04		13
14			·28	·33		·1			·16	·05	·29	·03	14
15	·01	·13	·08	·36					·6	·06	·08		15
16			·02	·22	·08	·XX			·06				16
17	·02				·12				·53			·03	17
18	·04							·7	·12			·02	18
19	·05			·2							·01	·02	19
20	·08	·04		·22		·6					·01	·01	20
21				·04			·75	·01	·46			·09	21
22				·32				·02	·03			·54	22
23		·01					·45	·05				·3	23
24	·02		·06								·01		24
25		·03	·02	·01			·2				·01	·17 2 days	25
26	·06		·12	·02						·02			26
27	·27	·03	·01	·34		·06	·5				·26		27
28	·3		·2	·08	·06		·08			·02	·02	·02	28
29	·32		·04	·01							·06	·13	29
30	·02				·08		·18		·23		·2	·14	30
31			·01				·01			·91		·07	31
TOTAL	2·41	·29	1·47	3·70	·58	1·45	5·13	1·59	2·34	1·73	1·04	2·15	YEAR'S TOTAL 23·86
Days with ·01 in. or more	19	9	19	24	8	5	13	9	11	9	14	22!	162
Days with ·04 in. or more	13	4	~~12~~ 11	18	7	5	12	3	8	6	6	~~X~~ 12	105

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Sa

RE

FORM A2. BRITISH RAINFALL.

6 - JAN 1912

CHOBHAM

SURREY

1911 - 1916

Kept at Chobham ... 5 in.

Ground 2 ft. in.

in the County of Sur... Sea Level 80 ft.

a.m

by Miss Perc... Name Woking

Distance 3 Direction S-E

IMPORTANT NOT... the result entered to the previous day. If an O... versal rule, he is earnestly requested to add the rea... year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.. 9	.. ..	– –	– –	– –	– –	.. 2	.. 8	– –	– –	– –	.. 1	1
2		.. ..	– –	.. 51	.. 26	– –	.. 13	– –	– –	– –	.. 19	.. 6	2
3	.. 6	.. ..	– –	.. 36	.. 20	– –	– –	.. 1	– –	.. 2	.. 11	.. 14	3
4	.. 3	.. 3	.. 8	.. 2	– –	– –	– –	– –	– –	11	.. 18	.. 38	4
5	.. 3	.. ..	– –	.. 8	– –	– –	– –	– –	– –	16	.. 8	.. 3	5
6	.. 30	.. ..	.. 16	– –	– –	– –	– –	– –	– –		.. 3	.. 46	6
7	.. 5	.. ..	.. 2	.. 4	– –	– –	– –	– –	– –	18	.. 37	.. 16	7
8	13	.. ..	.. 28	– –	– –	– –	– –	– –	– –		.. 18	.. 43	8
9	.. 19	.. ..	– –	.. 1	– –	– –	– –	– –	– –		.. ..	.. 24	9
10	3	.. 17	.. 21	– –	– –	– –	– –	– –	– –		.. 6	.. 67	10
11	38	– –	– –	– –	– –	– –	– –	– –	– –		.. 82	– –	11
12	– –	– –	.. 50	– –	.. 60	– –	– –	– –	.. 43	– –	.. 35	– –	12
13	– –	– –	.. 8	– –	.. 10	– –	– –	– –	– –	.. 10	– –	.. 67	13
14	– –	.. 7	– –	– –	.. 22	– –	– –	– –	– –	– –	– –	.. 46	14
15	– –	.. 8	.. 11	– –	– –	– –	– –	– –	– –	.. 2	.. 6	.. 5	15
16	– –	– –	.. 2	– –	– –	.. 35	– –	– –	– –	– –	.. 41	.. 7	16
17	– –	–	.. 3	– –	– –	.. 29	– –	– –	– –	– –	.. 43	.. 24	17
18	– –	.. 16	– –	– –	– –	.. 7	– –	– –	– –	.. 1	.. 70	.. 33	18
19	– –	– –	– –	– –	– –	.. 61	– –	– –	.. 24	.. 9	.. 10	.. 17	19
20	– –	.. 8	.. 3	– –	– –	– –	– –	.. 4	.. 1	.. 2	.. 3	.. 68	20
21	– 3	.. 9	– –	– –	– –	– –	– –	.. 39	.. 7	.. 67	– –	.. 20	21
22	– 10	– –	.. 20	– –	– –	.. 3	– –	– –	– –	.. 11	– –	.. 66	22
23	– –	.. 15	– –	– –	– –	.. 47	– –	– –	.. 18	.. 1	.. 5	.. 10	23
24	– –	.. 16	– –	– –	– –	.. 4	– –	.. 4	– –	1. 15	– –	.. 23	24
25	– –	.. 2	– –	– –	.. 60	.. 20	.. 54	– –	.. 3	.. 2	– –	– –	25
26	– –	– –	.. 6	.. 26	.. 15	.. 12	.. 10	.. 1	– –	.. 12	.. 4	.. 29	26
27	– –	.. 40	.. 2	.. 14	– –	– 7	.. 5	– –	.. 12	.. 1	– –	.. 22 ~~29~~	27
28	– –	.. 21	.. 12	.. 27	– –	– –	– –	.. 11	– –	– –	.. 5	– –	28
29	– –	– –	– –	.. 25	– –	.. 20	.. 15	– –	.. 18	.. 22	– –	– –	29
30	– –	– –	– –	.. 1	– –	.. 3	– –	.. 25	.. 3	.. 21	– –	2	30
31	– –	– –	– –	– –	.. 1	– –	– –	– –	– –	.. 4	– –	– –	31
Total	1.42	1.62	1-92	1.95	2..14	2.41	0.99	0.93	1.29	3.27	4.24	6.97	TOTAL for year 29.15
No. of Rain Days.	12	12	15	11	8	11	6	8	9	19	19	25	1~~6~~45

W. 8,000, X. '11.

Sa

RE

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Chobham House

in the County of Surrey

7

by Miss Perceval

RAIN GAUGE: Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 80 ft.

Time of Observation 9. a.m

Nearest Railway Station: Name Woking
Distance 3 Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	9	..	–	–	–	–	2	8	–	–	–	1	1
2		..	–	51	26	–	13	–	–	–	19	6	2
3	6	..	–	36	20	–	–	1	–	2	11	14	3
4	3	3	8	2	–	–	–	–	–	11	18	38	4
5	3	..	–	8	–	–	–	–	–	16	8	3	5
6	30	..	16	–	–	–	–	–	–		3	46	6
7	5	..	2	4	–	–	–	–	–	18	37	16	7
8	13	..	28	–	–	–	–	–	–		18	43	8
9	19	..	–	1	–	–	–	–	–		..	24	9
10	3	17	21	–	–	–	–	–	–		6	67	10
11	38	–	–	–	–	–	–	–	–		82	–	11
12	–	–	50	–	60	–	–	–	43	–	35	–	12
13	–	–	8	–	10	–	–	–	–	10	–	67	13
14	–	7	–	–	22	–	–	–	–	–	–	46	14
15	–	8	11	–	–	–	–	–	–	2	6	5	15
16	–	–	2	–	–	35	–	–	–	–	41	7	16
17	–	–	3	–	–	29	–	–	–	–	43	24	17
18	–	16	–	–	–	7	–	–	–	1	70	33	18
19	–	–	–	–	–	61	–	–	24	9	10	17	19
20	–	8	3	–	–	–	–	4	1	2	3	68	20
21	3	9	–	–	–	–	–	39	7	67	–	20	21
22	10	–	20	–	–	3	–	–	–	11	–	66	22
23	–	15	–	–	–	47	–	–	18	1	5	10	23
24	–	16	–	–	–	4	–	4	–	1.15	–	23	24
25	–	2	–	–	60	20	54	–	3	2	–	–	25
26	–	–	6	26	15	12	10	1	–	12	4	29	26
27	–	40	2	14	–	–	5	–	12	1	–	22	27
28	–	21	12	27	–	–	–	11	–	–	5	–	28
29	–	–	–	25	–	20	15	–	18	22	–	–	29
30	–	–	–	1	–	3	–	25	3	21	–	2	30
31	–	–	–	–	1	–	–	–	–	4	–	–	31
Total	1.42	1.62	1.92	1.95	2.14	2.41	0.99	0.93	1.29	3.27	4.24	6.97	TOTAL for year 29.15
No. of Rain Days.	12	12	15	11	8	11	6	8	9	19	19	25	145

W. 8,000, X. '11.

cord by Sandpit Hall 3.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Chobham House
in the County of Surrey
by Miss Perceval

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Woking
Diameter of Rain Gauge 5 inch in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0 0	0 0	0 14	0 1	0 0	0 . 6	0 . 20	0 0	0 3	0 . 64	0 0	0 . 26	1
2	0 0	0 . 0	0 . 15	0 . 1	0 0	0 10	0 . 43	0 . 4	0 0	0 . 7	0 0	0 0	2
3	0 . 2	0 4	0 . 18	0 0	0 0	0 . 14	0 . 4	0 . 29	0 0	0 0	0 0	0 . 6	3
4	0 . 21	0 7	0 . 45	0 0	~~0 0~~	0 43	0 0	0 . 1	0 0	0 0	0 32	0 0	4
5	0 22	0 3	0 8	0 0	0 . 10	0 0	0 0	0 . 34	0 0	0 . 3	0 3	0 . 2	5
6	0 . 49	0 0	0 . 3	0 0	0 1	0 . 0	0 0	0 . 34	0 . 4	0 0	0 1	0 0	6
7	0 . 2	0 0	0 0	0 0	0 0	1 . 23	0 0	0 18	0 0	0 0	0 0	0 . 7	7
8	0 . 37	0 33	0 29	0 0	0 . 12	0 9	0 . 3	0 22	0 1	0 0	0 0	0 0	8
9	0 0	0 20	0 . 4	0 0	0 0	0 8	0 0	0 . 6	0 0	0 0	0 0	0 . 25	9
10	0 0	0 8	0 0	0 0	0 0	0 . 8	0 0	0 24	0 0	0 2	0 0	0 . 30	10
11	0 . 8	0 23	0 0	0 0	0 0	0 3	0 0	0 0	0 0	0 0	0 . 5	0 . 28	11
12	0 . 5	0 21	0 . 18	0 0	0 0	0 23	0 . 6	0 . 10	0 0	0 0	0 . 3	0 2	12
13	0 0	0 0	0 0	0 0	0 18	0 0	0 0	0 0	0 0	0 0	0 3	0 . 4	13
14	0 0	0 . 1	0 . 5	0 0	0 0	0 0	0 0	0 . 8	0 0	0 0	0 0	0 . 5	14
15	0 2	0 . 3	0 9	0 0	0 . 2	0 . 60	0 0	0 . 0	0 0	0 . 4	0 0	0 . 30	15
16	0 40	0 0	0 . 8	0 0	0 .11	0 0	0 0	0 . 5	0 0	0 0	0 . 5	0 . 2	16
17	0 62	0 0	0 9	0 0	0 . 18	0 0	0 0	0 . 10	0 0	0 0	0 0	0 . 1	17
18	0 30	0 0	0 22	0 0	0 0	0 0	0 0	0 . 15	0 0	0 0	0 . 1	0 . 9	18
19	0 . 8	0 . 11	0 . 3	0 0	0 0	0 . 2	0 23	0 . 41	0 0	0 0	0 0	0 0	19
20	0 . 5	0 0	0 24	0 0	0 0	0 0	0 . 2	0 . 12	0 0	0 . 37	0 . 3	0 0	20
21	0 . 2	0 3	0 . 27	0 0	0 0	0 0	0 0	0 . 7	0 0	0 0	0 . 6	0 0	21
22	0 16	0 . 18	0 8	0 0	0 21	0 0	0 5	0 20	0 0	0 . 6	0 0	0 . 6	22
23	0 50	0 42	0 . 37	0 0	0 0	0 0	0 0	0 47	0 0	0 . 15	0 . 22	0 . 19	23
24	0 . 42	0 . 2	0 0	0 0	0 0	0 . 8	0 0	0 25	0 0	0 0	0 0	0 . 20	24
25	0 22	0 0	0 0	0 0	0 0	0 . 42	0 0	0 42	0 0	0 0	0 . 20	0 . 62	25
26	0 0	0 6	0 0	0 0	0 0	0 0	0 0	0 . 41	0 0	0 . 40	0 . 50	0 . 37	26
27	0 0	0 0	0 . 3	0 0	0 0	0 . 7	0 0	0 0	0 0	0 . 29	0 0	0 26	27
28	0 0	0 8	0 0	0 0	0 0	0 . 17	0 . 20	0 . 21	0 . 20	0 . 40	0 50	0 . 21	28
29	0 0	0 4	0 0	0 0	0 0	0 . 13	0 . 21	0 . 19	1 . 95	0 . 48	0 0	0 0	29
30	0 0	0 0	0 0	0 0	0 . 29	0 03	0 . 1	0 0	1 . 07	0 22	0 0	0 0	30
31	0 0	0 0	0 30	0 0	0 . 12	0 0	0 20	0 . 7	0 . 0	0 . 3	0 0	0 . 7	31
Total	4 . 25	2 . 17	3 . 39	0 . 2	1 . 34	4.09 4 . 09	1 . 68	5 . 02	3 . 30	3 . 20	2 . 64	3 . 75	YEAR'S TOTAL 34 . 25
Rain Days.	19	18	21	2	10	19	12	25	6	14	14	22	178

~~180~~
182

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL
5 - JAN 1914

Kept at Chobham House. Chobham ~~Surrey~~
in the County of Surrey
by Miss Perceval

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Woking
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0. 2	0.42	0. 6	0.13	0.0	0. 3	0.0	0.0	0.65	0. 1	0. 9	0.22	1
2	0. 6	0.14	0. 3	0.0	0.0	0.0	0.11	0.0	0. 3	0.17	0. 9	0.0	2
3	0 2	0 0	0. 4	0.18	0.45	0.0	0.0	0.0	0. 3	0. 2	0.0	0. 8	3
4	0.28	0 0	0. 2	0.0	0.18	0.0	0.0	0.0	0. 4	0.17	0. 3	0. 5	4
5	0 14	0. 2	0.0	0.0	0.0	0.12	0. 8	0.0	0.23	0. 2	0.0	0. 5	5
6	0. 2	0. 4	0.16	0.0	0. 3	0. 8	0.19	0.0	0.0	0.60	0. 7	0.25	6
7	0 0	0.24	0 0	0.0	0. 6	0 3	0.0	0.0	0.0	0.40	0.11	0. 1	7
8	0 3	0. 3	0.0	0.0	0.12	0. 6	0.0	0.0	0.0	0.15	0.0	0.0	8
9	0 6	0.16	0.0	0.0	0. 4	0.0	0.0	0.0	0.21	0.0	0. 2	0 3	9
10	0. 2	0.0	0.11	0. 9	0. 3	0.0	0.20	0. 7	0.0	0.0	0 43	0.0	10
11	0.45	0.0	0.0	0 43	0. 7	0.0	0.0	0.0	0.0	0.60	0.19	0.0	11
12	0.0	0.0	0.0	0 0	0.11	0.0	0.0	0.0	0.0	0. 2	0.20	0.0	12
13	0 4	0.0	0. 3	0.0	0.0	0.0	0.0	0. 2	0. 8	0.12	0 24	0.0	13
14	0 11	0.0	0.13	0. 6	0. 1	0.0	0 32	0. 7	0.17	0.0	0. 5	0. 3	14
15	0 21	0.12	0.37	0.26	0. 0	0.0	0.26	0.0	0. 5	0.0	0. 3	0.0	15
16	0 13	0. 0	0.42	0.10	0.0	0.0	0.0	0.0	0.17	0.0	0. 1	0.0	16
17	0 4	0.17	0. 3	0. 2	0. 0	0 0	0.31	0.0	0. 8	0.0	0.0	0.0	17
18	0 0	0.0	0 30	0. 7	0.0	0.0	0.0	0.0	0. 3	0.0	0.0	0.0	18
19	0 48	0.0	0 3	0 -	0.0	0 0	0. 9	0.0	0 23	0.0	0. 3	0.0	19
20	0 10	0 0	0 30	0. 6	0.0	0.30	0.0	0.0	0.0	0.65	0.0	0.0	20
21	0 0	0 0	0 26	0. 9	0.0	0.0	0. 3	0.0	0.0	0.16	0.84	0.0	21
22	0.41	0 0	0 30	0. 0	0.0	0.0	0.0	0.0	0.17	0.0	0.0	0.0	22
23	0 0	0. 0	0 0	0. 0	0. 0	0.0	0. 2	0.33	0.0	0.0	0.0	0.50	23
24	0 0	0.0	0.0	0. 4	0.0	0.0	0.0	0.0	0.0	0.0	0. 3	0.0	24
25	0 0	0.0	0.0	0.22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0. 3	25
26	0 0	0.0	0.20	0.15	0.0	0.0	0.0	0.15	0.0	0.62	0.0	0.16	26
27	0 0	0. 1	0. 8	0 7	0.0	0.0	0.0	0.0	0.0	0. 2	0. 1	0.0	27
28	0.17	0.0	0 27	0 20	0.0	0.0	0.0	0.0	0.0	0 14	0.0	0.0	28
29	0 4	0.0	0 7	0 63	0.48	0.0	0.0	0.10	0.0	0. 7	0.0	0.0	29
30	0 34	0 0	0 0	0 0	0.0	0 0	0.0	0 24	0.0	0.20	0.0	0.0	30
31	0 0		0 9	0 0	0.0		0.0	0 70		0.37		0.0	31
Total	3.11	1.35	3.30	2.80	1.58	0.62	1.61	1.68	2.08	4.21	2.47	1.41	YEAR'S TOTAL 26.22 26.22
Rain Days.	20	10	21	17	11	6	10	8	13	19	17	11	163

W.7,000, XI. 13

Ex D L

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

4 JAN 1915

Kept at Chobham House · Chobham

in the County of Surrey 7

by Miss Perceval

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Woking

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.0	0 0	0 2	0.0	0 0	0.0	0.0	0.0	0.0	0.0	0.4	0 7	1
2	0.0	0 0	0 0	0.0	0 0	0.0	0.7	0.6	0.0	0.0	0.8	0 19	2
3	0 0	0 0	0 5	0.0	0.18	0.0	0 50	0.4	0.0	0.0	0.8	0.4	3
4	0.6	0 0	0.6	0.22	0.0	0.0	0.2	0.10	0.0	0.0	0.35	0 40	4
5	0 6	0.15	0.8	0.35	0.19	0.6	0.28	1.35	0.0	0.0	0.0	0.0	5
6	0 0	0 6	0.3	0.17	0.0	0.13	0.3	0.2	0.0	0.0	0.0	0 15	6
7	0 0	0.42	0.32	0.19	0.18	0.16	0.0	0.0	0.0	0.0	0.0	0 17	7
8	0.7	0.40	0 86	0.3	0.2	0.9	0.4	0 15	0.0	0.0	0.0	0 6	8
9	0.25	0 0	0.60	0 20	0.0	0.18	0.6	0.0	0 12	0.0	0.0	2. 30	9
10	0 0	0 14	0.6	0.3	0.10	0.0	0.0	0.0	0 30	0.0	0.0	0.0	10
11	0 0	0.29	0.45	0 0	0.6	0.3	0.0	0.0	0 3	0.0	0.5	0 36	11
12	0 0	0.10	0.15	0 0	0.0	0.0	0.52	0.0	0 25	0.0	0.3	0 46	12
13	0 0	0.24	0.17	0 0	0.0	0.0	0.0	0.0	0.14	0.7	0.2	0 63	13
14	0 0	0.15	0 24	0 0	0.0	0.18	0.6	0.0	0.0	0 70	0.10	0 62	14
15	0 8	0.0	0 12	0 0	0.0	0.0	0.16	0.7	0.0	0.2	0.62	0 0	15
16	0 0	0.32	0 0	0 0	0.0	0 0	0.0	0.0	0 7	0.0	0.0	0.0	16
17	0 0	0.2	0.10	0 0	0.0	0.0	0.1	0.0	0 2	0.0	0.0	0 20	17
18	0 0	0.8	0.27	0.0	0.0	0.0	0.0	0.0	0.0	0 0	0.0	0 38	18
19	0 0	0.2	0.35	0.0	0.0	1.00	0.17	0.0	0.0	0.0	0 20	0 32	19
20	0 0	0.40	0.33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20
21	0 0	0.65	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0 9	0.0	0.11	21
22	0 0	0.2	0.7	0.0	0 11	0.9	0.13	0.4	0.0	0.22	0.0	0.2	22
23	0 0	0.30	0.14	0.0	0.9	0.3	0.2	0.0	0.0	0 11	0.0	0 3	23
24	0 0	0.0	0 5	0.0	0.0	0.0	0.1	0.0	0 0	0.3	0.13	0.0	24
25	0 3	0.0	0.17	0.0	0.0	0.0	0.0	0.20	0 0	0 27	0.0	0 17	25
26	0 1	0.0	0 3	0.0	0.0	0.0	0.7	0.4	0.0	0.12	0.22	0.66	26
27	0 3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0 20	27
28	0 1	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.9	0.41	1.13	28
29	0 7	0 0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.24	0.23	0 0	29
30	0 0	X	0.7	0.0	0.0	0.0	0 0	0.0	0.0	0.11	0.57	0 55	30
31	0 0	X	0 0	X	0.12	X	0 5	0 0	X	0.5	X	0 3	31
Total	0.67	3.73	4.92	1.19	1.10	1.95	2.14	2.07	0.93	2.12	3.17	9.22	YEAR'S TOTAL 33.21
Rain Days.	10	16	26	7	10	10	16	10	7	13	16	23	164

W. 8,000. X. 14.

cordly. sum state 22.11.16

307

REGISTER OF RAINFALL IN 19 15

FORM A.
BRITISH RAINFALL.
5. JAN 1916

Kept at Chobham House Chobham
in the County of Surrey
by Mrs Perceval

7

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Woking
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.75	0.25	0.12	0 0	0.5	0.0	0.3	0.5	0.4	0.9	0.14	0.53	1
2	0.30	0.23	0.32	0.12	0.0	0.5	0.0	0.68	0.0	0.6	0.0	0 35	2
3	0.46	0 0	0.10	0.10	0.0	0.0	0 0	0 35	0.0	0.0	0.0	0.44	3
4	0.4	0 0	0 0	0 0	0.0	0.0	0.0	0 3	0.0	0.0	0.0	0.27	4
5	0.5	0.60	0 0	0 0	0.0	0.0	0.0	0.3	0.0	0.6	0.0	0 38	5
6	0.44	0.10	0.4	0.30	0.0	0.0	0.80	0.2	0.0	0.0	0.0	0.66	6
7	0.20	0.28	0 4	0.0	0.0	0.0	0.28	0.3	0.0	0.0	0.0	0.18	7
8	0.7	0.60	0.2	0.4	0.0	0.0	0.4	0.10	0.0	0.0	0.0	0.0	8
9	0.5	0.20	0.0	0.26	0.0	0.21	0.0	0.2	0.0	0.0	0.36	0.80	9
10	0.21	0 0	0.0	0 0	0.0	0.0	0.0	0.16	0.0	0.0	0.0	0.23	10
11	0.2	0 0	0.5	0 0	0.0	0.0	0.0	0.2	0.0	0.4	0.85	0.5	11
12	– –	0.19	0.0	0.42	0.50	0.0	0.0	0.14	0.0	0.0	0.30	0 0	12
13	– –	0.75	0 0	0 0	1.34	0.0	0.0	0.3	0.2	0.0	0.0	0 0	13
14	0.3	0 0	0 0	0 0	0.0	0.0	0.40	0.19	0.4	0.0	0.0	0.40	14
15	0.7	0.0	0 0	0 0	0.6	0.0	0.5	0.5	0.0	0.0	0.10	0.18	15
16	0 0	0.46	0 0	0 0	0.11	0.0	0.74	0.13	0.0	0.0	0.0	0.8	16
17	0 0	0.41	0 0	0 0	1.22	0.0	0.3	0.0	0.0	0.0	0.0	0 0	17
18	0 0	0.29	0.11	0 0	0.14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18
19	0 0	0.5	0 0	0 0	0 3	0.0	0.4	0.0	0.0	0.3	0 0	0.0	19
20	0.32	0.0	0 0	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.17	20
21	0.12	0.4	0 0	0 0	0 33	0.0	0.3	0.0	0.0	0.6	0.0	0.4	21
22	1.15	0.12	0.24	0 0	0 0	0.0	0.94	0.0	0.2	0.0	0.0	0.14	22
23	0 0	0.16	0 3	0 0	0.0	0.20	0.32	0.0	0.39	0.50	0.0	0.22	23
24	0 0	0 0	0 0	0 0	0.0	0.0 (.23)	0.13	0.0	0.50	0.31	0.0	0.56	24
25	0 0	0 0	0 0	0.13	0.0	0.0	0.11	0.0	0.0	0.0	0.0	0.14	25
26	0 0	0 4	0 0	0.0	0.0	0.10	0.42	0.0	0.1	0.0	0.0	0.75	26
27	0 0	0.2	0 0	0.0	0.0	0.36	0.0	0.0	0.0	0.45	0.0	0 9	27
28	0 0	0.9	0 0	0.0	0.0	0.9	0.0	0.0	1.52	0.19	0.0	0.0	28
29	0 0		0 0	0.0	0.0	0.8	0 46	0.15	0.0	0.0	0.35	0 3	29
30	0 8	X	0 0	0.0	0.0	0.35				0 25	0.48	0.4	30
31	0.4	X	0 0	X		X			X	1.34	X	0.28	31
Total	4.40	4.88	1.07	1.42	3.82	1.67 ✓	4.82	2.18	2.54	3.38	2.58	6.95	YEAR'S TOTAL 39.71 ✓
Rain Days.	18	19	10	8	10	8	16	17	8	12	7	24	157

W. 8,000. X. 15.

W C J E [illegible] 294

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Chobham House Chobham
in the County of Surrey
by Miss Percival

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Woking
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00.6	00.6	0.6		0.18				0-34	~~62~~	0.57		1
2	00.21	00.6	0.11		0 36				0.25	0.62	0-4		2
3	.. 2	00.75	0.7		0.1		0.6		0-12	0 38	0.27		3
4	.. 16	0.12			0.2	0.2				0.4	0.41		4
5	.. 4				0.30	0.9				0.2	0.44		5
6		0.8	0.20	0 14		0 14				0.5	0.57		6
7	.. 8		0.39		0.14	0.9				0.6	0.58	0 8	7
8					0.29	0.2				0.3		0 32	8
9	00.1				0.13		0.19			0.4	0.2	0 ~~26~~	9
10		0.38	0.15	0.4	0.4	0.14				0 10		0 26	10
11	00.3	0.16	0.9	0.18	0.46	0.29				0.2		0.5	11
12	00 4	0 5		0.3		0.12	0.6	0.20		0.10			12
13		0.20	0.75	0.11	0.7	0.7		0.14		0.6	0.2		13
14		0.40	0.16					0.16		0.4		0.15	14
15		0.23	0.36				0.3	0.21		0.3		0.3	15
16	00.2	0.7	0.40	0.20			0.2	0.44		0.8			16
17	00.10	0.20		0.5			0.27	0.45		0 0	0.72		17
18	00.1	0.14	0.6	0.7			0.4	0.49	0.60	0.61	0.66	0.3	18
19	00.9		0.125	0.32				0.3	0.10	0.33	0.2		19
20	00.14		0.22	0.10						0.2		0.47	20
21	00.3		0.42	0.5						0.5		0 38	21 6
22				0.3						0.2	~~0.4~~	0 49	22
23	00.3	0.30		0.5				0 3		0 1	0.4	0.6	23
24		0 20		0.7		0.6		0 6		0.4	0 3	0.36	24
25		0.25	0.6		0.19			0 11		0.57	0.9		25
26		0.70	0.30			0.9		0 21		0.4			26
27			0.91			0.4		0 44	0.6	0 35			27
28			0.11			0.15		0 3	0.9	0.50		0 11	28
29		0-20				0 26		1.09	0.7	0.15		0 18	29
30		X						0 6		0.35			30
31		X		X		X		(·06)	X	0.45	X		31
Total	1.67	4.55	5.04 5.07	1.44	2.19	1.58 1.58	0.67	4.21	1.63	5.26 5.76	4.36	2.97 2.97	YEAR'S TOTAL 34.47
Rain Days.	16	19	19	14	12	14	7	17	8	~~30~~ 30 29	15	15	185 185

W. 8,000, VIII. 16

CHOBHAM

VALLEY END SCH

SURREY

1916-17

REGIS

FORM A.
BRITISH RAINFALL.

10 JAN

Kept at Valley En

in the County of Sur

by CAV Cha

…n 1 2½° W

…am

…unningdale

…ge 5 in.

…round — ft. 9 in.

…ea Level 170 ft.

IMPORTANT NOTE. … result entered to the previous day. If an Obse… …al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				—	—	·02	—	—	·05	·16	·41	—	1
2				—	—	—	—	—	·30 ~~[illegible]~~	·53	·02	·01	2
3				—	·15	—		—	·07 ~~·21~~	·32	·40	—	3
4				—	·26	·25	·05	—	·21	·01	·50	—	4
5				·01	·70	·12	·15	—	—	—	·68	—	5
6				·11	·001	·18	·20	—	·01	—	·51	—	6
7				—	·27	·17	·20	—	—	·1	·68	·05	7
8				—	—	·01	—	—	—	—	·01	·54	8
9				—	·10	·10	—	—	—	—	—	·03	9
10				·025	·30	·28	—	—	—	—	·04	—	10
11				·16	·14	·12	—	—	—	·06	—	—	11
12				·009	·01	·03	·02	—	—	—	—	—	12
13				·125	—	—	—	·43	—	·06	—	—	13
14				Trace	·42	—	—	·18	—	—	—	·20	14
15				—	—	—	—	·15	—	·09	—	·01	15
16				·19	·06	—	—	·20	—		—	—	16
17				·14	—	—	—	·36	·30	·01	·14	—	17
18				·11	—	—	—	·35	·05	·67	·44	·13	18
19				·12	—	—	—	·32	·10	·39	·76	—	19
20				·025	—	—	—	·02	·25	—	·02	·83	20
21				—	—	—	—	—	—	—	·01	·60	21
22				—	—	—	—	—	—	·04	·01	·03	22
23				—	—	—	—	·01	—	—	·02	·41	23
24				—	Trace	—	—	·05	—	·08	—	—	24
25				—	—	·10	·05	·11	·03	·26	·12	~~4~~·11	25
26				—	·17	·7		·29	·04	·31	—	·21	26
27				—	—	·05		·29	·03	·31	—	Trace	27
28				—	—	·125		·30	·04	·31	—	~~[illegible]~~	28
29				—	—	·30		·92	—	·31	—		29
30		X		—	—	Trace		·06	—	·31	—		30
31		X		X	—	X		·055	X	·27	X		31
Total				1·024	2·651	2·505	·670	4·095	1·480	4·600	4·770	9 with 3·160	~~YEAR'S~~ TOTAL ~~30·685~~
Rain Days.				11	11 ~~12~~	15	5	17	12 ~~13~~	20	17	13	~~123~~

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

REGIS

Kept at Valley End
in the County of Surrey
by C A V Chapman

Lat. 52½°N Long. About 2½°W
Time of Observation 9 am
Nearest Railway Station Sunningdale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				–	–	·02	–	–	·05	·16	·41	–	1
2				–	–	–	–	–	·30 ~~·07~~	·53	·02	·01	2
3				–	·15	–		–	·07 ~~·21~~	·32	·40	–	3
4				–	·26	·25	·05	–	·21	·01	·50	–	4
5				·01	·70	·12	·15	–	–	–	·68	–	5
6				·11	·001	·18	·20	–	·01	–	·51	–	6
7				–	·27	·17	·20	–	–	·1	·68	·05	7
8				–	–	·01	–	–	–	–	·01	·54	8
9				–	·10	·10	–	–	–	–	–	·03	9
10				·025	·30	·28	–	–	–	–	·04	–	10
11				·16	·11	·12	–	–	–	·06	–	–	11
12				·009	·01	·03	·02	–	–	–	–	–	12
13				·125	–	–	–	·43	–	·06	–	–	13
14				Trace	·42	–	–	·18	–	–	–	·20	14
15				–	–	–	–	·15	–	·09	–	·01	15
16				·19	·06	–	–	·20	–		–	–	16
17				·14	–	–	–	·36	·30	·01	·14	–	17
18				·11	–	–	–	·35	·05	·67	·44	·13	18
19				·12	–	–	–	·32	·10	·39	·76	–	19
20				·025	–	–	–	·02	·25	–	·02	·83	20
21				–	–	–	–	–	–	–	·01	·60	21
22				–	–	–	–	–	–	·04	·01	·03	22
23				–	–	–	–	·01	–	–	·02	·41	23
24				–	Trace	–	–	·05	–	·08	–	–	24
25				–	–	·10	·05	·11	·03	·26	·12	~~·4~~ ·11	25
26				–	·17	·7		·29	·04	·31	–	·21	26
27				–	–	·05		·29	·03	·31	–	Trace	27
28				–	–	·125		·30	·04	·31	–	~~·4~~	28
29				–	–	·30		·92	–	·31	–		29
30		X		–	–	Trace		·06	–	·31	–		30
31		X		X	–	X		·055	X	·27	X		31
Total				1·024	2·651	2·505	·670	4·095	1·480	4·600	4·770	9 mths 3·160	~~YEAR'S~~ TOTAL 30·685
Rain Days.				11	~~12~~ 11	15	5	17	~~13~~ 12	20	17	13	~~123~~

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Valley End School, Chobham
in the County of Surrey
by Mr. C H V Chapman

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Sunningdale
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·31			·31				·03		1
2	Trace			·24		·05	1·16				·06		2
3	·30		·01				·01		·01				3
4	·01	2 snow (·20)	·04	·09			·68						4
5	·16		·32	Trace		·02		·49		·26			5
6	~~2·9~~ ·29	·23		·11		·05			·11	·20	·22		6
7	Trace			·19				·45		·10	·12		7
8	·14			·06				·46		·26	·22		8
9							·14	·04					9
10	Trace		·52	Trace	·04		·28		·20			·56	10
11	·21	Trace	·03	·2									11
12			·21	·05			·04		·63	·15			12
13	·04			·01			·19		·02	·44		·10	13
14	·08							·16		·06			14
15	·02		Trace										15
16	·04		Trace				·56			·03			16
17	Trace	~~·4~~ ·11	Trace	·27	·54		·07	·45					17
18	·03	·05	Trace	·11	·11	·12		·31	·47	·47			18
19	·01	·2			·10	·28		·13		·3		·3	19
20	Trace	·13			·50	·05							20
21	Trace	·	·02			·15					·09		21
22	Trace	·				·04				·05		·12	22
23		·			·14	~~2·8~~ ·28	1·1			·05			23
24		~~2·5~~ ·25				Trace	·14			·19			24
25		Trace				·10	·48	·06		Trace			25
26				·07		1·35							26
27			·11										27
28						·10	·54	·87					28
29			·04					2·05					29
30		X	·32			·05				·32			30
31		X	·31	X		X			X		X		31
Total	~~3·94~~ 1·33	~~6·21~~ 1·17	1·95	1·71	1·43	~~5·16~~ 2·64	5·70	5·77	1·44	2·88	·74	1·08	YEAR'S TOTAL 38·01
Rain Days.	19 12	9 7	~~16~~ 12	14 12	6	14 13	14	11	6	15 14	6	4	134

ang

117

W. 8,000, IX. 17.

and for WD.

COB~~HAM~~
FAIRMILE HATCH
SURREY
1920

FORM A. 1. METEOROLOGI… …TION.

REG…

Kept at Fairmile H…

in the County of Su… …ham

by Mr. Trollop… …5 in.

…nd 1 ft. 0 in.

Level ft.

IMPORTANT NOTE.—Rain should … to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnes… …o add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·10

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	—	—	—	·22	·80	·23	1
2	—	—	—	—	—	—	·32	—	·05	—		·24	2
3	—	—	·15	—	—	—	—	·50	—	·10			3
4	—	—		·36	—	—	—	—	—	—		·03	4
5	—	·12	—	·21	—	—	·71	—	—	·22		·08	5
6	—	—	·15	—	—	—	·68	—	—	—		·11	6
7	—	—	·14	—	·20	—	·30	—	—	—			7
8	—	—	—	·15	·15	—	·12	—	—	—			8
9	—	—	—	—	·18	—	·11	—	—	—			9
10	·26	—	—	·10	—	—	—	—	—	—			10
11	·25	·9	—	—	—	—	·10	—	—	—			11
12	·22	—	·15	·26	—	—	·21	—	—	—			12
13	—	—	·15	·28	—	·97	—	—	—	—			13
14	—	—	—	·23	—		—	—	—	—			14
15	—	—	—	·18	—	·15	—	—	·05	—	·30		15
16	—	—	—	·15	—	—	—	—	·20	·18			16
17	—	—	—	—	—	·37	—	—	·80	—	·05		17
18	—	—	—	—	·21	—	—	—	·70	—			18
19	·05	—	·22	—	—	—	—	—	·30	—			19
20	—	—	—	—	—	—	—	1.03	—	—		·40	20
21	·11	·18	—	·28	—	·60	—	—	—	—			21
22	—	—	—	—	—	—	·60	—	·48	—			22
23	—	—	—	—	—	—	—	—	·10	—		·30	23
24	—	—	—	—	—	—	·48	·05	—	—		·31	24
25	—	—	—	—	—	—	—	—	—	—			25
26	—	—	—	—	—	—	·15	—	—	—			26
27	·05	—	·32	—	—	—	·7	—	—	—		·08	27
28	·25	—	—	·26	—	—		—	—	—	·76	·09	28
29	·43	—	·13	·04	—	·15	·19	—	—	—	·12		29
30	·30	✗	·04	—	—	—	—	—	—	—	·08	·20	30
31	—	✗	—	✗	—	✗	10	—	✗	—	✗	·18	31
									·22	·80	·23	·10	YEAR'S TOTAL
TOTAL	1.92	·39	1.45	2.44	·71	2.24	4.11	1.58	~~2.65~~ 2.87	~~·92~~ 1.30	2.08 1.51	~~2.42~~ 2.29	~~22.74~~ 22.81
Days with ·01 in. or more	9	3	9	12	4	5	14	3		4	6	12	
Days with ·04 in. or more	9	3	9	12	4	8	14	3	8	4	6	12	~~85~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

and for WD.

163

FORM A. 1. METEOROLOGICAL … TION.

REGISTER OF RAINFALL IN 192

Kept at Fairmile Hatch Cobham
in the County of Surrey
by Mr Trollope —

Lat.
Long.
Time of Observation 9 am
Nearest Railway Station Cobham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .10

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	—	—	—	.22	.80	.23	1
2	—	—	—	—	—	—	.32	—	.05	—		.24	2
3	—	—	.15	—	—	—	—	.50	—	.10			3
4	—	—		.36	—	—	—	—	—	—		.03	4
5	—	.12	—	.21	—	—	.71	—	—	.22		.08	5
6	—	—	.15	—	—	—	.68	—	—	—		.11	6
7	—	—	.14	—	.20	—	.30	—	—	—			7
8	—	—	—	.15	.15	—	.12	—	—	—			8
9	—	—	—	—	.18	—	.11	—	—	—			9
10	.26	—	—	.10	—	—	—	—	—	—			10
11	.25	.9	—	—	—	—	.10	—	—	—			11
12	.22	—	.15	.26	—	—	.21	—	—	—			12
13	—	—	.15	.25	—	.97	—	—	—	—			13
14	—	—	—	.23	—		—	—	—	—			14
15	—	—	—	.18	—	.15	—	—	.05	—	.30		15
16	—	—	—	.15	—	—	—	—	.20	.18			16
17	—	—	—	—	—	.37	—	—	.80	—	.05		17
18	—	—	—	—	.21	—	—	—	.70	—			18
19	.05	—	.22	—	—	—	—	—	.30	—			19
20	—	—	—	—	—	—	—	1.03	—	—		.40	20
21	.11	.18	—	.25	—	.60	—	—	—	—			21
22	—	—	—	—	—	—	.60	—	.45	—			22
23	—	—	—	—	—	—	—	—	.10	—		.50	23
24	—	—	—	—	—	—	.45	.05	—	—		.31	24
25	—	—	—	—	—	—	—	—	—	—			25
26	—	—	—	—	—	—	.15	—	—	—			26
27	.05	—	.32	—	—	—	.7	—	—	—		.05	27
28	.25	—	—	.26	—	—		—	—	—	.76	.09	28
29	.43	—	.13	.04	—	.15	.19	—	—	—	.12		29
30	.30		.04	—	—	—	—	—	—	—	.05	.20	30
31	—		—		—		10	—		—		.18	31
									.22	.80	.23	.10	YEAR'S TOTAL
TOTAL	1.92	.39	1.45	2.44	.71	2.24	4.11	1.58	~~2.65~~ 2.87	~~.72~~ 1.30	~~2.08~~ 1.51	~~2.42~~ 2.29	~~22.04~~ 22.81
Days with ·01 in. or more	9	3	9	12	4	5	14	3	8	4	6		87
Days with ·04 in. or more	9	3	9	12	4	8	14	3	8	4	6	12	~~84~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CHURT

FURZE HILLS

SURREY

1911 - 1916

SW

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Assoc.

Kept at Furze Hill

ft. 10" in.

in the County of

el 390 ft.

by The Rev. Clem

Farnham

5½m Direction NE

IMPORTANT NO... sult entered to the previous day. If an ... ule, he is earnestly requested to add the re... the space provided for it at the end of t... f rain, the selection and plac... ainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03			·19				·08				·04	1
2	·09			·14	·26						·19	·16	2
3		·03			·22			·65		·04	17	17	3
4	·03	·03	·06	·14							·27		4
5	·02	·01		·10						·38	·07		5
6	·31		·15	·02		·05				·10	·05	·96	6
7	·03		·02							·18	·47	·10	7
8	·08		·28								·20	·70	8
9	·14		03								·04	·30	9
10	·03	·12	·28	·01							·03	·93	10
11	·34		·03		·03						·96		11
12	·02		·58								·27	·08	12
13			·06		·16				·31		·02	·58	13
14		·05	·02		·18					·04		·68	14
15		·02	·11		·02					03	·11	·06	15
16		·01				·31					·54	·19	16
17			·01			·13				·01	·47	·53	17
18			·11			·16				·03	·49	·64	18
19		·19				·40			·42	·20	·11	·29	19
20	·03	·04	·07					·10	·03	·06		·95	20
21	·04	·22							·06	·67		·17	21
22	·11		·73			·18				·24		·61	22
23	·02	·23	·02			·37			·09	·09	07	·22	23
24		·19				·16		·05		1·10		37	24
25	·03		·10	·08	·97	·10		·42		04		·05	25
26		·06		·26	·03	·05	·66			·21	·07	·30	26
27		·30		·46			·07			·17	·06	·24	27
28		·27		·34			·13		·03	·02	·03	·03	28
29				·46		·19			·16	·34			29
30				·63		·06		·17		·44		02	30
31										04		01	31
Total	1·35	1·77	2·66	2·23	1·81	2·10	·86	·87	1·12	4·43	4·69	9·38	TOTAL for year 33·27
No. of Rain Days.	16	15	17	12	8	12	3	6	7	21	21	27	165

W. 8,000, X. '11.

SW

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Assoc.

Kept at Furzehills Church

in the County of Surrey. 6

by The Revd Clements G. O. T. Bond.

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	ft. 10" in.
	" " " Sea Level	390 ft.

Time of Observation 9 am

Nearest Railway Station: Name Farnham; Distance 5½m; Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03			·19				·08				·04	1
2	·09			·14	·26						·19	·16	2
3		·03			·22			·65		·04	17	17	3
4	·03	·03	·06	·14							·27		4
5	·02	·01		·10						·38	·07		5
6	·31		·15	·02		·05				·10	·05	·96	6
7	·03		·02							·18	·47	·10	7
8	·08		·28								·20	·70	8
9	·14		03								·04	·30	9
10	·03	·12	·28	·01							·03	·93	10
11	·34		·03		·03						·96		11
12	·02		·50								·27	·08	12
13			·06		·10				·31		·02	·50	13
14		·05	·02		·18					·04		·68	14
15		·02	·11		·02					03	·11	·06	15
16		·01				·31					·54	·19	16
17			·01			·13				·01	·47	·53	17
18			·11			·10				·03	·49	·64	18
19		·19				·40			·42	·20	·11	·29	19
20	·03	·04	·07					·10	·03	·06		·95	20
21	·04	·22							·06	·67		·17	21
22	·11		·73			·18				·24		·61	22
23	·02	·23	·02			·37			·09	·09	07	·22	23
24		·19				·16		·03		1·10		37	24
25	·03		·10	·08	·97	·10		·42		04		·05	25
26		·06		·26	·03	·05	·66			·21	·07	·30	26
27		·30		·46			·07			·17	·06	·24	27
28		·27		·34			·13		·03	·02	·03	·03	28
29				·46		·19			·16	·34			29
30				·63		·06		·17		·44		02	30
31										04		01	31
Total	1·35	1·77	2·66	2·23	1·81	2·10	·86	·87	1·12	4·43	4·69	9·38	TOTAL for year 33·27
No. of Rain Days.	16	15	17	12	8	12	3	6	7	21	21	27	165

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

1 JAN 1913

REGISTER Ex DS OF RAINFALL IN 1912

Kept at Furze Hills, Churt
in the County of Surrey. 6
by The Revd. Clements G. O. Bond.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Farnham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10	·05	·06	·25	·04			·64		·02	1
2			·23			·08	·17	·36		·03	·02	·05	2
3	·06	·03	·13			·18	·35	·42				·63	3
4	·12		·68		·27			·03			·19		4
5	·29	·10	·16		·03			·73			·04		5
6	·32	·07				·03		·17				·08	6
7	·03		·63			·81		x·18				·08	7
8		·41	·40	·02		·04		·03				·02	8
9	·32	·32	·13	·03		·03	·04	·16			·01	·23	9
10	·02	·11	·10					·13			·08	·11	10
11	·08	·26						·06			·03	·48	11
12	·02	·11	·11		·22	·38	·12			·02	·05		12
13	·01	·20	·03								·03	·11	13
14	·01				·03			·06		·03	·05		14
15	·03	·06	·21		·10	·52				·08		·42	15
16	·15		·16		·18	·05		·13			·05		16
17	·65		·24			·03		·20				·14	17
18	·18		·35				·19	·27		05			18
19	·08	·14	·15			·02	·01	·66				·06	19
20	·02	·02	·40					·18		·42			20
21	·05	·04	·13		·30			·06		·12	·02		21
22	·12	·39	·05					·20		·02		·11	22
23	·62	·43	·33			·03		·18		·10	·18	·24	23
24	·52					·26		·19				·26	24
25	·12	·03				·42		·48		·13	·32	·75	25
26	·01							·11		·45	·85	·38	26
27			·02			·11				·50		·31	27
28		·13	·03			·21	·29	·15	·13	·73	·64	29	28
29						·14	·36	·22	2·37	·38			29
30					·26	11	·06		1·28	·28			30
31			·15		·04		·35	·09		·02		·04	31
Total	3·83	2·85	4·32	·10	1·49	3·70	1·98	5·45	3·78	4·00	2·56	4·21	YEAR'S TOTAL 38·27
Rain Days.	23	17	23	3	10	19	11	25	3	17	·15	21	187

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

2 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Forge Hills Churt

in the County of Surrey.

by The Revd. Clement G. O. Bond.

6

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Farnham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·34	·13	·10	·04				·98		·22	·16	1
2	·12	·10	·03	·09					·12	·13	·10	02 ·62	2
3	·08	·01	·05	·20	·67					·03		·19	3
4	·50		·09	·03	·36				·75	·26	·10	·03	4
5	·25	·07				·12	·09		·43	01 ·61	·10	·05	5
6	·04	·17				·11	·27		·02	·63	·06	·23	6
7		·44			·24	·08	·07			·52	·16		7
8		·06			·29					·24			8
9		·11	·01		·04				·21		·06		9
10	·04	·01		07	·52		·04	·02		·73	·36	·02	10
11	94			35	·43						·21		11
12									·02	·01	·29		12
13	·17				·04			·01	·10	·07	·23		13
14	·28	·02	·25	·01			·39		·09		·06		14
15	·48		·29	·42			·17		·06		·01		15
16	·42		·46	·14					·19		·02		16
17	·05	·07	·12	·07			·21				·04	·04	17
18	·03		·29								·07		18
19	·92		10				·16		·26				19
20	·20		·62	·08		·03	·01			·63	·12		20
21	·03		·23	·16						·16	·76		21
22	·31		·34					·18	·19				22
23			·03	·10		·03		·06				·81	23
24				·08							·02		24
25				·21								·02	25
26	·01	·03		·23				·14		·58		·25	26
27			·26	·17						·07			27
28	·09		·24	·17						·24			28
29				·67	·46			·14		·17		·07	29
30	·63		·11	·63	·02			·26		·27			30
31	·03		·09					·56		·07			31
Total	5·64	1·43	3·74	3·38	3·11	·37	1·41	1·37	3·42	4·82	2·99	1·89	YEAR'S TOTAL 33·57
Rain Days.	22	12	19	20	11	5	9	8	13	18	19	12	168

W.7,000, XI. 13

[illegible] 6.11.15 [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at Furze Hill, Churt.
in the County of Surrey. 6
by The Revd. Clement E. O. Bond.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Farnham.
Diameter of Rain Gauge 5· in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·02				·17			·09	·09	1
2						·06	·03	·10			·12	·27	2
3	·02		·07	·06	·35		·09	·03			·65	·03	3
4	·04		·08	·29	·05		·05	·29			·04	·36	4
5	·08			·47		·09	·29	·80				·01	5
6		·17		~~·47~~	·05	·10	·11	·03				·41	6
7		1·24	·24	·19	·08	·07	·16	·25				·27	7
8	·07	·53	·37	·02				·25	·14			·07	8
9	·20		·80	·31		·07			·29		·02	2·30	9
10	·09	·26	·51	·07									10
11		·46	·10		·02	·09			·09		·12	·69	11
12		·22	·07				·43		·34	·11	·04	·68	12
13		·60	·31				·07		·19	·03	·01	·94	13
14		·52	·27			·61	·06		·09	·49	·22	55	14
15	·01	·02	·17				·04	·15	·02		·02	·62	15
16									·03		·01	·01	16
17		·53	·18						·09		·01	·57	17
18		·02	·27								·16	·57	18
19		·09	·43				·91					·23	19
20		·51	·31			·03						·47	20
21		·74	·14			·03			·09	·27		·03	21
22					·20	·09	·17	(·03)		·23			22
23		·53	·14		·01	·01				·04		·01	23
24			·10								·18	·01	24
25	·04		·14							·34	·02	·12	25
26	·01						·07	·20		·08	·27	·74	26
27	·04										·07	·30	27
28	·02				·14					·10	·44	·77	28
29	·18	·04	·17							·34	·31	·01	29
30	·04	✕	·10							·24	·77	·75	30
31	·05	✕		✕	·06	✕	03		✕	·09	✕	·12	31
Total	·89	6·52	4·99	1·43	·96	1·25	2·51	2·30 ✓	1·37	2·36	3·57	11·34	YEAR'S TOTAL 39·49 ✓
Rain Days.	14	16	22	8	9	11	14	11 ✓	10	12	20	29	176

W. 8,000. X. 14.

Ex(McC)

229

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

3 JAN 1916

Kept at Furze Hills, Churt.

in the County of Surrey.

6

by The Revd Clements G. O. Bond.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Farnham L & S W Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·87	·10	·04		·04		·10		·12	·12	·11	·46	1
2	·44	·28	·19	·11				·50	·10	·06		·33	2
3	·11	·01	·14	·14	·10				·15			·32	3
4	·04					·02						·27	4
5	·02	·87		·09		·01				·01		·65	5
6	·50	·13	·01	·47			·73			~~·01~~		·14	6
7	·49	·40	·01				·30			·01		·26	7
8	·04	·89	·02				·25					·02	8
9	·09	·10		·10							·46	·67	9
10	·28	·02										·23	10
11	·07	·02				·17					·70	·02	11
12	·06	·46	·05	·30	·41					·02	·45	·02	12
13	·03	·65			1·32				·04	·01	·01		13
14	·07	·03			·01		·16	·10	·05			·72	14
15	·09				·05		·04	·30			·13	·23	15
16	·04	·85			1·69		·91	·05				·46	16
17		·61			·14		·02	·02					17
18		·36	·06		·04								18
19		·13					·06			·01	·03		19
20	·31			·04	·01					·02	·01	·14	20
21	·18				·01		·06			·13		·10	21
22	1·30	·22	·13	·02			·97			·42		·23	22
23		·13	·04				·14		·46	·43		·34	23
24			·01	·09			·06		·63			·45	24
25						·11	·04					·27	25
26		·07				·23	·16			·43		·95	26
27		·07				·17						·06	27
28		·10				·20			·67	·16	·01		28
29						·13				·01	·39	·05	29
30	·09	X				·30				·46	·72	·11	30
31	·05	X		X		X		·09	X	2·35	X	·46	31
Total	5·17	6·50	·70	1·36	3·82	1·34	4·00	1·06	2·22	4·65	3·02	7·96	YEAR'S TOTAL 41·80 ✓
Rain Days.	21	22	11	9	11	9	15	6	8	16	11	26	165. ✓

W. 8,000. X. 15.

W.C.F.E. corr for autho

220

FORM A. BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Furze Hills Churt
in the County of Surrey
by The Revd. Clements G. O. Bond

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Farnham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·06	·03		·27				·64	·14	·35		1
2	·33	·12			·45				·09	93	·14		2
3	·03	1·10	·33		·02		·03		·11	·48	·69	·02	3
4	·18	·19				·29			19	·03	·67		4
5	·05	·09	·01	·03	·17	·12				·12	·84		5
6	·02	·15	·11	·06	·02	·13	·78			·07	·82		6
7	·01	·11	·57		·07	·41					·72	·04	7
8		·01	·02		·29	·38				·24		·30	8
9		·36			·28	·03				·02		·22	9
10		·08	·11	·06	·02	·62	·31				·08	·14	10
11	·11	·02	·10	·10		·11						·07	11
12	·05	·05	·04	·07	·12	·09	·08	·03		·05		·01	12
13		·25	·12	·13		·03	·01	·10	·04	·02			13
14		·57	·18	·05	·03			·01		·06		·07	14
15		·21	·59					·27		·05			15
16	·02	·04	·44	·23	·01		·12	·89					16
17	·20	·23		·03				·47	·46	·72			17
18	·02	·11	·04	·04				·05	·13	·04	·60	·15	18
19	·21		·15	·34				·08	·26		·44	·05	19
20	·13		·42	·07		·03					·02	·89	20
21	·04		·33				·07					·21	21
22		·46	·03		·01	·02				·14		·68	22
23	·03			·02				·04		·03		·03	23
24					·09			·04		·47	·10	·37	24
25		·84	·15			·11		·16	·14	·04	·14	·06	25
26		·32	·05			·07			·13	·60	·10	·01	26
27	·02	·07	1·18					·52	·08	·44		·01	27
28		·52	·12			·29		·07	·60	·14	·03	19	28
29		·42				·33		·77	·14	·44		·29	29
30		X						·04		·48		02	30
31		X		X		X		·04	X	·17	X	05	31
Total	1·57 1·59	6·38	5·12	1·23	1·85	3·06	1·40	3·58	3·01	5·92	5·74	3·88	YEAR'S TOTAL 42·74 42·76
Rain Days.	17	24	22	13	14	16	7	16	13	24	15	22	203

W. 8,000, VIII. 16

5a -

~~12~~ 11

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

CLAYGATE
HERTSLETS
SURREY
1911 - 1920

Kept at Claygat

in the County of

by N.C. Armit

uiary

5 in.

ove Ground 1 ft. – in.

, Sea Level 106 ft.

9 a.m.

Name Claygate

Distance 500 yds. Direction W.N.W.

IMPORTANT … nd the result entered to the previous day. If … niversal rule, he is earnestly requested to add t… year in the space provided for it at the end … rement of rain, the selection and … British Rainfall Organization are gi… n application to Dr. H. R. Mill, 6…

Jan. 1, following.

a mark of interrogation, it may not be inserted at all.

N.C. Armitage.

P. Order for 5/- enclosed.

Date	Jan.	Feb.							pt.	Oct.	Nov.	Dec.	Date.
1	·03	—							—	—	·01	—	1
2	·20	—							—	—	·17	·04	2
3	·01	·03							—	—	·07	·08	3
4	·02	·02							01	·03	·18	·27	4
5	·02	·01							—	·14	·05	·07	5
6	·13	—							—	—	—	·16	6
7	·02	—							—	·06	·33	·10	7
8	·09	—							—	·01	·19	·28	8
9	·16	—	·06	·02	—	—	—	—	—	—	·01	·06	9
10	·02	·11	·03	·03	—	—	—	—	—	—	·05	·29	10
11	·30	—	—	—	·02	—	—	—	—	—	·60	·01	11
12	·02	—	·46	—	·08	—	—	—	·04	—	·29	·01	12
13	—	—	·06	—	·18	—	—	—	·37	·08	·01	·27	13
14	—	·08	—	—	·25	—	—	—	—	—	—	·42	14
15	—	·05	·10	—	—	—	—	—	—	·02	·03	·03	15
16	·01	—	—	—	—	·59	—	—	—	—	·32	·01	16
17	—	—	·01	—	—	·02	—	—	—	·01	·34	·09	17
18	—	·13	·02	—	—	·01	—	—	—	—	·60	·17	18
19	—	·01	—	—	·01	·26	—	—	·35	·08	·19	·11	19
20	·01	·02	·03	—	—	—	—	·06	·01	·04	—	·54	20
21	·01	·07	—	—	—	—	—	·18	—	·47	—	·22	21
22	·08	—	·16	—	—	·03	—	·01	—	·05	·01	·43	22
23	—	·10	·07	—	—	·73	—	—	·15	·01	·03	·04	23
24	—	·10	·02	—	—	·10	·03	·02	—	1·12	—	·31	24
25	—	·03	·02	·06	·01	·20	·47	—	—	·01	—	—	25
26	—	·01	·06	·19	·15	·21	·09	—	—	·09	·02	·26	26
27	—	·28	·10	·07	—	—	·07	—	·10	·04	·02	·13	27
28	—	·07	—	·19	—	—	—	·16	—	—	—	—	28
29	—		—	·35	—	·24	·11	—	·11	·14	·01	—	29
30	—		—	·08	—	·01	—	·34	·01	·15	—	—	30
31	—		—		·88		—	—		·04		—	31
Total	1·13	1·12	1·64	2·13	1·88	2·40	0·81	0·86	1·15	2·59	3·53	4·40	TOTAL for year 23·64
No. of Rain Days.	16	16	17	13	10	11	6	8	9	19	22	25	172

W. 8,000, X. '11.

Sa -

~~12~~ 11 Arm

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

Kept at Claygat

in the County of S

by N.C. Armita

ordinary

top 5 in.

p above Ground 1 ft. – in.

„ Sea Level 106 ft.

9 a.m.

ation Name Claygate
Distance 500 yds Direction W.N.W.

IMPORTANT

previous day. If

requested to add t

for it at the end

the selection and

Organization are gi

Dr. H. R. Mill, 6

, and the result entered to the

universal rule, he is earnestly

ing year in the space provided

easurement of rain,

he British Rainfall

e on application to

Jan. 1, following.

HERTSLETS,
CLAYGATE
SURREY

JAN 1912

8th Jan. 1912.

In sending the enclosed record for 1911, I should like to request that, if it should be found impossible to ~~print it~~ insert it in "British Rainfall, 1911" without a mark of interrogation, it may not be inserted at all.

N.C. Armitage

P. Order for 5/- enclosed.

Date	Jan.	Feb.							pt.	Oct.	Nov.	Dec.	Date.
1	·03	–							–	–	·01	–	1
2	·20	–							–	–	·17	·04	2
3	·01	·03							–	–	·07	·08	3
4	·02	·02							01	·03	·18	·27	4
5	·02	·01							–	·14	·05	·07	5
6	·13	–							–	–	–	·16	6
7	·02	–							–	·06	·33	·10	7
8	·09	–							–	·01	·19	·28	8
9	·16	–	·06	·02	–	–	–	–	–	–	·01	·06	9
10	·02	·11	·03	·03	–	–	–	–	–	–	·05	·29	10
11	·30	–	–	–	·02	–	–	–	–	–	·60	·01	11
12	·02	–	·46	–	·08	–	–	–	·04	–	·29	·01	12
13	–	–	·06	–	·18	–	–	–	·37	·08	·01	·27	13
14	–	·08	–	–	·25	–	–	–	–	–	–	·42	14
15	–	·05	·10	–	–	–	–	–	–	·02	·03	·03	15
16	·01	–	–	–	–	·59	–	–	–	–	·32	·01	16
17	–	–	·01	–	–	·02	–	–	–	·01	·34	·09	17
18	–	·13	·02	–	–	·01	–	–	–	–	·60	·17	18
19	–	·01	–	–	·01	·26	–	–	·35	·08	·19	·11	19
20	·01	·02	·03	–	–	–	–	·06	·01	·04	–	·54	20
21	·01	·07	–	–	–	–	–	·18	–	·47	–	·22	21
22	·08	–	·16	–	–	·03	–	·01	–	·05	·01	·43	22
23	–	·10	·07	–	–	·73	–	–	·15	·01	·03	·04	23
24	–	·10	·02	–	–	·10	·03	·02	–	1·12	–	·31	24
25	–	·03	·02	·06	·01	·20	·47	–	–	·01	–	–	25
26	–	·01	·06	·19	·15	·21	·09	–	–	·09	·02	·26	26
27	–	·28	·10	·07	–	–	·07	–	·10	·04	·02	·13	27
28	–	·07	–	·19	–	–	–	·16	–	–	–	–	28
29	–		–	·35	–	·24	·11	–	·11	·14	·01	–	29
30	–		–	·08	–	·01	–	·34	·01	·15	–	–	30
31	–		–		·88		–	–		·04		–	31
Total	1·13	1·12	1·64	2·13	1·88	2·40	0·81	0·86	1·15	2·59	3·53	4·40	TOTAL for year 23·64
No. of Rain Days.	16	16	17	13	10	11	6	8	9	19	22	25	172

W. 8,000, X. '11.

5o -

~~12~~ 11

uary

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

Kept at Claygate

in the County of Surrey

by N. C. Armitage.

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 106 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Claygate
Distance 500 yds. Direction W. N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	–	–	·68	–	–	·04	·07	–	–	·01	–	1
2	·20	–	–	·34	·17	–	–	–	–	–	·17	·04	2
3	·01	·03	–	–	·13	–	–	·02	–	–	·07	·08	3
4	·02	·02	·06	·08	–	–	–	–	·01	·03	·18	·27	4
5	·02	·01	–	·01	–	–	–	–	–	·14	·05	·07	5
6	·13	–	·20	–	–	–	–	–	–	–	–	·16	6
7	·02	–	–	·03	–	–	–	–	–	·06	·33	·10	7
8	·09	–	·18	–	–	–	–	–	–	·01	·19	·28	8
9	·16	–	·06	·02	–	–	–	–	–	–	·01	·06	9
10	·02	·11	·03	·03	–	–	–	–	–	–	·05	·29	10
11	·30	–	–	–	·02	–	–	–	–	–	·60	·01	11
12	·02	–	·46	–	·08	–	–	–	·04	–	·29	·01	12
13	–	–	·06	–	·18	–	–	–	·37	·08	·01	·27	13
14	–	·08	–	–	·25	–	–	–	–	–	–	·42	14
15	–	·05	·10	–	–	–	–	–	–	·02	·03	·03	15
16	·01	–	–	–	–	·59	–	–	–	–	·32	·01	16
17	–	–	·01	–	–	·02	–	–	–	·01	·34	·09	17
18	–	·13	·02	–	–	·01	–	–	–	–	·60	·17	18
19	–	·01	–	–	·01	·26	–	–	·35	·08	·19	·11	19
20	·01	·02	·03	–	–	–	–	·06	·01	·04	–	·54	20
21	·01	·07	–	–	–	–	–	·18	–	·47	–	·22	21
22	·08	–	·16	–	–	·03	–	·01	–	·05	·01	·43	22
23	–	·10	·07	–	–	·73	–	–	·15	·01	·03	·04	23
24	–	·10	·02	–	–	·10	·03	·02	–	1·12	–	·31	24
25	–	·03	·02	·06	·01	·20	·47	–	–	·01	–	–	25
26	–	·01	·06	·19	·15	·21	·09	–	–	·09	·02	·26	26
27	–	·28	·10	·07	–	–	·07	–	·10	·04	·02	·13	27
28	–	·07	–	·19	–	–	–	·16	–	–	–	–	28
29	–		–	·35	–	·24	·11	–	·11	·14	·01	–	29
30	–		–	·08	–	·01	–	·34	·01	·15	–	–	30
31	–		–		·88		–	–		·04		–	31
Total	1·13	1·12	1·64	2·13	1·88	2·40	0·81	0·86	1·15	2·59	3·53	4·40	TOTAL for year 23·64
No. of Rain Days.	16	16	17	13	10	11	6	8	9	19	22	25	172

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at Claygate

in the County of Surrey

by N. C. Armitage.

5

Lat. 51° 21′ 36″ N. Long. 0° 20′ 30″ W.

Time of Observation 9 a.m.

Nearest Railway Station Claygate

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 106 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·05	·03	—	·12	·17	—	·10	·39	—	·17	1
2	—	·01	·28	—	—	·02	·35	·08	—	·06	—	—	2
3	·01	·09	·18	—	—	·08	·02	·20	—	—	—	·03	3
4	·19	—	·33	—	·08	·23	—	·03	—	—	·22	·01	4
5	·16	·05	·08	—	—	—	—	·56	—	—	·04	—	5
6	·35	·02	·02	—	·02	—	—	·27	·01	—	—	·04	6
7	—	—	—	—	·10	·94	·31	·20	—	—	—	·01	7
8	·22	·24	·12	—	—	·03	—	·78	·01	—	—	—	8
9	—	·06	·02	·02	—	·12	·02	·07	—	—	·01	·11	9
10	·01	·04	·01	·01	—	—	—	·42	—	·01	·04	·24	10
11	·04	·17	—	—	—	·04	—	·04	·02	·01	·02	·17	11
12	·03	·03	·05	—	·25	·14	·03	·01	—	·01	·04	·01	12
13	—	—	·01	—	—	—	—	—	—	—	·04	·01	13
14	—	—	—	—	·04	—	—	·03	—	·06	—	·04	14
15	·02	·01	·10	—	·18	·70	—	·01	—	—	·04	·27	15
16	·46	—	·04	—	·08	·13	—	·06	—	·05	·04	—	16
17	·52	—	·20	—	—	·04	—	·04	—	—	—	·05	17
18	·06	—	·14	—	—	—	—	·13	—	·02	·04	·10	18
19	·05	·08	·04	—	—	·01	·15	·52	—	—	·01	—	19
20	·01	·03	·17	—	—	·01	—	·07	—	·53	·03	—	20
21	·01	·01	·12	—	·04	—	—	·07	—	·11	·09	—	21
22	·15	·12	·11	—	·12	—	·06	·16	—	·07	—	·04	22
23	·34	·43	·27	—	·02	—	·03	·36	—	·08	·19	·11	23
24	·47	·01	—	—	—	·02	·01	·20	—	—	·01	·11	24
25	·10	—	—	—	—	·11	—	·53	—	—	·17	·38	25
26	—	·07	—	—	—	—	—	·40	—	·27	·35	·21	26
27	—	—	·02	—	—	·05	—	—	—	·14	—	·15	27
28	—	·04	—	—	—	·30	·28	·03	·03	·28	·40	·08	28
29	—	·01	—	—	—	·13	·22	·12	1·02	·18	·10	—	29
30	—		—	—	·47	·02	·01	·16	1·06	·16	—	—	30
31	—		·14		·01		·08	·11		·02		—	31
Total	3·21	1·52	2·50	0·06	1·41	3·24	1·74	5·66	2·25	2·45	1·88	2·34	YEAR'S TOTAL 28·26
Rain Days.	20	19	22	3	12	20	14	28	7	18	19	21	203

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
12 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Claygate ([illegible])

in the County of Surrey

by N. C. Armitage.

5

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Claygate

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 106 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·24	·02	·13	–	–	–	–	·87	–	·03	·13	1
2	·10	·12	·01	–	–	–	·09	–	·02	·07	·05	–	2
3	·01	–	·11	·21	·39	–	–	–	–	·01	–	·03	3
4	·16	–	·02	·02	·33	–	·04	–	–	·30	·02	·05	4
5	·35	–	–	–	–	·04	·10	–	·28	·01	·03	·02	5
6	·01	·03	·14	–	·05	·07	·06	–	·03	·32	·22	·16	6
7	–	·05	–	–	·10	·03	–	–	–	·39	·09	·01	7
8	–	·02	–	·02	·11	·05	–	–	–	·06	·01	–	8
9	·01	·15	–	·01	·02	–	·02	–	·60	–	·01	·02	9
10	–	–	·13	·09	–	–	·10	·02	–	–	·32	–	10
11	·23	·02	–	·40	·04	–	–	·02	–	·62	·18	–	11
12	–	–	–	–	–	–	–	–	–	·01	·34	–	12
13	·04	–	·03	–	–	–	–	·02	·12	·01	·22	–	13
14	·12	·02	·09	·08	·01	–	1·57	·13	·02	·11	·06	–	14
15	·19	·06	·29	·11	–	–	·42	–	·13	–	·01	–	15
16	·15	·01	·28	·05	–	–	–	–	·30	–	–	–	16
17	·03	·11	·04	·02	–	–	·20	–	–	–	·02	·01	17
18	·02	–	·05	·10	·02	–	·04	–	–	–	·02	–	18
19	·13	–	·07	·02	·01	–	·15	–	·23	–	–	–	19
20	·22	–	·28	·04	–	·09	–	–	–	·49	–	–	20
21	·03	–	·18	·08	–	–	·05	–	–	·20	·66	–	21
22	·33	–	·23	·10	–	–	·01	·34	·15	–	–	–	22
23	–	–	·02	–	–	·04	·03	·13	·02	–	·01	·42	23
24	·01	–	·02	·04	–	·03	–	·01	–	·01	–	–	24
25	–	·02	–	·20	–	–	–	–	–	–	–	·01	25
26	–	–	·17	·06	–	–	·02	·08	–	·73	–	·15	26
27	–	–	·05	·04	·33	–	–	–	–	·02	–	–	27
28	·27	–	·22	·12	–	–	–	–	·02	·13	·01	–	28
29	·05		·05	·43	·65	–	–	·18	–	·04	·01	·02	29
30	·16		–	·07	–	–	–	·21	·03	·08	–	–	30
31	–		·06		–		–	·86		·09		–	31
Total	2·66	0·85	2·56	2·44	2·06	0·35	2·90	2·00	2·32	3·70	2·32	1·03	YEAR'S TOTAL 25·19
Rain Days.	22	12	23	23	12	7	15	11	14	20	20	12	191

W.7,000, XI, 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Hurstlets, Claygate

in the County of Surrey

5

by N. C. Armitage

Lat. 51°24' N. Long. 0°20' W.

Time of Observation 9 a.m.

Nearest Railway Station Claygate

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 106 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·02	-	-	-	·19	-	-	·01	·01	1
2	-	-	-	-	-	·02	·16	·08	-	-	·09	·16	2
3	-	-	·07	-	·16	-	·09	·06	-	-	·05	·01	3
4	·06	-	·03	·11	·01	-	·03	·05	-	-	·20	·18	4
5	·06	-	·05	·22	·13	·05	·27	·66	-	-	·02	-	5
6	-	·15	~~22~~ ·05	·14	·01	·16	·06	·02	-	-	·10	·08	6
7	-	·12	~~64~~ ·22	·18	·41	·34	·16	·01	-	-	-	·05	7
8	·08	·33	~~56~~ ·64	·02	-	·10	~~09~~ ·09	·10	-	-	-	·03	8
9	·17	-	~~02~~ ·56	·12	-	·06	-	-	·09	-	-	1·71	9
10	-	·04	~~31~~ ·02	·03	·07	-	-	-	·23	-	-	·02	10
11	-	·22	·31	-	·04	·04	-	-	·06	-	·17	·24	11
12	-	·05	·10	-	-	-	·49	-	·15	·01	·01	·35	12
13	-	·11	·11	-	-	-	-	-	·12	·01	·06	·42	13
14	-	·05	·10	-	-	·43	·08	-	-	·35	·03	·48	14
15	·03	-	·17	-	-	-	·73	·03	-	·01	·65	·03	15
16	-	-	·02	-	-	-	·01	-	·03	-	·01	-	16
17	-	·26	·06	-	-	-	-	-	-	-	-	·04	17
18	-	·04	·15	-	-	-	-	-	-	-	-	·19	18
19	-	·06	·24	-	-	·12	·10	-	-	-	·20	·25	19
20	-	·16	·41	-	-	·01	-	-	·14	-	-	·06	20
21	-	·45	·05	-	-	·01	-	·05	-	·03	-	·03	21
22	-	-	·01	·01	·32	·09	·24	·03	-	·26	-	-	22
23	-	·01	·04	·01	·15	·04	·01	-	-	·08	-	·02	23
24	-	-	·05	·01	·01	-	-	-	-	-	·10	-	24
25	·01	-	·23	-	-	-	·04	·15	-	·16	·01	·07	25
26	-	-	·07	-	-	-	·08	·10	-	·06	·19	·31	26
27	·04	-	·01	-	-	-	-	-	-	-	·03	·09	27
28	-	·01	-	-	·02	-	-	-	-	·08	·34	·74	28
29	·04	✕	·06	-	-	-	-	-	-	·32	·05	-	29
30	-	✕	·02	-	-	-	-	-	-	·06	·36	·21	30
31	-	✕	-	✕	·15	✕	·03	-	✕	-	✕	·07	31
Total	0·49	2·06	3·85	0·87	1·48	1·47	2·67	1·53	·82	1·43	2·68	5·85	YEAR'S TOTAL 25·20
Rain Days.	8	15	27	11	12	13	17	13	7	12	20	26	181

W. 8,000. X. 14.

exct 93.

197

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 JAN. 1916

Kept at Claygate (Hertslets)

in the County of Surrey

5

by N. C. Armitage

Lat. 51° 22′ N. Long. 0° 20′ W.
Time of Observation 9 a.m.
Nearest Railway Station Claygate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 106 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·41	·12	·04	–	·08	–	·02	·02	·19	·03	·20	·34	1
2	·65	·12	·23	·11	–	·03	–	·77	·03	·07	–	·15	2
3	·42	·01	·07	·11	·03	–	–	·58	·02	–	–	·47	3
4	·03	–	·01	–	–	–	–	·01	–	–	–	·18	4
5	·05	·37	–	–	–	–	–	·01	–	·05	·01	·22	5
6	·40	·18	·06	·22	–	–	·94	–	–	–	–	·17	6
7	·21	·17	·03	–	–	–	·11	·03	–	–	–	·17	7
8	·06	·55	·01	·06	–	–	·06	·11	–	–	–	–	8
9	·02	·03	–	·18	–	·07	–	·04	–	·01	·32	·63	9
10	·17	·03	·01	·01	–	–	–	·03	–	–	–	·24	10
11	·03	–	·03	–	–	–	–	·02	–	·03	·53	·04	11
12	·04	·08	–	·36	·46	–	–	·02	–	–	·29	·02	12
13	–	·40	–	·01	1·27	–	–	–	–	–	–	·01	13
14	·01	·04	–	–	–	–	·21	·25	·04	–	–	·20	14
15	·07	·03	–	–	·05	–	–	·14	–	–	·13	·09	15
16	–	·11	–	–	·03	–	·46	·05	–	–	–	·06	16
17	–	·21	–	–	1·08	–	·01	·01	–	–	–	·01	17
18	–	·23	·07	–	·17	–	–	–	–	–	–	–	18
19	–	·13	·01	–	·02	–	·07	–	–	–	·05	–	19
20	·29	·01	–	·04	–	–	–	–	–	–	–	·18	20
21	·10	·04	–	–	–	–	·01	–	–	·03	–	·04	21
22	1·27	·09	·15	·08	–	–	·61	–	–	–	–	·06	22
23	·03	·10	·04	–	–	·06	·24	–	·11	·74	–	·23	23
24	–	–	–	·02	–	·01	·04	–	·34	·28	–	·52	24
25	–	–	·03	·12	–	–	·23	–	–	–	–	·09	25
26	–	·01	–	·01	–	·17	·21	–	·01	–	–	·44	26
27	–	·02	–	–	–	·22	·11	–	–	·23	–	·03	27
28	–	·05	–	–	–	·10	–	–	1·45	·28	–	–	28
29	–	✕	–	–	–	·03	·24	·16	–	–	·13	·01	29
30	·02	✕	–	–	–	·15	–	–	–	·12	·26	·01	30
31	·04	✕	–	✕	–	✕	–	–	✕	1·16	✕	·11	31
Total	4·32	3·13	0·79	1·33	3·19	0·84	3·57	2·25	2·19	3·03	1·92	4·72	YEAR'S TOTAL 31·28
Rain Days.	20	24	14	13	9	9	16	16	8	12	9	27	177

W. 8,000. X. 15.

Ex JL

FORM A. BRITISH RAINFALL.
10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Claygate (Hertslets)
in the County of Surrey
by N. C. Armitage

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Claygate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~to~~ 1 ft. — in.
" " " " Sea Level 106 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01	·05	–	·44	·01	–	–	·28	·02	·33	–	1
2	·17	·02	·09	–	·22	·02	·02	–	·26	·40	·06	–	2
3	–	·24	·21	–	–	–	·05	–	·13	·22	·48	–	3
4	·14	·10	–	·01	·01	·19	–	–	·20	·01	·30	–	4
5	·01	·01	–	·01	·16	·17	–	–	·01	·04	·35	·01	5
6	–	·07	·19	·18	·04	·17	·39	–	–	·02	·24	·01	6
7	·04	–	·56	–	·15	·19	·25	–	–	·02	·68	·04	7
8	–	–	–	–	·28	·04	·01	–	–	–	·01	·09	8
9	–	–	·04	–	·11	·01	–	–	–	·12	–	·10	9
10	–	·14	·10	·06	–	·14	·03	–	–	–	–	·14	10
11	·04	·14	·04	·14	–	·21	–	–	–	–	–	·02	11
12	·02	·04	·01	·05	·43	·14	·02	·05	·02	·06	–	·01	12
13	·02	·19	·40	·11	·01	·05	·05	·11	·02	·03	–	–	13
14	–	·32	·03	–	·06	–	·01	·33	–	–	–	·05	14
15	–	·15	·20	–	–	–	·08	·32	–	·02	–	–	15
16	·01	·05	·41	·12	·01	–	·21	·22	–	–	–	–	16
17	·08	·11	–	·06	–	–	·02	·08	·36	·50	–	–	17
18	–	·08	·03	·06	–	–	–	·45	·15	·46	·70	·01	18
19	·06	–	·18	·24	–	–	–	·01	·06	–	·57	·01	19
20	·11	–	·31	·02	–	–	–	–	–	–	·05	·40	20
21	·01	–	·45	·03	–	–	·26	–	–	–	·01	·26	21
22	–	–	·05	–	·01	–	–	–	–	–	·01	·41	22
23	·01	·32	·03	–	–	·07	–	·03	–	·05	·01	·11	23
24	–	·09	–	–	·06	·05	–	·04	–	·17	·02	·28	24
25	–	·64	·13	–	·01	–	–	·18	–	·03	·07	·01	25
26	–	·20	·10	–	–	·06	–	·10	–	·16	–	–	26
27	·01	–	·62	–	–	·03	–	·28	·06	·44	–	–	27
28	–	·45	·25	–	–	·01	–	·02	·08	–	–	·05	28
29	–	·08	–	–	–	·09	–	·96	·05	·16	–	·14	29
30	–	X	–	–	–	–	–	·16	–	·37	–	·01	30
31	–	X	–	X	–	X	–	·06	X	·15	X	·06	31
Total	0·74	3·45	4·48	1·09	2·00	1·65	1·40	3·40	1·68	3·45	3·89	2·22	YEAR'S TOTAL 29·45
Rain Days.	15	21	23	13	15	18	13	17	13	21	16	21	206

181

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Claygate ([illegible])
in the County of Surrey
by N. C. Armitage

Lat. as before Long.
Time of Observation 9 a.m.
Nearest Railway Station Claygate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 106 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·01	·16	–	–	–	1·35	·02	–	·05	–	1
2	–	–	–	·20	–	·05	–	·06	–	–	·15	–	2
3	·01	–	–	·05	–	–	·36	·30	–	·13	–	–	3
4	–	·30	·06	·01	–	–	·23	·25	–	·33	–	–	4
5	·23	–	·01	·22	–	–	–	–	·31	·24	·07	–	5
6	·01	–	·20	·02	–	·06	–	–	·26	·02	·10	–	6
7	·09	–	–	–	–	–	·29	–	–	·26	–	–	7
8	·11	–	–	·10	–	–	·76	·25	·08	·22	·17	·30	8
9	·02	–	·02	·11	·01	–	·04	·06	·03	·02	·05	·24	9
10	·17	–	·05	·12	–	–	–	·02	–	–	·02	·04	10
11	·06	·01	·36	·22	·01	·03	–	–	·56	·10	–	–	11
12	·07	·01	·03	·02	–	–	–	·09	–	·45	–	–	12
13	·02	·01	·10	·07	–	–	–	·08	·03	·15	–	–	13
14	–	–	·01	·12	–	–	–	·03	–	–	–	–	14
15	·06	–	–	·01	–	–	·24	·04	–	·02	–	·04	15
16	·06	·15	–	·16	·05	·03	·16	–	–	·23	–	·50	16
17	·01	·01	–	·09	·56	–	·26	–	·36	·20	–	–	17
18	·04	·05	–	·08	·06	·57	·20	·15	·21	·08	–	–	18
19	·01	·07	·02	·01	·01	·01	–	–	·10	–	–	–	19
20	·01	·09	·05	–	·62	–	·08	·05	–	–	·03	–	20
21	·01	·01	·05	·01	·02	–	–	–	–	–	·03	–	21
22	·02	–	·05	–	–	–	–	·08	–	·06	·02	–	22
23	–	·11	–	–	·15	·10	–	·09	–	·06	–	·02	23
24	–	·01	·01	–	–	·12	·03	·03	–	·12	–	–	24
25	–	·03	·06	–	–	–	–	–	–	·04	·05	–	25
26	–	·01	·05	–	–	–	–	·26	·04	·02	·38	–	26
27	–	–	·01	–	–	–	–	·66	–	–	·01	–	27
28	–	·01	·01	–	–	1·30	–	·03	–	–	–	–	28
29	–		·03	–	·09	·18	1·00	·02	–	·16	–	·21	29
30	·01		·27	–	–	–	1·86	·08	–	·02	–	·02	30
31	·02		·04		–		·28	·01		–		–	31
Total	1·05	0·88	1·50	1·78	1·53	2·45	5·79	3·99	2·00	2·93	1·13	1·37	YEAR'S TOTAL 26·40 26·40
Rain Days.	21	15	22	19	10	10	14	22	11	21	13	8	186

W. 8,000, IX. 17.

103

[illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

88

Kept at Claygate
in the County of Surrey
by N. C. Armitage

Lat. As before
Time of Observation 9 am
Nearest Railway Station Claygate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 106 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·05	–	–	–	–	–	·01	·20	·03	1
2	–	–	–	·06	–	–	–	·21	–	·01	·41	·06	2
3	·02	·04	·05	·04	·55	–	–	·07	–	–	·28	–	3
4	–	·03	·14	–	–	–	–	·02	·21	–	·29	–	4
5	–	·03	·02	–	·08	–	–	·03	1·16	·11	–	–	5
6	·20	·07	–	·21	·21	–	–	·02	·07	–	–	·06	6
7	–	·09	–	·11	·38	–	–	–	·07	·06	·12	–	7
8	·04	·06	–	–	–	–	–	–	·05	·04	·05	–	8
9	–	·02	–	·05	–	·12	·29	–	·21	·05	–	·19	9
10	–	–	–	·16	–	–	·80	–	·03	·02	·02	·34	10
11	·03	–	–	·03	–	–	1·85	–	·02	·22	·09	·13	11
12	–	·02	–	–	·16	–	·22	–	·12	–	–	·02	12
13	–	–	–	–	·17	–	·04	–	·08	–	–	–	13
14	·10	–	·02	–	–	·42	·02	–	·05	·07	–	·25	14
15	1·30	–	–	·63	–	·03	·86	–	–	–	–	·05	15
16	·13	–	·01	·25	–	·17	–	–	·21	–	–	·02	16
17	·45	–	–	·15	·04	–	·28	·05	–	–	–	·05	17
18	·36	–	–	–	–	·12	·06	–	1·22	·24	–	·14	18
19	·03	–	·06	·09	–	·03	·15	–	·02	·13	–	·03	19
20	·03	·07	–	·60	–	·04	·12	–	·11	·15	–	–	20
21	·09	·02	–	·54	–	–	·04	–	·45	·05	–	–	21
22	·05	–	–	–	·21	–	·18	–	·15	–	–	·17	22
23	·02	–	–	·02	·12	–	·50	·06	·07	–	–	·04	23
24	–	·31	–	–	–	·05	·46	–	·11	–	·05	–	24
25	–	–	–	·14	–	–	·29	·17	–	·03	–	–	25
26	–	–	–	–	–	–	·81	–	–	·02	·05	·07	26
27	–	·02	–	·10	–	–	·23	·15	·05	–	·12	–	27
28	–	·07	·10	·06	–	–	–	·04	–	–	·10	·60	28
29	–	X	–	·02	–	–	–	–	1·03	–	–	–	29
30	–	X	·40	–	–	–	–	–	·07	–	·03	·09	30
31	–	X	·02	X	–	X	–	–	X	·05	X	–	31
Total	2·85 ✓	0·85 ✓	0·82 ✓	3·31	1·92	0·98	7·20 ✓	0·82 ✓	5·56 ✓	1·26	1·81	1·84 ✓	YEAR'S TOTAL 29·22
Rain Days.	14	13 ✓	9	19	9	8	18 ✓	10 ✓	22 ✓	16	13 ✓	18 ✓	169 ✓

W. 6,500, VII. 18. W W C

C × 94

3 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Claygate

in the County of Surrey

by N. C. Armitage

Lat. 51° 21′ 35″ N. Long. 0° 20′ 18″ W.

Time of Observation 9 a.m.

Nearest Railway Station Claygate

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 106 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·10	·02	·02	·08	–	·22	–	–	·03	·03	·84	1
2	·33	–	·01	–	·11	–	·07	–	·33	·17	·13	·11	2
3	·30	–	·35	–	·02	–	·06	–	·05	–	·05	·37	3
4	·10	·05	·47	–	–	·06	·16	·03	–	–	·01	·20	4
5	–	·25	·89	–	–	–	·02	–	·09	–	·06	·27	5
6	·09	–	·04	–	–	–	–	–	–	–	·01	·12	6
7	·02	–	·30	–	–	–	–	–	–	–	·04	–	7
8	·09	–	·07	·06	–	–	–	–	–	–	–	–	8
9	·04	–	·02	·07	–	–	–	–	–	–	·03	–	9
10	·63	–	·03	·02	–	–	–	–	–	·03	·02	·01	10
11	·03	–	·04	·28	·02	–	·27	–	–	–	–	·01	11
12	–	–	·04	·03	–	·02	·13	–	–	·09	·02	–	12
13	·02	–	–	·26	–	–	·01	–	·03	·05	·01	·01	13
14	·12	–	–	·14	–	–	·11	–	·85	–	–	·01	14
15	·19	·02	·16	·09	–	–	–	–	–	–	–	·32	15
16	·06	·44	–	·05	–	–	–	–	–	–	·09	·03	16
17	–	·25	·02	·02	–	–	–	–	–	–	·16	·01	17
18	–	·25	·07	–	–	–	–	–	·08	–	·06	·01	18
19	–	·06	·38	–	–	·21	·54	·31	·02	–	·03	–	19
20	·06	·03	·39	–	–	·72	·27	·10	·06	–	·02	·01	20
21	·19	·18	·03	–	–	·03	·06	–	–	–	·02	·01	21
22	–	·14	–	–	–	–	·24	–	·24	–	·02	·30	22
23	–	–	–	–	–	·04	·01	·03	·06	–	·02	·03	23
24	–	–	–	·29	–	·03	·14	·03	–	·20	·06	·01	24
25	–	–	–	–	·01	·04	·02	·12	–	–	–	·02	25
26	·07	·04	·11	·02	–	–	·01	·01	·06	–	·01	·18	26
27	·44	·03	·03	·82	–	–	–	·26	–	–	·14	·05	27
28	–	–	·27	·02	–	–	·01	·60	–	–	·32	·22	28
29	·05		–	·02	–	–	–	·42	–	·27	·03	·06	29
30	–		·01	·25	–	·11	–	·31	–	·04	·15	·22	30
31	–		·05		–		·05	–		·02		·05	31
TOTAL	2·99	1·84	3·80	2·46	0·24	1·26	2·40	2·22	1·87	0·90	1·54	3·48	YEAR'S TOTAL 25·00 ✓
Days with ·01 in. or more	19	13	23	17	5	9	19	15	11	9	25	26	187 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Spod 920

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Claygate (Hertslets)
in the County of Surrey
by N. C. Armitage

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ~~·06~~ ft. – in.
" " " " Sea Level 106 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	–	–	·27	·03	–	·27	–	·04	1·42	–	·21	1
2	·01	–	·07	·01	·02	–	·01	·49	·05	·04	–	·04	2
3	–	·05	–	·02	–	–	·04	–	–	·03	–	·02	3
4	–	·06	·02	·11	–	–	·88	·03	–	·21	–	·05	4
5	–	·01	·14	·02	·02	–	·65	·09	–	·02	–	·05	5
6	–	–	·09	–	·08	–	·28	–	–	–	·01	·03	6
7	·02	–	–	·12	·10	–	·13	–	–	–	–	–	7
8	–	·02	–	·14	·11	–	·06	·01	–	·02	–	·01	8
9	·25	·01	–	·03	–	–	·03	–	–	–	–	–	9
10	·35	·05	·06	·01	–	·06	·10	–	–	–	·05	·01	10
11	·14	–	·07	·12	·02	·02	·28	–	–	–	–	·12	11
12	·06	–	·01	·10	–	·98	–	–	–	·06	–	–	12
13	·22	–	·11	·15	–	–	–	–	–	–	·02	·01	13
14	–	–	·21	·16	–	·17	·01	–	·09	·02	·13	·02	14
15	·01	·01	·10	·08	–	–	–	–	·65	·15	·05	·01	15
16	–	–	·01	·14	–	·12	–	–	·20	·01	·01	–	16
17	·01	–	–	–	·10	·06	·01	–	·78	–	–	·06	17
18	·03	–	–	–	·01	–	–	·94	·25	–	–	·05	18
19	·10	–	–	·16	–	·03	–	·01	–	–	–	·04	19
20	·05	·23	–	·16	–	·48	–	–	·06	–	–	–	20
21	–	–	–	·01	–	–	·61	·02	·45	–	–	·02	21
22	–	–	–	·32	–	–	–	·02	·08	–	–	·41	22
23	–	·01	–	–	–	–	·44	·05	–	–	–	·27	23
24	–	·03	·03	–	–	–	–	–	–	–	·01	·02	24
25	–	·01	–	·01	·02	–	·13	–	·02	–	–	–	25
26	·02	–	·15	·02	–	·02	·10	–	–	–	–	·02	26
27	·11	·06	·02	·27	–	·11	·12	–	–	–	·64	·04	27
28	·37	·01	·10	·03	·03	·01	·06	–	–	–	·08	·02	28
29	·14	–	·05	·03	–	–	·01	–	–	·01	·04	·10	29
30	·01	×	–	–	·06	–	·14	–	·29	–	·16	·06	30
31	–	×	–	×	–	×	–	–	×	·51	×	·04	31
TOTAL	1·98	0·56	1·24	2·49	0·60	2·06	4·36	1·66	2·96	2·20	1·20	1·73	YEAR'S TOTAL 23·04
Days with ·01 in. or more	18	13	16	24	12	11	21	9	12	12	11	25	184
Days with ·04 in. or more	11	5	11	14	5	7	16	4	11	6	7	14	111

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

COBHAM

HATCHFORD PARK

SURREY

1911- 1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

nfs
Smoade
Sma
COBHAM

RE

Kept at Hatchfod
in the County of Sco
by Sir H. B. Sa

nd
8 in.
e Ground 1 ft. in.
Sea Level 140 ft.
a.m.
Name Cobham
Distance 4 miles Direction S. E.

IMPORTANT NOT … the result entered to the previous day. If an O… versal rule, he is earnestly requested to add the rea… year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				50									1
2	6			30	21		10				21	14	2
3					13						6	8	3
4			7	7						6	19	42	4
5										22	6	12	5
6	11		11									38	6
7	14									12	34	37	7
8	10		16								14	38	8
9	18		8									10	9
10		15	7									85	10
11	36										77		11
12			47		10						20		12
13			5		43					22		46	13
14		8							36			64	14
15			15								48	4	15
16						58					38		16
17						5						22	17
18		20									58	31	18
19						34			28	13	10	13	19
20										7		64	20
21		10						6		45		20	21
22	13	11	29			6		27		5		50	22
23		13				74			15				23
24		11				4				1·25		20	24
25			5			13	72					17	25
26			6	20		5	11			17		22	26
27		28	11					15	10			12	27
28		10		28									28
29				32		23	12		16	18			29
30				8						20			30
31					00 ·10					3			31
Total	1·11 1·14	1·26	1·67	1·75	94	2·22	1·05	48	1·05	3·15	3·54	6·69	TOTAL for year
No. of Rain Days.	7	9	12	7	5	9	4	3	5	13	12		24·96

W. 8,000, X. '11.

22 104

ms Smade
Cobham

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

R

...nd

Kept at Hatchford Park

in the County of Cobham. Surrey 5

by Sir H. B. Samuelson Bart

RAIN GAUGE: Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " Sea Level 170 ft.

Time of Observation 8 - a.m.

Nearest Railway Station: Name Cobham
Distance 4 miles Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				50									1
2	6			30	21		10				21	14	2
3					13						6	8	3
4			7	7						6	19	42	4
5										22	6	12	5
6	11		11									38	6
7	14									12	34	37	7
8	10		16								14	38	8
9	18		8									10	9
10		15	7									85	10
11	36										77		11
12			47		10						20		12
13			5		43					22		46	13
14		8							36			64	14
15			15								48	4	15
16						58					38		16
17						5						22	17
18		20									58	31	18
19						34			28	13	10	13	19
20										7		64	20
21		10						6		45		20	21
22	13	11	29			6		27		5		50	22
23		13				74			15				23
24		11				4				1·25		20	24
25			5			13	72					17	25
26			6	20		5	11			17		22	26
27		28	11					15	10			12	27
28		10		28									28
29				32		23	12		16	18			29
30				8						20			30
31					60 ·10					3			31
Total	1·11 1·14	1·26	1·67	1·75	94	2·22	1·05	48	1·05	3·15	3·54	6·69	TOTAL for year 24·96
No. of Rain Days.	7	9	12	7	5	9	4	3	5	13	12	22	10

W.-8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 - JAN 1913

Kept at Hatchford Park, Gardens,
in the County of Cobham, Surrey
by Late W. Theoabald

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			13			8			10	68		34	1
2			45			9			9	12			2
3			26			12	10	30			15	6	3
4	13		64		10	29	44	10			12		4
5	15		11					46					5
6	42	14						33				7	6
7	12					63		28					7
8	38		27			5		23				7	8
9		20	6					12				16	9
10		37						33			6	25	10
11	5	9										26	11
12		20	7		30	21							12
13	3	9											13
14					5			6				6	14
15						61						24	15
16	33		12		28	6		5		10	10	5	16
17	48		21					6				9	17
18	6		9					23					18
19	11	10					11	68				4	19
20			22					11		58	6	6	20
21			12		9			9		10	16		21
22	18		20		11			25			7		22
23	40	45	29			12		34		11		12	23
24	60							26			15	16	24
25	11					20		58			17	44	25
26								30		31	44	30	26
27										20		13	27
28		9				8	20	5	18	45	50	15	28
29						26	28		1·75	30			29
30								6	1·35	19			30
31			14		34		19						31
Total	3·55	1·73	3·58		1·27	2·80	1·27	5·27	3·47	3·14	1·98	3·05	YEAR'S TOTAL 30·91
Rain Days.	15	9	16	–	7	13	6	22	5	11	11	19	~~134~~

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

9 JUL 1914

REGISTER OF RAINFALL IN 1913

Kept at Hatchford Park Cobham.
in the County of Surrey 5
by Mr. A. C. Smith for Sir Henry Samuelson Enc.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·21	·03	·08	—	—	—	—	1·01	—	·02	·17	1
2	·02	·10	trace	·01	—	—	·12	—	·03	·03	·07	·01	2
3	trace	—	·05	·10	·34	—	—	—	trace	trace	—	·04	3
4	·25	—	·01	trace	·40	—	trace	—	·01	·26	—	·03	4
5	·24	—	—	—	—	·08	·07	—	·20	·01	·02	·02	5
6	·01	·01	·14	—	·01	·10	·07	—	—	·42	·07	·18	6
7	—	·13	—	—	·08	·01	—	—	—	·33	·10	—	7
8	—	·02	—	·01	·10	·07	—	—	—	·02	—	·02	8
9	—	·15	—	trace	·02	trace	·05	—	·16	—	trace	—	9
10	—	—	·01	·03	—	—	·04	·06	—	—	·38	—	10
11	·35	—	—	·37	·01	—	—	—	—	·57	·16	—	11
12	—	—	—	—	·05	—	—	—	—	—	·35	—	12
13	·04	—	·02	—	—	—	—	trace	·18	—	·24	—	13
14	·13	—	·08	·05	—	—	·72	·05	trace	·09	·07	trace	14
15	·20	·05	·29	·26	—	—	·24	—	·07	—	—	trace	15
16	·12	—	·34	·04	—	—	—	—	·20	—	trace	—	16
17	·01	·03	·01	·05	—	—	·27	—	trace	—	—	·02	17
18	trace	—	·13	·06	—	—	trace	—	trace	—	·01	—	18
19	·27	—	·09	—	·05	·01	·06	—	·28	—	—	—	19
20	·25	—	·30	·05	trace	·34	—	—	—	·42	—	—	20
21	—	—	·17	·04	—	—	·01	—	—	·16	·69	—	21
22	·34	—	·26	—	—	—	trace	·13	·11	—	trace	—	22
23	trace	—	trace	—	—	·02	·05	·10	—	—	—	·48	23
24	—	—	—	·03	—	—	—	—	—	—	—	—	24
25	—	·02	—	·27	—	—	trace	—	—	—	trace	·02	25
26	—	—	·17	·10	—	—	·01	·04	—	·70	trace	·11	26
27	—	·01	·05	·03	—	—	—	—	—	·03	trace	—	27
28	·18	—	·36	·08	—	—	—	—	—	·18	—	—	28
29	·05		·04	·42	·60	—	—	·12	—	·08	trace	·01	29
30	·25		—	trace	—	—	—	·15	trace	·16	trace	—	30
31	—		·08		—		—	·79		·05		—	31
Total	2·73	·73	2·63	2·08	1·66	·63	1·71	1·44	2·25	3·51	2·18	1·11	YEAR'S TOTAL 22·66
Rain Days.	17	10	20	19	10	7	12	8	10	16	12	12	153

W.7,000, XI. 13

W ML card for auth 17-V-15

COBHAM

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

16 APR 1915

Kept at Hatchford Park Gardens

in the County of Surrey 5

by A. C. Smith

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Effingham Junct

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								9			7	1	1
2	2							19			11	28	2
3				2			16	4			3	45	3
4	5		8	26	28			37			44	[illegible]	4
5	11		7	19		7	34				29	15	5
6	10	19	2	11	15	27	5					15	6
7	31	87	32	16		4	5					2	7
8		65	47		25	6	12	15				3	8
9			67	30		9	13		12			260	9
10		24	3	4								4	10
11		53	45		7				44		4	37	11
12		16	13		2				24			67	12
13		36	30				65		4		7	65	13
14		28	25			13				54	12	46	14
15	3	5	25				5				103	3	15
16			8				13						16
17		41	15									19	17
18		6	25									46	18
19		14	28								20	34	19
20		43	49				21		13			20	20
21		86	12									2	21
22			4				19			46			22
23		7	12	2	44					9			23
24			13		7						15		24
25	3		28					15		32		13	25
26			1					5		10		75	26
27							4			16	29	28	27
28	8	6					4				41	96	28
29	10		6							40	21		29
30		✕	7							10	67	61	30
31	3	✕		✕	16	✕			✕		✕	11	31
													YEAR'S TOTAL
Total	·86 ·86	5·36	5·12	1·10	1·44	·66	2·16	1·04	·97	2·17	4·13	9·96	34·97 34·97
Rain Days.	10	16	25	8	~~7~~8	6	13	7	5	8	15	25	146 1466

W. 8,000. X. 14.

Cd for arith 21.11.16

191

FORM A.
BRITISH RAINFALL.
20 JAN

REGISTER OF RAINFALL IN 1915

Kept at Hatchford Park Cobham
in the County of Surrey 5
by Sir H. B. Samuelson Bart

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Effingham Junction
Diameter of Funnel of Rain Gauge ~~8~~ 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .3

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.91	.21	.13		.9		.7	~~7~~	.18	.5	.25	.63	1
2	.40	.20	.25	.11		.5		.78	.3	.8		.20	2
3	.50		.8	.13				.34	.5			.56	3
4	.2											.21	4
5	.3	.82						.2		.6		.37	5
6	.45	.23	.5	.38			.58	.14				.18	6
7		.33	.2				.21					.24	7
8	.6	.88		.7		.7	.11	.10					8
9	.6	.5		.40				.5			.44	.77	9
10	.34	.2	.2									.31	10
11			.4							.5	.67	.14	11
12	.4	.16		.63	.7						.26	.2	12
13	.2	.90			1.38				.4				13
14		.2					.11	.5				.50	14
15	.13	.2			.5		.11	.18			.21	.19	15
16		.65			.5		.83	.22				.7	16
17		.54			1.29			.27					17
18		.36	.5		.24								18
19		.17			.4		.11			.3			19
20	.29			.2	.1							.23	20
21	.8						.7			.9		.4	21
22	.95	.20	.26				.71					.17	22
23		.14	.4				.31		.46	.61		.28	23
24						.5			.40	.41		.49	24
25			.1	.9			.21					.11	25
26		.5				.10	.47					.75	26
27		.4				.27				.29		.3	27
28		.11				.12			1.96	.19			28
29							.72	.18	.2	~~.32~~	.30	.2	29
30	.3	✗				.27			.2	.32 ~~1.28~~	.45	.3	30
31	.8	✗		✗		✗			✗	1.28	✗	.33	31
Total	4.39	6.10	.95	1.83	3.22	.93	4.62 4.62	2.33	3.16 3.16	3.46	2.58	6.87	YEAR'S TOTAL ~~[illegible]~~ 40.44
Rain Days.	17	21	11	8	9	7	14	11	9	12	7	25	151

W. 8,000. X. 15.

P. made

ind pr WD

181

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
7 MAY 1917

Kept at Hatchford Park, Cobham
in the County of Surrey
by Sir H B Samuelson Bart

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Effingham Junction
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15		.6						8		10		1
2	.22	.8	.13		20				29	4	45		2
3		1.11	.38		28		4		69	24	14		3
4	.16	.5							18	60	75		4
5	.3		.1	.1					21	22	67		5
6		.12	.23	.13	21				4	4	94		6
7	.10		51		1	50	28			8	70		7
8			3		15	46	25			4			8
9			.13		27	4				9		20	9
10		.26		.5	21							35	10
11	.5	.15	.4	.15		14							11
12	.3	7		4		26	2					15	12
13		20	.60	11	41	10				14			13
14		46	13		4	11							14
15		.13	.27		10			8		9			15
16	.2	.4	.65	.16				90		54			16
17	.14	.18		9			31	33	5	44			17
18		.8	4	7			3	4	40		54		18
19	.10	1	.17	27				47	24		51		19
20	.9	.	30	1		4		6			20	21	20
21	.2		5.5								8		21
22		.2	.5				3					90	22
23	.4	.31	.3							19		60	23
24		.3				3					4		24
25		.65	.18			6		3		51		40	25
26		.19	.5					23			13		26
27		4	115			14		20	3	41			27
28		.49	26			6		49	5	74			28
29		15				12		8	10	31			29
30		X				17		102				30	30
31		X		X		X		5	X	64	X		31
	-	.06	-	-	-	-	-	.08	-	.10	-	(.05)	YEAR'S TOTAL
Total	~~1.15~~	~~4.82~~	~~6.05~~	~~1.09~~	~~1.88~~	~~2.23~~	~~1.96~~	~~3.98~~	~~2.36~~	~~5.32~~	~~5.25~~	~~3.11~~	~~39.20~~
	1·09	4·88	5.99	1·09	1·88	2·23	1·96	4·06	2·28	5·42	5·15	3·16	39·10
Rain Days.	12	23	22	11	10	14	7	14	11	18	12	9	163

W. 8,000, VIII. 16

5 made ~~X~~ C72 cd by own stat 174

FORM A.
BRITISH RAINFALL.

18 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Hatchford Park, Cobham

in the County of Surrey

by Sir H B Samuelson Bart

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Effingham Junction

Diameter of Funnel of Rain Gauge 24 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				25				190			8		1
2				32		9		14			18		2
3				26			42	51					3
4	10		16	27			23	25		50			4
5	25		34						24	32	12		5
6						10			39		9		6
7	20						31		3	44			7
8				8			85	38	10	30		50	8
9	25				4		15		3		19	20	9
10	32							16			8		10
11	13		46	66		38			9	18			11
12			12	13						62			12
13								14		18			13
14				(·18)				6					14
15	10						32	18	2				15
16		50		20	6	13	9			64		90	16
17	5			8	63		35		50	18			17
18		22	8	(·10)	12	23	25	16	37				18
19					1	2			12				19
20					78						2		20
21					1						7		21
22		12						25		8			22
23					14			5					23
24						15	7			17		18	24
25													25
26			26					36	3		35		26
27					38			121					27
28						158		4					28
29					139	18	13	3				24	29
30		X					220	6					30
31		X	25	X		X	45		X	46	X		31
Total	1.40	84	1.67	2.53	3.56	2.86	5.82	5.88	1.92	4.07	1.18	2.02	YEAR'S TOTAL 33.75
Rain Days.	8	3	7	9	10	9	13	7	11	12	19	5	113

W. 8,000, IX. 17.

95

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8.2.19

Kept at Hatchford Park, Cobham
in the County of Surrey
by Sir H. B. Samuelson Bart

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Effingham Junction
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			8	3							44	9	1
2		10		5				28			54	11	2
3			6	9	72			3			28		3
4		11	21	1				1	11	10	87		4
5		3			9			6					5
6	27	8		44	20				1.14			9	6
7		15		23	45				29		11		7
8		5								18	16		8
9		3		19		16	37		20			42	9
10				14			81		41		2	37	10
11				3			2.76					15	11
12		4			16		34			7			12
13					14		10			20			13
14	20		4			55	4		21			37	14
15	1.96			76		15	27			12		10	15
16			3	49		23			14				16
17	80			20	99		37	5		5	6	15	17
18	50					25	7		1.45	5	4	10	18
19	8		6	14	4	40	18					3	19
20	8	16		90		3	15			32			20
21	17			108		6			68	5	3	3	21
22	6	1			18		20		25		4	17	22
23	2				9		59				4	3	23
24		43		9			67		15				24
25							73	18					25
26							90		10	5	7	15	26
27		6		8			6	30			15		27
28			23	9					1.45		12	9	28
29									7		3		29
30		X	34										30
31		X		X		X			X		X		31
			1.05									2.45	YEAR'S TOTAL
Total	4.14	1.25	1.05	5.04	3.06	1.83	8.61	91	6.65	1.19	300	2.45	3918
Rain Days.	10	12	8	18	10	8	17	7	14	10	16	16	146

W, 6,500, VII. 18. W W C

~~XV~~

12 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hatchford Park Cobham
in the County of Surrey
by Sir H.B. Samuelson Bart

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Effingham Junction
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6						40				7	157	1
2	40				3		13		20	4	18	10	2
3	38		55		3				6		5	46	3
4	35	6	58			8	22	2			2	2[illegible]	4
5	15	23	113				2		17		13	39	5
6		20	4		3						3	14	6
7	29		45								2		7
8	7		10		2						2		8
9	29		3	15						2	7		9
10	7		6								5		10
11	86		7	41	3		22				4	6	11
12	3	3		2			19			9	2		12
13				59						5			13
14				33			5		125	2	2	3	14
15	34		13	12						7		47	15
16	19	58		2			3				10	5	16
17	22	17									21		17
18		53	11								6		18
19		8	87			30	100	38	20		8	5	19
20		5	24			97	16	20					20
21	20	47				6	5				2	11	21
22	16	1	3				27		31			41	22
23									6		4	4	23
24				14		3	10	4		26	9	42	24
25	3	8			9	6		16				44	25
26		15	15	10				7	7				26
27	7	8		77				36			10	40	27
28	60		36	21				94					28
29				9				32		29	42		29
30		×		29		2		48		5	3[illegible]	79	30
31	8	×		×		×	11		×		×	5	31
TOTAL	4.84	2.72	~~4.80~~ 4.90	3.24	·23	1.52	2.95	2.97	2.32	·89	2.15	6.24	YEAR'S TOTAL ~~34.81~~ 34.97
Days with ·01 in. or more	20	14	16	13	6	7	14	10	8	9	23	19	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~SP~~ WWD and for cult.

157

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

2 JAN 192

Kept at Hatchford Park

in the County of Surrey

by Sir H. B. Samuelson Bart

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Effingham Junction

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				58	6		45			43		41	1
2	10							70	10	5		9	2
3		10	7	4			26			12		5	3
4		6		26	1		82	6		24		3	4
5			15	3			103	10				8	5
6			20		8		37					4	6
7				15	9		15						7
8				18	20		27					4	8
9	30			4									9
10	65	7	7				10				8		10
11	24		8	30			23						11
12	5			20							1	6	12
13	20		17	7		98					4		13
14			30	35		35			9	6	38	11	14
15	2		3	15					60	5	10		15
16				3		9			40				16
17	2								90			9	17
18	4		3		14			105	29			9	18
19	10			23		6						3	19
20	9	25		29		66							20
21				5			63		49			11	21
22				25					25			57	22
23							48	10				32	23
24	2		8								5	4	24
25							18					5	25
26	10		19	32			17						26
27	40	8	3			9	5				73	9	27
28	65		26	37			11				12	2	28
29	56		8	8							6	19	29
30	1	×		5			12		26		27	18	30
31	2	×		×		×			×	140	×	10	31
TOTAL	3·57	·56	174	402	·58	223	542	201	338	235	184	279	YEAR'S TOTAL ~~30.39~~ 30.49
Days with ·01 in. or more	18	5	14	21	6	6	16	5	9	7	10	22	~~139~~
Days with ·04 in. or more	13	5	11	19	5	6	16	5	9	7	9	19	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

COBHAM
MOORLANDS
SURREY
1917

RE

FORM A.
BRITISH RAINFALL.

8 JAN 1918

Kept at Moorlands

in the County of Sur

bridge.

8 in.

by W. K. Marr

nd 1 ft. — in.

Level 170 ft.

IMPORTANT N esult entered to the previous day. If an rule, he is earnestly requested to add the the space provided for it at the end of this paragraph. of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·25	—	—	—	1.32	·01	—	·08	—	1
2	—	—	—	·37	—	·10	—	·08		·18	·12	—	2
3	—	—	—	—	—	—	·30	·44	—	—	—	—	3
4	·01	—	·06	—		—	·23	·10	—	—	·09	—	4
5	·31	·07	·02	·21	—	—	—	—	·26	·29	·08	—	5
6	·13	—	·29	—	—	·07	—	—	·19	·03	·06	·02	6
7	·15	—	—	—		—	·10	—	—	·50	—	·29	7
8	—	—	—	·06	—	—	·80	·25	·08	·23	·21	·28	8
9	03	—	·03	—	—	—	·10	·07	—	—	—	·06	9
10	·14	—	·06	·28	—	—	—	·05	—	—	—	—	10
11	·15	—	·31	31	—	·41	—	—	·22	·17	—	—	11
12	·04	—	·05	—	—	—	—	·05	—	—	—	—	12
13	·05	—	·09	·08	—	—	—	·10	·01	·45	—	—	13
14	—	—	—	·15	—	—	—	·13	—	—	—	—	14
15	·01	·40		—	—	·05	·17	—	—	·47	—	—	15
16	·06	—	—	·18	·17	·48	·28	·01	—		—	·57	16
17	—	—	—	·10	·49	—	·26	·14	·37	·20	—	—	17
18	03	—	—	·13	·11	—	·20	·04	—	·01	—	—	18
19	·01	·17	·04	—	·61		—		—		—	—	19
20	—	·07	—	—		—		—	—	—	·02	—	20
21	—	—	—	—	—	—	—	—	—	—	·05	—	21
22	—	—	·14	—	·11	·07	—	·10	—	·05	—	—	22
23	—	·01	—	—	—	—	—	·10	—	—	—	—	23
24	—	—	—		—	·16	·05	·02	—	·09	—	·09	24
25	—	·04	—		—	—	—	—	—	—	·02	—	25
26	—	—	·08	—	—	—	—	·23	—	—	·31	—	26
27	—	—	—		·73	·14	—	·87	—	—		·01	27
28	—	—	—	—	—	1.10	—	·02	—	—	—	—	28
29	—		·02	—	·86	·12	·30	—		·20	—	·05	29
30	—	✕	·28	—			1.82	·06	—	·04	—	·01	30
31	—	✕	·04	✕	—	✕	·31	—	✕	—	✕	—	31
Total	1.12	·76	1.50	2.12	3.08	2.70	4.87	4.18	1.14	2.81	1.04	1.38	YEAR'S TOTAL 26.70
Rain Days.	13	6	15	11	7	10	13	20	7	14	10	9	135

W. 8,000, IX. 17. * Note – Cobham is only postal address – 'Moorland' S. side St Georges Hill.

RE

FORM A.
BRITISH RAINFALL.

3 JAN 1919

Kept at Moorlands Cobham ~~Surrey~~. see note*

in the County of Surrey.

by W. K. Marriott.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Weybridge.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.01	.25	–	–	–	1.32	.01	–	.08	–	1
2	–	–	–	.37	–	.10	–	.08	–	.18	.12	–	2
3	–	–	–	–	–	–	.30	.44	–	–	–	–	3
4	.01	–	.06	–	–	–	.23	.10	–	–	.09	–	4
5	.31	.07	.02	.21	–	–	–	–	.26	.29	.08	–	5
6	.13	–	.27	–	–	.07	–	–	.19	.03	.06	.02	6
7	.15	–	–	–	–	–	.10	–	–	.50	–	.29	7
8	–	–	–	.06	–	–	.80	.25	.08	.23	.21	.28	8
9	.03	–	.03	–	–	–	.10	.07	–	–	–	.06	9
10	.14	–	.06	.28	–	–	–	.05	–	–	–	–	10
11	.15	–	.31	.31	–	.41	–	–	.22	.12	–	–	11
12	.04	–	.05	–	–	–	–	.05	–	–	–	–	12
13	.05	–	.09	.08	–	–	–	.10	.01	.45	–	–	13
14	–	–	–	.15	–	–	–	.13	–	–	–	–	14
15	.01	.40		–	–	.05	.12	–	–	.42	–	–	15
16	.06	–	–	.18	.17	.48	.28	.01	–	–	–	.57	16
17	–	–	–	.10	.49	–	.26	.14	.37	.20	–	–	17
18	.03	–	–	.13	.11	–	.20	.04	–	.01	–	–	18
19	.01	.17	.04	–	.61	–	–	–	–	–	–	–	19
20		.07	–	–	–	–	–	–	–	–	.02	–	20
21	–	–	–	–	–	–	–	–	–	–	.05	–	21
22	–	–	.14	–	.11	.07	–	.10	–	.05	–	–	22
23	–	.01	–	–	–	–	–	.10	–	–	–	–	23
24	–	–	–	–	–	.16	.05	.02	–	.09	–	.09	24
25	–	.04	–	–	–	–	–	–	–	–	.02	–	25
26	–	–	.08	–	–	–	–	.23	–	–	.31	–	26
27	–	–	–	–	.73	.14	–	.87	–	–	–	.01	27
28	–	–	–	–	–	1.10	–	.02	–	–	–	–	28
29	–		.02	–	.86	.12	.30	–		.20	–	.05	29
30	–	×	.28	–		–	1.82	.06	–	.04	–	.01	30
31	–	×	.04	×	–	×	.31	–	×	–	×	–	31
Total	1.12	.76	1.50	2.12	3.08	2.70	4.87	4.18	1.14	2.81	1.04	1.38	YEAR'S TOTAL 26.70
Rain Days.	13	6	15	11	7	10	13	20	7	14	10	9	135

W. 8,000, IX. 17. *Note – Cobham is only postal address – 'Moorland' S. side St George's Hill.

J. made

Con. for w

R

COBHAM COURT

SURREY

1911 — 1915

1

FORM A2.
BRITISH RAINFALL.

16 APR 1912

Kept at Cobham

in the County of Surr

by

in.

re Ground .... ft. .... in.

Sea Level .... ft.

Name

Distance .... Direction

IMPORTANT NO … d the result entered to the previous day. If an O … versal rule, he is earnestly requested to add the rea … year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10		·06	·28							1
2				·53									2
3	·20			·32	·21						·30	·08	3
4					·12						·06	·07	4
5		·02	·05	·07						·04	·20	·27	5
6	·07									·18	·05	·20	6
7	·16		·16									·40	7
8	·02									·12	·35	·17	8
9	·12		·17								·15	·31	9
10	·13											·06	10
11	·01		·09								·04	·67	11
12	·37	·14									·65	·02	12
13	·02		·47						·07		·11		13
14			·06		·14				·31	·13	·07	·43	14
15					·38							·51	15
16		·04	·14								·04	·03	16
17		·05									·37	·02	17
18			·03			·50					·36	·18	18
19						·03					·57	·29	19
20		·18							·26	·11	·15	·13	20
21	·01		·02			·28		·16	·01			·61	21
22	·01							·10		·44		·21	22
23	·08	·10	·21			·04				·04		·47	23
24									·12		·05	·08	24
25		·12	·05			·65		·60		1·20		·23	25
26		·10				·07	·53						26
27			·10	·18		·10	·11			·14		·22	27
28		·29	·07	·06		·08			·10			·15	28
29				·25									29
30				·30		·17	·12		·16	·16			30
31	—	·10	—	·06	·28	—	—	—	—	·18	—	—	31
Total	~~1·20~~	~~1·04~~	~~1·72~~ ~~1·72~~	~~1·71~~	~~·91~~	~~2·20~~	~~·76~~	~~·86~~	~~1·03~~	~~2·74~~	~~3·52~~	~~5·81~~	TOTAL for year 23·50 ✓
No. of Rain Days.	12	~~9~~ 10	~~11~~ 13	~~7~~ 8	5	~~10~~ 9	3	3	7	11	16	24	121
W. 8,000, X. '11	1·20	1·14	1·62	1·77	1·13	1·92	·76	·86	1·03	2·74	3·52	5·81	[illegible] ✓

R made

Cov. for w

R 1

FORM A2.
BRITISH RAINFALL.
16 APR 1912

Kept at Cobham

in the County of Surrey 5

by

in.

GAUGE Height of top above Ground ft. in.

" " " Sea Level ft.

Time of Observation

Nearest Railway Station Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10		·06	·28							1
2				·53									2
3	·20			·32	·21						·30	·08	3
4					·12						·06	·07	4
5		·02	·05	·07						·04	·20	·27	5
6	·07									·18	·05	·20	6
7	·16		·16									·40	7
8	·02									·12	·35	·17	8
9	·12		·17								·15	·31	9
10	·13											·06	10
11	·01		·09								·04	·67	11
12	·37	·14									·65	·02	12
13	·02		·47						·07		·11		13
14			·06		·14				·31	·13	·07	·43	14
15					·38							·51	15
16		·04	·14								·04	·03	16
17		·05									·37	·02	17
18			·03			·50					·36	·18	18
19						·03					·57	·29	19
20		·18							·26	·11	·15	·13	20
21	·01		·02			·28		·16	·01			·61	21
22	·01							·10		·44		·21	22
23	·08	·10	·21			·04				·04		·47	23
24									·12		·05	·08	24
25		·12	·05			·65		·60		1·20		·23	25
26		·10				·07	·53						26
27			·10	·18		·10	·11			·14		·22	27
28		·29	·07	·06		·08			·10			·15	28
29				·25									29
30				·30		·17	·12		·16	·16			30
31	—	·10	—	·06	·28	—	—	—	—	·18	—	—	31
Total	~~1·20~~	~~1·04~~	~~1·72~~ ~~1·72~~	~~1·71~~	~~·91~~	~~2·20~~	~~·76~~	~~·86~~	~~1·03~~	~~2·74~~	~~3·52~~	~~5·81~~	TOTAL for year 23·50 ✓
No. of Rain Days.	12	10 ~~9~~	13 ~~11~~	8 ~~7~~	5	9 ~~10~~	3	3	7	11	16	24	121
	1·20	1·14	1·62	1·77	1·13	1·92	·76	·86	1·03	2·74	3·52	5·81	✓

W. 8,000, X. '11.

Ex. &c. Cor. for W.D. 31. III. 13.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 10 JAN 1913

Kept at Cobham Court

in the County of Surrey 5

by C. T. Agar

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 7 in.
" " " Sea Level 68. ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Cobham L.S.W.Ry
Distance 2 m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	3	13	0	0	0	16	7	111	0	0	1
2	0	0	10	0	0	5	36	0	1	57	0	20	2
3	0	0	45	0	0	10	38	3	0	8	0	0	3
4	0	0	16	0	0	7	2	23	0	0	0	5	4
5	15	0	60	0	9	31	0	16	0	0	22	0	5
6	10	0	9	0	0	0	0	59	0	0	6	0	6
7	38	10	3	0	0	0	0	24	0	0	0	5	7
8	0	0	8	0	11	57	0	30	0	0	0	0	8
9	27	37	14	0	0	4	0	17	0	0	0	2	9
10	0	13	6	0	0	0	0	9	0	0	0	13	10
11	0	6	0	0	0	0	0	22	0	0	7	24	11
12	5	8	0	0	0	0	0	0	0	0	0	18	12
13	2	21	5	0	20	23	0	2	0	0	0	0	13
14	0	0	0	0	0	0	0	0	0	0	4	0	14
15	0	0	0	0	5	0	0	4	0	4	0	3	15
16	0	0	8	0	10	58	0	0	0	0	2	21	16
17	39	0	6	0	28	11	0	7	0	5	3	0	17
18	49	0	33	0	0	2	0	10	0	0	0	5	18
19	7	0	11	0	0	0	0	18	0	0	5	12	19
20	6	10	8	0	0	0	10	68	0	0	0	0	20
21	0	0	17	0	0	0	0	8	0	65	4	0	21
22	0	0	14	0	5	0	0	55	0	9	13	0	22
23	12	15	5	0	11	0	2	13	0	3	0	4	23
24	44	43	29	0	0	0	0	4	0	8	20	10	24
25	52	0	0	0	0	5	0	25	0	0	0	12	25
26	8	0	0	0	0	21	0	52	0	0	19	37	26
27	0	0	0	0	0	0	0	41	0	27	35	27	27
28	0	0	0	0	0	0	0	0	0	14	0	14	28
29	0	7	0	0	0	12	20	0	10	30	48	9	29
30	0		0	0	0	30	29	23	152	20	0	0	30
31	0	.03	0 13	0	38		0 16	3 37	1.17	16		0	31
Total	~~3.14~~	~~1.70~~	~~3.10~~	~~.13~~	~~1.37~~	~~2.76~~	~~1.37~~	~~5.39~~	~~1.70~~	~~3.77~~	~~1.88~~	~~2.41~~	Total for year 28.72
No. of Rain Days.	14	~~10~~ 11	20	~~7~~ 0	9	14	~~7~~ 8	25	4	~~14~~ 13	13	18	149
	3.14	1.73	3.20	.00	1.37	2.76	1.53	5.30	2.74	2.66	1.88	2.41	28.72

W. 8,000, X. '11.

Exc 7.6

✓

REGISTER OF RAINFALL IN 19 13

FORM A.
BRITISH RAINFALL.

7- JAN 19

Kept at Cobham Court

in the County of Surrey 5

by C. T. Agar

Lat. .... Long. ....

Time of Observation 9 A. M.

Nearest Railway Station Cobham (L.S.W. Ry).

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... in.

" " " " Sea Level .... ft.

as in 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2	23	2	7	0	0	0	0	90	0	3	13	1
2	4	9	0	0	0	0	12	0	1	12	4	0	2
3	0	0	5	14	32	0	0	0	0	2	0	2	3
4	20	0	2	0	37	0	0	0	0	27	1	4	4
5	28	0	0	0	0	5	7	0	30	0	2	2	5
6	0	2	11	0	2	7	9	0	6	28	1	17	6
7	0	7	0	0	6	0	0	0	0 ✓	42	9	0	7
8	0	1	0	1	13	3	0	0	0	3	0	0	8
9	0	14	0	0	2	0	14	0	14	0	0	0	9
10	0	0	5	7	0	0	1	6	0	0	36	2	10
11	31	0	0	40	0	0	0	0	0	50	20	0	11
12	0	0	0	0	4	0	0	0	0	0	27	0	12
13	3	0	2	0	0	0	0	3	13	0	22	0	13
14	10	0	11	6	0	0	94	6	4	10	0	0	14
15	20	0	26	14	0	0	31	0	10	0	4	0	15
16	12	3	29	5	0	0	0	0	25	0	0	0	16
17	2	0	3	2	0	0	24	0	0	0	0	0	17
18	0	7	6	8	0	0	0	0	0	0	0	2	18
19	17	0	10	0	3	1	11	0	28	0	0	0	19
20	19	0	27	4	0	15	0	0	0	41	0	0	20
21	0	0	13	6	0	0	0	0	0	19	68	0	21
22	33	0	34	0	0	0	2	18	13	0	0	0	22
23	0	0	0	0	0	4	3	13	0	0	0	46	23
24	0	0	0	2	0	0	0	0	0	0	0	0	24
25	0	0	0	18	0	0	0	0	0	0	0	0	25
26	0	0	18	5	0	0	0	5	0	71	0	12	26
27	0	2	2	5	1	0	0	0	0	3	0	0	27
28	23	0	27	7	0	0	0	0	0	17	0	0	28
29	4		8	41	74	0	0	13	0	8	0	0	29
30	17		0	0	0	0	0	18	0	11	0	0	30
31	0		5		0		0	77		2		0	31
Total	2·45	·68	2·46	1·92	1·74	·35	2·08	1·54	2·34	3·46	1·97	1·00	YEAR'S TOTAL 21·99 ✓
Rain Days.	16	9	20	18	10	6	11	9	11	16	12	9	147 ✓

W.7,000, XI. 13

Ex LWE

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

4 JAN 1915

Kept at Cobham Court

in the County of Surrey 5

by C. T. Agar

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Cobham (L.S.W.R.)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

„ „ „ „ Sea Level 68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	0	0	0	0	8	0	0	0	2	1
2	0	0	0	0	0	0	7	7	0	0	8	19	2
3	0	0	5	0	16	0	13	2	0	0	0	0	3
4	4	0	0	14	3	0	3	4	0	0	25	18	4
5	6	0	7	18	8	4	29	36	0	0	0	0	5
6	0	14	0	13	0	11	0	0	0	0	20	7	6
7	0	19	26	14	16	18	16	0	0	0	0	6	7
8	7	34	52	0	0	3	0	4	0	0	0	2	8
9	22	0	54	17	0	5	0	0	6	0	0	169	9
10	0	18	0	0	5	0	0	0	5	0	0	2	10
11	0	13	30	2	0	3	0	0	9	0	3	24	11
12	0	5	10	0	0	0	38	0	27	0	0	40	12
13	0	11	13	0	0	0	0	0	8	4	0	46	13
14	0	7	6	0	0	6	5	0	0	40	6	40	14
15	3	0	21	0	0	0	7	0	0	0	82	3	15
16	0	0	0	0	0	0	0	0	0	0	0	0	16
17	0	25	6	0	0	0	0	0	0	0	0	5	17
18	0	0	16	0	0	0	12	0	0	0	0	23	18
19	0	7	29	0	0	0	0	0	0	0	17	27	19
20	0	20	37	2	0	0	0	0	14	0	0	13	20
21	0	48	5	0	0	0	20	0	0	4	0	1	21
22	0	0	5	0	41	3	0	0	0	0	0	0	22
23	0	4	3	0	4	11	0	0	0	0	0	0	23
24	0	0	10	0	0	0	0	0	0	29	8	0	24
25	0	0	20	0	0	0	3	8	0	12	0	6	25
26	0	0	0	0	0	0	0	1	0	5	16	37	26
27	5	0	1	0	0	0	0	0	0	10	3	11	27
28	0	4	0	0	0	0	0	0	0	29	25	71	28
29	4		5	0	0	0	0	0	0	0	5	0	29
30	0	☒	2	0	0	0	0	0	0	7	37	30	30
31	0	☒	0	☒	13	☒	0	0	☒	3	☒	8	31
Total	·51	2·29	3·63	·80	106	·64	1·53	·70	·69	1·43	~~[illegible]~~ 2·55	6·10	YEAR'S TOTAL 21·93
Rain Days.	7	14	22	7	8	9	11	8	6	10	13	24	139

W. 8,000. X. 14.

Val

139

6.IV.16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Cobham Court
in the County of Surrey (5)
by C. T. Agar

Lat. .... Long. ....
Time of Observation 9. AM.
Nearest Railway Station Cobham
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	48	9	6	0	6	0	17	5	14	5	20	38	1
2	32	10	20	9	2	3	0	71	4	7	0	19	2
3	35	0	7	11	0	0	0	22	7	0	0	40	3
4	4	0	0	0	0	0	0	0	0	0	0	16	4
5	2	48	0	0	0	0	0	0	0	6	0	24	5
6	40	15	5	24	0	0	56	2	0	0	0	10	6
7	23	17	3	0	0	0	10	0	0	0	0	17	7
8	5	51	0	0	0	0	10	13	0	0	0	0	8
9	4	1	0	23	0	9	0	4	0	0	33	56	9
10	12	3	0	0	0	0	0	0	0	0	0	22	10
11	2	0	4	0	0	0	0	0	0	7	50	5	11
12	4	11	0	42	43	0	0	0	0	0	24	0	12
13	0	47	0	0	108	0	0	0	1	0	0	0	13
14	0	2	0	0	0	0	15	5	3	0	0	24	14
15	15	0	0	0	3	0	6	12	0	0	8	7	15
16	0	25	0	0	2	0	41	7	0	0	0	4	16
17	0	27	0	0	103	0	2	4	0	0	0	0	17
18	0	36	5	0	15	0	0	0	0	0	0	0	18
19	0	8	0	0	3	0	6	0	0	3	0	0	19
20	26	0	0	2	0	0	0	0	0	0	0	15	20
21	3	0	0	0	0	0	4	0	0	5	0	3	21
22	0	14	12	0	0	0	46	0	0	0	0	5	22
23	60	8	4	0	0	3	28	0	25	54	0	21	23
24	76	0	0	0	0	0	0	0	30	21	0	37	24
25	0	0	0	8	0	2	22	0	0	0	0	13	25
26	0	1	0	0	0	11	30	0	0	0	0	47	26
27	0	2	0	0	0	22	4	0	0	20	0	2	27
28	0	7	0	0	0	12	0	0	135	18	0	0	28
29	0		0	0	0	2	38	10	0	0	13	1	29
30	0	X	0	0	0	20	0	0	0	16	35	0	30
31	6	X	0	X	0	X	0	0	X	91	X	14	31
Total	3·97	3·42	66	1·19	2·85	·84	3·35	1·55	2·19	2·53	1·83	4·40	YEAR'S TOTAL 28·78
Rain Days.	18	20	9	7	9	9	16	11	8	12	7	23	149

W. 8,000. X. 15.

COMPTON
RECTORY
SURREY
1911

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

Sm made
GODALMING

RE 11

Kept at Compton

in the County of Su

by H. H. Gill

…getti + Zambra

5 in.

…e Ground 1 ft. 3 in.

Sea Level ft.

9. AM

Name Farncombe L&SW

Distance 1½ m Direction S

IMPORTANT NOT… d the result entered to the previous day. If an Ob… iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04			.28				.08					1
2	.10		.05	.18	.23						.15		2
3		.03			.15					.05	.08	.15	3
4	.09	.02	.06	.11						.07	.21	.50	4
5	.06									29 .14	.08		5
6	.27		.11	.02							.09	.82	6
7	.07										.44	.10	7
8	.14		.20									.43	8
9	.16		.02								.13	.32	9
10		.15	.11								.05	.94	10
11	.37		.03								.75		11
12			.51		.03				.02		.22	.06	12
13			.05		.08				.29	.11		.72	13
14		.06			.50					.06	.10	.60	14
15		.07	.08									.06	15
16						.58					.43	.08	16
17			.03			.07					.35	.36	17
18		.14	.08			.07				.06	.50	.59	18
19						.54			.36	.25	.19	.20	19
20	.05	.05	.09					.17	.06	.12		.84	20
21		.12						.11		.51	.03	.31	21
22	.15		.42			.07		.01		.14		.52	22
23		.15				.47			.18	.05		.12	23
24		.14				.07		.07		1.66		.27	24
25	.03	.05	.05		.29	.17	.54	.15		.05		.06	25
26		.05	.13	.25	.03	.09				.20	.10	.20	26
27		.33	.15	.26			.08		.09		.13	.20	27
28		.20		.26		.15		.18			.06		28
29				.33			.20		.17	.06			29
30				.06	.03	.09		18		.30			30
31					.05					.08			31
Total	1.53	1.56	2.17	1.75	1.39	2.37	.82	.95	1.17	4.20 ✓	4.09	8.43	TOTAL for year
No. of Rain Days.	12	14	17	9	9	11	3	8	7	18 ✓	19	23	30.43 ✓ 150

W. 8,000, X. '11.

P.T.O.

5b made GODALMING

R 11

FORM A2.

BRITISH RAINFALL 9 JAN 1912

Kept at Compton Rectory

in the County of Surrey 6

by H. H. Gillett. Rector

RAIN GAUGE
Pattern Negretti + Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level ft.

Time of Observation 9. AM

Nearest Railway Station
Name Farncombe L&SW
Distance 1½ m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04			.28				.08					1
2	.10		.05	.18	.23						.15		2
3		.03			.15					.05	.08	.15	3
4	.09	.02	.06	.11						.07	.21	.50	4
5	.06									5 .29 .14	.08		5
6	.27		.11	.02							.09	.82	6
7	.07										.44	.10	7
8	.14		.20									.43	8
9	.16		.02								.13	.32	9
10		.15	.11								.05	.94	10
11	.37		.03								.75		11
12			.51		.03				.02		.22	.06	12
13			.05		.08				.29	.11		.72	13
14		.06			.50					.06	.10	.60	14
15		.07	.08									.06	15
16						.58					.43	.08	16
17			.03			.07					.35	.36	17
18		.14	.08			.07				.06	.50	.57	18
19						.54			.36	.25	.19	.20	19
20	.05	.05	.09					.17	.06	.12		.84	20
21		.12						.11		.51	.03	.31	21
22	.15		.42			.07		.01		.14		.52	22
23		.15				.47			.18	.05		.12	23
24		.14				.07		.07		1.66		.27	24
25	.03	.05	.05		.29	.17	.54	.15		.05		.06	25
26		.05	.13	.25	.03	.09				.20	.10	.20	26
27		.33	.15	.26			.08		.09		.13	.20	27
28		.20		.26		.15		.18			.06		28
29				.33			.20		.17	.06			29
30				.06	.03	.09		18		.30			30
31					.05					.08			31
Total	1.53	1.56	2.17	1.75	1.39	2.37	.82	.95	1.17	4.20	4.09	8.43	TOTAL for year
No. of Rain Days.	12	14	17	9	9	11	3	8	7	18	19	23	30.43 150

W. 8,000, X. '11.

P.T.O.

FORM A.
BRITISH RAINFALL.

10 APR 1913

~~Trade~~

RE 2

g.

Kept at Cranle 9 A.M.

Cranleigh

in the County of S 5 in.

by W. H a bove Ground 1 ft. — in.

, Sea Level 232 ft.

CRANLEIGH
SCHOOL

SURREY
1912 - 1913

IMPORTANT NO nd the result entered to the previous day. If an C niversal rule, he is earnestly requested to add the rea ear in the space provided for it at the end of th ement of rain, the selection and placin British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	—	·11	·03	·01	·11	·13	—	·06	·44	—	·15	1
2	—	·02	·21	—	—	·06	·39	·02	—	·02	—	—	2
3	·02	·02	·04	—	·01	·13	·01	·32	·01	—	—	·03	3
4	·14	—	·32	—	·11	·14	—	·04	—	—	·20	—	4
5	·13	·04	·17	—	·01	—	—	·33	—	—	·10	·02	5
6	·23	·09	—	—	·04	—	—	·40	—	—	—	·07	6
7	—	·01	·01	—	·13	·40	—	·25	—	—	—	·05	7
8	·23	·18	·17	—	—	·05	—	·07	—	—	—	·01	8
9	—	·09	·10	·04	—	·01	·02	·02	—	—	—	·11	9
10	·01	·08	·03	—	—	—	—	·16	—	—	·05	·26	10
11	·05	·22	·01	—	—	—	—	·05	·02	—	·03	·18	11
12	·03	·06	·06	—	·03	·15	·03	·24	—	—	·01	·01	12
13	—	·02	·02	—	—	—	·04	—	—	—	·08	·05	13
14	·01	—	·02	—	·03	—	—	·04	—	·02	—	·03	14
15	·02	·03	·05	—	·20	·50	—	—	—	—	·01	·28	15
16	·16	·02	·12	—	·25	·04	—	·13	—	·04	·03	—	16
17	·29	—	·24	—	—	·05	—	·12	—	—	·02	·12	17
18	·05	—	·37	—	—	—	—	·12	—	·03	·01	·07	18
19	·05	·08	·05	—	—	—	·09	·82	—	—	—	·01	19
20	·02	·01	·42	—	—	·05	—	·07	—	·30	·02	—	20
21	·01	·04	·19	—	·10	—	—	·06	—	·13	·15	—	21
22	·06	·25	—	—	·02	—	—	·20	—	·01	·01	·02	22
23	·36	·15	·30	—	·01	·03	—	·25	—	·13	·23	·10	23
24	·19	·04	—	—	—	·16	—	·15	—	—	—	·11	24
25	·08	—	—	—	—	·31	—	·67	—	—	·17	·29	25
26	·01	·03	—	—	—	·01	—	·23	—	·25	·46	·16	26
27	—	·01	·02	—	—	·07	·05	—	—	·19	—	·18	27
28	—	·03	—	—	—	·16	·60	·09	·21	·45	·33	·15	28
29	—	·03	—	—	—	·01	—	·12	1·20	·08	·06	—	29
30	—		—	—	·18	·01	·20	·12	1·22	·14	—	—	30
31	—		·07		—		·24	·14		·01		—	31
Total	2·16	1·55	3·10	·07	1·13	2·45	1·80	5·23	2·72	2·24	1·97	2·46	YEAR'S TOTAL 26·88
Rain Days.	22	23	23	2	14	20	11	27	6	15	18	23	204

W. 7,500, XI. '12

Grade

RE 2

FORM A.
BRITISH RAINFALL.

10 APR 1913

Kept at Cranleigh School
in the County of Surrey 6
by W. Hayward

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Cranleigh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 232 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·11	·03	·01	·11	·13	—	·06	·44	—	·15	1
2	—	·02	·21	—	—	·06	·39	·02	~	·02	—	—	2
3	·02	·02	·04	—	·01	·13	·01	·32	·01	—	—	·03	3
4	·14	—	·32	—	·11	·14	—	·04	—	—	·20	—	4
5	·13	·04	·17	—	·01	—	—	·33	—	—	·10	·02	5
6	·23	·09	—	—	·04	—	—	·40	—	—	—	·07	6
7	—	·01	·01	—	·13	·40	—	·25	—	—	—	·05	7
8	·23	·18	·17	—	—	·05	—	·07	—	—	—	·01	8
9	—	·09	·10	·04	—	·01	·02	·02	—	—	—	·11	9
10	·01	·08	·03	—	—	—	—	·16	—	—	·05	·26	10
11	·05	·22	·01	—	—	—	—	·05	·02	—	·03	·18	11
12	·03	·06	·06	—	·03	·15	·03	·24	—	—	·01	·01	12
13	—	·02	·02	—	—	—	·04	—	—	—	·08	·05	13
14	·01	—	·02	—	·03	—	—	·04	—	·02	—	·03	14
15	·02	·03	·05	—	·20	·50	—	—	—	—	·01	·28	15
16	·16	·02	·12	—	·25	·04	—	·13	—	·04	·03	—	16
17	·29	—	·24	—	—	·05	—	·12	—	—	·02	·12	17
18	·05	—	·37	—	—	—	—	·12	—	·03	·01	·07	18
19	·05	·08	·05	—	—	—	·09	·82	—	—	—	·01	19
20	·02	·01	·42	—	—	·05	—	·07	—	·30	·02	—	20
21	·01	·04	·19	—	·10	—	—	·06	—	·13	·15	—	21
22	·06	·25	—	—	·02	—	—	·20	—	·01	·01	·02	22
23	·36	·15	·30	—	·01	·03	—	·25	—	·13	·23	·10	23
24	·19	·04	—	—	—	·16	~	·15	—	—	—	·11	24
25	·08	—	—	—	—	·31	—	·67	—	—	·17	·29	25
26	·01	·03	—	—	—	·01	—	·23	—	·25	·46	·16	26
27	—	·01	·02	—	—	·07	·05	—	—	·19	—	·18	27
28	—	·03	—	—	—	·16	·60	·09	·21	·45	·33	·15	28
29	—	·03	—	—	—	·01	—	·12	1·20	·08	·06	—	29
30	—		—	—	·18	·01	·20	·12	1·22	·14	—	—	30
31	—		·07		—		·24	·14		·01		—	31
Total	2·16	1·55	3·10	·07	1·13	2·45	1·80	5·23	2·72	2·24	1·97	2·46	YEAR'S TOTAL 26·88
Rain Days.	22	23	23	2	14	20	11	27	6	15	18	23	204

W. 7,500, XI. 12

Smaker ✓

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
17 JAN 1914

Kept at Cranleigh School

in the County of Surrey

Ext Bk 6

by ~~W. H. Hayward~~ C Crowhurst ✓

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 232 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Cranleigh
Distance 1 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. 01 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·24	·08	·07	·04	—	—	—	·32	—	·11	·36	1
2	·05	·05	—	·02	—	—	·14	—	·03	·04	·05	—	2
3	·03	—	·02	·32	·48	—	—	—	—	·14	—	·29	3
4	·27	—	·05	·02	·28	—	—	—	·58	·33	·10	·01	4
5	·46	·01	·02	—	·01	·01	·09	—	·28	·01	·08	—	5
6	·03	·08	·09	—	·02	·07	·13	—	—	·61	·07	·26	6
7	—	·15	—	—	·09	·02	·03	—	—	·56	·15	—	7
8	—	·03	·02	·02	·07	·04	—	·22	—	·22	—	·01	8
9	—	·08	·01	·02	·24	·01	·03	·01	·32	·01	·20	—	9
10	·02	—	—	·03	—	—	·03	·02	—	—	·16	—	10
11	·23	—	—	·39	·01	—	—	—	—	·60	·34	—	11
12	—	·01	—	·01	·24	—	—	—	—	—	·25	—	12
13	·08	—	·02	—	—	—	—	·01	·21	—	·20	—	13
14	·13	—	·08	·03	—	—	·96	—	·03	·08	·11	·03	14
15	·15	·07	·18	·23	—	—	·34	—	—	—	·01	·07	15
16	·14	—	·27	·09	—	—	·03	—	·55	—	—	—	16
17	·05	·01	·05	·05	—	—	·26	—	—	—	·02	·02	17
18	—	—	·10	·09	—	—	·02	—	—	—	·04	—	18
19	·18	—	·07	·01	—	—	·10	—	·77	—	—	—	19
20	·12	—	·29	·06	—	·27	—	—	—	·57	·01	—	20
21	—	—	·12	·05	·01	—	—	—	—	·26	·67	—	21
22	·24	—	·07	·29	—	—	—	·25	·14	·01	—	—	22
23	—	—	·02	—	—	·03	—	·08	—	—	—	·62	23
24	·03	—	—	·05	—	—	—	—	—	—	·03	—	24
25	—	·01	—	·17	—	—	—	—	—	—	—	—	25
26	—	·01	·13	·07	—	—	—	·08	—	·63	—	·18	26
27	—	·07	·03	·03	·02	—	—	—	—	·03	—	—	27
28	·11	—	·25	·14	—	—	—	—	—	·12	—	—	28
29	·03		·04	·46	·65	—	—	·10	—	·07	—	×Snow ·03	29
30	·24		—	·11	—	—	—	·52	—	·16	—	—	30
31	—		·07		—		—	·88		·10		—	31
Total	2·62 ✓	·76 ✓	2·08	2·83 ✓	2·16 ✓	·55 ✓	2·16 ✓	2·17 ✓	2·93 ✓	4·49 ✓	2·60 ✓	1.82 ✓	TOTAL for year
No. of Rain Days.	20	13	23	25	13	7	12	10	10	19	18	11	27·07 ✓

181

W. 8,000, X. '11.

wrote re Sept 30 31 VIII 13

? about 1·50

Sept 30

No reply to

CRANLEIGH

WARREN COTT

SURREY

1912

FORM A2.
BRITISH RAINFALL.
7 JAN 1913

R 12

wdon pattern

Kept at Warren C 5 in.

ve Ground 1 ft. in.

in the County of S Sea Level about 600 ft.

9 a.m.

by Miss M. Lun Name Cranleigh
(Garden Distance 3 miles Direction S.

IMPORTANT NOT d the result entered to the previous day. If an O iversal rule, he is earnestly requested to add the rea year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·19	·02	·00	·12	·45	·29	·19	·53	·00	·20	1
2	·00	·00	·42	·00	·00	·05	·00	·00	·06	·03	·00	·00	2
3	·00	·00	·02	·00	·00	·19	·00	·06	·01	·00	·00	·06	3
4	·18	·00	·69	·00	·18	·16	·00	·42	·00	·00	·28	·00	4
5	·17	·04	·17	·00	·02	·00	·00	·08	·00	·00	·12	·02	5
6	·39	·17	·01	·00	·04	·00	·00	·42	·00	·00	·00	·10	6
7	·00	·00	·00	·00	·18	·42	·00	·40	·00	·00	·00	·09	7
8	·37	·45	·28	·00	·00	·06	·00	·13	·00	·00	·00	·00	8
9	·00	·13	·07	·07	·00	·11	·00	·15	·00	·00	·00	·16	9
10	·00	·10	·05	·00	·00	·00	·00	·02	·00	·00	·09	·30	10
11	·07	·37	·00	·00	·00	·01	·00	·20	·01	·00	·02	·25	11
12	·01	·11	·07	·00	·00	·17	·00	·03	·04	·00	·00	·00	12
13	·00	·00	·02	·00	·00	·00	·11	·29	·00	·00	·12	·07	13
14	·00	·00	·03	·00	·00	·00	·00	·00	·00	·03	·00	·02	14
15	·02	·06	·08	·00	·28	·62	·00	·02	·00	·00	·00	·36	15
16	·33	·00	·19	·00	·16	·04	·00	·00	·00	·10	·00	·00	16
17	·55	·00	·36	·00	·00	·08	·00	·19	·00	·00	·07	·11	17
18	·00	·00	·35	·00	·00	·00	·00	·18	·00	·04	·01	·11	18
19	·07	·12	·04	·00	·00	·00	·12	·16	·00	·00	·03	·00	19
20	·02	·00	·54	·00	·00	·00	·00	·81	·00	·36	·00	·00	20
21	·00	·07	·23	·00	·21	·00	·00	·05	·00	·14	·04	·00	21
22	·10	·40	·00	·00	·07	·08	·01	·08	·00	·01	·20	·00	22
23	·40	·26	·42	·00	·01	·25	·00	·26	·00	·15	·00	·16	23
24	·26	·06	·00	·00	·00	·52	·00	·38	·00	·00	·23	·18	24
25	·09	·00	·00	·00	·00	·00	·00	·27	·00	·13	·00	·70	25
26	·00	·03	·00	·00	·00	·11	·00	·81	·00	·46	·27	·28	26
27	·00	·00	·00	·00	·00	·16	·06	·37	·00	·36	·61	·27	27
28	·00	·06	·00	·00	·00	·03	·25	·00	·35	·72	·00	·22	28
29	·00	·06	·00	·00	·00	·00	·39	·21	2·05	·08	·63	·00	29
30	·00		·00	·00	·23	·37	·26	·00	(1·50)	·20	·07	·00	30
31	·00		·09		·00		·26	·37		·01		·00	31
Total	3·03	2·49	4·32	·09	1·38	3·55	1·91	6·65	~~2·70~~ (4·20)	3·35	2·79	3·66	TOTAL for year (37·42) ~~35·92~~
No. of Rain Days.	15	16	21	2	10	19	9	~~27~~ 26	~~6~~ 7	16	15	19	175

W. 8,000, X. '11.

No reply to refe

wrote
Sept 30 31
about 1·50 Sep 30

R 12

FORM A2.
BRITISH RAINFALL.
7 JAN 1913

Kept at Warren Cottage (Cranleigh)

in the County of Surrey 6

by Miss M. Lumsden
(Gardener. J. H. Collins)

RAIN GAUGE
Pattern Snowdon pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level about 600 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Cranleigh
Distance 3 miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·19	·02	·00	·12	·45	·29	·19	·53	·00	·20	1
2	·00	·00	·42	·00	·00	·05	·00	·00	·06	·03	·00	·00	2
3	·00	·00	·02	·00	·00	·19	·00	·06	·01	·00	·00	·06	3
4	·18	·00	·69	·00	·18	·16	·00	·42	·00	·00	·28	·00	4
5	·17	·04	·17	·00	·02	·00	·00	·08	·00	·00	·12	·02	5
6	·39	·17	·01	·00	·04	·00	·00	·42	·00	·00	·00	·10	6
7	·00	·00	·00	·00	·18	·42	·00	·40	·00	·00	·00	·09	7
8	·37	·45	·28	·00	·00	·06	·00	·13	·00	·00	·00	·00	8
9	·00	·13	·07	·07	·00	·11	·00	·15	·00	·00	·00	·16	9
10	·00	·10	·05	·00	·00	·00	·00	·02	·00	·00	·09	·30	10
11	·07	·37	·00	·00	·00	·01	·00	·20	·01	·00	·02	·25	11
12	·01	·11	·07	·00	·00	·17	·00	·03	·04	·00	·00	·00	12
13	·00	·00	·02	·00	·00	·00	·11	·29	·00	·00	·12	·07	13
14	·00	·00	·03	·00	·00	·00	·00	·02	·00	·03	·00	·02	14
15	·02	·06	·08	·00	·28	·62	·00	·02	·00	·00	·00	·36	15
16	·33	·00	·19	·00	·16	·04	·00	·00	·00	·10	·00	·00	16
17	·55	·00	·36	·00	·00	·08	·00	·19	·00	·00	·07	·11	17
18	·00	·00	·35	·00	·00	·00	·00	·18	·00	·04	·01	·11	18
19	·07	·12	·04	·00	·00	·00	·12	·16	·00	·00	·03	·00	19
20	·02	·00	·54	·00	·00	·00	·00	·81	·00	·36	·00	·00	20
21	·00	·07	·23	·00	·21	·00	·00	·05	·00	·14	·04	·00	21
22	·10	·40	·00	·00	·07	·08	·01	·08	·00	·01	·20	·00	22
23	·40	·26	·42	·00	·01	·25	·00	·26	·00	·15	·00	·16	23
24	·26	·06	·00	·00	·00	·52	·00	·38	·00	·00	·23	·18	24
25	·09	·00	·00	·00	·00	·00	·00	·27	·00	·13	·00	·70	25
26	·00	·03	·00	·00	·00	·11	·00	·81	·00	·46	·27	·28	26
27	·00	·00	·00	·00	·00	·16	·06	·37	·00	·36	·61	·27	27
28	·00	·06	·00	·00	·00	·03	·25	·00	·35	·72	·00	·22	28
29	·00	·06	·00	·00	·00	·00	·39	·21	2·05	·08	·63	·00	29
30	·00		·00	·00	·23	·37	·26	·00	(1·50)	·20	·07	·00	30
31	·00		·09		·00		·26	·37		·01		·00	31
Total	3·03	2·49	4·32	·09	1·38	3·55	1·91	6·65	~~2·70~~ (4·20)	3·35	2·79	3·66	TOTAL for year (37·42) ~~35·92~~
No. of Rain Days.	15	16	21	2	10	19	9	~~27~~ 26	~~6~~ 7	16	15	19	175

W. 8,000, X. '11.

58

CRANLEIGH
WINTERFOLD
SURREY
1911 - 1914

FORM A2.
BRITISH RAINFALL.
2 JAN 1912

RE 11

ctti & Zamb

Kept at Winterfold 8 in.

e Ground 3 ft. 6 in.

in the County of Sur Sea Level 603 ft.

a.m

by R. Turvey. Name Cranleigh

Distance 3 miles Direction South.

IMPORTANT NOT l the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the reac year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·	·	·	·	·	·07	·	·	·03	·04	1
2	·24	·	·	·32	·31	·	·	·	·	·	·19	·	2
3	·	·	·	·20	·16	·	·	·03	·	·	·15	·25	3
4	·03	·03	·	·15	·	·	·	·	·	·07	·30	·46	4
5	·03	·02	·	·	·	·	·	·	·	·30	·05	·07	5
6	·22	·	·23	·	·	·	·	·	·	·	·04	·62	6
7	·13	·	·	·	·	·	·	·	·	·16	·60	·25	7
8	·14	·	·34	·	·	·	·	·	·	·	·	·45	8
9	·20	·	·	·04	·	·	·	·	·	·	·05	·05	9
10	·03	·18	·12	·	·	·	·	·	·	·	·01	·85	10
11	·46	·	·	·	·	·	·	·	·	·	·97	·	11
12	·	·	·69	·	·	·	·	·	·06	·	·20	·	12
13	·	·	·12	·	·	·	·	·	·37	·22	·01	·45	13
14	·	·05	·	·	·	·	·	·	·	·	·08	·66	14
15	·	·06	·12	·	·40	·92	·	·	·	·03	·61	·05	15
16	·01	·	·04	·	·	·03	·	·	·	·	·40	·19	16
17	·	·	·	·	·	·	·	·	·	·	1·09	·34	17
18	·	·13	·	·	·	·07	·	·	·	·	·09	·65	18
19	·	·	·	·	·	·34	·	·	·38	·08	·	·20	19
20	·03	·	·09	·	·	·	·	·30	·	·17	·	·85	20
21	·02	·25	·	·	·	·	·	·13	·02	·61	·	·26	21
22	·11	·	·42	·	·	·15	·	·10	·	·39	·	·45	22
23	·	·23	·	·	·	·72	·	·	·	·04	·05	·18	23
24	·	·15	·	·	·	·	·01	·04	·25	1·50	·	·31	24
25	·02	·03	·	·03	1·10	·23	·80	·	·04	·07	·	·01	25
26	·	·	·09	·25	·	·16	·	·09	·	·20	·	·35	26
27	·	·37	·18	·25	·	·	·	·	·08	·24	·03	·17	27
28	·	·21	·	·26	·	·	·	·20	·	-	·05	·	28
29	·		·	·35	·	·15	·28	·	·17	·35	·	·	29
30	·		·	·	·	·04	·	·24	·	·33	·	·02	30
31	·		·		·68		·	·		·01			31
Total	1·67	1·71	2·44	1·85	2·65	2·81	1·09	1·20	1·37	4·77	5·00	8·18	TOTAL for year 34·74
No. of Rain Days.	14	12	11	9	5	10	3	9	8	17	20	25	143

W. 8,000, X. '11.

S8

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
2 JAN 1912

Kept at Winterfold, Cranleigh

in the County of Surrey. 6

by R. Turvey.

RAIN GAUGE: Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level 603 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Cranleigh
Distance 3 miles Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.	.	.	.	.	·07	.	.	·03	·04	1
2	·24	.	.	·32	·31	.	.	.	.	.	·19	.	2
3	.	.	.	·20	·16	.	.	·03	.	.	·15	·25	3
4	·03	·03	.	·15	.	.	.	.	.	·07	·30	·46	4
5	·03	·02	.	.	.	.	.	.	.	·30	·05	·07	5
6	·22	.	·23	.	.	.	.	.	.	.	·04	·62	6
7	·13	.	.	.	.	.	.	.	.	·16	·60	·25	7
8	·14	.	·34	.	.	.	.	.	.	.	.	·45	8
9	·20	.	.	·04	.	.	.	.	.	.	·05	·05	9
10	·03	·18	·12	.	.	.	.	.	.	.	·01	·85	10
11	·46	.	.	.	.	.	.	.	.	.	·97	.	11
12	.	.	·69	.	.	.	.	.	·06	.	·20	.	12
13	.	.	·12	.	.	.	.	.	·37	·22	·01	·45	13
14	.	·05	.	.	.	.	.	.	.	.	·08	·66	14
15	.	·06	·12	.	·40	·92	.	.	.	·03	·61	·05	15
16	·01	.	·04	.	.	·03	.	.	.	.	·40	·19	16
17	.	.	.	.	.	.	.	.	.	.	1·09	·34	17
18	.	·13	.	.	.	·07	.	.	.	.	·09	·65	18
19	.	.	.	.	.	·34	.	.	·38	·08	.	·20	19
20	·03	.	·09	.	.	.	.	·30	.	·17	.	·85	20
21	·02	·25	.	.	.	.	.	·13	·02	·61	.	·26	21
22	·11	.	·42	.	.	·15	.	·10	.	·39	.	·45	22
23	.	·23	.	.	.	·72	.	.	.	·04	·05	·18	23
24	.	·15	.	.	.	.	·01	·04	·25	1·50	.	·31	24
25	·02	·03	.	·03	1·10	·23	·80	.	·04	·07	.	·01	25
26	.	.	·09	·25	.	·16	.	·09	.	·20	.	·35	26
27	.	·37	·18	·25	.	.	.	.	·08	·24	·03	·17	27
28	.	·21	.	·26	.	.	.	·20	.	.	·05	.	28
29	.		.	·35	.	·15	·28	.	·17	·35	.	.	29
30	.		.	.	.	·04	.	·24	.	·33	.	·02	30
31	.		.		·68		.	.		·01			31
Total	1·67	1·71	2.44	1·85	2·65	2·81	1·09	1.20	1·37	4·77	5·00	8·18	TOTAL for year 34·74
No. of Rain Days.	14	12	11	9	5	10	3	9	8	17	20	25	143

W. 8,000, X. '11.

cord 5.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

1 JAN 1913

Kept at Winterfold, Cranleigh.

in the County of Surrey 6

by R. Turvey

Lat. – Long. –

Time of Observation 9. a. m

Nearest Railway Station Cranleigh

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 603 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·	·	·20	·	·	·08	·40	·	·06	·55	·	·20	1
2	·	·	·40	·08	·	·12	·44	·04	·02	·05	·	·	2
3	·	·02	·04	·	·	·15	·	·37	·	·	·01	·06	3
4	·19	·05	·60	·	·	·17	·01	·10	·	·	·22	·02	4
5	·15	·	·17	·	·18	·	·	·38	·	·	·16	·	5
6	·40	·14	·	·	·	·	·	·50	·	·	·	·	6
7	·	·	·	·	·22	·42	·	·14	·	·	·	·09	7
8	·34	·41	·27	·06	·	·06	·	·16	·	·	·	·	8
9	·01	·23	·07	·	·	·06	·	·02	·	·	·	·17	9
10	·	·10	·06	·	·	·	·	·28	·	·	·	·32	10
11	·07	·35	·	·	·	·01	·	·03	·03	·	·07	·26	11
12	·03	·10	·06	·	·03	·17	·03	·28	·	·	·	·	12
13	·	·02	·04	·	·	·	·	·	·01	·01	·12	·07	13
14	·	·	·03	·	·05	[illegible]	·	·03	·	·04	·	·13	14
15	·03	·03	·08	·	·19	·60	·	·	·	·	·02	·34	15
16	·31	·03	·17	·	·23	·05	·	·17	·	·10	·04	·	16
17	·36	·	·37	·	·	·07	·	·16	·	·03	·03	·15	17
18	·25	·	·36	·	·	·	·	·16	·	·	·04	·11	18
19	·07	·10	·05	·	·	·	·12	·95	·	·	·	·02	19
20	·	·	·55	·	·	·	·	·05	·	·34	·04	·	20
21	·	·06	·21	·	·24	·	·	·09	·	·16	·22	·	21
22	·13	·48	·01	·	·07	·	·	·25	·	·02	·	·	22
23	·40	·25	·38	·	·01	·	·	·34	·	·17	·23	·16	23
24	·25	·	·	·	·	·36	·	·28	·	·05	·	·17	24
25	·10	·06	·	·	·	·77	·	·82	·	·	·25	·60	25
26	·	·04	·	·	·	·	·	·40	·	·40	·59	·28	26
27	·	·	·02	·	·	·10	·07	·	·	·34	·	·27	27
28	·	·05	·	·	·	·17	·26	·12	·23	·68	·63	·21	28
29	·	·05	·	·	·	·01	·35	·20	·52	·09	·08	·	29
30	·	·	·	·	·25	·02	·26	·25	1·94	·18	·	·	30
31	·	·	·	·	·		·27	·14	·	·	·	·	31
Total	3·09	2·57	4·14	·14	1·47	3·39	2·21	6·66	2·81	3·21	2·75	3·63 3·63	YEAR'S TOTAL 36·07
Rain Days.	16	19	21	2	10	18	10	27	7	16	16	19	1·81

W. 7,500, XI. 12

DL
corr for arith 22.1.14

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Winterfold, Cranleigh
in the County of Surrey 6
by R. Turvey

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Cranleigh
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 603 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·30	·	·07	·04	·	·	·	·37	·	·	·38	1
2	·08	·12	·	·	·	·	·28	·	·09	·05	·19	·	2
3	·03	·	·	·22	·	·	·	·	·	·10	·05	·22	3
4	·43	·	·03	·03	·50	·	·	·	·65	·50	·	·01	4
5	·52	·01	·06	·	·43	·12	·14	·	·35	·03	·13	·	5
6	·06	·20	·13	·	·03	·11	·13	·	·	·65	·	·03	6
7	·	·30	·	·	·12	·	·05	·	·	·79	·28	·25	7
8	·	·	·	·02	·18	·04	·	·	·	·37	·	·03	8
9	·	·15	·	·01	·06	·04	·10	·	·20	·01	·03	·02	9
10	·02	·	·	·08	·	·	·03	·	·	·	·35	·	10
11	·57	·	·	·40	·	·	·	·	·	·69	·30	·	11
12	·	·01	·	·	·36	·	·	·	·	·01	·45	·	12
13	·11	·	·04	·	·	·	·	·	·23	·	·22	·	13
14	·21	·	·15	·04	·	·	1·10	·02	·06	·10	·11	·03	14
15	·29	·09	·20	·30	·	·	·36	·	·16	·	·	·	15
16	·18	·	·08	·11	·	·	·03	·	·21	·	·	·	16
17	·06	·	·40	·06	·	·	·30	·	·02	·	·03	·02	17
18	·	·	·28	·12	·	·	·02	·	·20	·	·05	·	18
19	·25	·	·14	·	·	·	·16	·	·	·	·	·	19
20	·20	·	·38	·13	·	·31	·	·	·	·56	·02	·	20
21	·	·	·15	·09	·	·	·	·	·15	·32	·95	·	21
22	·34	·	·11	·13	·	·	·	·10	·02	·02	·	·03	22
23	·	·	·03	·	·	·	·	·22	·	·	·	·75	23
24	·04	·	·	·06	·	·04	·	·	·	·	·04	·	24
25	·	·02	·	·22	·	·	·	·	·	·	·	·	25
26	·	·02	·18	·13	·	·	·	·08	·	·75	·	·22	26
27	·	·02	·08	·06	·	·	·	·	·	·07	·		27
28	·13	·	·44	·09	·	·	·	·	·	·23	·		28
29	·05		·04	·50	·88	·	·	·11	·	·11	·		29
30	·38		·	·11	·	·	·	·22	·	·26	·		30
31	·		·10		·	·	·	1·05	·	·10	·		31
Total	4·00	1·24 1·24	3·02	2·98	2·60 2·60	·66	2·70 2·70	1·80	2·71 2·71	5·72	3·20	1·99	YEAR'S TOTAL 32·62 32·62
Rain Days.	20	11	19	22	9	6	12	7	13	20	15	12	166

W.7,000, XI. 13

Cordy own stats 8.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

4 JAN 1915

Kept at Winterfold, Cranleigh
in the County of Surrey 6
by R. Turvey

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Cranleigh
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 603 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·	·	·	·	·	·	·19	·	·	·11	·01	1
2	·	·	·	·	·	·01	·04	·04	·	·	·13	·23	2
3	·	·	·05	·02	·24	·	·10	·07	·	·	·04	·	3
4	·02	·	·04	·17	·01	·	·02	·27	·	·	·29	·29	4
5	·08	·	·08 ·08	·29	·10	·07	·19	·18	·	·	·	·	5
6	·01	·21	·19	·15	·03	·14	·20	·01	·	·	·03	·34	6
7	·	·50	·	·11	·01	·04	·07	·	·	·	·	·25	7
8	·09	·55	·30	·02	·	·06	·	·25	·	·	·	·17	8
9	·36	·	·78	·07	·	·07	·	·01	·	·	·	1·60	9
10	·	·15	·03	·07	·05	·	·	·	·20	·	·	·03	10
11	·03	·65	·40	·	·	·02	·	·	·40	·	·	·36	11
12	·27	·12	·07	·	·	·03	·57	·	·34	·06	·05	·54	12
13	·28	·53	·20	·	·	·	·	·	·14	·03	·08	·76	13
14	·	·42	·20	·	·	·	·05	·	·	·40	·05	·32	14
15	·	·06	·13	·	·	·	·04	·	·	·01	·75	·02	15
16	·	·	·	·	·	·	·02	·	·04	·	·03	·	16
17	·	·50	·09	·	·	·	·	·	·12	·	·	·25	17
18	·	·06	·07	·	·	·	·	·	·	·	·	·38	18
19	·	·09	Snow ·35	·	·	·	·26	·	·	·	·20	·22	19
20	·	·35	Snow ·44	·	·	·	·	·	·06	·02	·	·17	20
21	·	·53	·	·	·	·	·	·	·	·12	·	·02	21
22	·	·03	·10	·	·16	·10	·13	·09	·	·21	·	·	22
23	·	·08	·11	·	·	·	·	·	·	·01	·	·	23
24	·03	·	·09	·	·	·	·	·	·	·	·13	·	24
25	·	·	·12	·	·	·	·	·09	·	·32	·02	·	25
26	·	·	·14	·	·	·	·	·13	·	·06	·20	·81	26
27	·06	·	·03	·	·	·	·12	·	·	·	·10	·35	27
28	·01	·04	·	·	·05	·	·	·	·	·05	·55	·67	28
29	·27		·03	·	·	·	·	·	·	·36	·32	·01	29
30	·02	✕	·10	·	·	·	·	·	·	·14	·66	·55	30
31	·03	✕	·	✕	·09	✕	·09	·	✕	·	✕	·03	31
Total	1·59	4·87 ~~1·59~~	4·14 ✓	·90	·74	·54	1·90	1·33	1·30	1·79	3·74	8·38	YEAR'S TOTAL 31·22
Rain Days.	15	17	24	8	9	9	14	11	7	13	18	24	16~~6~~9

226

CRANLEIGH
STONEWALL
SURREY
1916 - 1920

REG

FORM A.
BRITISH RAINFALL.

15 MAR 1917

Kept at Cranleigh

in the County of Surr

by W. Welch

in Gauge 5 in.

ove Ground 1 ft. 0 in.

Sea Level 182 ft.

IMPORTANT NOT d the result entered to the previous day. If an O iversal rule, he is earnestly requested to add the rea ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04		17				·44	·06	·30	·01	1
2		12	·16		·30		·02		·03	·90	·10		2
3		·94	·37	—		·04	·01		·17	·53	·78		3
4		·18				·28			·26	·02	·46		4
5		·01			19	·10	·01			·09	·78	·03	5
6		08	·05	·06	02	·04	48			·22	·88		6
7			·59		·12	·05	·40			·02	1·02	·06	7
8					19							·45	8
9					·29	·03	·01			·01		·13	9
10		·26	·08	·06		·13	·16					·14	10
11		·13	·02	·15		·51						·02	11
12		·09		·05	·16	·06	·04	·02		·03		·02	12
13		·26	·14	·20	·06	·17		03		·03			13
14		·54	·27	·02	·04		·01	·03		·09		·08	14
15		·10	·41					·20				·08	15
16		·04	·27	·20			·13	·60					16
17		·13		·03				·30	·33	·95		·02	17
18		·08	·04	·05				·50	·05	·05	·85	·03	18
19		·02	·16	·28		·10		·14	·19		·37	·08	19
20			·31	·04							·09	·54	20
21			·27				·13				·01	·29	21
22		·02	·08							·09	·01	·53	22
23		·35				·06		·06	·09	·05	·07	·17	23
24		·10		·02	·26	·02				·25	·06	·40	24
25		·76	·12		·02			·20	·01	·02	·09	·01	25
26		·20	·09			·21		·61	·11	·30			26
27		·04	·94			·32		·10	·10	·44			27
28		·34	·09			·10			·20	·07	·03	·16	28
29		·12				·24		·90	·12	·57		·30	29
30		×			·10			·13		·78			30
31		×		×		×			×	·14	×	·07	31
Total	1·44	4·91	4·50	1·16	1·92	2·46	1·40	3·82	2·10	5·71	5·90	3·62	YEAR'S TOTAL 38·94
Rain Days.		23	20	12	13	17	11	14	13	23	16	22	

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

13 MAR 1917

REG

Long.

Kept at Cranleigh, Stonewall

in the County of Surrey

by W. Welch & F. C. Bayard

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04		17				·44	·06	·30	·01	1
2		12	·16		30		·02		·03	·90	·10		2
3		94	·37			·04	·01		·17	·53	·78		3
4		·18				·28			·26	·02	·46		4
5		·01			19	·10	·01			·09	·78	·03	5
6		08	·05	·06	02	·04	·48			·22	·88		6
7			·59		·12	·05	·40			·02	1·02	·06	7
8					19							·45	8
9					·29	·03	·01			·01		·13	9
10		·26	·08	·06		·13	·16					·14	10
11		·13	·02	·15		·51						·02	11
12		09		·05	16	·06	·04	·02		·03		·02	12
13		·26	14	·20	·06	·17		03		·03			13
14		·54	·27	·02	·04		·01	·03		·09		·08	14
15		·10	·41					·20				·08	15
16		·04	27	·20			·13	·60					16
17		13		·03				·30	·33	·95		·02	17
18		·08	·04	·05				·50	·05	·05	·85	·03	18
19		·02	·16	·28		·10		·14	·19		·37	·08	19
20			·31	·04							·09	·54	20
21			·27				·13				·01	·29	21
22		·02	·08							·09	·01	·53	22
23		·35				·06		·06	·09	·05	·07	·17	23
24		·10		·02	·26	·02				·25	·06	·40	24
25		·76	·12		·02			·20	·01	·02	·09	·01	25
26		·20	·09			·21		·61	·11	·30			26
27		·04	·94			·32		10	·10	·44			27
28		·34	·09			·10			·20	·07	·03	·16	28
29		·12				·24		·90	·12	·57		·30	29
30		×			·10			·13		·78			30
31		×		×		×			×	·14	×	·07	31
Total	1·44	4·91	4·50	1·16	1·92	2·46	1·40	3·82	2·10	5·71	5·90	3·62	YEAR'S TOTAL 38·94
Rain Days.		23	20	12	13	17	11	14	13	23	16	22	

W. 8,000. X. 15.

Exd

220

FORM A.
BRITISH RAINFALL
21 MAR 1918

REGISTER OF RAINFALL IN 1917

Kept at Cranleigh

in the County of Surrey

by W Welsh per F C Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·03	·17	–	–	–	1·16	·02	–	·05	·02	1
2	–	–	–	·05	–	–	–	–	–	–	·13	–	2
3	·01	–	–	·12	–	–	1·15	·68	–	·08	·10	–	3
4	–	·18	·12	–	–	–	·05	·46	–	·30	–	–	4
5	·21	–	·10	·47	–	–	–	·01	·16	·41	06	–	5
6	–	–	24	03	–	·05	–	·01	·12	·02	06	–	6
7	·30	–	–	–	–	–	·03	–	–	·40	–	·07	7
8	·15	–	–	·05	–	–	·22	·13	·01	·33	15	30	8
9	–	–	03	·03	·01	–	·19	·04	·01	·02	05	·82	9
10	·14	–	·16	·25	–	·09	–	·12	–	–	05	·04	10
11	21	–	·34	·72	–	–	–	·04	·03	·19	–	–	11
12	·07	–	·06	·05	–	–	–	·10	–	·24	–	–	12
13	·11	–	·15	·08	–	–	–	·10	–	·18	–	–	13
14	–	–	·01	·10	–	–	–	·05	–	–	–	·02	14
15	·01	–	–	12	–	–	·29	·02	–	·06	–	·05	15
16	·05	·14	–	10	·04	–	·04	–	–	·63	–	·56	16
17	·01	–	–	10	·34	–	31	·11	·71	·08	–	·04	17
18	·08	·01	–	05	·07	·11	21	·02	·33	–	–	·02	18
19	·01	·20	·15	–	·01	·09	–	–	·15	–	–	–	19
20	·02	·08	02	–	·30	–	·02	19	·06	–	·02	–	20
21	–	–	·03	–	–	–	–	–	–	–	–	–	21
22	–	–	01	–	–	·10	–	·11	–	·13	–	·01	22
23	–	·22	–	–	·15	–	–	·14	–	–	–	·04	23
24	–	·05	–	–	–	·14	·10	·02	–	17	·02	·06	24
25	–	·11	·14	–	–	–	–	–	–	–	·06	–	25
26	–	–	·05	–	–	·04	–	42	·06	·05	45	·03	26
27	–	–	–	–	·06	–	–	1·31	–	–	–	·02	27
28	–	·01	·04	–	–	1·10	–	·49	–	–	–	–	28
29	–	X	·06	–	·30	·13	·02	–	–	·52	–	·12	29
30	·02	X	·33	–	–	–	1·40	·13	–	·03	–	·02	30
31	·05	X	·06	X	–	X	·21	·04	X		X	·01	31
Total	1·45	1·00	2·08	2·49	1·28	1·78	4·24	5·96	1·66	3·84	1·20	2·25	YEAR'S TOTAL 29·17
Rain Days.	16	9	20	16	9	9	14	24	11	18	12	18	176

W. 8,000, IX. 17.

5 made ✓

220

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
3 JAN 1918

Kept at Cranleigh

in the County of Surrey

by Wm Welch

Lat. .... Long. ....

Nearest Railway Station Cranleigh

Time of Observation ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " Sea Level 182 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	1.45	1.00	2.08	2.49	1.28	1.78	4.24	5.90	1.66	3.84	1.20	2.25	2
3													3
4				Total 29.17									4
5													5
6													6
7													7
8													8
9													9
10	With Compliments												10
11													11
12													12
13													13

from M.S.

Exd CFE

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
10 4 19

Kept at Cranleigh, Stonewall
in the County of Surrey
by W. Welch per F. C. Bayard

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01						·08			·34	·13	1
2		·05		·08				·36		·01	·16	·18	2
3		·01	·08	·13	·70					·03	·56	·05	3
4		·18	·10	·02				·04	·32		·93	·02	4
5		·07	·04		·08			·19	·03	·12		·02	5
6	·24	·08		·07	·14			·03	·20	·03		·08	6
7	·03	·07		·39	·20			·02	·09	·05	·04		7
8		·38		·01					·12	·05	·21	·07	8
9	·02	·02		·13		·17	·03		·53	·20		·46	9
10				·08		·02	·35		·21	·06	·02	·33	10
11	·02			·01			·36		·03	·24	·06	·15	11
12		·07			·13		·50		·09			·02	12
13	·14				·09		·08		·19				13
14	·20		·04			·54	·05		·10	·14		·17	14
15	1·18			·68		·04	·35					·19	15
16	·40		·04	·12		·08			·24	·02		·01	16
17	·20		·02	·10			·05	·02				·26	17
18	·50					·24			·92			·05	18
19	·10		·08	·12	·01	·18	·15		·06	·04		·05	19
20	·06	·27		1·02		·02	·21		·23	·10			20
21	·30	·02		·63			·12		·31	·10		·02	21
22	·18	·02			·30		·26		·09			·15	22
23	·06			·02	·06		·86	·03	·10			·02	23
24		·31				·07	·03		·24		·06	·01	24
25	·01	·02		·12			·29	·15		·04			25
26							·40		·02	·03	·14	·13	26
27		·11		·05			·17	·13	·03		·03		27
28	·01	·02	·30	·01				·04			·15	·01	28
29									1·17		·04		29
30		X	·50						·06	·02		·13	30
31	·01	X	·08	X		X			X	·12	X		31
Total	3·66 ✓	1·71 ✓	1·28 ✓	3·79 ✓	1·71 ✓	1·36 ✓	4·26 ✓	1·09 ✓	5·38 ✓	1·40 ✓	2·84 ✓	2·71 ✓	YEAR'S TOTAL 31·19 ✓
Rain Days	18 ✓	17 ✓	10 ✓	19 ✓	9 ✓	9 ✓	17 ✓	11 ✓	23 ✓	18 ✓	13 ✓	24 ✓	188 ✓

W, 6,500, VII. 18. W W C

Ex RR

206

12 MAR

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Cranleigh, Stonewall

in the County of Surrey

by W. Welch per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Cranleigh	Cranleigh (Stonewall)	Cranleigh (Stonewall)	Cranleigh (Stonewall)	Cranleigh (Stonewall)	Cranleigh (Stonewall)	Cranleigh (Stonewall)	Cranleigh (Stonewall)	Cranleigh (Stonewall)	Cranleigh (Stonewall)	Cranleigh (Stonewall)	Cranleigh (Stonewall)	
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	·40	·01	..	..	..	..	·10	..	..	·02	·01	1·04	1
2	·46	..	..	..	·04	..	·08	..	·06	·09	·06	·12	2
3	·32	..	·44	..	·03	..	·10	..	·13	..	·04	·35	3
4	·15	..	·31	..	..	·06	·36	·07	·03	..	·02	·09	4
5	..	·47	·36	..	..	..	..	..	·10	..	·15	·41	5
6	·27	..	·87	..	..	..	..	..	..	..	..	·15	6
7	·06	..	·44	..	..	..	..	..	..	..	·06	..	7
8	·23	..	·11	·02	..	..	..	..	..	..	..	..	8
9	·22	..	·05	·19	·09	..	..	..	..	..	·15	..	9
10	·89	..	·11	·04	..	..	..	..	..	..	..	·12	10
11	·16	..	·09	·27	·03	..	·19	..	..	..	..	·04	11
12	·04	..	·09	·10	..	..	·07	..	..	·05	·06	·03	12
13	·03	..	·01	·46	..	..	..	..	..	..	..	·11	13
14	·48	..	..	·15	..	..	·12	..	·75	·02	..	·06	14
15	·22	·04	..	·06	..	..	..	..	..	·04	·01	1·06	15
16	·04	·62	..	..	..	..	..	..	..	..	·09	..	16
17	..	·34	..	·02	..	..	..	..	..	..	·17	·02	17
18	..	·24	·24	..	..	..	..	..	..	..	·06	·05	18
19	·04	·25	1·10	..	..	..	·65	·35	·07	..	·04	..	19
20	·34	·06	·06	..	..	·63	·10	·15	..	..	·02	·04	20
21	·06	·40	·01	..	..	..	·06	..	..	..	·02	·04	21
22	..	·01	..	..	..	..	·23	..	·45	..	·07	·18	22
23	..	..	..	..	..	..	..	..	..	·01	·03	..	23
24	..	..	..	·03	..	·05	·06	..	..	·20	·07	·02	24
25	·04	·05	..	..	..	..	..	·24	..	..	..	·02	25
26	·07	·20	·07	·05	..	..	..	·04	·11	..	·01	·50	26
27	·49	·03	..	·37	..	..	..	·32	..	..	·02	·01	27
28	·04	..	·23	..	..	..	..	1·00	..	..	·42	·38	28
29	·09		..	·21	..	..	..	·45	..	·23	..	·12	29
30	..		..	·23	..	·11	..	·39	..	·03	·34	·82	30
31	·04		·07		..		·03	..		..		·11	31
TOTAL	5·18 ..	2·72 7·90	4·66 12·56	2·20 14·76	·19 14·95	·85 15·80	2·15 17·95	3·01 20·96	1·70 22·66	·69 23·35	1·92 25·27	5·89 31·16	YEAR'S TOTAL 31·16
Days with ·01 in. or more	24	13	18	14	4	4	13	9	8	9	22	25	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd

196

COPIED BY B.R.O.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cranleigh, Stonewall

in the County of

by per Bayard W Welch

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	Cranleigh (Stonewall) IN.	
1	·06	..	..	·32	·09	..	·34	..	..	·81	..	·31	1
2	·02	..	·02	..	..	..	..	·21	·10	·07	..	·15	2
3	·04	..	..	·03	·32	..	·15	..	..	·18	..	·07	3
4	..	·06	..	·28	..	..	1·15	·10	..	·40	..	·07	4
5	..	..	·15	·04	..	..	·53	·45	..	..	..	·05	5
6	..	..	·15	·18	·17	..	·43	..	..	..	..	..	6
7	·03	..	·01	·05	·01	..	·22	..	..	..	..	..	7
8	..	·01	·01	·03	·07	..	·20	..	..	..	..	..	8
9	·23	·02	·02	·02	·02	..	·15	..	..	..	..	..	9
10	·70	·17	·05	·17	..	·06	·18	..	..	..	..	..	10
11	·43	·02	·08	·30	..	·16	·32	..	..	..	..	·22	11
12	·06	·04	..	·26	..	1·17	..	..	..	..	..	..	12
13	·20	..	·24	·06	..	..	..	..	..	..	·28	..	13
14	..	·02	·37	·35	..	..	..	..	·14	·16	·46	·02	14
15	·02	·04	·05	·30	..	·06	..	..	·85	·14	·15	..	15
16	..	..	·06	·17	..	..	..	..	·44	..	..	..	16
17	·01	..	..	..	·15	..	..	..	·34	..	..	..	17
18	·08	..	..	..	·05	..	..	·90	·24	..	..	·17	18
19	·05	..	..	·25	..	..	..	·02	·02	..	..	..	19
20	·09	·18	..	·22	..	·74	..	..	..	..	..	·05	20
21	..	..	..	..	..	..	·85	..	·32	..	..	..	21
22	·01	..	..	·21	..	..	..	..	·08	..	..	·37	22
23	..	·01	·14	..	..	..	·36	·09	..	..	..	·34	23
24	..	·02	·06	..	..	..	..	..	..	..	·03	·11	24
25	..	·02	·41	..	..	..	·42	..	..	..	..	..	25
26	·10	..	·03	·02	..	..	·19	..	..	..	..	·07	26
27	·59	·05	·34	·11	..	·05	·02	..	..	..	·56	·14	27
28	·47	·02	·03	·08	·10	..	·09	..	..	..	..	·02	28
29	·74	..	..	·07	..	..	..	..	..	..	·17	·29	29
30	·07		·14	..	..	·02	·12	..	·15	..	·28	·22	30
31	..				..		..	..		1·30		·23	31
	4·00	·68	2·36	3·52	·98	2·26	5·72	1·77	2·68	3·06	1·93	2·90	YEAR'S TOTAL
TOTAL	..	4·68	7·04	10·56	11·54	13·80	19·52	21·29	23·97	27·03	28·96	31·86	31·86
Days with ·01 in. or more	20	14	19	22	9	7	17	6	10	7	7	18	156
Days with ·04 in. or more	15	6	13	18	7	6	16	5	9	7	6	16	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

So

R 11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Cranleigh Common
Horsefield Cott
SURREY

1911 - 1913

Kept at Cra

in the County of S

by A. F.

5 in.

ove Ground 1 ft. 2 in.

„ Sea Level 175 ft.

Name

Distance Direction

IMPORTANT NO nd the result entered to the previous day. If an universal rule, he is earnestly requested to add the re year in the space provided for it at the end of th rement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	—	·20	—	—	·01	·07	—	—	·03	·04	1
2	·16	—	—	·40	·29	—	·02	—	—	—	·15	·32	2
3	—	·03	—	—	·16	—	—	·03	—	—	·13	·04	3
4	·03	·02	·04	·11	—	—	—	—	·01	·06	·23	·57	4
5	·03	—	—		—	—	—	—	—	·25	·07		5
6	·30	—	·16	·02	—	—	—	—	—	—	·05	1·16	6
7	·05	—	—	—	—	—	—	—	—	·17	·36		7
8	·14	—	·27	—	—	—	—	—	—	—	·27	·50	8
9	·17	—	·04	·02	—	—	—	—	—	—	·06	·13	9
10	—	·20	·11	·02	—	—	—	—	—	—	·01	·97	10
11	·49	—	·04	—	—	—	—	—	—	—	1·00	—	11
12	·02	—	·54	—	—	—	—	—	·07	—	·19	·03	12
13	—	—	·07	—	·06	—	—	—	·38	·26	·01	·50	13
14	—	·10	—	—	·37	—	—	—	—	—	—	·66	14
15	—	·04	·06	—	—	—	—	—	—	·01	·08	·05	15
16	—	—	·01	—	—	·73	—	—	—	—	·64	·16	16
17	—	—	·02	—	—	·04	—	—	—	—	·43	·36	17
18	—	·13	·09	·01	—	—	—	—	—	·04	·53	·68	18
19	—	·01	—	—	·01	·39	—	—	·41	·23	·10	·22	19
20	·02	·04	·03	—	—	·01	—	·08	·01	·06	—	·97	20
21	·02	·17	—	—	—	—	—	·19	—	·68	—	·24	21
22	·11	·02	·48	—	—	·13	—	·03	—	·38	·01	·59	22
23	—	·24	—	—	—	·62	—	—	·20	·05	·04	·19	23
24	—	·17	—	—	—	·07	·05	·02	—	1·50	—	·34	24
25	·01	·03	·02	·04	·11	·22	1·22	·16	·05	—	·01	·02	25
26	—	·02	·08	·29	·03	·10	·09	·01	—	·22	—	·31	26
27	—	·36	·22	·60	—	—	·01	—	·07	·21	·03	·23	27
28	—	·21	—	·26	—	—	—	·16	—	·01	·05	—	28
29	—		—	·43	—	·15	·18	·01	·18	·33	—	—	29
30	—		—	·02	—	·03	—	·18	·01	·37	—	·01	30
31	—		—		·06		—	—		·01		—	31
Total	1·58	1·79	2·28	2·42	1·09	2·49	1·58	·94	1·39	4·84	4·48	9 29	TOTAL for year 34·17
No. of Rain Days.	14	16	17	14	8	11	7	11	10	18	23	27	176

W. 8,000, X. '11.

50

R 11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Cranleigh Common

in the County of Surrey 6

by A. F. Jones

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 175 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	—	·20	—	—	·01	·07	—	—	·03	·04	1
2	·16	—	—	·40	·29	—	·02	—	—	—	·15	·32	2
3	—	·03	—	—	·16	—	—	·03	—	—	·13	·04	3
4	·03	·02	·04	·11	—	—	—	—	·01	·06	·23	·57	4
5	·03	—	—		—	—	—	—	—	·25	·07		5
6	·30	—	·16	·02	—	—	—	—	—	—	·05	1·16	6
7	·05	—	—	—	—	—	—	—	—	·17	·36		7
8	·14	—	·27	—	—	—	—	—	—	—	·27	·50	8
9	·17	—	·04	·02	—	—	—	—	—	—	·06	·13	9
10	—	·20	·11	·02	—	—	—	—	—	—	·01	·97	10
11	·49	—	·04	—	—	—	—	—	—	—	1·00	—	11
12	·02	—	·54	—	—	—	—	—	·07	—	·19	·03	12
13	—	—	·07	—	·06	—	—	—	·38	·26	·01	·50	13
14	—	·10	—	—	·37	—	—	—	—	—	—	·66	14
15	—	·04	·06	—	—	—	—	—	—	·01	·08	·05	15
16	—	—	·01	—	—	·73	—	—	—	—	·64	·16	16
17	—	—	·02	—	—	·04	—	—	—	—	·43	·36	17
18	—	·13	·09	·01	—	—	—	—	—	·04	·53	·68	18
19	—	·01	—	—	·01	·39	—	—	·41	·23	·10	·22	19
20	·02	·04	·03	—	—	·01	—	·08	·01	·06	—	·97	20
21	·02	·17	—	—	—	—	—	·19	—	·68	—	·24	21
22	·11	·02	·48	—	—	·13	—	·03	—	·38	·01	·59	22
23	—	·24	—	—	—	·62	—	—	·20	·05	·04	·19	23
24	—	·17	—	—	—	·07	·05	·02	—	1·50	—	·34	24
25	·01	·03	·02	·04	·11	·22	1·22	·16	·05	—	·01	·02	25
26	—	·02	·08	·29	·03	·10	·09	·01	—	·22	—	·31	26
27	—	·36	·22	·60	—	—	·01	—	·07	·21	·03	·23	27
28	—	·21	—	·26	—	—	—	·16	—	·01	·05	—	28
29	—		—	·43	—	·15	·18	·01	·18	·33	—	—	29
30	—		—	·02	—	·03	—	·18	·01	·37	—	·01	30
31	—		—		·06		—	—		·01		—	31
Total	1·58	1·79	2·28	2·42	1·09	2·49	1·58	·94	1·39	4·84	4·48	9·29	TOTAL for year 34·17
No. of Rain Days.	14	16	17	14	8	11	7	11	10	18	23	27	176

FORM A2.
BRITISH RAINFALL.

4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Homefield Cottage Cranleigh Commons

in the County of Surrey 6

by Arthur F. Jones

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
„ „ „ Sea Level 175 ft.

Time of Observation 9 am

Nearest Railway Station
Name Cranleigh
Distance ½ m Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·19	·04	—	·12	·09	—	·18	·52	—	·25	1
2	—	·01	·41	—	—	·07	·33	·01	—	—	—	—	2
3	·02	·01	·05	—	—	·16	·01	·38	·01	—	—	·03	3
4	·14	·02	·67	—	·13	·16	—	·06	—	—	·26	·01	4
5	·19	·02	·22	—	·01	—	—	·45	—	—	·11	·02	5
6	·41	·13	—	—	·04	—	—	·46	—	—	—	·09	6
7	·01	—	·01	—	·16	·45	—	·22	—	—	—	·09	7
8	·40	·48	·32	—	—	·03	—	·04	—	—	—	·01	8
9	—	·14	·11	·04	—	·03	·04	·01	—	—	—	·15	9
10	·01	·10	·03	—	—	—	—	·15	—	—	·06	·29	10
11	·07	·36	·01	—	—	—	—	·05	·02	—	·04	·24	11
12	·03	·11	·07	—	·03	·16	·05	·28	—	·02	·02	—	12
13	—	·02	·02	—	—	—	·05	—	—	—	·12	·07	13
14	—	—	·02	—	·05	—	—	·06	—	·02	—	·05	14
15	·03	·03	·07	—	·22	·54	—	—	—	—	·01	·35	15
16	·30	·02	·16	—	·22	·05	—	·15	—	·05	·04	—	16
17	·47	—	·30	—	—	·06	—	·15	—	—	·01	·15	17
18	·12	—	·41	—	—	—	—	·18	—	·05	·02	·09	18
19	·08	·12	·07	—	—	—	·10	·90	—	·01	—	·01	19
20	·03	—	·55	—	—	·02	—	·07	—	·32	—	—	20
21	—	·05	·22	—	·26	—	—	·09	—	·17	·16	—	21
22	·09	·37	—	—	·02	—	—	·25	—	·01	—	·03	22
23	·45	·21	·39	—	·01	—	—	·30	—	·15	·22	·13	23
24	·23	·04	—	—	—	·23	—	·18	—	·01	·01	·18	24
25	·08	—	—	—	—	·45	—	·71	—	·02	·22	·68	25
26	·01	·03	—	—	—	·02	—	·41	—	·46	·59	·27	26
27	·01	—	—	—	—	·11	·04	—	—	·30	·01	·28	27
28	—	·05	·02	—	—	·21	·28	·12	·17	·74	·53	·21	28
29	—	·06	—	—	—	·01	}	·19	1·86	·12	·05	—	29
30	—		—	—	·18	·01	} ·57	·20	1·62	·19	·01	—	30
31	—		·10		—		·35	·17		·01		—	31
Total	3·18	2·38	4·42	·08	1·33	2·89	1·91	6·24	3·86	3·17	2·51	3·68	TOTAL for year ~~35·65~~
No. of Rain Days.	21	21	23	2	12	19	17	27	6	18	19	23	203

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

Kept at Cranleigh Common

in the County of Surrey

by Arthur F Jones

6

Lat. Long.

Time of Observation

Nearest Railway Station Cranleigh

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·33	·12	·10	·02	·01	—	—	·36	·02	·19	·34	1
2	·04	·11	—	·02	—	—	·13	—	·03	·06	·08	·01	2
3	·04	—	·03	·42	·66	—	—	—	—	·20	—	·31	3
4	·50	—	·09	·01	·28	—	—	—	·58	·40	·06	·02	4
5	·57	·02	·03	—	—	·14	·11	—	·36	·01	·09	·03	5
6	·04	·11	·14	—	·03	·10	·16	—	—	·71	·09	·23	6
7	—	·37	·01	—	·13	·03	·04	—	—	·64	·19	—	7
8	—	·04	·03	·02	·19	·04	—	·16	—	·24	—	·02	8
9	—	·11	·01	·02	·07	·02	·03	·02	·13	·03	·01	·02	9
10	·01	—	—	·03	—	—	·04	·02	—	·02	·44	—	10
11	·72	·01	—	·61	·02	—	—	—	—	·67	·40	—	11
12	·01	·01	—	—	·43	—	—	—	—	·02	·35	—	12
13	·15	—	·03	—	—	—	—	·01	·20	·01	·20	—	13
14	·25	—	·15	·03	—	—	·98	·01	·06	·08	·12	·02	14
15	·17	·08	·25	·37	—	—	·36	·01	·09	—	—	—	15
16	·19	—	·45	·17	—	—	·03	—	·19	—	—	—	16
17	·07	—	·04	·06	—	—	·27	—	—	—	·02	·02	17
18	·01	—	·22	·12	—	—	·02	—	—	—	·07	—	18
19	·30	—	·11	·01	—	·01	·10	—	·21	—	—	—	19
20	·18	—	·37	·11	—	·31	—	—	—	·50	·02	·01	20
21	—	·01	·18	·10	—	—	—	—	—	·30	·78	—	21
22	·34	—	·15	·40	—	—	·01	·10	·15	·01	—	·02	22
23	—	—	·03	·01	—	·03	—	·22	—	—	—	·71	23
24	·04	—	—	·05	—	—	—	·01	—	—	·04	—	24
25	—	·02	—	·23	—	—	—	—	—	—	—	—	25
26	—	·02	·16	·15	—	—	—	·08	—	·70	—	·22	26
27	—	—	·10	·05	·05	—	—	—	—	·05	·01	—	27
28	·14	—	·43	·13	—	—	·01	—	—	·18	—	—	28
29	·04	×	·06	·60	·57	—	—	·11	—	·10	·01	·04	29
30	·44	×	—	·16	—	—	—	·56	—	·23	—	—	30
31	·01	×	·09	×	—	×	—	·93	×	·14	×	—	31
Total	4·30	1·24	3·28	3·98	2·45	·69	2·29	2·24	2·36	5·32	3·17	2·02	YEAR'S TOTAL 33·34
Rain Days.	23	13	24	25	11	9	14	13	11	23	19	15	200

W.7,000, XI. 13

5a

RE   N

CROOKSBURY

SURREY

1911

FORM A2. BRITISH RAINFALL.
2 - JAN 1912

Kept at Crooksbu
in the County of Surre
by B. W. Bentin

5 in.
e Ground 1 ft.
Sea Level 400 ft.
30 AM
Name Farnham
Distance 3 Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..			·24				·08			·03	·05	1
2	..			·21	·23						·14	·09	2
3	..	·03			·17			·03			·15	·09	3
4	·12		·06	·08						·05	·11	·35	4
5	·01									·25	·08		5
6	·23		·15								×?	·70	6
7	·03									·12	×?	·23	7
8	·03										..	·57	8
9	·15			·05							·66	·12	9
10	..	·17	·33								..	·92	10
11	·33		·02								·87	×?	11
12	..				·09				·01		·23		12
13	..				·08				·34	·01	×?	?·×·	13
14	..		·54		·36					·01	..	1·31	14
15	..		·05							·02	×?	·11	15
16	..		·02			·23					·59	·03	16
17	·01	·09				·21					·46	·46	17
18	..	·05	·08	·02		·03			·16		·53	·49	18
19	..	·02	·01		·01	·63				·05	·16	·13	19
20	·02		·04					·02		·13	..	·80	20
21	..							·39	·02	·64	..	·20	21
22	·10		·19			·11				·13	..	·49	22
23						·43			·16	·03	·07	·12	23
24	..	·56	·01					·02		1·10	..	·22	24
25	..	·05	·07	·02	1·11	·20	·89	·03	·63		..	·03	25
26	..	·02	·05	·25	·21	·11	·07	·15		·26	·01	·22	26
27	..	·32		·27			12	·01	[illegible]		·11	·23	27
28	..	·21		·28				·18				..	28
29	·03		·20	·38		·16	·07	·01	·16	·23		..	29
30	..		·01			·03		·39		·31		·02	30
31	..				·03					·01		..	31
Total	1·06 1·06	1·52	1·83	1·80	2·29	2·14	1·15	1·31	0·94	3·35 3·35	4·20	7·98 7·98	TOTAL for year 29·57 ~~29·30~~
No. of Rain Days	11	10	16	10	9	10	4.	11	8	16	~~20~~ 19	26	152 150

9,000, IX. '10.

× Rain is known to have fallen (exceeding ·01 in) on these days but was not measured till

5a

RE[illegible] N

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

Kept at Crooksbury Farnham

in the County of Surrey 6

by B. W. Bentinck

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 400 ft.

Time of Observation 8.30 AM

Nearest Railway Station
Name Farnham
Distance 3 Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..			.24				.08			.03	.05	1
2	..			.21	.23						.14	.09	2
3	..	.03			.17			.03			.15	.09	3
4	.12		.06	.08						.05	.11	.35	4
5	.01									.25	.08		5
6	.23		.15								×?	.70	6
7	.03									.12	×?	.23	7
8	.03		—								..	.57	8
9	.15			.05							.66	.12	9
10	..	.17	.33								..	.92	10
11	.33	—	.02								.87	×?	11
12	..				.09				.01		.23		12
13	..				.08				.34	.01	×?	?×	13
14	..		.54		.36					.01	..	1.31	14
15	..		.05							.02	×?	.11	15
16	..		.02			.23					.59	.03	16
17	.01	.09				.21					.46	.46	17
18	..	.05	.08	.02		.03			.16		.53	.49	18
19	..	.02	.01		.01	.63				.05	.16	.13	19
20	.02		.04					.02		.13	..	.80	20
21	..							.39	.02	.64	..	.20	21
22	.10		.19			.11				.13	..	.49	22
23	..					.43			.16	.03	.07	.12	23
24	..	.56	.01					.02		1.10	..	.22	24
25	..	.05	.07	.02	1.11	.20	.89	.03	.[illegible]3		..	.03	25
26	..	.02	.05	.25	.21	.11	.07	.15		.26	.01	.22	26
27	..	.32		.27			.12	.01	[illegible]		.11	.23	27
28	..	.21		.28				.18				..	28
29	.03		.20	.38		.16	.07	.01	.16	.23		..	29
30	..		.01			.03		.39		.31		.02	30
31	..				.03					.01		..	31
Total	1.06	1.52	1.83	1.80	2.29	2.14	1.15	1.31	0.94	3.35 3.35	4.20	7.98 7.98	29.57 TOTAL for year ~~29.30~~ 29.57
No. of Rain Days	1.06 11	10	16	10	9	10	4.	11	8	16	19 ~~20~~	26	152 150

9,000, IX. '10.

✱ Rain is known to have fallen (exceeding .01 in) on these days but was not measured till

5

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

CROYDON
AVONDALE RD
SURREY
1911 - 1920

1

Kept at Sout 5 in.

e Ground 1 ft. = in.

in the County of Sea Level 225 ft.

a.m.

by George Name Selsdon Road

Distance ½ mile Direction East

IMPORTA d the result entered to the previous day. iversal rule, he is earnestly requested to ad year in the space provided for it at the e rement of rain, the selection a British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	—	·93	—	—	—	·08	—	—	·02	—	1
2	·20	—	—	·20	·22	—	·10	—	—	—	·26	·11	2
3	—	·03	—	—	·15	—	—	—	—	—	·08	·10	3
4	·04	·02	·06	·12	—	—	—	—	·03	·09	·23	·34	4
5	·02	·02	·02	·03	—	—	—	—	—	·30	·06	·14	5
6	·31	—	·24	·01	—	—	—	—	—	—	—	·43	6
7	·04	—	·01	·03	—	—	—	—	—	·15	·46	·26	7
8	·09	—	·14	—	—	—	—	—	—	—	·32	·42	8
9	·22	—	·03	·04	—	—	—	—	—	—	·02	·10	9
10	·01	·10	·12	·01	—	—	—	—	—	—	·02	·83	10
11	·30	—	·01	—	·08	—	—	—	—	—	·71	·01	11
12	·02	—	·45	—	—	·02	—	—	·03	—	·17	—	12
13	—	—	·07	—	·20	—	—	—	·15	·19	·02	·18	13
14	—	·09	—	—	·25	—	—	—	—	—	—	·66	14
15	·01	·05	·20	—	—	—	—	—	—	·04	·07	·05	15
16	—	—	—	—	—	·42	—	—	—	—	·64	·08	16
17	—	—	·08	—	—	·08	—	—	—	·01	·39	·26	17
18	—	·17	·02	—	—	—	—	—	—	—	·57	·33	18
19	—	—	—	—	·03	·27	—	—	·24	·23	·19	·15	19
20	·02	·02	·02	—	—	·04	—	·26	—	·10	·02	·74	20
21	·02	·08	—	—	—	—	—	·10	·02	·51	—	·16	21
22	·03	—	·19	—	—	·07	—	—	—	·12	—	·46	22
23	—	·16	·05	—	—	·82	—	—	·24	·02	·03	·16	23
24	·01	·13	—	—	—	·04	·04	·01	—	1.85	—	·18	24
25	—	·05	—	·04	—	·09	·34	·03	·02	·03	—	—	25
26	—	—	·12	·21	·14	·22	·01	—	—	·18	·02	·21	26
27	—	·26	·16	·05	—	—	—	—	·13	·03	·07	·09	27
28	·01	·14	—	·27	—	—	—	·11	—		·03	—	28
29	—		—	·23	—	·22	·14	—	·13	·20	·01		29
30	—		·01	·01	—	·01	—	·15	·02	·25	—	·01	30
31	—		—		·07		—	—		·02		—	31
Total	1.39	1.32	2.00	2.18	1.14	2.30	·63	·74	1.01	4.32	4.41	6.46	TOTAL for year 27.90
No. of Rain Days.	17	14	19	14	8	12	5	7	10	18	23	25	172

W. 8,000, X. '11.

5

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at South Croydon (24, Avondale Road)

in the County of Surrey 4

by George J. Hinde.

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 225 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Selsdon Road
Distance ½ mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	—	—	·93	—	—	—	·08	—	—	·02	—	1
2	·20	—	—	·20	·22	—	·10	—		—	·26	·11	2
3	—	·03	—	—	·15	—	—	—	—	—	·08	·10	3
4	·04	·02	·06	·12	—	—	—	—	·03	·09	·23	·34	4
5	·02	·02	·02	·03	—	—	—	—	—	·30	·06	·14	5
6	·31	—	·24	·01	—	—	—	—	—	—	—	·43	6
7	·04	—	·01	·03	—	—	—	—	—	·15	·46	·26	7
8	·09	—	·14	—	—	—	—	—	—	—	·32	·42	8
9	·22	—	·03	·04	—	—	—	—	—	—	·02	·10	9
10	·01	·10	·12	·01	—	—	—	—	—	—	·02	·83	10
11	·30	—	·01	—	·08	—	—	—	—	—	·71	·01	11
12	·02	—	·45	—	—	·02	—	—	·03	—	·17	—	12
13	—		·07	—	·20	—	—	—	·15	·19	·02	·18	13
14	—	·09	—	—	·25	—	—	—	—	—	—	·66	14
15	·01	·05	·20	—	—	—	—	—	—	·04	·07	·05	15
16	—		—	—	—	·42	—	—	—	—	·64	·08	16
17	—	—	·08	—	—	·08	—	—	—	·01	·39	·26	17
18	—	·17	·02	—	—	—	—	—	—	—	·57	·33	18
19		—	—	—	·03	·27	—	—	·24	·23	·19	·15	19
20	·02	·02	·02	—	—	·04	—	·26	—	·10	·02	·74	20
21	·02	·08	—	—	—	—		·10	·02	·51	—	·16	21
22	·03	—	·19	—	—	·07	—	—	—	·12	—	·46	22
23	—	·16	·05	—	—	·82	—	—	·24	·02	·03	·16	23
24	·01	·13	—	—	—	·04	·04	·01	—	1·85	—	·18	24
25	—	·05	—	·04	—	·09	·34	·03	·02	·03		—	25
26	—	—	·12	·21	·14	·22	·01	—	—	·18	·02	·21	26
27	—	·26	·16	·05	—	—	—	—	·13	·03	·07	·09	27
28	·01	·14	—	·27	—	—	—	·11	—	—	·03	—	28
29	—		—	·23	—	·22	·14	—	·13	·20	·01	—	29
30	—		·01	·01	—	·01	—	·15	·02	·25		·01	30
31	—		—		·07		—	—		·02		—	31
Total	1.39	1.32	2.00	2.18	1.14	2.30	·63	·74	1.01	4.32	4.41	6.46	TOTAL for year 27.90
No. of Rain Days.	17	14	19	14	8	12	5	7	10	18	23	25	172

W. 8,000, X. '11.

Ex. J.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at South Croydon (24 Avondale Road)

in the County of Surrey 4

by George J. Hinde.

Rain Gauge: Pattern	
Diameter of top	5 in.
Height of top above Ground	1 ft. – in.
" " " Sea Level	225 ft.
Time of Observation	9 a.m.
Nearest Railway Station: Name	Selsdon Road.
Distance	½ mile
Direction	East.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·15	—	—	·11	·40	—	·06	·68	—	·24	1
2	—	·02	·37	·01	—	·03	·38	·05	·02	·05	—	—	2
3	·04	·10	·06	—	—	·13	·05	·41	·01	—	—	·09	3
4	·20	—	·62	—	·16	·20	—	·08	—	—	·18	—	4
5	·16	·04	·11	—	—	—	—	·31	—	—	·07	·02	5
6	·40	·05	—	—	·02	—	—	·11	·02	—	—	·17	6
7	—	—	·03	—	·10	·84	·18	·19	—	—	—	·07	7
8	·28	·42	·27	·02	—	·02	·03	·40	·02	·01	·02	·02	8
9	—	·08	—	·04	—	·25	·03	·02	—	—	·01	·09	9
10	—	·06	—	—	—	—	—	·39	·01	·01	·04	·25	10
11	·03	·25	·01	—	—	·02	—	·12	·03	·01	·01	·26	11
12	·03	·16	·05	—	·18	·13	—	·03	—	·02	·03	·03	12
13	—	·02	·01	—	—	—	—	·01	—	—	·10	·01	13
14	—	—	·02	—	·03	—	—	·03	—	·06	·02	·03	14
15	·02	·01	·17	—	·28	·71	—	·01	—	—	·04	·35	15
16	·27	—	·06	—	·04	·15	—	·12	—	·06	·13	—	16
17	·46	—	·47	—	—	·03	—	·07	—	—	·03	·16	17
18	·04	—	·17	—	—	—	—	·13	—	·05	·02	·11	18
19	·08	·12	·11	—	—	—	·05	·38	—	—	·01	·02	19
20	—	·03	·54	—	—	·02	—	·06	—	·40	·04	—	20
21	·01	·03	·33	—	·03	—	—	·07	—	·11	·04	—	21
22	·14	·18	·14	—	·04	—	·05	·15	—	·03	—	·05	22
23	·37	·35	·26	—	·02	—	—	·40	—	·07	·22	·10	23
24	·32	·02	—	—	—	·23	·03	·22	—	—	—	·16	24
25	·19	—	—	—	—	·27	—	·79	—	—	·24	·49	25
26	·01	·04	—	—	—	—	—	·55	—	·27	·55	·32	26
27	—	—	·02	—	—	·03	·03	—	—	·17	—	·17	27
28	—	·06	—	—	—	·05	·18	·07	·06	·52	·61	·19	28
29	—	·05	—	·01	—	·04	·29	·18	1.55	·11	·05	—	29
30	—		—	—	·43	·04	·02	·11	1.67	·19	—	—	30
31	·02		·05		—		·17	·13		·06		—	31
Total	3.07	2.09	4.02	·08	1.33	3.30	1.89	5.59	3.45	2.88	2.46	3.40	TOTAL for year 33.56
No. of Rain Days.	19	20	22	4	11	19	14	29	10	19	21	23	211

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at South Croydon (24 Avondale Road)
in the County of Surrey 4
by George J. Hinde.

Lat. 51° 21' 20" Long. 0° 5' 55" W.
Time of Observation 9 am.
Nearest Railway Station Selsdon Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·26	·05	·13	—	—	—	—	·45	·03	·07	·16	1
2	·03	·14	·01	—	—	—	·11	—	—	·03	·06	—	2
3	·01	—	·11	·33	·30	—	—	—	·02	·02	—	·15	3
4	·38	—	·02	·03	·25	—	·07	—	—	·20	·01	·07	4
5	·39	—	·03	—	—	·06	·06	—	·37	·02	·04	·04	5
6	·07	·04	·13	—	·03	·11	·19	·07	·04	·14	·15	·09	6
7	—	·18	·01	—	·02	—	·02	—	—	·44	·09	·02	7
8	—	·03	·02	—	·17	·04	—	—	—	·04	·02	—	8
9	—	·11	—	·03	·04	·02	—	—	·11	—	·02	·03	9
10	—	—	·09	·09	—	—	·05	·03	—	—	·43	—	10
11	·40	—	—	·33	·19	—	—	·02	—	·57	·34	—	11
12	—	·02	—	—	·02	—	—	—	—	·02	·43	—	12
13	·15	—	·05	—	—	—	—	·02	·05	—	·23	—	13
14	·12	·01	·13	·07	—	—	·75	·09	·10	·15	·06	—	14
15	·42	·06	·26	·31	—	—	·27	—	·02	—	·01	—	15
16	·17	—	·42	·21	—	—	·02	—	·37	—	—	—	16
17	·02	·06	·11	·12	—	—	·21	—	·01	—	—	—	17
18	—	—	·14	·13	·01	—	—	—	—	—	·03	—	18
19	·23	—	·12	·01	·02	·02	·15	—	·15	—	—	—	19
20	·30	—	·47	·06	—	·05	—	—	—	·56	·02	—	20
21	·02	—	·10	·03	—	—	·08		—	·25	·89		21
22	·36	—	·17	·10	—	—	—	·04	·14	—	—	·01	22
23	—	—	·17	—	—	·03	·02	·28	—	—	—	·44	23
24	·04	—	—	·04	—	·02	—	·02	—	·01	·03	—	24
25	—	·02	·02	·27	—	·02	—	—	—	—	—	·02	25
26	—	·02	·15	·09	—	—	·02	·19	—	·85	—	·21	26
27	—	—	·05	·22	·03	—	—	—	—	·03	—	—	27
28	·28	—	·30	·05	—	—	—	—	—	·17	—	—	28
29	·05	—	·05	·42	·40	—	—	·06	—	·05	—	·03	29
30	·39	—		·08	—	—	—	·18	—	·22	—	—	30
31			·04	—	—	—	—	·99	—	·13	—	—	31
Total	3.85	·95	3.22	3.15	1.48	·37	2.02	1.99	1.83	3.93	2.93	1.27	YEAR'S TOTAL 26.99
Rain Days.	20	12	26	22	12	9	14	12	12	20	18	12	189

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
15 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at South Croydon (24 Avondale Road)
in the County of Surrey 4
by George J. Hinde.

Lat. 51° 21' 20" N Long. 0° 5' 55" W.
Time of Observation 9 am.
Nearest Railway Station Selsdon Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·26	—	—	·02	·02	1
2	·02	—	—	—	—	·02	·18	·30	—	—	·41	·24	2
3	—	—	·07	·02	·18	—	·14	·08	—	—	·02	—	3
4	·06	—	·02	·18	—	—	—	·07	—	—	·22	·29	4
5	·15	—	·05	·23	·23	·07	·26	·89	—	—	·05	—	5
6	—	·12	·03	·16	·02	·26	—	·02	—	—	·15	·20	6
7	—	·66	·23	·15	·19	·18	·11	—	—	—	—	·14	7
8	·07	·59	·48	·01	·02	·07	·16	·16	·02	—	—	·06	8
9	·24	—	·79	·14	—	·06	—	—	·05	—	—	1.65	9
10	—	·08	·03	·03	·07	—	—	—	·09	—	·02	·05	10
11	—	·68	·35	·01	·03	·03	—	—	·18	—	·18	·29	11
12	·03	·10	·09	—	—	—	·28	—	·17	·01	·02	·56	12
13	·01	·34	·18	—	—	—	—	—	·14	·05	·09	·83	13
14	—	·21	·22	—	—	·06	·10	—	—	·38	·08	·49	14
15	·04	·03	·21	—	—	—	·29	·04	—	—	1.05	·04	15
16	·01	—	·06	—	—	—	—	—	·05	—	—	—	16
17	—	·29	·12	—	—	—	—	—	·05	—	—	·19	17
18	—	·08	·25	—	—	—	—	—	—	—	—	·42	18
19	—	·06	·30	—	—	·09	·09	—	·01	·02	·19	·30	19
20	—	·26	·34	—	—	·07	—	—	·04	·01	—	·07	20
21	—	·86	·10	—	—	·02	—	—	—	·03	—	·05	21
22	—	·09	—	·03	·19	·14	·24	·02	—	·08	—	·01	22
23	—	—	·15	·02	·08	·09	·05	—	—	·03	—	·02	23
24	·02	—	·08	·01	·02	—	·02	—	—	—	·10	·01	24
25	·02	—	·26	—	—	—	·03	·09	—	·36	·02	·10	25
26	—	—	·08	—	—	—	·17	·18	—	·07	·25	·66	26
27	·03	—	·02	—	—	—	—	·02	—	—	·05	·31	27
28	·01	·02	—	—	·01	—	—	—	—	·06	·39	·77	28
29	·06	—	·05	—	—	—	—	—	—	·39	·24	—	29
30	—	X	·05	—	—	—	—	—	—	·06	·59	·27	30
31	·03	X	—	X	·20	X	·02	—	X	·02	X	·05	31
Total	·80	4.47	4.61	·99	1·24	1.16	2.14	2.13	·80	1·57	4.14	8.09	YEAR'S TOTAL 32.14
Rain Days.	15	16	26	12	12	13	15	12	10	14	20	27	192

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at South Croydon (24 Avondale Rd)

in the County of Surrey, 4

by George J. Hinde.

Lat. 51°21'.20" Long. 0°5' ~~W~~ 55" W.

Time of Observation 9am.

Nearest Railway Station Selsdon Road.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·66	·15	·04	—	·05	—	—	·02	·05	·02	·32	·42	1
2	·22	·29	·20	·15	·01	·02	—	·92	·02	·04	·01	·08	2
3	·37	—	·05	·17	·05	—	—	·30	·03	—	—	·50	3
4	·05	—	—	—	—	—	—	—	—	—	—	·25	4
5	·04	·69	—	—	·02	—	—	·02	—	·05	·01	·29	5
6	·37	·04	·03	·48	·02	—	·54	—	—	—	—	·10	6
7	·37	·44	·04	—	—	—	·23	·02	—	—	—	·25	7
8	·09	·80	·01	·05	—	—	·11	·20	—	—	—	—	8
9	·02	·05	—	·13	—	·11	—	·05	—	·03	·34	·46	9
10	·23	—	—	—	—	·02	—	—	—	—	—	·24	10
11	·02	—	·02	—	—	—	—	—	—	—	·57	·06	11
12	·05	·09	—	·37	·39	—	—	·40	—	·04	·50	·02	12
13	·01	·80	—	—	1.07	—	—	—	—	—	—	—	13
14	·02	·05	—	—	—	—	·15	·09	·03	—	—	·46	14
15	·23	·01	—	—	·05	—	·05	·02	—	—	·18	·20	15
16	—	·68	—	·02	·03	—	·70	—	—	—	·01	·12	16
17	—	·53	—	—	1.09	—	·03	·18	—	—	—	—	17
18	·01	·11	·10	—	·20	—	—	—	—	—	·07	—	18
19	—	·31	—	—	·03	—	·07	—	—	·02	·01	—	19
20	·29	—	—	·03	—	—	—	—	—	—	—	·23	20
21	·21	·02	—	—	—	—	·03	—	—	·04	—	·07	21
22	·96	·08	·08	·05	—	—	·94	—	—	—	—	·11	22
23	·01	·38	·07	—	—	·04	·30	—	·22	·38	—	·29	23
24	—	·01	·01	·02	—	·02	·02	—	·16	·21	—	·34	24
25	—	—	·05	·16	—	—	·43	—	·01	—	·02	·27	25
26	·02	·06	—	—	—	·10	·12	—	—	—	—	·57	26
27	—	·03	—	—	—	·24	·03	—	—	·31	—	·11	27
28	—	·04	—	—	—	·09	—	—	1.58	·16	—	—	28
29	—	—	·01	—	—	·02	·19	·19	—	—	·19	—	29
30	·03	×	—	—	—	·02	—	·01	—	·06	·36	·02	30
31	·02	×	—	×	—	×	—	·04	×	1.05	×	·37	31
													YEAR'S TOTAL
Total	4.30	5.66	0.71	1.63	3.01	0·68	3.94	2.46	2.10	2.41	2.59	5.83	35.32
Rain Days.	23	22	13	11	12	10	16	14	8	13	13	24	179

W. 8,000. X. 15.

✓ Exd C.F.

126

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

26. JAN. 1917

Kept at South Croydon, 24 Avondale Road.

in the County of Surrey.

by George J. Hinde.

Lat. 51° 21' 20" N, Long. 0° 5. 55 W.
Time of Observation 9 a.m.
Nearest Railway Station Selsdon Road.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19		·02		·55				·23	·05	·26		1
2	·29	·18	·11		·30		·02		·06	·32	·11		2
3		·95	·24				·01		·17	·31	·74		3
4	·23	·19	·02	·02	·01	·31			·14	·01	·54		4
5	·02	·02			·25	·26				·06	·70		5
6		·11	·28	·30	·02	·06	·30			·10	·80	·01	6
7	·07		·59		·31	·07	·05			·02	·88	·05	7
8	·02		·04		·29							·43	8
9					·26		·01			·04		·10	9
10		·16	·11	·08		·33	·04					·13	10
11	·02	·14	·03	·15	·01	·57						·02	11
12	·02	·04		·05	·41	·21	·03	·05	·01	·07	·01		12
13		·21	·36	·19	·02	·04	·17	·02	·05	·06			13
14		·43	·02	·01	·09		·01	·02		·01		·08	14
15		·14	·24				·05	·31		·01		·05	15
16		·04	·17	·16			·19	·31					16
17	·12	·12		·03			·02	·20	·35	·55			17
18	·02	·08	·02	·27				·28	·15	·39	·75	·03	18
19	·09	·09	·14	·21		·01			·15		·74	·03	19
20	·15		·17								·09	·55	20
21	·02		·38				·14					·35	21
22	·02	·02	·09		·02	·01				·01		·45	22
23	·03	·40	·03			·04		·02		·03	·08	·10	23
24		·08			·04	·04		·02		·23	·08	·35	24
25		·51	·15					·37		·10	·07	·01	25
26		·24	·04			·14		·01		·17			26
27	·02		·98			·52		·33	·07	·80		·02	27
28		·41	·20			·01		·05	·06	·01		·13	28
29		·12				·21		1.02	·03	·35		·18	29
30		X						·22		·33			30
31		X		X		X		·03	X	·10	X	·05	31
Total	1.33 ✓	4.68 ✓	4.43 ✓	1.47 ✓	2.58 ✓	2.83 ✓	1.04 ✓	3.26 ✓	1.47 ✓	4.13 ✓	5.85 ✓	3.12 ✓	YEAR'S TOTAL 36.19 ✓
Rain Days.	16 ✓	22 ✓	23 ✓	11 ✓	14 ✓	16 ✓	13 ✓	16 ✓	12 ✓	24 ✓	14 ✓	20 ✓	201 ✓

121

FORM A.
BRITISH RAINFALL.

28 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Croydon, Avondale Road

in the County of Surrey

by F. C. Bayard, Dr. G. J. Hinde

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·27				1·69	·03		·06		1
2				·54		·02		·17			·18		2
3	·01			·17			·25	·37		·14	·06		3
4		·26	·07				·43	·14		·37			4
5	·23		·06	·36					1·15	·17	·08		5
6			·10	·03		·08			·25	·01	·06		6
7	·24						·20			·55		·02	7
8	·12			·10			·75	·15	·06	·26	·20	·24	8
9	·01		·02	·07			·13	·12	·02		·10	·46	9
10	·19		·11	·13				·07				·06	10
11	·09	·02	·42	·23				·01	·22	·22			11
12	·04		·04	·02				·02		·46	·02		12
13	·05		·08					·04	·03	·26			13
14	·01		·02	·17				·04					14
15	·05						·03	·05		·05		·05	15
16	·07	·18		·10	·09		·11			·36		·60	16
17				·09	·72		·25	·03	·40	·19			17
18	·04	·07		·14	·03		·27	·10	·20	·06			18
19		·09	·06	·01	·04	·02			·10				19
20	·02	·08	·05		·51		·04	·01	·01		·05	·01	20
21	·03		·06	·01	·02	·01							21
22								·14		·10			22
23		·14			·17	·07		·16		·13			23
24		·03				·08	·02	·02		·13		·06	24
25		·04	·05							·03	·08		25
26			·03					·33	·02	·02	·68		26
27			·02					·97				·01	27
28		·02				1·39		·06				·08	28
29			·01		·07	·20	·13	·02		·43		·16	29
30		X	·25				2·00	·07		·02		·03	30
31	·13	X	·06	X		X	·49	·02	X		X	·05	31
Total	1·33	·97	1·51	2·44	1·65	1·87	5·10	4·80	2·49	3·96	1·57	182 ✓	YEAR'S TOTAL 29·51 ✓
Rain Days.	16	11	18	16	8	8	14	24	12	20	11	13 ✓	171 ✓

W. 8,000, VIII. 16

44

FORM A.
BRITISH RAINFALL
6.1.19

REGISTER OF RAINFALL IN 1918

Kept at 54 Avondale Rd Croydon

in the County of Surrey

by A.W. Williams M.B. ch

Lat. .... Long. ....

Time of Observation 9 am.

Nearest Railway Station South Croydon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Found in undisturbed rain gauge on Mch 9 — 3.74 inches since last reading on Dec 31 1917 Distributed by Mr Campbell Bayard as follows:— Jan. 2.73	Feb. .82		0.01	—	—	—	0.01	—	—	0.22	0.06	1
2				0.02	—	—	—	0.15	—	—	0.15	0.17	2
3			0.07	0.03	0.34	—	—	trace	—	trace	0.56	0.01	3
4			0.12	0.01	—	—	—	0.02	0.25	—	0.90	0.01	4
5				—	0.15	—	—	0.16	0.71	0.04	—	0.01	5
6				0.27	0.26	—	—	0.01	0.07	0.05	—	0.07	6
7				0.11	0.39	trace	—	0.02	0.11	0.07	0.06	0.01	7
8				—	—	—	—	—	0.06	0.01	0.11	0.04	8
9			0.—	0.13	—	0.04	0.27	—	0.49	0.13	trace	0.32	9
10			0.—	0.16	—	0.02	0.41	—	0.07	0.03	0.01	0.33	10
11			0.—	0.02	0.02	—	0.58	—	0.01	0.27	0.10	0.13	11
12			0.—	—	0.28	—	0.22	—	0.05	—	—	0.02	12
13			0.—	0.02	0.08	—	0.04	—	0.06	—	—	—	13
14			0.02	trace	—	0.45	0.03	—	0.09	0.13	—	0.18	14
15			0.—	0.77	—	0.02	0.67	—	—	—	—	0.14	15
16			trace	0.16	—	0.06	trace	—	0.04	trace	—	trace	16
17			0.—	0.11	—	—	1.42	0.05	—	trace	—	0.13	17
18			0.—	—	—	0.15	0.18	—	0.53	0.30	—	0.10	18
19			0.06	0.16	0.07	0.05	0.11	—	—	0.14	—	0.05	19
20			0.—	0.85	—	0.03	0.20	—	0.38	0.41	—	0.01	20
21			0.—	0.86	—	—	0.03	—	0.32	0.03	—	0.01	21
22			0.—	trace	0.50	—	0.34	—	0.19	trace	0.02*	0.16	22
23			0.—	0.01	0.17	0.01	0.57	0.08	0.05	—	—	0.03	23
24			0.—	—	trace	0.16	0.55	—	0.18	trace	0.02	—	24
25			0.—	0.70	—	0.01	0.64	0.20	—	0.03	0.01	—	25
26			0.—	—	—	—	0.62	0.16	trace	0.03	0.11	0.12	26
27			0.01	0.15	—	—	0.07	0.15	0.06	—	0.09	0.03	27
28			0.31	0.08	—	trace	—	0.03	—	—	0.23	0.08	28
29			trace	0.02	—	—	—	—	1.05	—	trace	—	29
30		╳	0.35	—	—	—	—	—	0.02	0.03	trace	0.22	30
31		╳	0.13	╳	—	╳	—	—	╳	0.10	╳	0.01	31
Total	(2.73)	(.82)	~~0.88~~ 19 (1.07)	4.65	2.26	1.00	6.95	1.04	4.79	1.80	2.59	2.45	YEAR'S TOTAL 32.15
Rain Days.				21	10	11	18	12	21	16	14	26	...

W. 6,500, VII. 18. w w c

* accumulated heavy dew + melted rime

Ex. Hob

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 54 Avondale Road
Croydon
in the County of Surrey
by Dr A D Williams

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Selsdon Rd
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 ft 3 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.07	trace	–	.01	–	.12	–	–	.15	.14	.98	1
2	.20	trace	.01	–	.05	–	.21	–	.02	.13	.14	.12	2
3	.33	–	.42	–	trace	–	.02	–	.04	–	.03	.36	3
4	.12	.06	.44	–	.01	.05	.16	.03	trace	trace	.03	.19	4
5	.01	.21	.70	–	–	–	–	–	.03	–	.03	.25	5
6	.05	–	.04	–	–	–	–	–	–	trace	.01	.17	6
7	.03	–	.34	–	–	–	–	–	–	–	.04	–	7
8	.29	–	.05	.01	–	–	–	–	–	–	.01	–	8
9	.28	–	.02	.05	–	–	–	–	–	–	.06	–	9
10	.19	–	.05	–	–	–	–	–	–	.01	.01	.03	10
11	.08	–	.11	.29	.01	–	.28	–	–	–	–	.02	11
12	.03	–	.07	.02	–	.01	.15	–	–	.08	trace	–	12
13	.02	.01	trace	.55	–	–	trace	–	.02	.06	–	.04	13
14	.32	trace	–	.36	–	–	.07	–	.61	–	–	.03	14
15	.18	.02	.23	.10	–	–	–	–	–	trace	–	.22	15
16	.11	.47	trace	trace	–	–	.01	–	–	–	.10	.05	16
17	.04	.40	.07	.02	–	–	–	–	–	–	.16	.01	17
18	.01	.31	.06 ~~.53~~	–	–	–	–	trace	.03	–	.07	.03	18
19	.02	.09	53 ~~.05~~	trace	–	.20	.32	.27	.01	–	.05	.01	19
20	.16	.09	05 ~~.01~~	–	–	.70	.28	.15	.01	–	.03	.02	20
21	.13	.35	.01 ~~trace~~	–	–	.06	.10	–	–	–	.02	trace	21
22	trace	.07	trace	–	–	–	.21	–	.35	–	.02	.27	22
23	–	–	–	–	–	.08	.01	.04	.07	trace	.01 ~~[illegible]~~	.03	23
24	–	–	–	.22	–	.02	.09	.02	–	.13	.07	.01	24
25	.01	.01	–	trace	trace	–	trace	.16	–	–	–	.02	25
26	.07	.24	.12	.11	–	–	–	.26	.14	–	~~.03~~	.28	26
27	.31	.07	.03	1.33	–	–	.01	.34	–	–	.03 ~~.28~~	.03	27
28	trace	–	.30	.03	–	.01	.05	.78	–	–	.28 ~~[illegible]~~	.26	28
29	.04		–	.01	–	–	–	.49	–	.33	.05 ~~.20~~	.07	29
30	trace	X	.01	.24	–	.13	–	.38	–	.09	.20	.63	30
31	.07	X	.05	X	–	X	.02	–	X	.01	X	.10	31
TOTAL	3.42	2.47	3.71	3.34	.08	1.26	2.11	2.92	1.33	.99	1.59	4.22	YEAR'S TOTAL 27.44
Days with ·01 in. or more	26	15	22	14	4	9	17	11	11	9	23	26	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

from P.T. 117.

Form 1093.

AIR MINISTRY.
METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.
KINGSWAY, LONDON, W.C.2,
or
METEOROLOGICAL OFFICE,
10, ROTHESAY PLACE, EDINBURGH.

RAINFALL IN 1922.

NOTE.—Records taken in millimetres should be entered on Form 1094

At Croydon, (Avondale Road).

In the County of Surrey

PLEASE FILL IN.

Rain Gauge

Diameter of Funnel 5 in.

Height of Top *Above Ground* 2 ft. 3 in.

Height of Top *Above Sea Level* 205 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.		
JAN.	3.12	·82	18	18	16
FEB.	2.62	·44	21	15	12
MAR.	2·19	·51	7	14	13
APR.	3·52	·68	12	18	15
MAY	1·58	·50	25	10	8
JUNE	1·83	·54	29	11	8
JULY	3·25	1·23	5	19	14
AUG.	2·64	·92	6	14	12
SEPT.	2·02	·55	14	14	11
OCT.	1·21	·31	19	11	10
NOV.	1·77	·65	5	9	6
DEC.	4·67	1·31	21	19	15
Total	30.42 ✓	773		172 ✓	140 ✓

Signature Dr. A. D. Williams.

Titles per Bayard.

[Please fill in the other side also.]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

3 JAN 1921

Kept at 5th Avondale Rd Croydon
in the County of Surrey
by Dr A D Williams

Lat. .... Long. ....
Time of Observation 9 am G.M.T.
Nearest Railway Station Selsdon Rd
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	—	·27	·02	—	·37	·01	trace	·31	—	·30	1
2	trace	—	·08	—	·01	—	trace	·34	·07	·02	—	·10	2
3	·01	·03	—	·01	—	·03	—	—	·03	·06	—	·08	3
4	trace	·07	trace	·11	—	—	·90	·07	—	·13	·01	·04	4
5	—	·02	·11	—	·03	—	·51	·06	·04	—	—	·02	5
6	—	—	·33	—	·13	—	·21	—	—	—	—	·09	6
7	·01	—	—	·12	·04	—	·19	—	—	·03	—	·01	7
8	—	trace	trace	·09	·13	—	·21	—	—	·01	—	—	8
9	·23	·03	—	·01	—	—	·01	·005	—	—	—	—	9
10	·41	·06	·06	·01	—	·14	·17	—	—	—	·04	—	10
11	·17	—	·07	·16	trace	·03	·43	·005	—	—	—	·15	11
12	·06	·01	·01	·18	trace	1·23	trace	—	—	—	·02	—	12
13	·24	·01	·13	·11	—	—	—	—	—	—	·02	—	13
14	—	·01	·35	·27	—	·14	trace	—	·11	·04	·22	·01	14
15	·01	·01	·05	·34	—	—	—	—	1·07	·03	·08	·02	15
16	—	trace	·01	·13	—	·04	—	—	·12	—	·01	—	16
17	·01	—	—	—	·11	—	·01	—	·46	—	—	·07	17
18	·03	—	trace	·03	·02	—	—	1·10	·18	—	—	·09	18
19	·12	—	—	·30	—	·03	—	·005	—	—	—	·07	19
20	·06	·23	—	·29	—	·41	—	·08	·15	—	—	·01	20
21	trace	—	—	·02	—	—	·61	·02	·59	—	—	·08	21
22	·01	—	—	·30	—	—	—	·01	·40	·005	—	·33	22
23	—	·01	—	trace	—	—	·41	·005	trace	·005	—	·27	23
24	trace	·01	·06	trace	—	—	—	—	·03	—	—	·01	24
25	trace ~~·06~~	·01	trace	·06	—	—	·21	—	·03	—	—	—	25
26	·04 ~~·30~~	—	·31	·02	—	trace	·07	—	—	—	—	·03	26
27	·36	·04	·01	·22	—	·11	·05	—	—	—	·42	·12	27
28	·40	—	·11	·04	·05	—	·08	—	—	·01	·01	·02	28
29	·66	—	·09	·01	·01	—	·01	—	—	—	·08	·20	29
30	·02	✕	—	·01	·01	·02	·12	—	·26	—	·30	·15	30
31	trace	✕	—	✕	·02	✕	—	—	✕	·39	✕	·10	31
TOTAL	2·91	·55	1·78	3·11	·58	2·18	4·57	1·71	3·54	1·04	1·21	2·37	YEAR'S TOTAL 25·55
Days with ·01 in. or more	19	14	15	24	12	10	18	10	14	10	11	24	182
Days with ·04 in. or more	12	4	12	16	5	6	15	5	10	5	6	16	113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

6 - APR 1915

CROYDON
ASHBURTON RD
SURREY
1914

REC … N

Kept at Knowlton, Ashb… … m.

in the County of Surre… … mbe Road (S.E.R.) (¾ mile N.W. from this house)

… in.

by George C. Bro… … nd 1 ft. 5 in.

… Level … ft.

IMPORTANT NO… …esult entered to the previous day. If an O… … rule, he is earnestly requested to add the rea… … the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
☒

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—		—	—	·21	—	See above (Sept 13-Oct 3)	·02	·02	1
2	—	—	—	—		—	·15	·31	—		·27	·30	2
3	—	—	·07	—		—	·11	·05	—		—	·01	3
4	·02	—	·01	·18		—	—	·07	—	—	·46 (Nov. 4-7)	·28	4
5	·13	—	·03	·23		·03	·28	·86	—	—		—	5
6	—	·09	—	·14		·20	·01	·02	—	—		·18	6
7	—	·58	·20	·16		·21	·06	—	—	—		·10	7
8	·07	·44	·44	·01		·11	·16	·10	·03	—	·01	·04	8
9	·21	—	·77	·09		·04	—	—	·03	—	—	1·50	9
10	—	·04	—	·01	·64 during May 1st to 19th	—	—	—	·02	—	·01	·05	10
11	—	·55	·30	—		·03	—	—	·22	—	·16	·29	11
12	·01 (Snow)	·10	·10	—		—	·18	—		—	·01	·54	12
13	·01 (Snow ~~nil~~	·25	·15	—		—	—	—		·06	·08	·73	13
14	— ~~·02~~	·12	·19	—		·18	·22	—		·32	·11	·44	14
15	·02 ~~nil~~	·02	·19	—		—	·15	·04		·01	1·03	·04	15
16	—	—	·03	—		—	·01	—		—	—	— ~~·13~~	16
17	—	·25	·10	—		—	—	—		—	—	·13 ~~·38~~	17
18	—	·08	·19	—		—	—	—		—	—	·38	18
19	—	·04	·25	—		·08	·18	—		—	·22	·28	19
20	—	·19	·33	—	—	·05	—	—	·35 during Sept 12th to Oct 3rd	—	—	·08	20
21	—	·85	·10	—	—	·01	—	—		—	—	·05 ~~nil~~	21
22	—	·05	·10	·02	·22	·06	·22	·01		·06	—	— ~~·22~~	22
23	—	—	·10	·01	·15	·07	·03	—		·02	—	·02 ~~nil~~	23
24	—	—	·12	—	·01	—	—	—		—	·08	— ~~·04~~	24
25	·01	—	·21	—	—	—	·02	·08		·26	—	·04	25
26	—	—	·09	—	—	—	·08	·06		·05	·23	·64	26
27	·02	—	—	—	—	—	—	·02		—	·03	·21 ~~·75~~	27
28	·01	—	·01	—	—	—	—	—		—	·36	·75	28
29	·03	╳	·03	—	—	—	—	—		·43	·19	—	29
30	—	╳	·02	—	—	—	—	—		·05	·53	·22	30
31	·02	╳	—	╳	·18	╳	·02	—	╳	—	╳	·05	31
Total	·56	3·65	4·13	·85	1·20	1·07	1·88	1·83	Sept. and Oct. 1·91		3·80	7·37	YEAR'S TOTAL 28·25
Rain Days.	12	15	25	9	?	12	16	12	?	?	?	26	?

W. 8,000. X. 14.

REC

N

FORM A.
BRITISH RAINFALL.

6 - APR 1915

Kept at Knowlton, Ashburton Road, Croydon

in the County of Surrey 4

by George C. Brooke

Time of Observation 8.45 a.m.

Nearest Railway Station Addiscombe Road (S.E.Ry) (¾ mile N.W. from this house)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
☒

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—		—	—	·21	—	See above (Sept 13-Oct 3)	·02	·02	1
2	—	—	—	—		—	·15	·31	—		·27	·30	2
3	—	—	·07	—		—	·11	·05	—		—	·01	3
4	·02	—	·01	·18		—	—	·07	—	—		·28	4
5	·13	—	·03	·23		·03	·28	·86	—	—	·46 (Nov. 4-7)	—	5
6	—	·09	—	·14		·20	·01	·02	—	—		·18	6
7	—	·58	·20	·16		·21	·06	—	—	—		·10	7
8	·07	·44	·44	·01		·11	·16	·10	·03	—	·01	·04	8
9	·21	—	·77	·09		·04	—	—	·03	—	—	1·50	9
10	—	·04	—	·01	·64 during May 1st to 19th	—	—	—	·02	—	·01	·05	10
11	—	·55	·30	—		·03	—	—	·22	—	·16	·29	11
12	·01 (Snow)	·10	·10	—		—	·18	—		—	·01	·54	12
13	·01 (Snow)	·25	·15	—		—	—	—		·06	·08	·73	13
14	— ~~·02~~	·12	·19	—		·18	·22	—		·32	·11	·44	14
15	·02 ~~[illegible]~~	·02	·19	—		—	·15	·04		·01	1·03	·04	15
16	—	—	·03	—		—	·01	—		—	—	— ~~·13~~	16
17	—	·25	·10	—		—	—	—		—	—	·13 ~~[illegible]~~	17
18	—	·08	·19	—		—	—	—		—	—	·38	18
19	—	·04	·25	—		·08	·18	—		—	·22	·28	19
20	—	·19	·33	—	—	·05	—	—	·35 during Sept 12th to Oct 3rd	—	—	·08	20
21	—	·85	·10	—	—	·01	—	—		—	—	·05 ~~[illegible]~~	21
22	—	·05	·10	·02	·22	·06	·22	·01		·06	—	— ~~·02~~	22
23	—	—	·10	·01	·15	·07	·03	—		·02	—	·02 ~~[illegible]~~	23
24	—	—	·12	—	·01	—	—	—		—	·08	— ~~·04~~	24
25	·01	—	·21	—	—	—	·02	·08		·26	—	·04	25
26	—	—	·09	—	—	—	·08	·06		·05	·23	·64	26
27	·02	—	—	—	—	—	—	·02		—	·03	·21 ~~·75~~	27
28	·01	—	·01	—	—	—	—	—		—	·36	·75 ~~[illegible]~~	28
29	·03	☒	·03	—	—	—	—	—		·43	·19	—	29
30	—	☒	·02	—	—	—	—	—		·05	·53	·22	30
31	·02	☒	—	☒	·18	☒	·02	—	☒	—	☒	·05	31
Total	·56	3·65	4·13	·85	1·20	1·07	1·88	1·83	Sept. and Oct.	1·91	3·80	7·37	YEAR'S TOTAL 28·25
Rain Days.	12	15	25	9	?	12	16	12	?	?	?	26	?

W. 8,000. X. 14.

CROYDON
PARK HILL HSE
SURREY
1911- 1917

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

Kept at Park Hi

in the County of Su

by Baldwin

in.

nd 1 ft. " in.

Level 265·00 ft.

nce Direction

IMPORTANT NO result entered to the previous day. If an l rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–	F.D	·945	F.D	–	F.D	·045	–	–	·02	F.D	1
2	·20^{s}	–	F.D	·145	·20	–	·03	–	–	–	·19	·09	2
3	F.D	·025	–	–	·16	–	–	–	–	–	·08	·10	3
4	·04	·02	·06	·13^{s}	–	–	–	–	·025	·10	·185	·34	4
5	·015	·015	–	·03^{s}	–	–	–	–	–	·24	·05	·10	5
6	·30	–	·235	·005^{s}	–	–	–	–	–	F.D	–	·465	6
7	·04	–	–	·025^{s}	–	–	–	–	–	·15	·445	·185	7
8	·105	–	·14	–	–	–	–	–	–	F.D	·31	·385	8
9	·22	F.D	·015	·03	–	–	–	–	–	F.D	·02	·44	9
10	·025	·105	·10	·01	–	–	–	–	–	–	·035	·79	10
11	·26	F.D	·01	–	F.D^{T}	–	–	–	–	F.D	·71	·02^{L}	11
12	·03	F.D	·45$^{R.S}$	–	·06	·02	–	–	·10	F.D	·175	·01	12
13	–	–	·07$^{R.S}$	–	·20	–	–	–	·25	·12	F.D	·185	13
14	–	·09	F.D^{s}	–	·23	–	–	–	–	–	F.D	·65	14
15	F.D	·04	·21	–	–	–	–	–	–	·035	·055	·05	15
16	F.D	–	F.D	–	–	·405	–	–	–	–	·63	·07	16
17	F.D	–	·03	–	–	·05	–	–	–	F.D	·395	·25	17
18	F.D	·14	·02	–	–	–	–	–	–	F.D	·59	·34	18
19	F.D	–	–	–	·035	·26	–	–^{T}	·235^{L}	·25	·18	·15	19
20	·02	·015	·01	–		–	–	·25^{T}	–	·07	·015	·73	20
21	·02	·08	–	–	–	–	–	·40^{T}	·04^{T}	·53^{T}	F.D^{s}	·16	21
22	·04	–	·225	–	–	·05	–	–	–	·10	F.D	·46	22
23	·01	·125	·04	–	–	·84	–	F.D	·245	F.D	·035	·14	23
24	F.D	·125	–	–	–	·01	·035	F.D	F.D	1·82	F.D	·175	24
25	F.D	·05	·005^{s}	·06	–	·165	·20^{T}	·025	·02	·03	–	F.D	25
26	F.D	·01	·13	·17	·10^{T}	·18	·01	–	–	·175	·03^{s}	·21	26
27	F.D	·25	·13	·06	–	–	–	F.D	·135	·02	·06$^{R.S}$	·09	27
28	F.D	·12	·01	·26	–	–	·035^{T}	·10	–	F.D	·04	F.D	28
29	·015		F.D.	·23	–	·22	·135^{T}	–	·12	·19	F.D	F.D	29
30	–		·005	F.D	–	F.D	–	·20^{T}	·03	·22	F.D	F.D	30
31	–		–		·07^{T}		F.D	–		·02		F.D	31
Total	1·390	1·21	1·895	2·100	1·055	2·20	·445	1·020	1·200	4·07	4·250	6·285	TOTAL for year 27·12
No. of Rain Days	16	15	~~17~~ 18	~~12~~ 13	8	10	6	6	10	16	21	25	~~162~~

164

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

Kept at Park Hill House, Croydon

in the County of Surrey 4

by Baldwin Latham

RAIN GAUGE
Diameter of top 8 in.
Height of top above Ground 1 ft. " in.
" " " Sea Level 265·00 ft.

Time of Observation –

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–	F.D	·945	F.D	–	F.D	·045	–	–	·02	F.D	1
2	·20^{S}	–	F.D	·145	·20	–	·03	–	–	–	·19	·09	2
3	F.D	·025	–	–	·16	–	–	–	–	–	·08	·10	3
4	·04	·02	·06	·13^{S}	–	–	–	–	·025	·10	·185	·34	4
5	·015	·015	–	·03^{S}	–	–	–	–	–	·24	·05	·10	5
6	·30	–	·235	·005^{S}	–	–	–	–	–	F.D	–	·465	6
7	·04	–	–	·025^{S}	–	–	–	–	–	·15	·445	·185	7
8	·105	–	·14	–	–	–	–	–	–	F.D	·31	·385	8
9	·22	F.D	·015	·03	–	–	–	–	–	F.D	·02	·14	9
10	·025	·105	·10	·01	–	–	–	–	–	–	·035	·79	10
11	·26	F.D	·01	–	F.D^{T}	–	–	–	–	F.D	·71	·02^{L}	11
12	·03	F.D	·45$^{R.S}$	–	·06	·02	–	–	·10	F.D	·175	·01	12
13	–	–	·07$^{R.S}$	–	·20	–	–	–	·25	·12	F.D	·185	13
14	–	·09	F.D^{S}	–	·23	–	–	–	–	–	F.D	·65	14
15	F.D	·04	·21	–	–	–	–	–	–	·035	·055	·05	15
16	F.D	–	F.D	–	–	·405	–	–	–	–	·63	·07	16
17	F.D	–	·03	–	–	·05	–	–	–	F.D	·395	·25	17
18	F.D	·14	·02	–	–	–	–	–	–	F.D	·59	·34	18
19	F.D	–	–	–	·035	·26	–	–^{T}	·235^{L}	·25	·18	·15	19
20	·02	·015	·01	–	–	–	–	·25^{T}	–	·07	·015	·73	20
21	·02	·08	–	–	–	–	–	·40^{T}	·04^{T}	·53^{T}	F.D^{S}	·16	21
22	·04	–	·225	–	–	·05	–	–	–	·10	F.D	·46	22
23	·01	·125	·04	–	–	·84	–	F.D	·245	F.D	·035	·14	23
24	F.D	·125	–	–	–	·01	·035	F.D	F.D	1·82	F.D	·175	24
25	F.D	·05	·005^{S}	·06	–	·165	·20^{T}	·025	·02	·03	–	F.D	25
26	F.D	·01	·13	·17	·10^{T}	·18	·01	–	–	·175	·03^{S}	·21	26
27	F.D	·25	·13	·06	–	–	–	F.D	·135	·02	·06$^{R.S}$	·09	27
28	F.D	·12	·01	·26	–	–	·035^{T}	·10	–	F.D	·04	F.D	28
29	·015		F.D.	·23	–	·22	·135^{T}	–	·12	·19	F.D	F.D	29
30	–		·005	F.D	–	F.D	–	·20^{T}	·03	·22	F.D	F.D	30
31	–		–		·07^{T}		F.D	–		·02		F.D	31
Total	1·390	1·21	1·895	2·100	1·055	2·20	·445	1·020	1·200	4·07	4·250	6·285	TOTAL for year 27·12
No. of Rain Days	16	15	~~17~~ 18	~~12~~ 13	8	10	6	6	10	16	21	25	~~162~~

168

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
27 JAN 1913

Kept at Park Hill House, Croydon.
in the County of Surrey. 4
by Baldwin Latham.

Lat. Long.
Time of Observation -
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. „ in.
„ „ „ „ Sea Level 265·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	F.D	F.D	·13	„	„	·12	·325^{T}	„	·095	·665	F.D	·23	1
2	F.D	·005^{s}	·38	·025	„	·015	·325	·01	F.D	·045	F.D	F.D	2
3	·06	·07^{s}	·055	„	F.D	·105	·045	·345	F.D	·01	·015	·09	3
4	·22	„	·625	„	·16	·18	„	·05	„	F.D	·20	F.D	4
5	·19^{RH}	·045^{s}	·09	„	„	„	„	·31	„	F.D	·07	·025	5
6	·39	·04	F.D	„	·01	F.D	„	·09	·025	F.D	F.D	·18	6
7	F.D	F.D	·03	„	·105	·735	·13^{T}	·27^{T}	„	F.D	„	·045	7
8	·30	·395	·25	·03	„	F.D	F.D	·46^{T}	·01	·01	·02	F.D	8
9	·01	·08	„	·035	„	·30^{T}	·02	·015	„	·01	·01	·09	9
10	·01	·05	F.D	„	„	„	„	·515	·025	F.D	·07	·26	10
11	·045	·25	F.D	„	F.D	·02^{T}	„	·11	·02	·01	F.D	·24	11
12	·035	·145	·05	„	·15^{T}	·14	„	·02	„	·015	·02	·035	12
13	F.D	·01	F.D	„	„	„	„	F.D^{T}	„	F.D	·09	F.D	13
14	F.D	F.D	·02	„	·035	„	„	·02	„	·07	·015	·025	14
15	·02	F.D	·16	„	·26	·735	„	·01	„	F.D	·04	·35	15
16	·375	F.D	·055	„	·05	·13	„	·10	„	·05	·14	„	16
17	·395	F.D	·395	„	„	·025	„	·05	„	F.D	·03	·14	17
18	·11	F.D	·155	„	„	„	„	·085	„	·05	·04	·115	18
19	·105	·10	·105	F.D	„	·02	·045	·305^{T}	„	F.D	·01	·01	19
20	F.D	·03	·46	„	„	F.D	„	·055	„	·42	·04	F.D	20
21	·015	·03	·32	„	·03	„	„	·04^{L}	„	·11	·05	F.D	21
22	·15	·155	·095	„	·03	„	·055	·13	F.D	·01	F.D	·04	22
23	·385	·345	·27	„	·015	·10	·015	·41	F.D	·065	·19	·135	23
24	·34	·02	F.D	„	„	·045	·04	·20	F.D	F.D	F.D	·155	24
25	·15	F.D	F.D	„	„	·20	„	·815	„	F.D	·23	·535	25
26	·01^{s}	·045	F.D	„		„	F.D	·41	„	·23	·495	·27	26
27	„	„	·01	„	„	·025	·01	F.D	„	·16	F.D	·165	27
28	„	·07	„	·015	„	·06	·14	·075^{L}	·100	·455	·61	·145	28
29	„	·04	F.D	„	„	·04^{T}	·26	·14	1·38	·105	·055	„	29
30	F.D^{s}		„	„	·40	·04	·015	·125^{T}	1·525	·295	„	„	30
31	·015^{s}		·06		„		·12	·11		·04		„	31
Total	3·330	1·925	3·715	·105	1·245	3·035	1·545	5·275	3·180	2·825	2·440	3·280	YEAR'S TOTAL 31·90
Rain Days.	21	18	20	4	11	19	14	28	8	20	21	21	205

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

11 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Park Hill House, Croydon

in the County of Surrey 4

by Baldwin Latham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 265·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·26	·04	·15	F.D.	"	"	"	·445	·04	·065	·145	1
2	·05	·155	F.D	"	"	"	·10	"	F.D.	·07 T	·08	·005	2
3	F.D.	"	·07	·33	·27	"	"	"	F.D	·01	F.D.	·12	3
4	·34	"	·015	·04	·24	"	·07	"	·02	·26	·02	·06	4
5	·38	"	·07	"	"	·06	·07	"	·425	F.D	·04	·02	5
6	·035	·025	·14	"	·02	·08	·175	"	·04	·305	·14	·095	6
7	"	·16	"	"	·005	·01	·03	·165 T	"	·385	·105	·01	7
8	F.D.	·025	·035 R+S	"	·16	·04	"	"	"	·025	·01	F.D.	8
9	F.D	·14	F.D.	·01	·03	·01	"	"	·10	·01	·02	·03	9
10	·01	F.D.	·145	·095	"	"	·02 T	·025	"	F.D.	·495	F.D	10
11	·37	F.D	"	·34 R+S	·15	"	"	·015	"	·64	·315	F.D	11
12	"	·015	"	"	·01	"	"	"	F.D.	·01	·395	"	12
13	·14	F.D.	·055	"	"	"	"	·03	·04	·005	·225	"	13
14	·115	·01	·11	·08	"	"	·44 T	·11	·08	·15	·045	F.D	14
15	·415	·06	·255	·35	"	"	·215	"	·02	F.D	F.D.	F.D	15
16	·175	F.D.	·41 R+S	·11	"	"	·015	"	·37 T	F.D	"	F.D.	16
17	·025	·055 S	·07 S&R	·04	"	"	·19	F.D.	F.D.	F.D	·005	"	17
18	·015	"	·17	·125	"	"	"	"	"	F.D	·015	F.D	18
19	·26	"	·09	·015	F.D.	F.D	·18	"	·13	F.D	F.D	F.D	19
20	·245	F.D	·41 T.R.H	·055	"	·005	"	"	F.D.	·555	·015	"	20
21	·015	F.D.	·135	·055	"	"	·075	"	"	·285	·83	F.D.	21
22	·33	"	·24 T.H.R	·125	"	·005	"	·06	·14	F.D	F.D.	·01	22
23	F.D.	"	·16	"	"	·02	"	·25	F.D.	F.D	·015	·41	23
24	·045	"	·01	·035	"	F.D.	"	·095	"	F.D	·035	"	24
25	"	·02	F.D	·26	"	·03	"	"	"	·01	·01	·02	25
26	F.D	·015	·165	·08	"	"	·02	·195	"	·86	F.D.	·225	26
27	·01	F.D	·07	·195	·015 T	"	"	"	F.D	·025	"	·005	27
28	·345	F.D.	·28	·06	"	"	"	"	F.D	·175	·01	·01 S	28
29	·05		·05	·41 T	·41	"	"	·045 T	F.D	·035	·01	F.D S	29
30	·35		"	·08	F.D.	"	"	·235	"	·19	F.D	"	30
31			·04		"		"	1·04		·13		"	31
Total	3·73	·94	3·185	3·040	1·310	·26	1·600	2·265	1·810	4·175	2·900	1·165	YEAR'S TOTAL 26·38
Rain Days.	22	12	24	22.	10 ~~9~~	8 ~~7~~	13	12	11	20	22 ~~21~~	13 ~~12~~	185 189

W.7,000, XI. 13

Exd DJS

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - FEB 1915

Kept at Park Hill House Croydon
in the County of Surrey 4
by Baldwin Latham

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 265·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	-	F.D.	-	-	-	-	·275	-	F.D	·02	·035	1
2	·02	·015	F.D.	F.D	F.D.	F.D.	·17	·33	F.D D.	F.D	·365	·29	2
3	F.D	·01	·07	·02	·15	-	·14	·025	-	F.D	·01	F.D.	3
4	·07	·005	·025	·185	F.D.	-	F.D	·05	-	F.D	·24	·31 T	4
5	·105	-	·05	·235	·145	·065	·275	·82	-	-	·04	F.D.	5
6	-	·11	·05	·13	F.D.	·24	F.D.	·015	-	-	·135	·195	6
7	F.D.	·575	·20	·165	·155	·20 T	·15	·01	-	-	·005	·13	7
8	·085	·495	·465	·01	·045 A+H	·08 T	·09	·11	·035	-	·005	·06	8
9	·22	-	·795	·105	F.D.	·05	-	-	·035	-	·005	1·70	9
10	·01	·135	·02	·025	·06	-	-	F.D.	·20	-	·01	·015	10
11	-	·55	·345	F.D.	·04	·035	-	F.D.	·055	F.D.	·195	·29	11
12	·005 S	·095	·095	-	F.D.	-	·21	F.D.	·15	·015	·015	·61	12
13	·01 S	·26	·17	-	-	-	-	F.D.	·125	·055	·085	·765	13
14	-	·17	·21	-	-	·125 T	·17	F.D.	-	·38	·095	·45	14
15	·035	·02	·20	F.D.	-	-	·19 T	·045	-	F.D.	1·040	·04	15
16	·005	-	·03	-	-	-	-	-	·055	-	-	F.D.	16
17	-	·325	·12	-	-	-	-	-	·02	-	·005 HF	·185	17
18	-	·055	·22	-	-	-	-	-	-	F.D.	·015 HF	·40	18
19	F.D S	·05	·275	-	-	·07 T	·095	-	·01	·005	·22	·30 T	19
20	F.D S	·255	·315 9+R	-	-	·03	-	-	·055	F.D.	F.D	·08	20
21	-	·915 RSH	·095	F.D.	-	F.D.	-	F.D.	-	·015	F.D.	·05	21
22	-	·08	F.D.	·04	·19 T	·075	·28	·025	-	·07	F.D.	F.D.	22
23	-	-	·12	·02	·135 T	·07	·02	-	F.D.	·03	F.D.	·025	23
24	·015	-	·14	·01	·01	-	F.D.	-	F.D	F.D.	·09	-	24
25	·02	-	·265	-	-	-	·02	·09	-	·285	·01	·145 SHR	25
26	·015	-	·09	-	-	-	·07	·09	-	·06	·23	·60	26
27	·035	·015	·02	-	-	-	-	·01	-	F.D.	·05	·24	27
28	·015	·01	-	-	·005	-	F.D.	-	-	·075	·39	·81	28
29	·045	X	·04	-	-	-	-	F.D.	-	·395	·21	F.D.	29
30	F.D.	X	·035	F.D	-	-	-	-	F.D.	·06	·55	·255	30
31	·015	X	-	X	·18	X	·025	-	X	·01	X	·045	31
Total	·735	4·145	4·460	·945	1·115	1·040	1·905	1·895	·740	1·455	4·035	8·025	YEAR'S TOTAL 30·495
Rain Days.	16 17	19 20	26	11	10	11	14	13	10	12 13	21 23	25	188 193

W. 8,000. X. 14.

Encd. F.W

143

FORM A.
BRITISH RAINFALL.
1 - FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Park Hill House, Croydon,

in the County of Surrey. 4

by Baldwin Latham.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 265·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·64	·13	·035 RSH	-	·06	FD	-	·02	·06	·05	·285	·37	1
2	·20	·25	·195	·15	-	FD	-	·90 T	·025	·04	FD	·155	2
3	·375 RS	FD	·055	·165	·05	FD	-	·255 T	·025	FD	·01	·45	3
4	·03	FD	FD	-	-	-	-	FD T	-	FD	FD	·285	4
5	·05	·65	FD	·02	FD	FD	-	·015	-	·05	FD	·265	5
6	·43	·04	·03	·395	FD T	-	·49	-	-	FD	·01	·11	6
7	·285	·37	·04	-	-	-	·195	·035	-	-	FD	·22	7
8	·08	·72	FD S	·06	-	-	·065	·305	-	FD	·02	·015	8
9	-	·035	FD	·13	-	·125	-	·02	·01	·025	·30	·55	9
10	·24	·005	·015	-	-	FD	-	- T	FD	FD	FD	·225	10
11	·01	FD	·015	-	-	-	-	FD	·01	·01	·675	·06	11
12	·06	·11	FD	·39	·455	-	-	·435 T	-	·035	·295	·015 S	12
13	FD	·695	FD	-	1·17	-	-	FD T	FD	FD	FD	FD	13
14	·01	·04	FD	FD	FD	-	·205	·205 HRT	·03	FD	FD	·415	14
15	·175	-	-	-	·05	-	·045	·04 T	-	FD	·18 S	·15	15
16	-	·675	-	·01	·14	-	·63	·005 T	-	FD	-	·135	16
17	-	·44	FD	FD	·98	-	·035	·21 T	FD	FD	FD	FD	17
18	·01	·105	·07 RS	-	·175	-	FD	FD	-	FD	·065	-	18
19	FD	·265	FD	-	·03	-	·065	-	-	·02	·015	·01	19
20	·30	·01	FD	·025	FD	-	FD	FD	-	FD	FD	·235	20
21	·26 RS	FD	FD	-	-	-	·045	FD	-	·035	FD	·08	21
22	·91 RS	·065	·10	·04	-	-	·915	FD	-	FD	FD	·09	22
23	·045	·30 S	·035	·01	-	·045	·295 T	-	·225	·46	FD	·30	23
24	FD	FD	·015	·03	-	·01	·015 T	-	·16	·19	-	·32	24
25	-	FD	·055	·165	-	FD	·355 T	-	FD	FD	-	·27	25
26	·015	·05	FD	-	-	·06	·125	-	-	FD	-	·605	26
27	FD	·015	FD S	-	-	·235 T	FD	-	-	·29	FD	·03	27
28	FD	·05 RH	FD S	-	-	·06	-	-	1·68	·13 T	·01	FD	28
29	FD		·01	FD	-	·035	·25	·16	FD	·01	·19	·01	29
30	·03		FD	FD	-	FD	FD	-	·01	·10	·40	·01	30
31	FD		-		-		-	·015		1·09		·38	31
Total	4·155	5·02	·67	1·59	3·11	·57	3·73	2·62	2·235	2·535	2·455	5·76	YEAR'S TOTAL 34·45
Rain Days.	20	20	13	13	9	7	15	13	10	15	13	27	175

W. 8,000. X. 15.

Ent'd BRe Dec. from Bayard

134

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Park Hill House Croydon

in the County of Surrey

by Baldwin Latham Per J B Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 265·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	12				505	015			215	06	248		1
2	255	145	12		32		02		06	315	08		2
3	–	1·120	24						17	27	73		3
4	255	155	02	01		31			13		505		4
5	01				18	205	02			05	775		5
6		09	37	32	01	06	30			04	82		6
7	06		545		285	09	07			01	855	·05	7
8	01				275							·48	8
9		005	025		215		015			05		·01	9
10		185	14	08		40	03		01			·10	10
11	02	125	025	145		625			01			·03	11
12	03	04		03	355	205	015	04	01	08			12
13		20	295	175	015	025	115	015		03			13
14		40	025	025	105			025				·07	14
15		145	205	01			07	275		01		·04	15
16	02	035	15	145			145	26					16
17	09	105		015			02	175	35	54			17
18	015	07	025	25				255	155	28	78	·03	18
19	08	08	125	185		005		008	09		72	·02	19
20	135		225	035							085	·77	20
21			415				04					·19	21
22	015	01	07		03	005				01		·50	22
23	015	485	015			035		01		03	05	·06	23
24		795			04	01		015		215	065	·33	24
25		9·85	135					35		065	055		25
26		365	07			13		02		165			26
27	025	13	94			64		31	06	75			27
28			18			035		07	11	02		·14	28
29						18		103	03	32		·09	29
30		X						20		296			30
31		X		X		X		03	X	095	X	·03	31
Total	1·155 ✓	4·970 ✓	4·360 ✓	1·425 ✓	2·335 ✓	2·978 ✓	·860 ✓	3·085 ✓	1·350 ✓	3·700 ✓	5·765 ✓	2·94	YEAR'S TOTAL 34·920
Rain Days.	16 ✓	20 ✓	22 ✓	13 ✓	12 ✓	~~15~~ 16 ✓	12 ✓	~~16~~ 17 ✓	13 ✓	22 ✓	13 ✓	17	193

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

9. FEB. 1918

REGISTER OF RAINFALL IN 1917

Kept at Croydon, Park Hill House
in the County of Surrey
by Baldwin Latham F. C. Bayard

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4		.22											4
5	.23												5
6													6
7	.20												7
8	.09												8
9													9
10	.17												10
11	.09	.02											11
12	.04												12
13	.04												13
14	.01												14
15	.08												15
16	.02	.18											16
17													17
18	.04	.06											18
19		.11											19
20	.01	.08											20
21													21
22	.01												22
23		.12											23
24		.02											24
25		.02											25
26													26
27													27
28		.01											28
29													29
30	.01	X											30
31	.07	X		X		X			X		X		31
Total	1.11	.84											YEAR'S TOTAL
Rain Days.	15	10											

W. 8,000, VIII. 16

RE N

CROYDON
EDRIDGE RD
SURREY
1914 - 15

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Edridge . Croydon

in the County of Su (5) in.

by A. A. Gilpin ound 5 ft. 6 in.

a Level 190½ ft.

IMPORTANT result entered to the previous day. If a al rule, he is earnestly requested to add the n the space provided for it at the end of this paragraph. Full instructions t of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	0·26	—	—	0·01	0·01	1
2	—	—	—	—	—	—	0·18	0·37	—	—	0·37	0·28	2
3	—	—	0·05	0·18	—	—	0·15	0·01	—	—	0·01	—	3
4	—	—	—	—	0·16 (~~0·76~~)	—	—	—	—	—	0·22	0·23	4
5	0·16	0·10	0·05	0·22	0·15	0·06	0·26	0·90	—	—	0·02	—	5
6	—	—	—	0·13	0·01	0·23	0·01	0·01	—	—	0·13	0·15	6
7	—	0·55	0·24	0·16	0·15	0·13	0·05	—	—	—	—	0·07	7
8	0·05	0·39	0·40	0·02	0·03	0·07	0·16	0·08	—	—	—	0·04	8
9	0·20	—	0·77	0·10	—	0·05	—	—	0·04	—	—	1·54	9
10	0·01	0·03	—	0·03	0·06	—	—	—	0·10	—	0·01	0·06	10
11	—	0·53	0·31	—	0·03	0·02	—	—	0·13	—	0·15	0·27	11
12	—	0·10	0·08	—	—	—	0·22	—	—	0·01	0·01	0·51	12
13	—	0·24	0·16	—	—	—	—	—	—	0·04	0·06	0·69	13
14	—	0·13	0·19	—	—	0·14	0·10	—	0·14	0·36	0·08	0·43	14
15	0·02	—	0·18	—	—	—	0·21	—	—	0·03	0·96	0·03	15
16	—	—	—	—	—	—		0·02	—	—	—	—	16
17	—	0·17	0·12	—	—	—	—	—	0·03	—	—	0·13	17
18	—	—	0·18	—	—	—	—	—	—	—	—	0·33	18
19	—	0·19	0·26	—	—	0·04	0·08	—	0·01	—	0·20	0·29	19
20	—	0·24	0·36	—	—	0·04	—	—	0·04	—	—	0·05	20
21	—	0·85	0·09	—	—	0·01	—	—	—	—	—	0·04	21
22	—	0·11	—	0·02	0·19	0·02	0·26	0·01	—	·07	—	—	22
23	—	—	0·11	0·02	0·15	0·14	0·02	·	—	0·02	—	0·01	23
24	—	—	0·11	—	0·01	—	—	—	—	—	0·07	—	24
25	0·01	—	0·29	—	—	—	0·02	0·06	—	0·20	—	0·01	25
26	—	—	0·09	—	—	—	0·08	0·09	—	0·04	0·19	0·46	26
27	0·01	—	0·01	—	—	—	—	0·01	—	—	0·02	0·25	27
28	—	—	—	—	—	—	—	—	—	0·06	0·34	0·70	28
29	0·03	—	0·04	—	—	—	—	—	—	0·38	0·13	—	29
30	—	✕	0·03	—	—	—	—	—	—	0·04	0·45	0·18	30
31	—	✕		✕	0·19	✕	0·01	—	✕	—	✕	0·03	31
Total	0·49	3·63	4·12	0·88	1·13	0·95	1·81	1·82	0·49	1·25	3·43	6·79	YEAR'S TOTAL 26·79
Rain Days.	8	13	22	9	11	12	15	11	7	11	19	25	163

W. 8,000. X. 14.

R N

FORM A.
BRITISH RAINFALL.
- JAN 1915

Kept at Edridge Road, Croydon.

in the County of Surrey

by A. A. Gilpin

Time of Observation 9 o'c a.m.

Nearest Railway Station South Croydon

Diameter of Rain Gauge five (5) in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 190½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	–	0.26	–	–	0.01	0.01	1
2	–	–	–	–	–	–	0.18	0.37	–	–	0.37	0.28	2
3	–	–	0.05	0.18	–	–	0.15	0.01	–	–	0.01	–	3
4	–	–	–	–	0.16 (~~0.76~~)	–	–	–	–	–	0.22	0.23	4
5	0.16	0.10	0.05	0.22	0.15	0.06	0.26	0.90	–	–	0.02	–	5
6	–	–	–	0.13	0.01	0.23	0.01	0.01	–	–	0.13	0.15	6
7	–	0.55	0.24	0.16	0.15	0.13	0.05	–	–	–	–	0.07	7
8	0.05	0.39	0.40	0.02	0.03	0.07	0.16	0.08	–	–	–	0.04	8
9	0.20	–	0.77	0.10	–	0.05	–	–	0.04	–	–	1.54	9
10	0.01	0.03	–	0.03	0.06	–	–	–	0.10	–	0.01	0.06	10
11	–	0.53	0.31	–	0.03	0.02	–	–	0.13	–	0.15	0.27	11
12	–	0.10	0.08	–	–	–	0.22	–	–	0.01	0.01	0.51	12
13	–	0.24	0.16	–	–	–	–	–	–	0.04	0.06	0.69	13
14	–	0.13	0.19	–	–	0.14	0.10	–	0.14	0.36	0.08	0.43	14
15	0.02	–	0.18	–	–	–	0.21	–	–	0.03	0.96	0.03	15
16	–	–	–	–	–	–		0.02	–	–	–	–	16
17	–	0.17	0.12	–	–	–	–	–	0.03	–	–	0.13	17
18	–	–	0.18	–	–	–	–	–	–	–	–	0.33	18
19	–	0.19	0.26	–	–	0.04	0.08	–	0.01	–	0.20	0.29	19
20	–	0.24	0.36	–	–	0.04	–	–	0.04	–	–	0.05	20
21	–	0.85	0.09	–	–	0.01	–	–	–	–	–	0.04	21
22	–	0.11	–	0.02	0.19	0.02	0.26	0.01	–	07	–	–	22
23	–	–	0.11	0.02	0.15	0.14	0.02	·	–	0.02	–	0.01	23
24	–	–	0.11	–	0.01	–	–	–	–	–	0.07	–	24
25	0.01	–	0.29	–	–	–	0.02	0.06	–	0.20	–	0.01	25
26	–	–	0.09	–	–	–	0.08	0.09	–	0.04	0.19	0.46	26
27	0.01	–	0.01	–	–	–	–	0.01	–	–	0.02	0.25	27
28	–	–	–	–	–	–	–	–	–	0.06	0.34	0.70	28
29	0.03	–	0.04	–	–	–	–	–	–	0.38	0.13	–	29
30	–	X	0.03	–	–	–	–	–	–	0.04	0.45	0.18	30
31	–	X		X	0.19	X	0.01	–	X	–	X	0.03	31
Total	0.49	3.63	4.12	0.88	1.13	0.95	1.81	1.82	0.49	1.25	3.43	6.79	YEAR'S TOTAL 26.79
Rain Days.	8	13	22	9	11	12	15	11	7	11	19	25	163

W. 8,000. X. 14.

140

FORM A.
BRITISH RAINFALL.
MAR. 1916

REGISTER OF RAINFALL IN 1915

Kept at Croydon Edridge Road

in the County of Surrey 4

by A. A. Gilpin per Croydon Nat His Soc

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.52	.09	.03		.05				.10	.01	.36	.39	1
2	.20	.21	.17	.12				.85		.04			2
3	.30			.16	.03			.35	.04		.01	.60	3
4	.07											.25	4
5	.03	.54		.01				.01		.04		.26	5
6	.35	.03		.33			.49					.10	6
7	.30	.31	.03				.24	.04				.20	7
8	.08	.59		.05			.07	.24				.01	8
9				.10		.10		.01		.02	.30	.49	9
10	.23	.02	.01	.01								.22	10
11	.01										.55		11
12	.03	.04		.36	.38			.35		.02	.39		12
13		.62		.01	1.14			.01					13
14		.03			.15		.22	.18				.43	14
15	.12				.05		.02	.03			.17	.18	15
16		.49		.01			.62	.01				.10	16
17		.29			1.14		.02	.20					17
18		.09	.06		.22			.01			.03		18
19		.27			.01		.05			.01			19
20	.25			.02								.20	20
21	35	.01					.03					.04	21
22	1.25	.03	.06	.03			.61						22
23		.38	.05	.01			.48		.26	.45		.40	23
24	.05	.02	.01	.05		.03			16	.22		.32	24
25			.05	.05			.29					.25	25
26		.02	.04	.03								.53	26
27		.01		.02		.30	.10			.24		.03	27
28		.02		.07		.06			1.63	.22			28
29			01			.05	.24	.15	.02		.16		29
30	.01			.02		.01	.01	.03		.04	.39	.14	30
31								.03		1.00		.18	31
Total	4.15	4.11	.52	1.46	3.17	.55	3.49	2.50	2.21	2.31	2.36	5.32	YEAR'S TOTAL 32.15
Rain Days.	17	21	11	19	9	6	15	16	6	12	9	21	162

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13 MAR 1917

Kept at Croydon, Edridge Road
in the County of Surrey
by F. C. Bayard. A. A. Gilpin

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16				·52	·02			·19	·04	·23		1
2	·23	·12	·12		·29		·01			·33	·08		2
3		·86	·29				·01		·15	·21	·66		3
4	·20	·35	·01			·20			·13	·05	·50		4
5	·01	·01			·21	·20	·02		·01	·04	·57		5
6		·07	·23	·31		·06	·01			·02	·64		6
7			·12		·31	·08	·41			·01	·80	·04	7
8					·25						·01	·28	8
9					·22					·03		·21	9
10		·10	·11	·06	·01	·36	·04					·11	10
11	·05	·18		·15		·48						·02	11
12	·01		·02		·28	·23	·01			·02	·01		12
13		·22	·30	·33	·06	·04	·11		·01	·07	·01		13
14		·41	·01		·09			·06				·05	14
15		·06	·22	·02				·27		·01		·04	15
16		·09	·15	·12			·21	·31					16
17	·09	·11	·01	·01			·02	·15	·30	·47			17
18		·06		·19				·25	·07	·29	·69		18
19	·05	·09	·15	·16		·01			·20	·01	·71		19
20	·12		·20	·04					·01		·10	·41	20
21			·37				·07				·02	·57	21
22			·10		·02						·01	·45	22
23	·01	·36	·01							·01	·03	·06	23
24	·01	·05				·03				·15	·05	·32	24
25		·64	·12					·32			·06		25
26		·18	·06					·02		·30			26
27	·01		·81			·65		·29	·05	·69			27
28		·35	·27					·02	·06	·11	·01	·13	28
29		·08				·17		1·06	·03	·14		·17	29
30								·20	·08	·35			30
31								·01		·10		·03	31
Total	·95	4·39	3·68	1·39	2·26	2·53	·92	2·96	1·29	3·45	5·19	2·89	YEAR'S TOTAL 31·90
Rain Days.	12	20	21	10	11	13	11	12	13	22	19	15	179

W.7,000, XI, 13

CROYDON

CROHAM MANOR RD.

SURREY

1912- 1916.

REGI N

FORM A.
BRITISH RAINFALL.
12 FEB 1913

Kept at Croydon, C

in the County of Surr

by F. C. Bayard

in.

ound 1 ft. 0 in.

Level 318 ft.

IMPORTANT NOT result entered to the previous day. If an O al rule, he is earnestly requested to add the rea n the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.13	.03		.10	.36		.03	.72		.24	1
2		.02	.34				.39	.04	.06	.05			2
3	.06	.03	.05			.12	.06	.38	.01			.09	3
4	.18		.62		.14	.17		.12			.21		4
5	.20	.05	.09					.27			.07	.02	5
6	.26	.05			.02			.10	.01			.18	6
7			.03		.09	.78	.18	.20				.06	7
8	.30	.43	.26				.04	.37				.02	8
9	.02	.04	.01	.05		.27	.02				.01	.10	9
10		.07	.01					.41	.01		.02	.26	10
11	.04	.25	.01					.14	.03	.02	.01	.23	11
12		.12	.03		.14	.10		.03		.02	.01	.03	12
13	.03	.02						.01			.12		13
14			.02		.03			.02		.05	.02	.02	14
15	.01		.17		.24	.72					.04	.29	15
16			.05		.04			.12		.06	.12		16
17	.26		.38			.02		.06				.17	17
18	.04		.17					.12		.04	.02	.13	18
19	.09	.10	.13				.05	.27				.02	19
20	.01	.03	.58					.06		.42	.04	.01	20
21	.01	.02	.25		.02			.11		.11	.05		21
22	.13	.14	.17		.03		.05	.37		.03		.05	22
23	.40	.33	.26					.20		.07	.25	.11	23
24	.26	.02				.13	.03	.15				.16	24
25	.21					.27		.68		.01	.25	.53	25
26	.01	.02						.57		.27	.56	.23	26
27						.02	.02			.14		.16	27
28		.05					.19	.06	.12	.51	.69	.20	28
29						.03	.28	.21	1.57	.11	.06		29
30					.42	.18	.02	.06	1.77	.18			30
31			.06				.14	.07		.07			31
													YEAR'S TOTAL
Total	2.52	1.79	3.82	.08	1.17	2.91	1.83	5.20	3.61	2.88	2.55	3.31	31.67
Rain Days.	19	18	22	2	10	13	14	27	9	18	18	23	193

REGI N

FORM A.
BRITISH RAINFALL.

12 FEB 1913

4

Kept at Croydon, Croham Manor Road
in the County of Surrey
by F. C. Bayard W. R. Wise

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 318 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·13	·03		·10	·36		·03	·72		·24	1
2		·02	·34				·39	·04	·06	·05			2
3	·06	·03	·05			·12	·06	·38	·01			·09	3
4	·18		·62		·14	·17		·12			·21		4
5	·20	·05	·09					·27			·07	·02	5
6	·26	·05			·02			·10	·01			·18	6
7			·03		·09	·78	·18	·20				·06	7
8	·30	·43	·26				·04	·37				·02	8
9	·02	·04	·01	·05		·27	·02				·01	·10	9
10		·07	·01					·41	·01		·02	·26	10
11	·04	·25	·01					·14	·03	·02	·01	·23	11
12		·12	·03		·14	·10		·03		·02	·01	·03	12
13	·03	·02						·01			·12		13
14			·02		·03			·02		·05	·02	·02	14
15	·01		·17		·24	·72					·04	·29	15
16			·05		·04			·12		·06	·12		16
17	·26		·38			·02		·06				·17	17
18	·04		·17					·12		·04	·02	·13	18
19	·09	·10	·13				·05	·27				·02	19
20	·01	·03	·58					·06		·42	·04	·01	20
21	·01	·02	·25		·02			·11		·11	·05		21
22	·13	·14	·17		·03		·05	·37		·03		·05	22
23	·40	·33	·26					·20		·07	·25	·11	23
24	·26	·02				·13	·03	·15				·16	24
25	·21					·27		·68		·01	·25	·53	25
26	·01	·02						·57		·27	·56	·23	26
27						·02	·02			·14		·16	27
28		·05					·19	·06	·12	·51	·69	·20	28
29						·03	·28	·21	1·57	·11	·06		29
30					·42	·18	·02	·06	1·77	·18			30
31			·06				·14	·07		·07			31
													YEAR'S TOTAL
Total	2·52	1·79	3·82	·08	1·17	2·91	1·83	5·20	3·61	2·88	2·55	3·31	31·67
Rain Days.	19	18	22	2	10	13	14	27	9	18	18	23	193

W. 7,500, XI. '12

made

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

28 FEB 1914

Kept at Whinclose, Croham Manor Road

in the County of Croydon, Surrey

by H. R. Wise

4

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station S. Croydon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.23	.04	.15					.54	.04	.08	.16	1
2	.06	.13					.10			.05	.06	.01	2
3	.02		.10	.41	.30					.02		.15	3
4	.44		.01		.24		.08			.16	.03	.06	4
5	.42		.01			.05	.06		.43	.01	.04	.03	5
6	.08		.14		.02	.06	.19		.02	.21	.14	.09	6
7		.16			.02	.01	.02	.07		.47	.14	.01	7
8		.02	.02		.18	.02				.04	.02		8
9		.11		.02	.04		.03		.12		.03	.03	9
10			.09	.20							.40		10
11	.42			.40	.12		.02			.58	.23		11
12		.01			.02					.01	.41		12
13	.12		.04					.03	.02	.01	.23		13
14	.15	.02	.09	.07			.58	.12	.09	.18	.05	.01	14
15	.44	.06	.20	.34			.28		.02		.01		15
16	.18		.41	.16			.01		.39				16
17	.03	.05	.09	.15			.22		.01				17
18	.01		.06	.10							.03		18
19	.30		.14	.01		.04	.13		.12				19
20	.33		.56	.06						.58	.02		20
21	.02		.12	.05						.27	.93		21
22	.40		.20	.12				.07	.15			.02	22
23			.14			.03	.01	.26			.03	.48	23
24	.04		.02	.04				.04			.04		24
25		.01	.03	.27									25
26			.14	.13				.23		.86		.19	26
27	.01	.01	.08	.16						.03			27
28	.30		.30	.06						.18	.01		28
29	.05		.06	.43	.41					.03	.01	.03	29
30	.36			.10				.14		.21			30
31			.04					1.02		.17			31
Total	4.20	.81	3.13	3.43	1.35	.21	1.73	1.98	1.91	4.11	2.94	1.27	YEAR'S TOTAL 27.07
Rain Days.	22	11	25	21	9	6	13	9	11	20	21	13	~~180~~

181

W.7,000, XI. 13

Copied from PT Ex McC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 MAR 1915

Kept at Croydon (Croham Manor Road)

in the County of Surrey 4

by W R Wise for F Campbell Bayard

Lat. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 318 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	-	-	-	-	-	·22	-	-	·01	·02	1
2	-	-	·01	·02	-	·01	·18	·25	-	-	·34	·24	2
3	·02	·01	·08	·18	·15	-	·25	·10	-	-	·01	·01	3
4	·09	-	·02	-	·03	-	-	·07	-	-	·25	·36	4
5	·12	-	·05	·25	·27	·09	·25	·57	-	-	·07	-	5
6	-	·11	·06	·13	·01	·30	-	·02	-	-	·05	·20	6
7	-	·76	·21	·16	·19	·18	·12	-	-	-	·01	·12	7
8	·08	·51	·55	-	-	·11	·17	·13	·02	-	-	·06	8
9	·25	-	·91	·11	-	·05	-	-	·04	-	-	1·54	9
10	·01	·15	·06	·03	·06	-	-	·01	·11	-	·01	·04	10
11	-	·55	·36	·01	·01	·02	-	-	·14	-	·20	·26	11
12	-	·09	·10	-	-	-	·27	·01	·15	-	-	·74	12
13	-	·30	·17	-	-	-	-	-	·14	·06	·10	·83	13
14	-	-	·20	-	-	·03	·17	-	-	·39	·21	·52	14
15	·02	·70	·22	-	-	-	·26	·04	-	-	1·07	·04	15
16	·01	-	·05	-	-	-	-	-	·06	-	·01	-	16
17	-	·37	·14	-	-	-	-	-	·03	-	-	·19	17
18	-	·05	·25	-	-	-	-	-	-	-	-	·43	18
19	-	·06	·28	-	-	·10	·10	-	-	·02	·25	·58	19
20	-	·25	·40	-	-	-	-	-	·04	·01	·01	·16	20
21	-	·99	·11	-	-	·03	-	-	-	·02	-	-	21
22	-	·05	-	·03	·21	·12	·25	-	-	·11	-	-	22
23	-	-	·16	-	·07	·10	·03	-	·01	·02	-	·02	23
24	·02	-	·06	-	-	-	-	-	-	-	·11	-	24
25	·02	-	·27	-	-	-	-	·11	-	·36	·02	·16	25
26	-	-	·09	-	-	-	·12	·11	-	·07	·26	·64	26
27	·03	-	·02	-	-	-	-	·01	-	·01	·06	·27	27
28	·02	·02	-	-	·01	-	-	-	-	·07	·40	·70	28
29	·04		·05	-	-	-	-	-	-	·46	·25	·01	29
30	-	X	·04	-	-	-	-	-	-	·07	·60	·33	30
31	-	X	-	X	·20	X	-	-	X	·01	X	·03	31
Total	·73	498	492	·92	1·21	1·14	2·17	1·65	·74	1·68	430	8·50	YEAR'S TOTAL 32·94
Rain Days.	13	17	27	9	11	12	12	13	10	14	22	26	186

W. 8,000. X. 14.

139

FORM A. BRITISH RAINFALL.

MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Croydon Coombe Manor Road

in the County of Surrey

4

by W R Weir per Croydon Nat His Socy

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 318 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.70	.15	.04		.06			.04	.04		.40	.50	1
2	.15	.28	.21	.10		.02		1.12	.04	.05		.18	2
3	.37		.06	.30	.03			.34			.02	.44	3
4	.17											.23	4
5	.04	.69		.05	.02			.04		.05		.30	5
6	.43	.06	.02	.35			.54					.10	6
7	.33	.49	.03				.21					.25	7
8	.13	.87		.06			.08	.26					8
9		.05		.05		.12		.05		.03	.36	.52	9
10	.25	.01	.02							.01		.26	10
11	.02		.01						.04		.66	.06	11
12	.06	.10		.48	.39			.57		.05	.49		12
13	.01	.72			1.28								13
14	.01	.04					.14	.08	.02			.44	14
15	.24	01			.06		.04	.02		.01	.20	.19	15
16		.65		.01			.68					.27	16
17		.73			1.27		.04	.27					17
18	.01	.07	.08		.19								18
19		.24			.03		.08			.02			19
20	.32	.02		.02								.26	20
21	.12						.04			.05		.09	21
22	.90	.10	.10				.88					.11	22
23	.02	.40	.05			.04	.31		.03	.37		.28	23
24						.01	.04		.17	.21		.45	24
25			.07	.22			.42					.21	25
26	.01	.06				.08	.04					.58	26
27						.23	.31			.37		.13	27
28		.05				.11			1.64	.16			28
29							.23	.18			.22		29
30	.03	X								.02	.38	.02	30
31		X		X		X		.04	X	1.24	X	.38	31
Total	4.32	5.79	.69	1.64	3.33	.61	4.08	3.01	1.98	2.64	2.73	6.25	YEAR'S TOTAL 37.07
Rain Days.	21	21	11	10	9	7	16	12	7	14	8	23	159

W. 8,000. X. 15.

made ✓ Ex DL 131

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13. MAR 1917

Kept at Croydon, Croham Manor Road

in the County of Surrey

by F. C. Bayard, W. R. Wise

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 318 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13												1
2	·27	·18											2
3		·95											3
4	·21	·20											4
5		·03											5
6		·12											6
7	·08												7
8	·02												8
9													9
10		·23											10
11	·02	·13											11
12	·03	·04											12
13		·23											13
14		·45											14
15		·12											15
16	·02	·04											16
17	·12	·12											17
18	·02	·07											18
19	·08	·13											19
20	·14												20
21	·02												21
22	·01	01											22
23	·01	·46											23
24	·02												24
25		·68											25
26		·18											26
27	·02												27
28		·27											28
29		·13											29
30													30
31													31
Total	1·22	4·77											YEAR'S TOTAL
Rain Days.	17	21											

W.7,000, XI, 13

notifd 25.2.20

RE

CROYDON
NEWARK RD
SURREY
1919-20

FORM A. BRITISH RAINFALL

2. NEWARK Rd .M. ...lsdon Road. South Croydon.

in the County of SU

by Alexander

uge 5 in.

round 1 ft. 1½ in.

ea Level 177 ft. 1½ in

IMPORTANT N e result entered to the previous day. If an sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

~~Date.~~	Jan. in	Feb. in	March. in	April. in	May. in	June. in	July. in	Aug. in	Sept. in	Oct. in	Nov. in	Dec. in	Date.
1	Had no gauge till Jan 16th 1919 (2.50)	·06	nil	·01	·01	nil	·2	nil	·01	·14	·12	·91	1
2		nil	·02	nil	·04	–	·22	–	·03	·12	·12	·21	2
3		–	·46	–	·01	–	·03	–	·06	nil	·04	·38	3
4		·07	·44	–	nil	·06	·16	·05	·01	·01	·03	·18	4
5		·19	·68	–	–	nil	·01	nil	·04	nil	·03	·25	5
6		nil	·05	–	–	–	nil	–	nil	–	·01	·18	6
7		–	·31	–	–	–	–	–	–	–	·04	nil	7
8		–	·05	·02	–	–	–	–	–	–	·01	–	8
9		–	·02	·03	–	–	–	–	–	–	·05	–	9
10		–	·03	·02	–	–	–	–	–	·02	·01	·02	10
11		–	·1	·24	·01	–	·14	–	–	nil	nil	·02	11
12		–	·08	·04	nil	·02	·23	–	–	·08	–	nil	12
13		–	·01	·4	–	nil	·01	–	·02	·05	–	·03	13
14		·01	nil	·45	–	–	·08	–	·58	nil	–	·02	14
15		·03	·21	·09	–	–	nil	–	nil	–	–	·2	15
16		·43	nil	·01	–	–	·01	–	–	–	·08	·06	16
17	·1	·29	·07	·02	–	–	nil	–	–	–	·15	·01	17
18	·05	·38	·06	nil	–	–	–	–	·03	–	·07	·02	18
19	A trace	·08	·53	–	–	·16	·33	·23	·01	–	·07	·01	19
20	·14	·08	·05	–	–	·74	·25	·14	·01	–	·04	·02	20
21	·13	·35	·02	–	–	·07	·07	nil	nil	–	·02	·02	21
22	nil	·07	A trace	–	–	·01	·23	–	·32	–	·02	·23	22
23	–	nil	nil	–	–	·08	·02	·01	·1	–	·02	·05	23
24	–	–	–	·21	–	·03	·07	·05	·01	·13	·07	·01	24
25	·02	·02	–	·01	–	nil	nil	·16	nil	nil	·01	·02	25
26	·04	·23	·11	·12	–	–	·01	·29	·13	–	nil	·26	26
27	·23	·08	·05	1·12	–	–	·02	·25	·01	–	·03	·03	27
28	·06	nil	·26	·02	–	·02	·05	·83	nil	–	·23	·24	28
29	·04 ~~nil~~	✕	nil	·01	–	nil	nil	·47	–	·29	·07	·06	29
30	nil	✕	·02	·22	–	·07	–	·38	–	·09	·2	·61	30
31	·08	✕	·04	✕	–	✕	·03	nil	✕	·02	✕	·08	31
Total	~~·89~~ (3.39)	2.37	3.67	3.04	·07	1.26	2.17	2.86	1.37	·95	1.54	4.13	YEAR'S TOTAL (26.82) 24.32 in
Rain Days.	~~10~~ (26)	15	23	18	4	10	20	11	15	10	24	27	~~187~~ (203)

W, 6,500, VII. 18. w w c

notified 25.2.20

RE

FORM A.
BRITISH RAINFALL.

2. NEWARK RD., SOUTH CROYDON

in the County of SURREY

by Alexander Henry Jukes

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Selsdon Road. South Croydon.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level 177 ft. ½ in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan. in	Feb. in	March. in	April. in	May. in	June. in	July. in	Aug. in	Sept. in	Oct. in	Nov. in	Dec. in	Date.
1	Had no gauge till Jan 16th 1919 (2.50)	·06	nil	·01	·01	nil	·2	nil	·01	·14	·12	·91	1
2		nil	·02	nil	·04	–	·22	–	·03	·12	·12	·21	2
3		–	·46	–	·01	–	·03	–	·06	nil	·04	·38	3
4		·07	·44	–	nil	·06	·16	·05	·01	·01	·03	·18	4
5		·19	·68	–	–	nil	·01	nil	·04	nil	·03	·25	5
6		nil	·05	–	–	–	nil	–	nil	–	·01	·18	6
7		–	·31	–	–	–	–	–	–	–	·04	nil	7
8		–	·05	·02	–	–	–	–	–	–	·01	–	8
9		–	·02	·03	–	–	–	–	–	–	·05	–	9
10		–	·03	·02	–	–	–	–	–	·02	·01	·02	10
11		–	·1	·24	·01	–	·14	–	–	nil	nil	·02	11
12		–	·08	·04	nil	·02	·23	–	–	·08	–	nil	12
13		–	·01	·4	–	nil	·01	–	·02	·05	–	·03	13
14		·01	nil	·45	–	–	·08	–	·58	nil	–	·02	14
15		·03	·21	·09	–	–	nil	–	nil	–	–	·2	15
16		·43	nil	·01	–	–	·01	–	–	–	·08	·06	16
17	·1	·29	·07	·02	–	–	nil	–	–	–	·15	·01	17
18	·05	·38	·06	nil	–	–	–	–	·03	–	·07	·02	18
19	A trace	·08	·53	–	–	·16	·33	·23	·01	–	·07	·01	19
20	·14	·08	·05	–	–	·74	·25	·14	·01	–	·04	·02	20
21	·13	·35	·02	–	–	·07	·07	nil	nil	–	·02	·02	21
22	nil	·07	A trace	–	–	·01	·23	–	·32	–	·02	·23	22
23	–	nil	nil	–	–	·08	·02	·01	·1	–	·02	·05	23
24	–	–	–	·21	–	·03	·07	·05	·01	·13	·07	·01	24
25	·02	·02	–	·01	–	nil	nil	·16	nil	nil	·81	·02	25
26	·04	·23	·11	·12	–	–	·01	·29	·13	–	nil	·26	26
27	·23	·08	·05	1·12	–	–	·02	·25	·01	–	·03	·03	27
28	·06	nil	·26	·02	–	·02	·05	·83	nil	–	·23	·24	28
29	·04 ~~nil~~	✕	nil	·01	–	nil	nil	·47	–	·29	·07	·06	29
30	nil	✕	·02	·22	–	·07	–	·38	–	·09	·2	·61	30
31	·08	✕	·04	✕	–	✕	·03	nil	✕	·02	✕	·08	31
Total	(3.39)	2.37	3.67	3.04	·07	1.26	2.17	2.86	1.37	·95	1.54	4.13	YEAR'S TOTAL (26.80) 24.32 in
Rain Days.	(26) ~~10~~	15	23	18	4	10	20	11	15	10	24	27	~~187~~ (203)

W, 6,500, VII. 18. w w c

8 JAN 1921

112

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 2. Newark Road. S. Croydon

in the County of Surrey.

by Alexander Henry Jukes.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Selsdon Road. L.B.&S.C.R. S.E.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level 177½ ft. 1½ in

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.		in.	in.	in.	
1	·06	–	–	·27	·04	–	·38	–		·33	–	·28	1
2	–	–	·08	–	·02	–	·01	·34	+	–	–	·27	2
3	·01	·03	–	·01	–	·03	–	–	+	–	–	·07	3
4	–	·08	·01	·11	–	–	·79	·08		–	–	·08	4
5	–	–	·12	–	·03	–	·50	·06	+	–	–	·04	5
6	–	–	·32	–	·13	–	·23	–		–	–	·02	6
7	·01	–	–	·12	·05	–	·17	–		–	–	·04	7
8	–	–	–	·09	·12	–	·22	–		–	–	·02	8
9	·22	·03	–	·01	·01	–	·01	·01		–	–	·01	9
10	·40	·07	·05	·01	–	·11	·17	–		–	–	–	10
11	·17	–	·06	·15	·01	·10	·45	–		–	–	–	11
12	·06	·01	·02	·18	–	1.25	–	–		–	–	·14	12
13	·24	·01	·11	·12	–	–	–	–		–	–	–	13
14	–	·01	·34	·25	–	·25	–	–		–	–	–	14
15	·02	–	·05	·33	–	–	–	–		–	·05	–	15
16	–	·01	·02	·15	–	·04	–	–		–	·28	·03	16
17	·01	–	–	–	·09	–	–	–		–	–	·07	17
18	·03	–	–	·03	·02	–	–	·88		–	–	·07	18
19	·13	–	–	·27	–	·02	–	–		–	–	·07	19
20	·05	·20	–	·28	–	·44	–	·07		–	–	·01	20
21	–	–	–	·01	–	–	·66	–		–	–	·07	21
22	·01	–	–	·29	–	–	–	·03		–	–	·30	22
23	–	–	–	–	–	–	·41	·01		–	–	·25	23
24	–	·02	·05	–	–	–	–	–		–	–	·03	24
25	·01	·02	–	·03	–	–	·20	–		–	–	–	25
26	·03	–	·28	·02	–	–	·02	–		–	–	·02	26
27	·37	·04	–	·19	–	·12	·10	–		–	–	·12	27
28	·41	–	·13	·05	·05	·01	·08	–		–	·38	·02	28
29	·63	–	·09	·01	·01	–	·02	–		–	–	·18	29
30	·03	✕	–	–	·01	–	·13	–		–	·08	·12	30
31	–	✕	–	✕	·03	✕	–	–	✕	·43	✕	·10	31
TOTAL	2.90	·53	1.73	2.98	·62	2.37	4.55	1.48	2.72	·76	·79	2.43	YEAR'S TOTAL 23.86
Days with ·01 in. or more	20	12	15	23	14	10	18	8	(14)	2	4	25	(165)
	11	4	12	15	6	7	14	5	(11)	2	4	17	(108)

Unable to fix the dates & amounts on days when rain occurred owing to illness. – Total for month 2.72 in. R.H.J.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Sw

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

CROYDON
WADDON NEW RD
SURREY
1911 - 19

Kept at 126 Waddo
C
in the County of
by Geo Corden

5 in.
Ground 1 ft. — in.
Sea Level 146 ft.
rn
Name Waddon
Distance ½ mile Direction SW

IMPORTANT N the result entered to the previous day. If an observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	—	—	·96	—	—	—	·06	—	—	·01	—	1
2	S·18	—	—	·22	·16	—	·04	—	—	—	·16	·07	2
3	—	·03	—	—	·14	—	—	—	—	—	·06	·08	3
4	·02	·01	·06	S·06	—	—	—	—	·02	·07	·18	·36	4
5	·01	—	—	S·02	—	—	—	—	—	·22	·04	·06	5
6	·32	—	·25	S·01	—	—	—	—	—	—	—	·52	6
7	·03	—	·01	S·02	—	—	—	—	—	·12	R+H ·42	·22	7
8	·09	—	·10	—	—	—	—	—	—	—	·28	·40	8
9	·16	—	·02	·03	—	—	—	—	—	—	·01	·28	9
10	—	·10	·08	—	—	—	—	—	—	—	·02	·72	10
11	·32	·02	·01	—	Th ·01	—	—	—	—	—	·71	·01	11
12	S·02	—	R+S ·52	—	—	—	—	—	·08	—	·14	·01	12
13	—	—	S·06	—	·20	—	—	—	·24	·14	·01	·16	13
14	—	·09	S·01	—	·22	—	—	—	—	—	—	·64	14
15	—	·04	R+S ·17	—	—	—	—	—	—	·02	·03	·04	15
16	—	—	·01	—	—	·60	—	—	—	—	·60	·04	16
17	—	—	R+S ·04	—	—	·01	—	—	—	—	·35	·24	17
18	—	·12	·01	—	—	—	—	—	—	—	·57	·35	18
19	—	—	—	—	·02	·23	—	—	·24	·20	·17	·16	19
20	·03	—	·01	—	—	—	—	Th ·16	—	·06	·01	·76	20
21	·01	·06	—	—	—	—	—	Th ·34	·03	Th ·44	—	·16	21
22	·03	—	·22	—	—	·02	—	—	—	·07	—	·46	22
23	—	·12	·05	—	—	·75	—	—	·22	—	·02	·13	23
24	·01	·12	—	—	—	—	·02	·01	—	1·36	—	·18	24
25	—	·05	—	·01	—	·14	Th ·41	·01	·03	Th ·02	—	·20	25
26	—	·01	·12	·20	Th ·08	·20	·02	—	—	·14	R+S ·01	·02	26
27	—	·22	·13	·06	—	—	—	—	·12	·02	R+S ·06	·09	27
28	—	·08	—	·24	—	—	—	·09	—	—	·02	—	28
29	—		—	Th.H.R ·25	—	·20	Th ·09	—	·09	·16	·01	—	29
30	—		—	·01	—	—	—	Th ·20	·02	·16	—	—	30
31	—		—		Th ·07		—	—		·03		—	31
Total	1·27	1·07	1·88	2·09	·90	2·15	·58	·87	1·09	3·23	3·89	6·36	TOTAL for year 25·38
No. of Rain Days.	14	14	19	13	8	8	5	7	10	16	23	26	163

W. 8,000, X. '11.

REGISTER

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

Kept at 126 Waddon New Road
Croydon
in the County of Surrey 4
by Geo Corden F R Met Soc

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 146 ft.

Time of Observation 9 Am

Nearest Railway Station
Name Waddon
Distance ½ mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	—	·96	—	—	—	·06	—	—	·01	—	1
2	S·18	—	—	·22	·16	—	·04	—	—	—	·16	·07	2
3	—	·03	—	—	·14	—	—	—	—	—	·06	·08	3
4	·02	·01	·06	S·06	—	—	—	—	·02	·07	·18	·36	4
5	·01	—	—	S·02	—	—	—	—	—	·22	·04	·06	5
6	·32	—	·25	S·01	—	—	—	—	—	—	—	·52	6
7	·03	—	·01	S·02	—	—	—	—	—	·12	R+H ·42	·22	7
8	·09	—	·10	—	—	—	—	—	—	—	·28	·40	8
9	·16	—	·02	·03	—	—	—	—	—	—	·01	·28	9
10	—	·10	·08	—	—	—	—	—	—	—	·02	·72	10
11	·32	·02	·01	—	Th ·01	—	—	—	—	—	·71	·01	11
12	S·02	—	R+S ·52	—	—	—	—	—	·08	—	·14	·01	12
13	—	—	S·06	—	·20	—	—	—	·24	·14	·01	·16	13
14	—	·09	S·01	—	·22	—	—	—	—	—	—	·64	14
15	—	·04	R+S ·17	—	—	—	—	—	—	·02	·03	·04	15
16	—	—	·01	—	—	·60	—	—	—	—	·60	·04	16
17	—	—	R+S ·04	—	—	·01	—	—	—	—	·35	·24	17
18	—	·12	·01	—	—	—	—	—	—	—	·57	·35	18
19	—	—	—	—	·02	·23	—	—	·24	·20	·17	·16	19
20	·03	—	·01	—	—	—	—	Th ·16	—	·06	·01	·76	20
21	·01	·06	—	—	—	—	—	Th ·34	·03	Th ·44	—	·16	21
22	·03	—	·22	—	—	·02	—	—	—	·07	—	·46	22
23	—	·12	·05	—	—	·75	—	—	·22	—	·02	·13	23
24	·01	·12	—	—	—	—	·02	·01	—	1·36	—	·18	24
25	—	·05	—	·01	—	·14	Th ·41	·01	·03	Th ·02	—	·20 }	25
26	—	·01	·12	·20	Th ·08	·20	·02	—	—	·14	R+S ·01	·02 }	26
27	—	·22	·13	·06	—	—	—	—	·12	·02	R+S ·06	·09	27
28	—	·08	—	·24	—	—	—	·09	—	—	·02	—	28
29	—		—	Th.H.R ·25	—	·20	Th ·09	—	·09	·16	·01	—	29
30	—		—	·01	—	—	—	Th ·20	·02	·16	—	—	30
31	—		—		Th ·07		—	—		·03		—	31
Total	1·27	1·07	1·88	2·09	·90	2·15	·58	·87	1·09	3·23	3·89	6·36	TOTAL for year 25·38
No. of Rain Days.	14	14	19	13	8	8	5	7	10	16	23	26	163

W. 8,000, X. '11.

Corr by [illegible] 1.II.13 W. 1886

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
7 - JAN 1913

Kept at 126 Waddon New Road Croydon

in the County of Surrey 4

by Geo Corden F.R.Met.Soc.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 146 ft.

Time of Observation 9 Am

Nearest Railway Station
Name Waddon
Distance ½ mile Direction Sth

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·12	—	—	·10	Th ·36	—	·09	·72	—	·24	1
2	—	"S" ·02	·44	·01	—	—	·34	·01	—	·04	—	—	2
3	·04	"S" ·08	·04	—	—	·12	·04	·35	—	—	·01	·08	3
4	·20	—	Th.R+H ·64	—	·12	·20	—	·03	—	—	·18	—	4
5	·22	S+R ·03	·05	—	—	—	—	·22	—	—	·06	·02	5
6	·40	—	—	—	·01	—	—	·13	·01	—	—	·20	6
7	—	—	R+H ·02	—	·09	·74	Th ·16	Th ·22	—	— }	—	·03	7
8	·28	·38	·25	—	—	·02	—	Th ·46	—	Mist ·05 }	—	—	8
9	—	·07	—	·04	—	Th ·22	·02	·01	—	— }	—	·08	9
10	—	·05	—	—	—	—	—	Th ·64	·01	Fog ·01 }	·05	·28	10
11	·04	·24	—	—		·02	—	·13	·01	—	—	·22	11
12	·03	·12	·04	—	Th.H.R ·12	·20	—	·01	—	Fog ·01	·02	·03	12
13	—	·01	—	—	—	—	—	—	—	Mist ·01	·07	—	13
14	—	—	·01	—	·04	—	—	·03	—	·06	·01	·01	14
15	—	—	·12	—	·25	·70	—	·01	—	—	·04	·34	15
16	·38	—	·01	—	Th ·04	Th ·10	—	·08	—	·06	·12	—	16
17	R.H.S ·44	—	·44	—	—	·02	—	·05	—	—	—	·12	17
18	·04	—	·16	—	—	—	—	·08	—	·05	·03	·12	18
19	·14	·08	R+H ·12	—	—	·01	·02	Th ·34	—	—	—	—	19
20	·01	·02	S.R.+H ·42	—	—	—	—	·08	—	·44	·03	—	20
21	—	·02	Th.R+H ·22	—	·01	—	—	·06	—	·10	[illegible]	—	21
22	·16	·14	·08	—	·02	—	·04	·14	—	—	—	·03	22
23	·40	·33	·26	—	—	—	—	·44	—	·06	·18	·16	23
24	·32	·01	—	—	—	Th ·10	·01	·20	—	—	—	·16	24
25	·16	·01	—	—	—	·19	—	·85	—	—	·21	·50	25
26	"S" ·01	·04	—	—	—	—	—	·45	—	·24	·45	·25	26
27	—	—	—	—	—	·02	—	—	—	·14	—	·16	27
28	—	·06	—	—	—	·02	·12	·06	·14	·43	·64	·12	28
29	—	03 ·03	—	—	—	·03	·33	·16	1·40	·12	·04	—	29
30	—		—	—	·44	·01	·02	Th ·16	1·66	·28	—	—	30
31	S ·02		·04		—		·16	·12		·06		—	31
Total	3·29	1·74	3·48	·05	1·14	2·82	1·62	5·5[illegible]	2·32	2·88	2·18	3·15 ✓	31·19 ✓
No. of Rain Days.	18	19	19	2	10	✓8	12	28	7	18	17	20	188

W. 8,000, X. '11.

cwd for arith. 22.1.14

REGISTER OF RAINFALL IN 19*13*

FORM A.
BRITISH RAINFALL.

6- JAN 1914

Kept at *Waddon New Road, Croydon*

in the County of *Surrey* — 4

by *Geo Corden F. R. Met. Soc*

Lat. .... Long. ....

Time of Observation *9 Am*

Nearest Railway Station *Waddon*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *—* in.

" " " " Sea Level *146* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·24		·12					·57	·03	·05	·16	1
2	·05	·14	·02				·10			Th ·05	·06		2
3			·06	·33	·28					·02		·10	3
4	·36		·01	·04	·28		·03		·01	·24	·02	R+S ·05	4
5	·38		·01			·06	·06		·42		·02	·02	5
6	·04	·01	·16		·02	·06	·20			·24	·16	·08	6
7		·10			·01		·02	Th ·07		·64	·09	·01	7
8			S ·02		·14	·02				·02	·01		8
9		·16		·01	·03				·07		·02	·03	9
10			·16	·08			Th ·01	·02			·46		10
11	·36			R+S ·36	·09			·02		·66	Th ·28		11
12					·01						·44		12
13	·12		·05					·02	·03		·24		13
14	·11		·09	·08			Th ·90	·08	·09	·16	·04		14
15	·40	·09	R+H ·24	·24			·24		·03				15
16	·17		·36	·10			·01		Th ·36				16
17	·03	S+R ·08	Th. R+S ·07	R+H ·03			·16						17
18	·01		·08	·10			·01						18
19	·24		·16	·01			·12		·16				19
20	·24		Th ·38	·04		Th ·03				·56	·01		20
21	·01		Th ·16	·03			·06			·28	·84		21
22	S+R ·32		Th ·20	·12					·16		Fog ·02		22
23			·05			·03		·32				·44	23
24	·03		·02	·02				·05			·03		24
25		·01		·24								·02	25
26		·01	·16	·15			·01	·16		·94		·20	26
27			·04	·12	Th ·01					·03			27
28	·35		·32	R+H ·09						·16	Mist ·01	S ·01	28
29	·05		·04	Th ·44	Th ·35			Th ·04		·03		S ·02	29
30	·32			·06				·25	·01	·20			30
31			·04					·99		·12			31
Total	3·59	·84	2·90	2·81	1·22	·20	1·93	2·02	~~1·97~~ 1·91	4·38	2·80	1·14	YEAR'S TOTAL 25·~~80~~74
Rain Days.	19	~~10~~ 9	24	22	10	5	14	11	11	17	18	12	17~~3~~2

25·74

W.7,000, XI. 13

Writer 17.II.15

W LgMG cnd fr auth 3.11.14

FORM A.
BRITISH RAINFALL.

5 - JAN

REGISTER OF RAINFALL IN 1914

Kept at 126 Waddon New Road Croydon
in the County of Surrey 4
by Geo Corden F R Met Soc

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Waddon & West Croydon (between them)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
… Level 146 ft.

IMPOR… result entered to the previous day… rule, he is earnestly requested to … the space provided for it at the … of rain, the selection … Rainfall Organization … ication to Dr. H. R. M…

Jan. 1, following.

---

24. FEB. 1915

~~Croydon Rural District Council.~~

~~COMPRISING THE PARISHES OF ADDINGTON, BEDDINGTON COULSDON, MITCHAM, MORDEN, SANDERSTEAD, AND WOODMANSTERNE, AND THE HAMLET OF WALLINGTON.~~

~~Telegraphic Address: "Rural, Croydon."~~
~~Telephone: No. 93 Croydon.~~

~~J. S. KILLICK, A.M.I.C.E., SURVEYOR (HIGHWAYS.)~~

~~COUNCIL OFFICES,~~
~~KATHARINE STREET,~~
~~CROYDON.~~

126 Waddon New Road
Croydon
22 Feb^y 1915

Dr Hugh Robt Mill
62 Camden Square
London
NW

Dear Sir

I am very much obliged for your letter of 17th inst re my Rainfall Total for the past year which I had added up wrong & I have corrected my own register accordingly

Yours truly
Geo Corden

Date	Jan.										Nov.	Dec.	Date.
1	—										·02	·02	1
2	·01										·25	·22	2
3	—										—	—	3
4	·05										·24	Th ·32	4
5	·12										·04	—	5
6	—										·10	·18	6
7	—										—	·10	7
8	·06										—	·04	8
9	·24										—	1·81	9
10	—										—	·03	10
11	—										·20	·32	11
12	S ·01										·01	·64	12
13	S ·01										·07	·68	13
14	—										·10	·52	14
15	·01										1·04	·03	15
16	—										—	—	16
17	—										—	·16	17
18	—										—	·39	18
19	—										·24	Th ·33	19
20	—										—	·05	20
21	—	R+S									—	R+S ·05	21
22	—	R+H									—	—	22
23	—	—	·09	·01	Th ·24	·06	·02	—	—	·03	—	—	23
24	·02	—	R+H ·12	·01	·01	—	—	—	—	—	·08	·02	24
25	·01	—	·24	—	—	—	·01	·08	—	·30	·01	·09	25
26	—	—	·08	—	—	—	·07	·06	—	·04	·20	·65	26
27	·03	—	·01	—	—	—	—	—	—	—	·04	·25	27
28	·01	·04	—	—	—	—	—	—	—	·07	·36	R+S ·82	28
29	·03		·03	—	—	—	—	—	—	·44	·18	—	29
30	—		·04	—	—	—	—	—	—	·04	·42	·24	30
31	—		—		·20		·01	—		·01		·04	31
Total	·61	3·98	4·34	·92	1·22	·85	1·51	1·63	·60	1·41	3·60	8·00	YEAR'S TOTAL 28·67 28·67
Rain Days.	13	15	27	10	10	11	15	11	8	10	18	25	173

W. 8,000. X. 14.

Written 17.II.15

FORM A.
BRITISH RAINFALL.

5 - JAN

Kept at ▮ 126
on & West Croydon
(betwixt them)

in the County
in.

by Geo C
und 1 ft. = in.
, Level 146 ft.

IMPOR result entered to the
previous da rule, he is earnestly
requested to the space provided
for it at the of rain,
the selection Rainfall
Organization ication to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	Th ·20	—	—	·02	·02	1
2	·01	—	—	—	—	—	·16	·40	—	—	·25	·22	2
3	—	—	·06	—	·16	—	·14	·01	—	—	—	—	3
4	·05	—	·02	·20	—	—	—	·05	—	—	·24	Th ·32	4
5	·12	—	·03	·24	·13	·04	·20	·69	—	—	·04	—	5
6	—	·10	·02	·13	—	—	·01	·01	—	—	·10	·18	6
7	—	·66	·20	·18	Th ·16	Th ·36	·10	—	—	—	—	·10	7
8	·06	·40	·48	·01	·05	Th ·05	·10	·08	·01	—	—	·04	8
9	·24	—	·80	·09	—	Th ·04	—	—	·03	—	—	1·81	9
10	—	·06	R+S ·02	·02	·05	—	—	—	—	—	—	·03	10
11	—	·57	·33	—	·02	·01	—	—	·24	—	·20	·32	11
12	S ·01	·12	·09	—	—	—	·20	—	·12	—	·01	·64	12
13	S ·01	·24	·20	—	—	—	—	—	·10	·04	·07	·68	13
14	—	·12	Th ·20	—	—	Th ·15	·03	—	—	·36	·10	·52	14
15	·01	—	·20	—	—	—	Th ·16	·03	—	—	1·04	·03	15
16	—	—	·03	—	—	—	—	—	·04	—	—	—	16
17	—	·32	·11	—	—	—	—	—	—	—	—	·16	17
18	—	·06	R+S ·24	—	—	—	—	—	·01	—	—	·39	18
19	—	·05	R+S ·28	—	—	Th ·02	·06	—	—	—	S ·24	Th ·33	19
20	—	·24	S ·32	—	—	·05	—	—	·05	—	—	·05	20
21	—	R+S ·88	·09	—	—	·01	—	—	—	—	—	R+S ·05	21
22	—	R+H ·12	·01	·03	Th ·20	·06	·24	·02	—	·08	—	—	22
23	—	—	·09	·01	Th ·24	·06	·02	—	—	·03	—	—	23
24	·02	—	R+H ·12	·01	·01	—	—	—	—	—	·08	·02	24
25	·01	—	·24	—	—	—	·01	·08	—	·30	·01	·09	25
26	—	—	·08	—	—	—	·07	·06	—	·04	·20	·65	26
27	·03	—	·01	—	—	—	—	—	—	—	·04	·25	27
28	·01	·04	—	—	—	—	—	—	—	·07	·36	R+S ·82	28
29	·03	X	·03	—	—	—	—	—	—	·44	·18	—	29
30	—	X	·04	—	—	—	—	—	—	·04	·42	·24	30
31	—	X	—	X	·20	X	·01	—	X	·01	X	·04	31
Total	·61	3·98	4·34	·92	1·22	·85	1·51	1·63	·60	1·41	3·60	8·00	YEAR'S TOTAL 28·67 28·67
Rain Days.	13	15	27	10	10	11	15	11	8	10	18	25	173

W. 8,000. X. 14.

Exd [illegible]

142

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

10. JAN. [illegible]

Kept at 126 Waddon New Road
Croydon
in the County of Surrey 4
by Geo Corden F R Met Soc

Lat.
Long.
Time of Observation 9 Am
Nearest Railway Station Waddon (W Croydon)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.64	.12	R+S .02	—	—	—	—	—	Th .07	.02	.35	.28	1
2	.26	.22	.22	.12	.06	—	—	.88	Th .01	.05	—	.28	2
3	S+R .38	—	.05	.16	.04	—	—	Th .28	.03	—	—	.32	3
4	.03	—	—	—	—	—	—	—	—	—	—	.26	4
5	.04	.66	—	.02	—	—	—	.01	—	.05	—	.27	5
6	.43	.02	.01	.36	—	—	.52	—	—	—	—	.12	6
7	.28	.35	R+S .02	—	—	—	.20	.02	—	—	—	.19	7
8	.08	.69	—	R+H .05	—	—	.06	.02	—	—	—	—	8
9	.02	.04	—	S+R .12	—	.10	—	.30	—	.02	.32	.57	9
10	.22	—	.01	—	—	—	—	—	—	—	—	.21	10
11	—	—	.01	—	—	—	—	—	—	—	.64	.05	11
12	.04	.14	—	.41	.48	—	—	Th .42	—	.02	.33	S .01	12
13	—	R+S .68	—	—	1.20	—	—	—	—	—	—	—	13
14	—	.03	—	—	—	—	.22	Th .26	.02	—	—	.32	14
15	.14	.02	—	—	.05	—	.02	Th .07	—	—	R+S .20	.16	15
16	—	.65	—	—	—	—	.60	—	—	—	—	.08	16
17	—	.36	—	—	1.28	—	.02	Th .20	—	—	—	—	17
18	—	.12	S .07	—	.18	—	—		—	—	.08	—	18
19	—	.25	—	—	.02	—	.04	—	—	.02	—	—	19
20	.32	—	—	.02	—	—	—	—	—	—	—	.20	20
21	S .24	—	—	—	—	—	.02	—	—	.02	—	.10	21
22	S .68	.06	.08	.06	—	—	.72	—	—	—	—	.06	22
23	—	S .32	.07	—	—	.03	Th .18	—	.21	.46	—	.36	23
24	—	S .01	.01	—	—	.01	Th .01	—	.16	.24	—	.52	24
25	—	—	.05	.20	—	—	Th .32	—	—	—	—	.10	25
26	—	.03	—	—	—	.06	—	—	—	—	—	.42	26
27	—	.01	—	—	—	Th .20	.16	—	—	.31	—	.10	27
28	—	R+S .03	—	—	—	—	—	—	1.90	.16	—	—	28
29	—	X	—	—	—	.12	Th .25	.14	—	—	.20	—	29
30	—	X	—	—	—	Th .01	—	—	—	.10	.52	.04	30
31	.03	X	—	X	—	X	—	—	X	1.00	X	.32	31
Total	3.83	4.81	.62	1.52	3.31	.53	3.34	2.60	2.40	2.47	2.64	5.34	YEAR'S TOTAL 33.41
Rain Days.	16	21	12	10	8	7	15	11	7	13	8	24	152

W. 8,000. X. 15.

133

FORM A.
BRITISH RAINFALL.
4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at 126 Waddon New Road
Croydon
in the County of Surrey
by Geo Corden F R Met Soc

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Waddon, & West Croydon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	—	—	—	Th ·58	·01	—	—	·20	·01	·24	—	1
2	·14	·16	R+S ·24	—	·32	—	·01	—	·10	·41	Th ·10	—	2
3	—	1·02	R+S ·21	—	—	—	·01	—	Th ·10	·20	·80	—	3
4	·22	R+H ·20	S ·02	—	—	·19	—	—	·14	·05	·56	—	4
5	—	—	—	·01	·26	Th ·16	·02	—	—	·04	·74	·01	5
6	—	·07	S ·46	R+S ·32	·02	Th ·08	·33	—	—	·02	·77	—	6
7	·06	—	R+S ·49	—	·28	Th ·15	Th ·40	—	—	·01	·84	·05	7
8	·01	—	—	—	·29	—	—	—	—	—	—	·44	8
9	—	—	—	—	·16	—	·01	—	—	—	—	·05	9
10	—	·10	R+S ·16	·07	—	Th ·42	·04	—	—	·05	—	·12	10
11	·01	·20	·02	·16	·01	Th ·51	—	—	·01	—	Mist ·01	·01	11
12	·02	·03	·02	·02	·40	·19	·01	·03	—	·06	} Mist ·01	—	12
13	—	·20	·32	·18	·01	·04	·11	·03	—	·05		—	13
14	—	R+S ·44	·08	R+S ·01	·10	—	·01	·06	—	—	—	R+S ·06	14
15	—	·16	·17	·01	—	—	—	Th ·30	—	·01	—	R+S ·04	15
16	·01	—	·18	·13	—	—	·23	·42	—	—	—	} Fog ·01	16
17	·06	·12	—	·03	—	—	·02	Th ·13	·32	·54	—		17
18	—	·05	·02	·21	—	—	—	Th ·29	·16	·31	R+S ·83	S+R ·04	18
19	·06	·10	·16	·18	—	—	—	—	·11	—	·67	S+R ·01	19
20	·13	—	·23	·04	—	—	—	—	—	—	·10	·50	20
21	—	—	·48	—	—	—	·10	—	—	—	·02	·40	21
22	·02	—	R+S ·04	—	·01	—	—	—	—	·03	—	·37	22
23	—	S ·37 }	S ·01	—	—	·01	—	·01	—	·02	·04	·16	23
24	·01	"	—	—	·04	·03	—	·02	—	·20	·06	R+S ·35	24
25	—	S ·70	·13	—	—	—	—	·30	—	·10	·06	—	25
26	—	S ·22	S ·08	—	—	·11	—	Th ·03	·01	·10	—	} Fog ·03	26
27	·02	—	S+R 1·04	—	—	·42	—	Th ·32	·06	Th ·69	—		27
28	—	R+S ·42	S ·22	—	—	·01	—	·02	·11	·05	·02	·10	28
29	—	·12	—	—	—	·14	—	1·14	·03	·27	—	·18	29
30	—	×	—	—	—	—	—	·25	—	·28	—	—	30
31	—	×	—	×	—	×	—	·03	×	·10	×	·03	31
Total	·95	4·68	4·78	1·37	2·48	2·47	1·30	3·38	1·35	3·60	5·87	2·96	YEAR'S TOTAL 35·19
Rain Days.	14	19	22	13	13	15	13	16	12	23	17	21	198

W. 8,000, VIII. 16

127

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

5 JAN 1918

Kept at 126 Waddon New Road
Croydon
in the County of Surrey
by Geo Corden FRMetSoc

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Waddon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	S ·01	—	S ·10	—	—	—	1·78	·04	—	·07	—	1
2	—	—	—	S+R ·60	—	·02	—	·16	—	—	·24	—	2
3	—	—	—	S+R ·14	—	—	·04	·33	—	·10	·06	—	3
4	—	S ·20	S ·06	—	—	—	·72	·14	—	·46	—	—	4
5	·20	—	·05	R+S ·32	—	—	—	—	Th 1·12	·16	·06	—	5
6	—	—	·07	S ·06	—	·07	—	—	·26	·02	·06	—	6
7	·19	—	S ·02	—	—	—	·24	—	—	Th.R+H ·24	—	·02	7
8	S+R ·12	—	—	R+S ·10	—	—	·76	Th ·08	·08	·22	·18	·06	8
9	S+R ·01	—	·02	S ·08	—	—	·08	·08	·02	—	·10	·64	9
10	S ·24	—	·08	R+S ·16	—	·01	—	·05	—	—	·01	—	10
11	·06	—	·55	S+R ·14	—	—	—	·01	Th ·14	·22	—	—	11
12	S ·04	—	·03	S ·03	—	—	—	·02	—	·48	·01	—	12
13	S ·04	—	·10	·04	—	—	—	·02	·03	·16	—	R+Fog ·08	13
14	S ·01	—	—	·14	—	—	—	·26	—	·03	—	—	14
15	S ·08	—	—	—	—	—	Th ·23	Th ·30	—	·03	—	·05	15
16	S ·01	·18	—	Th.R+H ·10	·10	—	·09	—	—	·16	—	R+S ·61	16
17	—	—	—	·08	·76	—	·23	·11	·35	·16	Fog ·02	—	17
18	·04	·04	—	·13	·03	—	Th ·29	—	·16	·07	—	—	18
19	R+S ·02	·10	·06	—	·07	Th ·01	—	—	·10	—	—	—	19
20	—	·10	S+R ·05	—	Th.R+H ·68	—	·02	·01	·01	—	·04	—	20
21	S ·02	—	S ·06	—	—	—	—	—	—	·01	·03	—	21
22	—	—	—	—	—	—	—	·12	—	·08	—	—	22
23	S ·01	·11	—	—	·13	·03	—	·09	—	R+H ·14	—	·04	23
24	S ·01	·02	—	—	—	·11	·01	·01	—	·10	—	—	24
25	—	·02	H ·04	—	—	—	—	—	—	·08	S+R ·08	—	25
26	—	—	S ·06	—	—	—	—	·44	·02	·01	·56	—	26
27	—	—	S ·02	—	—	—	—	·92	—	—	—	—	27
28	—	·01	—	—	—	Th 1·46	—	·03	—	—	—	S+R ·10	28
29	—	X	—	—	Th ·09	·24	Th ·19	·01	—	·40	—	S+R ·14	29
30	—	X	R+S ·27	—	—	—	2·11	·08	—	·03	—	·05	30
31	S ·10	X	S+R ·06	X	—	X	·49	·01	X	—	X	S ·03	31
Total	1·20	0·79	1·60	2.22	1·86	1·95	5·50	5·06	2·33	3·36	1·52	1·82	YEAR'S TOTAL 29.21
Rain Days.	17	10	17	15	7	8	14	23	12	22	14	11	170

W. 8,000, IX. 17.

Ex 91X

49

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at 126 Waddon New Road
Croydon
in the County of Surrey
by Geo Corden F R Met Soc

Lat. .... Long. ....
Time of Observation 9 Am.
Nearest Railway Station Waddon + West Croydon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·06	—	Th ·03	—	—	—	·02	—	—	·23	·03	1
2	"S" ·01	—	—	·03	—	—	—	·17	—	·01	·26	·14	2
3	—	·12	R+S ·09	·04	·30	—	—	·03	—	·01	·40	·01	3
4	—	·03	·12	—	—	—	—	·01	·25	—	·73	—	4
5	—	·13	·01	—	·14	—	—	·08	Th ·34	·04	—	—	5
6	·25	·05	—	·24	·12	—	—	·04	·12	—	—	·07	6
7	"S" ·04	·06	—	·07	·48	—	—	—	·10	·04	·06	—	7
8	—	·01	—	—	—	—	—	—	·07	·01	·12	·05	8
9	"S" ·01	—	—	·14	—	·04	·24	—	Th ·39	·10	·01	·32	9
10	·01	—	—	·14	—	·01	·26	—	Th ·05	·02	·02	·46	10
11	—		—	·04	·01	—	1·02	—	·02	·32	·12	·13	11
12	—	·03	—	—	·16	—	·36	—	Th ·04	—	—	·04	12
13	"S" ·04	—	—	·01	·14	—	·01	—	·03	—	—	—	13
14	·09	—	·02	·01	—	·39	·05	—	·10	·12	—	·22	14
15	S+R 1·36	—	—	R+S ·80	—	—	Th ·38	—	—	—	—	·08	15
16	S ·25	—	—	·16	—	Th ·03	—	—	·06	·01	—	—	16
17	S+R ·35	—	—	·10	—	—	Th 1·18	·04	—	—	—	·11	17
18	·48	—	—	—	—	·13	Th ·04	—	·52	·23	—	·15	18
19	·10	—	·06	S ·16	Th ·04	·06	·10	—	·01	·16	—	·05	19
20	·02	·14	—	R+S ·99	—	·02	Th ·19	—	·36	·35	—	·02	20
21	·12	·01	—	·51	—	—	·03	—	·28	·05	Fog ·03	·01	21
22	·03	—	—	—	Th ·48	—	·08	—	·12	—	Fog ·03	·18	22
23	·02	—	—	·02	·13	—	·78	·06	·04	—	Mist ·01	·07	23
24	—	·29	—	—	—	·14	·34	—	·14	—	·01	—	24
25	—	—	—	Th ·41	—	—	·30	·25	—	·04	·03	—	25
26	—	—	—	—	—	—	Th ·46	·07	—	·01	·07	·10	26
27	—	·02	—	·01	—	—	Th ·05	·12	·05	—	·08	·04	27
28	—	·03	Th ·26	·23	—	·01	—	·03	—	—	·24	·09	28
29	—		·01	·03	—	—	—	—	1·04	—	·02	—	29
30	—	✕	·36	—	—	—	—	—	·03	·03	·02	·19	30
31	—	✕	·06	✕	—	✕	—	—	✕	·06	✕	·02	31
Total	3·18	0.98	0.99	4·17	2·00	0·83	5·87	0.92	4·16	1·61	2·49	2·58	YEAR'S TOTAL 29·78
Rain Days.	16	13	9	21	10	9	18	12	22	18	19	23	190

W. 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Croydon, Waddon New Road
in the County of Surrey
by Croydon Corporation, per Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	Croydon (Wn.N.rd.) IN.	
1	·26	·08	·01	..	..	..	·23	..	..	·16	·10	·75	1
2	·21	..	..	..	·05	..	·21	..	·02	·04	·06	·39	2
3	·34	..	·58	..	..	..	·11	..	·05	..	·09	·35	3
4	·12	·08	·48	..	..	·05	·14	·03	..	..	·03	·47	4
5	·01	·24	·66	..	..	..	..	..	·03	..	·01	·30	5
6	·04	..	·04	..	..	..	..	..	..	·01	..	·05	6
7	·05	..	·29	..	..	..	..	..	..	..	·04	..	7
8	·26	..	·06	·01	..	..	..	..	..	..	..	..	8
9	·27	..	..	·02	..	..	..	..	..	..	·04	..	9
10	·22	..	·01	·02	..	..	..	..	..	·01	·02	·05	10
11	·06	..	·10	·28	..	..	·20	..	..	..	..	·05	11
12	·01	..	·08	·03	..	·01	·20	..	..	·10	·01	·01	12
13	·01	..	..	·41	..	..	..	..	·02	·03	..	·01	13
14	·21	·01	..	·38	..	..	·06	..	·55	..	..	·04	14
15	·22	·01	·23	·05	..	..	..	..	..	..	..	·16	15
16	·12	·53	..	..	..	..	..	..	..	..	·06	·02	16
17	·05	·38	·03	·02	..	..	..	..	..	..	·16	·02	17
18	..	·34	·10	..	..	..	..	..	·09	..	·04	·09	18
19	·02	·14	·44	..	..	·17	·32	·30	·02	..	·06	..	19
20	·12	·07	·05	..	..	·82	·28	·10	..	..	·06	·02	20
21	·08	·32	·01	..	..	·10	·06	..	..	..	·02	·05	21
22	..	·04	·01	..	..	..	·26	..	·22	..	·03	·13	22
23	..	..	..	..	..	·06	..	..	·12	..	..	·16	23
24	..	..	..	·23	..	..	·10	·05	..	·16	·03	..	24
25	·10	·01	..	..	..	..	..	·21	..	..	..	·07	25
26	·06	·23	·08	·16	..	..	..	·16	·09	..	..	·15	26
27	·28	·08	·03	1·08	..	..	·01	·10	..	..	..	·01	27
28	..	..	·25	·02	..	·01	·03	·94	..	..	·03	·05	28
29	·04		..	·01	..	..	..	·62	..	·26	..	·31	29
30	..		·02	·24	..	·08	..	·40	..	·10	·10	·42	30
31	·08		·05		..		·03	..		..		·09	31
TOTAL	3·24 ..	2·56 5·80	3·61 9·41	2·96 12·37	·05 12·42	1·30 13·72	2·24 15·96	2·91 18·87	1·21 20·08	·87 20·95	·99 21·94	4·22 26·16	YEAR'S TOTAL 26·16
Days with ·01 in. or more	25	15	22	15	1	8	15	10	10	9	19	26	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] H

FORM A.
BRITISH RAINFALL.

2 MAR 1914

CROYDON
DUPPAS HILL
SURREY
1913 - 14

Kept at Croydon

in the County of

by F C Bayar

5 in.

round (ft. – in.

Sea Level 168 ft.

IMPORTANT … e result entered to the previous day. If … sal rule, he is earnestly requested to add th… in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.18	.03	.06					.64		.06	.06	1
2	.02	.11					.08		.02		.07		2
3			.04	.24	.23							.12	3
4	.27			.02	.21		.05			.45	.02	.06	4
5	.28		.01			.06	.05		.43		.02	.04	5
6	.02	.02	12		.02	.05	.16			.17	.16		6
7		.11			.01		.02	.11		.44	.07	.05	7
8			.02		.21	.04				.10	.03	.02	8
9		.11		.01	.02				.08		.03	.01	9
10			.11	.06			.01	.03			.37		10
11	.27			.28	.10					.55	.27		11
12					.01						.41		12
13	.10		.03					.03	.08		.19		13
14	.09		.05	.06			.75	.09	.08	.14	.06		14
15	.29	.03	.24	.20			.25				01		15
16	.09		.30	.12					.41				16
17	.02	.04		.03									17
18	.20		.16	.09									18
19	.16		.10	.02			.17		.15				19
20	.18		.30	.04		.02				.45	.01		20
21			.09	.03			.12			.33	.80		21
22	.22		.10	.08					.02				22
23								.28	.11		.01	.39	23
24	.02			.02		.02		.04			.02		24
25		.02		.19		.01	.01				.01		25
26			.03	.04				.17		.80		.24	26
27			.26	.18	.01					.03			27
28	.25		.12	.06						.18	.01		28
29			.02	.32	.32			.04		.15	.01		29
30	.24			05.				.24		.19	07		30
31	.02		.03					1.02		.10			31
Total	2.74	.62	2.16	2.20	1.14	.20	1.67	2.05	2.02	4.08	2.71	.99	YEAR'S TOTAL 22.58
Rain Days.	18	8	20	22	10	6	11	10	10	14	22	9	160

W.7,000, XI. 13

Smade

H

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Croydon Duppas Hill Lane

in the County of Surrey

by F C Bayard   P. J. F. Hard

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 168 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.18	.03	.06					.64		.06	.06	1
2	.02	.11					.08		.02		.07		2
3			.04	.24	.23							.12	3
4	.27			.02	.21		.05			.45	.02	.06	4
5	.28		.01			.06	.05		.43		.02	.04	5
6	.02	.02	12		.02	.05	.16			.17	.16		6
7		.11			.01		.02	.11		.44	.07	.05	7
8			.02		.21	.04				.10	.03	.02	8
9		.11		.01	.02				.08		.03	.01	9
10			.11	.06			.01	.03			.37		10
11	.27			.28	.10					.55	.27		11
12					.01						.41		12
13	.10		.03					.03	.08		.19		13
14	.09		.05	.06			.75	.09	.08	.14	.06		14
15	.29	.03	.24	.20			.25				01		15
16	.09		.30	.12					.41				16
17	.02	.04		.03									17
18	.20		.16	.09									18
19	.16		.10	.02			.17		.15				19
20	.18		.30	.04		.02				.45	.01		20
21			.09	.03			.12			.33	.80		21
22	.22		.10	.08					.02				22
23								.28	.11		.01	.39	23
24	.02			.02		.02		.04			.02		24
25		.02		.19		.01	.01				.01		25
26			.03	.04				.17		.80		.24	26
27			.26	.18	.01					.03			27
28	.25		.12	.06						.18	.01		28
29			.02	.32	.32			.04		.15	.01		29
30	.24			05.				.24		.19	07		30
31	.02		.03					1.02		.10			31
Total	2.74	.62	2.16	2.20	1.14	.20	1.67	2.05	2.02	4.08	2.71	.99	YEAR'S TOTAL 22.58
Rain Days.	18	8	20	22	10	6	11	10	10	14	22	9	160

W.7,000, XI. 13

[illegible] 3.4.15 H LeMSC

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Duppas Hill Lane. Croydon.
in the County of Surrey. 4
by P. G. J. Hand.

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station Waddon.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 169 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·60

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	/	/	/	/	/	/	0·06	Having been unable to take readings daily from Aug 1st to 15th the total for this period is given on Aug 15th PGJH	/	/	0·02	0·03	1
2	/	/	/	/	/	/	0·18		/	/	0·15	·27	2
3	0·03	/	0·06	/	0·15	/	0·18		/	/	0·15	/	3
4	0·05	/	0·02	0·18	/	/	/		/	/	0·21	0·30	4
5	0·07	/	0·04	0·22	0·14	0·05	0·23		/	/	0·04	/	5
6	/	0·12	0·03	0·13	0·01	0·23	0·02		/	/	0·12	0·20	6
7	/	0·63	0·21	0·16	0·15	0·18	0·15		/	/	/	0·12	7
8	0·05	0·57	0·42	0·01	0·06	0·06	/		0·01	/	/	0·05	8
9	0·21	/	0·76	0·12	/	0·05	/		0·03	/	/	1·64	9
10	/	0·06	/	/	0·06	/	/		/	/	0·07	0·06	10
11	/	0·60	0·35	/	0·03	0·02	/		0·28	/	0·20	0·09	11
12	/	0·12	0·09	/	/	/	0·31		0·12	0·01	0·01	0·55	12
13	/	0·26	0·18	/	/	/	0·05		0·13	0·04	0·06	0·71	13
14	/	0·15	0·21	/	/	0·15	/		/	0·34	0·14	0·43	14
15	0·04	0·02	0·19	/	/	/	0·19	1·50	/	0·01	0·94	0·05	15
16	/	/	0·03	/	/	/	/	/	0·02	/	/	/	16
17	/	0·22	0·08	/	/	/	/	/	/	/	/	0·17	17
18	/	0·14	0·26	/	/	/	/	/	0·06	/	/	0·40	18
19	/	/	0·24	/	/	0·03	0·06	/	0·02	/	0·19	0·31	19
20	/	0·30	0·32	/	/	0·06	/	/	0·04	/	/	0·05	20
21	/	0·87	0·32	/	/	0·01	/	/	/	/	/	0·05	21
22	/	0·11	0·11	0·03	0·16	0·03	0·23	0·02	/	0·07	/	/	22
23	/	/	0·10	0·02	0·17	/	0·02	/	/	0·03	/	/	23
24	/	/	0·11	/	0·01	/	/	/	/	/	0·09	/	24
25	0·02	/	0·23	/	/	/	0·02	0·07	/	0·27	/	0·14	25
26	/	/	0·08	/	/	/	0·09	0·09	/	0·05	0·22	0·58	26
27	/	/	/	/	/	/	/	/	/	/	0·04	0·75	27
28	/	/	/	/	/	/	/	/	/	0·06	0·36	0·76	28
29	0·07	/	0·03	/	/	/	/	/	/	0·40	0·18	/	29
30	0·01	X	0·04	/	/	/	/	/	/	0·05	0·49	0·24	30
31	/	X	/	X	0·19	X	0·01	/	X	0·07	X	0·03	31
Total	0·55	4·17	4·51	0·87	1·13	0·87	1·80	1·68	0·71	1·34	~~3·67~~ 3.62	~~7·48~~ 7.68	YEAR'S TOTAL ~~25·18~~ 25.93
Rain Days.	~~8~~ 9	14	25	8 ~~78~~	~~10~~ 11	~~10~~ 11	~~15~~ 14	(11)	8	9	~~17~~	23	~~145~~
	9	14	25	8	11	11	15	11	9	12	19	23	~~155~~ 157

W. 8,000. X. 14

50

RE

FORM A2.
BRITISH RAINFALL.

2 - JAN 1913

CROYDON
PARK HILL RISE

SURREY
1911- 1913

Kept at Park Hi 1 ft. 3 in.

in the County of Su 240 ft.

by H. J. Parso at Croydon

Direction W

IMPORTANT NOT ult entered to the previous day. If an Ob e, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	—	.86	—	—	.01	.04	—	—	—	—	1
2	.18	—	—	.20	.18	—	—	—	—	—	.18	.06	2
3	.01	.02	—	—	.14	—	—	—	—	[illegible]	.06	.07	3
4	.02	—	.06	.11	—	—	—	—	.02	.07	.17	.30	4
5	.01	.01	—	.02	—	—	—	—	—	.27	.03	.10	5
6	.25	—	.22	—	—	—	—	—	—	—	—	.35	6
7	.02	—	—	.02	—	—	—	—	—	.15	.40	.21	7
8	.08	—	.11	—	—	—	—	—	—	—	.29	.38	8
9	.21	—	.01	.02	—	—	—	—	—	—	.01	.13	9
10	—	.10	.08	—	—	—	—	—	—	—	.03	.69	10
11	.23	—	.01	—	—	—	—	—	—	—	.64	.01	11
12	.03	—	.45	—	.12	—	—	—	.10	—	.15	—	12
13	—	—	.04	—	.20	—	—	—	.25	.12	—	.15	13
14	—	.08	—	—	.20	—	—	—	—	—	—	.62	14
15	—	.03	.20	—	—	—	—	—	—	.02	.03	.04	15
16	—	—	—	—	—	.40	—	—	—	—	.58	.04	16
17	—	—	.03	—	—	.03	—	—	—	—	.35	.21	17
18	—	.12	.01	—	—	—	—	—	—	—	.57	.30	18
19	—	—	—	—	.02	.21	—	—	.22	.21	.18	.12	19
20	.01	.01	.01	—	—	.01	—	.22	—	.05	.01	.70	20
21	.01	.05	—	—	—	—	—	.45	.02	.48	—	.15	21
22	.01	—	.23	—	—	.02	—	—	—	.08	—	.45	22
23	—	.12	.03	—	—	.84	—	—	.23	—	.01	.10	23
24	—	.10	—	—	—	—	.02	—	—	1.71	—	.15	24
25	—	.03	.01	.03	—	.15	.15	—	.01	.01	—	—	25
26	—	.01	.10	.17	.06	.16	.01	—	—	.15	.01	.20	26
27	—	.23	.13	.06	—	—	—	—	.12	—	.05	.08	27
28	—	.10	—	.24	—	—	.11	.10	—	—	.02	—	28
29	—		—	.24	—	.22	.15	—	.11	.16	—	—	29
30	—		—	—	—	—	—	.24	.02	.19	—	—	30
31	—		—		.06		—	—		.03		—	31
Total	1.11	1.01	1.73	1.97	.98	2.04	0.45	1.05	1.10	3.70	3.77	5.61	TOTAL for year √ 24.52
No. of Rain Days	14	14	17	11	8	9	6	5	10	15	20	24	153 √

Sr.

RE

2 - JAN 19

FORM A2.
BRITISH RAINFALL.

Kept at Park Hi

in the County of Surrey 4

by H. J. Parsons M.D.

Gauge Height of top above ground 1 ft. 3 in.

" " " Sea Level 240 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name East Croydon
Distance ½ mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	–	–	.86	–	–	.01	.04	–	–	–	–	1
2	.18	–	–	.20	.18	–	–	–	–	–	.18	.06	2
3	.01	.02	–	–	.14	–	–	–	–	[illegible]	.06	.07	3
4	.02	–	.06	.11	–	–	–	–	.02	.07	.17	.30	4
5	.01	.01	–	.02	–	–	–	–	–	.27	.03	.10	5
6	.25	–	.22	–	–	–	–	–	–	–	–	.35	6
7	.02	–	–	.02	–	–	–	–	–	.15	.40	.21	7
8	.08	–	.11	–	–	–	–	–	–	–	.29	.38	8
9	.21	–	.01	.02	–	–	–	–	–	–	.01	.13	9
10	–	.10	.08	–	–	–	–	–	–	–	.03	.69	10
11	.23	–	.01	–	–	–	–	–	–	–	.64	.01	11
12	.03	–	.45	–	.12	–	–	–	.10	–	.15	–	12
13	–	–	.04	–	.20	–	–	–	.25	.12	–	.15	13
14	–	.08	–	–	.20	–	–	–	–	–	–	.62	14
15	–	.03	.20	–	–	–	–	–	–	.02	.03	.04	15
16	–	–	–	–	–	.40	–	–	–	–	.58	.04	16
17	–	–	.03	–	–	.03	–	–	–	–	.35	.21	17
18	–	.12	.01	–	–	–	–	–	–	–	.57	.30	18
19	–	–	–	–	.02	.21	–	–	.22	.21	.18	.12	19
20	.01	.01	.01	–	–	.01	–	.22	–	.05	.01	.70	20
21	.01	.05	–	–	–	–	–	.45	.02	.48	–	.15	21
22	.01	–	.23	–	–	.02	–	–	–	.08	–	.45	22
23	–	.12	.03	–	–	.84	–	–	.23	–	.01	.10	23
24	–	.10	–	–	–	–	.02	–	–	1.41	–	.15	24
25	–	.03	.01	.03	–	.15	.15	–	.01	.01	–	–	25
26	–	.01	.10	.17	.06	.16	.01	–	–	.15	.01	.20	26
27	–	.23	.13	.06	–	–	–	–	.12	–	.05	.08	27
28	–	.10	–	.24	–	–	.11	.10	–	–	.02	–	28
29	–		–	.24	–	.22	.15	–	.11	.16	–	–	29
30	–		–	–	–	–	–	.24	.02	.19	–	–	30
31	–		–		.06		–	–		.03		–	31
Total	1.11	1.01	1.73	1.97	.98	2.04	0.45	1.05	1.10	3.40	3.77	5.61	TOTAL for year ✓ 24.52
No. of Rain Days	14	14	17	11	8	9	6	5	10	15	20	24	153 ✓

9,000, IX. '10.

Exe DS

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Park Hill Rise . Croydon

in the County of Surrey 4

by H. J. Parsons . M.D.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 240 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name East Croydon
Distance 1 mile Direction W from gauge

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.10	–	–	.41	.32	–	.04	.63	–	.22	1
2	–	.01	.35	.02	–	.02	.33	.01	.02	.08	–	–	2
3	.04	.06	.04	–	–	.10	.07	.32	–	–	–	.08	3
4	.20	–	.58	–	.16	.17	–	.03	–	–	.17	–	4
5	.20	.03	.07	–	–	–	–	.29	–	–	.09	.01	5
6	.36	.05	–	–	–	–	–	.08	.01	–	–	.18	6
7	–	.11	.02	–	.10	.69	.13	.17	–	–	–	.03	7
8	.28	.37	.22	.02	–	.01	–	.49	.01	–	–	–	8
9	–	.01	–	.03	–	.35	.02	–	–	.01	–	.08	9
10	–	.04	–	–	–	–	–	.48	.01	–	.08	.25	10
11	.03	.24	–	–	–	.01	–	.12	.01	–	–	.22	11
12	.02	.11	.04	–	.13	.14	–	.01	–	.01	.01	.02	12
13	–	.01	.01	–	–	–	–	–	–	–	.08	–	13
14	–	–	–	–	.03	–	–	.03	–	.08	.01	.01	14
15	–	–	.16	–	.25	.43	–	–	–	–	.02	.32	15
16	.35	–	.04	–	.06	.10	–	.09	–	.04	.12	–	16
17	.34	–	.35	–	–	.02	–	.05	–	–	.01	.12	17
18	.16	–	.13	–	–	–	–	.07	–	.04	.02	.11	18
19	.09	.07	.12	–	–	–	.03	.30	–	–	–	.01	19
20	–	.02	.42	–	–	.01	–	.06	–	.39	.04	–	20
21	–	.01	.29	–	.02	–	–	.04	–	.11	.04	–	21
22	.15	.13	.03	–	.03	–	.04	.12	–	–	–	.03	22
23	.37	.31	.26	–	–	–	–	.40	–	.06	.17	.12	23
24	.30	.01	–	–	–	.10	.04	.20	–	–	–	.15	24
25	.15	–	–	–	–	.17	–	.82	–	–	.22	.42	25
26	.01	.04	–	–	–	-	–	.51	–	.21	.48	.33	26
27	–	.01	–	–	–	.02	–	–	–	.13	–	.14	27
28	–	.05	–	–	–	.05	.13	.03	.07	.41	.57	.14	28
29	–	.02	.05	–	–	.04	.28	.15	1.39	.10	.06	–	29
30	–		–	–	.37	.03	.01	.09	1.33	.34	–	–	30
31	.01		.05		–		.10	.10	.	.02		–	31
Total	3.06	1.71	3.29	.07	1.15	2.87	1.50	5.06	2.89	2.66	2.19	2.99	TOTAL for year 29.44
No. of Rain Days.	17	21	20	3	9	19	12	26	9	16	17	21	190

W. 8,000, X. '11.

FORM A. BRITISH RAINFALL.

10 JAN 1914

completed by Bayard

REGISTER OF RAINFALL IN 1913

Exd DL

Kept at Park Hill Rise, Croydon

in the County of Surrey 4

by the late H. J. Parsons MD per G. C. Brooke

Lat.

Long.

Time of Observation 9 a.m.

Nearest Railway Station East Croydon half-mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.01	.24	.03	.14	–	–	–	–	.44	.04	.06	.03	1
2	.04	.09	–	–	–	–	.07	–		.09	.06	~~?~~	2
3	–	–	.07	.29	.25	–	–	–	[illegible]	.01	–	.03	3
4	.29	–	.01	.04	.24	–	.06	–	[illegible]	.25	–	.02	4
5	.35	–	–	–	–	.05	.05	–	.37	.02	.03	.01	5
6	.04	.01	.15	–	.01	.06	.17	–	.02	.24	.15	.01	6
7	–	.13	–	–	–	–	.02	.08	–	.41	.09	~~?~~	7
8	–	.01	.01	–	.14	.02	–	–	–	.01	.02	~~?~~	8
9	–	.13	–	–	.03	–	–	–	.09	–	.02	.01	9
10	–	–	.13	.09	–	–	–	.01	–	–	.44	~~?~~	10
11	.34	–	–	.34	.15	–	–	.02	–	.60	.28	~~?~~	11
12	–	–	–	–	–	–	–	–	–	–	.38	~~?~~	12
13	.10	–	.04	–	–	–	–	.02	.02	–	.20	~~?~~	13
14	.09	–	.10	.06	–	–	.28	.11	.07	.15	.06	~~?~~	14
15	.40	.05	.25	.24	–	–	.29	–	.02	–	–	~~?~~	15
16	.14	~~.04~~	.36	.16	–	–	–	–	.38	–	–	~~?~~	16
17	.02	.07	.05	.02	–	–	.18	–	–	–	–	~~?~~	17
18	–	–	.10	.10	–	–	–	–	–	–	–	~~?~~	18
19	.20	–	.16	.01	–	–	.12	–	.12	–	.01	~~?~~	19
20	.23	–	.37	.03	–	.01	–	–	–	.51	.01	~~?~~	20
21	.02	–	.12	.06	–	–	.06	–	–	.27	.78	~~?~~	21
22	.33	–	.21	.16	–	–	.01	.02	.12	–	–	~~?~~	22
23	–	–	.03	–	–	.01	–	.28	.01	–	–	.39	23
24	.02	–	–	.03	–	–	–	.12	–	–	.03	[illegible]	24
25	–	.01	–	.20	–	.03	–	–	–	–	–	–	25
26	–	–	.15	.07	–	–	–	.20	–	.85	–	.20	26
27	–	–	.05	.18	–	–	–	–	–	.03	–	[illegible]	27
28	.33	–	.27	.06	–	–	–	–	–	.17	–	–	28
29	.05		.04	.40	.37	–	–	.04	–	.03	–	–	29
30	.31		–	.08	–	–	–	.25	–	.16	–	–	30
31	–		.02		–		–	1.04		.15		–	31
Total	3.31	.74	2.72	2.76	1.19	.18	1.31	2.19	1.68 1.68	3.99	2.62	.70	YEAR'S TOTAL ~~[illegible]~~ 23.39
Rain Days.	19	9	22	21	7	6	11	12	12	18	16	8	161

W. 7,500, XI. 12

CROYDON
AERO CLUB
1920

Form A. 2. METEOROL GANIZATION.

RE 20.

8 JAN 1921

Kept at METEOROLGICAL 0° 7' 0" W.
00 and 1800h. G.M.T.
WADDON
in the County of S
in Gauge 8 in.
ove Ground 1 ft. 0 in.
by THE STAFF.
Sea Level 245 ft.

IMPORTANT NOTE. entered to the previous day.

If an Observer prefers not ested to add the reading at 9 a.m. on 1st at the end of this paragraph. Full instruc f rain gauges, and particulars as to the E ll Observers," sent post-free on applicatic 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	Marc							t.	Nov.	Dec.	Date
	mm.	mm.	mm.							.	mm.	mm.	
1										.5	0·1	4·8	1
2				0·2	0·3	-	0·4	8·0	1·4	0·5	Trace	2·5	2
3				0·4	-	0·6	-	-	0·5	1·1	Trace	3·3	3
4				3·1	-	-	21·8	1·7	-	3·5	Trace	0·6	4
5				-	0·8	-	13·9	1·6	0·6	-	Trace	0·4	5
6				-	3·3	-	6·4	-	-	Trace	Trace	0·8	6
7				3·2	0·6	-	3·4	-	-	0·9	-	Trace	7
8				1·9	2·9	-	3·3	-	-	0·2	Trace	-	8
9				0·9	0·5	-	0·3	0·1	-	Trace	-	-	9
10				0·2	-	1·9	4·2	-	-	-	1·1	0·3	10
11	STATION OPENED 28TH MARCH.1920			3·5	0·2	1·2	9·4	Trace	-	Trace	Trace	1·5	11
12				3·8	-	23·8	-	-	-	Trace	0·1	-	12
13				2·6	-	-	-	-	Trace	Trace	0·6	Trace	13
14				4·8	-	2·7	-	-	1·8	0·6	47	0·4	14
15				8·6	-	-	-	-	13·0	0·9	1·8	0·1	15
16				3·3	-	0·2	-	-	16·6	-	0·2	Trace	16
17				0·1	2·5	-	0·3	-	11·6	-	Trace	1·4	17
18				0·3	0·3	-	-	26·3	3·2	-	Trace	0·8	18
19				6·7	-	-	-	Trace	-	-	0·1	1·7	19
20				7·2	-	11·3	-	1·2	0·5	Trace	Trace	Trace	20
21				1·0	-	-	14·7	0·2	16·2	Trace	Trace	1·9	21
22				8·6	-	-	-	Trace	10·0	Trace	Trace	7·7	22
23				Trace	-	-	10·8	0·1	-	0·1	Trace	6·1	23
24				-	-	-	-	·	-	0·1	Trace	0·5	24
25				0·4	0·1	·	5·6	-	1·3	0·1	0·1	-	25
26				0·5	-	0·1	0·5	-	0·1	Trace	Trace	0·2	26
27				5·6	-	3·0	2·3	-	Trace	Trace	13·5	3·7	27
28				0·8	1·4	0·1	1·7	-	-	Trace	0·4	0·2	28
29				0·3	-	-	0·2	-	Trace	Trace	2·2	5·0	29
30		✕		0·4	0·2	0·1	3·1	-	7·3	-	7·1	2·1	30
31		✕		✕	0·4	✕	-	-	✕	10·5	✕	3·7	31
TOTAL	-	-	-	74·2	14·5	45·0	111·1	39·2	84·2	25·0	32·0	49·7	YEAR'S TOTAL -
Days with 0·2 mm. or more	-	-	-	25	13	8	19	6	13	9	9	22	-
0.1 mm or more					5	6	14	5	10	4	6	13	

(14,284). Wt.21,958—218. 500. 10/19. Gp.132. S.A.&E.W.

FORM A.2. METEORO GANIZATION.

RI 20.

8 JAN 1921

0° 7' 0" W.

Kept at METEOROLOGICAL OFFICE, CROYDON AERODROME

in the County of SURREY

by THE STAFF.

Times of Observation 0700 and 1800 h. G.M.T.

Nearest Railway Station WADDON

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1				5·8	1·0	-	8·8	-	0·1	6·5	0·1	4·8	1
2				0·2	0·3	-	0·4	8·0	1·4	0·5	Trace	2·5	2
3				0·4	-	0·6	-	-	0·5	1·1	Trace	3·3	3
4				3·1	-	-	21·8	1·7	-	3·5	Trace	0·6	4
5				-	0·8	-	13·9	1·6	0·6	-	Trace	0·4	5
6				-	3·3	-	6·4	-	-	Trace	Trace	0·8	6
7				3·2	0·6	-	3·4	-	-	0·9	-	Trace	7
8				1·9	2·9	-	3·3	-	-	0·2	Trace	-	8
9				0·9	0·5	-	0·3	0·1	-	Trace	-	-	9
10				0·2	-	1·9	4·2	-	-	-	1·1	0·3	10
11	STATION			3·5	0·2	1·2	9·4	Trace	-	Trace	Trace	1·5	11
12		OPENED		3·8	-	23·8	-	-	-	Trace	0·1	-	12
13		28TH MARCH 1920		2·6	-	-	-	-	Trace	Trace	0·6	Trace	13
14				4·8	-	2·7	-	-	1·8	0·6	47	0·4	14
15				8·6	-	-	-	-	13·0	0·9	1·8	0·1	15
16				3·3	-	0·2	-	-	16·6	-	0·2	Trace	16
17				0·1	2·5	-	0·3	-	11·6	-	Trace	1·4	17
18				0·3	0·3	-	-	26·3	3·2	-	Trace	0·8	18
19				6·7	-	-	-	Trace	-	-	0·1	1·7	19
20				7·2	-	11·3	-	1·2	0·5	Trace	Trace	Trace	20
21				1·0	-	-	14·7	0·2	16·2	Trace	Trace	1·9	21
22				8·6	-	-	-	Trace	10·0	Trace	Trace	7·7	22
23				Trace	-	-	10·8	0·1	-	0·1	Trace	6·1	23
24				-	-	-	-	-	-	0·1	Trace	0·5	24
25				0·4	0·1	-	5·6	-	1·3	0·1	0·1	-	25
26				0·5	-	0·1	0·5	-	0·1	Trace	Trace	0·2	26
27				5·6	-	3·0	2·3	-	Trace	Trace	13·5	3·7	27
28				0·8	1·4	0·1	1·7	-	-	Trace	0·4	0·2	28
29				0·3	-	-	0·2	-	Trace	Trace	2·2	5·0	29
30		╳		0·4	0·2	0·1	3·1	-	7·3	-	7·1	2·1	30
31		╳		╳	0·4	╳	-	-	╳	10·5	╳	3·7	31
TOTAL	-	-	-	74·2	14·5	45·0	111·1	39·2	84·2	25·0	32·0	49·7	YEAR'S TOTAL -
Days with 0·2 mm. or more	-	-	-	25	13	8	19	6	13	9	9	22	-
1 mm or more				5	5	6	14	5	10	4	6	13	

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

CROYDON
MENTAL HOSPITAL
SURREY

1917 - 20

REGIS

FORM A.
BRITISH RAINFALL.

28 FEB 1918

Kept at Farleigh, Cr

in the County of Surrey

by F. C. Bayard, C

ge 5 in.

ound 1 ft. — in.

Level 600 ft.

IMPORTANT NOTE. result entered to the previous day. If an Obse l rule, he is earnestly requested to add the readin the space provided for it at the end of this of rain, the selection and placing o Rainfall Organization are given in " cation to Dr. H. R. Mill, 62, Camde

Jan. 1, following.

Date	Jan.	Feb.	March.	A							Nov.	Dec.	Date.
1				·35							·05	·01	1
2				·43							·09		2
3				·13							·13		3
4							·40						4
5				·44							·12		5
6				·14							·05	·01	6
7							·19					·04	7
8				·09			·33				·32	·23	8
9				·04			·49				·09	·76	9
10				·18								·07	10
11				·26									11
12											·02	·01	12
13				·07									13
14				·16									14
15				·03			·22					·04	15
16				·14			·17					·99	16
17				·10			·39				·01		17
18				·17			·10						18
19				·03									19
20							·21				·04		20
21				·04							·03		21
22													22
23													23
24							·06					·07	24
25											·05		25
26											·67	·01	26
27													27
28												·06	28
29							·17					·15	29
30		×					·29					·02	30
31		×		×		×	·73		×		×		31
Total				2·80			3·75				1·67	2·47	YEAR'S TOTAL
Rain Days.				17			13				13	14	

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

28 FEB 1918

REGIS

Kept at Farleigh, Croydon Mental Hospital

in the County of Surrey

by F. C. Bayard, Croydon Corporation

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·35							·05	·01	1
2				·43							·09		2
3				·13							·13		3
4							·40						4
5				·44							·12		5
6				·14							·05	·01	6
7							·19					·04	7
8				·09			·33				·32	·23	8
9				·04			·49				·09	·76	9
10				·18								·07	10
11				·26									11
12											·02	·01	12
13				·07									13
14				·16									14
15				·03			·22					·04	15
16				·14			·17					·99	16
17				·10			·39				·01		17
18				·17			·10						18
19				·03									19
20							·21				·04		20
21				·04							·03		21
22													22
23													23
24							·06					·07	24
25											·05		25
26											·67	·01	26
27													27
28												·06	28
29							·17					·15	29
30		✕					·29					·02	30
31		✕		✕		✕	·73		✕		✕		31
Total				2·80			3·75				1·67	2·47	YEAR'S TOTAL
Rain Days.				17			13				13	14	

W. 8,000, VIII. 16

See 81

FORM A.
BRITISH RAINFALL

2. 1919

REGISTER OF RAINFALL IN 1918.

Kept at Croydon Mental Hospital
in the County of Surrey.
by J. G. Paterson {Engineer}.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Upper Warlingham
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·00	·00	·02	·00	·00	·02	·00	·00	·00	·07	1
2	·05	·03	·00	·01	·00	·00	·00	·14	·00	·00	·36	·21	2
3	·00	·00	·14	·05	·45	·00	·00	·02	·00	·00	·45	·01	3
4	·00	·28	·17	·00	·00	·00	·00	·03	·24	·00	·69	·02	4
5	·00	·03	·00	·00	·14	·00	·00	·13	1·34	·10	·00	·03	5
6	·19	·22	·00	·28	·25	·00	·00	·02	·08	·01	·00	·08	6
7	·03	·09	·00	·13	·34	·00	·00	·01	·16	·08	·08	·03	7
8	·00	·21	·00	·00	·00	·00	·00	·00	·22	·04	·09	·12	8
9	·01	·00	·00	·14	·00	·02	·22	·00	·46	·18	·00	·36	9
10	·00	·01	·00	·16	·00	·03	·60	·00	·06	·11	·00	·35	10
11	·01	·00	·00	·02	·00	·00	·61	·00	·01	·28	·13	·10	11
12	·00	·06	·00	·00	·26	·00	·14	·00	·04	·02	·00	·02	12
13	·08	·01	·00	·03	·12	·00	·08	·00	·08	·01	·00	·02	13
14	·16	·00	·00	·01	·00	·28	·05	·00	·11	·18	·00	·12	14
15	1·36	·00	·00	·82	·00	·08	·08	·00	·00	·00	·00	·27	15
16	·37	·00	·00	·24	·00	·14	·01	·00	·14	·01	·01	·00	16
17	·28	·00	·00	·09	·08	·00	·92	·06	·08	·00	·00	·25	17
18	·62	·00	·00	·00	·00	·21	·18	·00	·68	·31	·00	·09	18
19	·09	·00	·09	·11	·05	·06	·14	·00	·01	·15	·00	·04	19
20	·03	·20	·00	·68	·00	·02	·24	·00	·27	·53	·00	·02	20
21	·17	·01	·00	·86	·00	·00	·05	·00	·30	·20	·00	·02	21
22	·06	·00	·00	·00	·36	·00	·30	·00	·23	·00	·00	·17	22
23	·05	·00	·00	·01	·11	·00	·58	·11	·02	·00	·02	·03	23
24	·00	·30	·00	·00	·00	·10	·06	·00	·21	·00	·04	·00	24
25	·00	·00	·00	·52	·00	·00	·07	·20	·00	·03	·01	·01	25
26	·00	·00	·00	·00	·00	·00	·84	·10	·10	·01	·13	·13	26
27	·00	·05	·04	·15	·00	·00	·11	·19	·00	·00	·09	·03	27
28	·01	·00	·24	·04	·00	·00	·00	·02	·00	·00	·25	·08	28
29	·00	✓	·00	·01	·00	·00	·00	·00	1·11	·00	·02	·00	29
30	·00	✗	·40	·00	·00	·00	·00	·00	·04	·06	·03	·13	30
31	·00	✗	·08	✗	·00	✗	·00	·00	✗	·08	✗	·01	31
Total	3·57	1·50	1·16	4·36	2·18	·94	5·28	1·05	5·99	2·39	2·40	2·82	YEAR'S TOTAL 33·64
Rain Days.	17	13	7	20	11	9	19	13	23	19	15	28	194

W. 6,500, VII. 18. W W C

Ex Df

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Croydon Mental Hospital Upper Warlingham
in the County of Surrey
by J. G. Paterson (Engineer)

Lat. Long.
Time of Observation 9-a.m.
Nearest Railway Station Upper Warlingham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✓

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·43	·07	·00	·01	·02	·00	·11	·00	·00	·06	·07	·89	1
2	·28	·00	·02	·00	·06	·00	·30	·00	·00	·09	·13	·13	2
3	·36	·00	·48	·00	·01	·00	·05	·00	·13	·00	·05	·44	3
4	·17	·10	·35	·00	·00	·09	·14	·04	·02	·00	·05	·10	4
5	·01	·25	·76	·00	·00	·00	·00	·04	·00	·00	·05	·31	5
6	·09	·00	·05	·00	·00	·00	·00	·00	·00	·00	·03	·14	6
7	·03	·00	·42	·00	·00	·00	·00	·00	·00	·00	·07	·00	7
8	·27	·00	·06	·02	·00	·00	·00	·00	·00	·00	·02	·00	8
9	·42	·00	·03	·05	·00	·00	·00	·00	·00	·00	·09	·00	9
10	·23	·00	·10	·00	·00	·00	·00	·00	·00	·01	·01	·04	10
11	·09	·00	·19	·28	·01	·00	·22	·00	·00	·00	·00	·03	11
12	·07	·00	·07	·11	·00	·01	·15	·00	·00	·11	·02	·00	12
13	·03	·02	·00	·51	·00	·00	·00	·00	·00	·04	·00	·01	13
14	·53	·00	·00	·58	·00	·00	·08	·00	·65	·00	·00	·08	14
15	·17	·03	·12	·11	·00	·00	·00	·00	·00	·00	·00	·28	15
16	·02	·49	·00	·02	·00	·00	·00	·00	·00	·00	·09	·04	16
17	·03	·30	·04	·01	·00	·00	·00	·00	·00	·00	·15	·01	17
18	·00	·39	·05	·00	·00	·00	·00	·01	·04	·00	·10	·04	18
19	·04	·17	·63	·00	·00	·19	·32	·16	·02	·00	·09	·01	19
20	·27	·14	·07	·00	·00	·63	·26	·16	·00	·00	·01	·00	20
21	·12	·43	·04	·00	·00	·06	·07	·00	·00	·00	·02	·02	21
22	·00	·07	·02	·00	·00	·00	·24	·00	·33	·00	·00	·23	22
23	·00	·00	·00	·00	·00	·06	·03	·01	·34	·00	·03	·04	23
24	·00	·00	·00	·19	·00	·02	·05	·04	·00	·12	·06	·00	24
25	·03	·00	·00	·00	·00	·00	·00	·16	·00	·00	·00	·03	25
26	·05	·36	·09	·08	·00	·00	·00	·06	·12	·00	·03	·45	26
27	·37	·01	·03	1·28	·00	·00	·02	·37	·00	·00	·02	·06	27
28	·00	·00	·36	·04	·00	·00	·05	1·03	·00	·00	·37	·34	28
29	·07	✓	·00	·03	·00	·00	·00	·28	·00	·44	·00	·12	29
30	·00		·00	·26	·00	·09	·00	·24	·00	·08	·28	·74	30
31	·10		·08		·00		·07	·00		·03		·08	31
Total	4·28	2·83	4·06	3·58	0·10	1·15	2·16	2·60	1·65	0·98	1·84	4·66	Year's Total 29·89
Days with ·01 in. or more	25	14	22	16	4	8	16	13	8	9	23	25	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

82

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 JAN 1921

Kept at Croydon Mental Hospital
in the County of Surrey
by J. G. Paterson {The Engineer}

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Upper Warlingham.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground - ft. 9 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✓

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·00	·00	·23	·08	·00	·37	·00	·00	·29	·00	·34	1
2	·00	·00	·04	·00	·02	·00	·00	·25	·10	·00	·00	·11	2
3	·00	·05	·00	·02	·01	·00	·00	·00	·01	·24	·00	·09	3
4	·00	·10	·00	·18	·00	·00	·71	·10	·00	·11	·00	·00	4
5	·00	·00	·13	·00	·03	·00	·51	·40	·05	·00	·00	·08	5
6	·00	·00	·20	·00	·13	·00	·23	·00	·00	·00	·00	·03	6
7	·05	·00	·00	·19	·02	·00	·32	·00	·00	·00	·00	·00	7
8	·00	·00	·00	·07	·14	·00	·48	·00	·00	·00	·00	·00	8
9	·30	·03	·00	·04	·00	·00	·08	·03	·00	·00	·00	·00	9
10	·57	·08	·08	·01	·00	·18	·18	·00	·00	·00	·04	·00	10
11	·24	·00	·08	·30	·00	·03	·26	·00	·00	·00	·00	·00	11
12	·07	·03	·03	·25	·00	·85	·00	·00	·00	·00	·01	·12	12
13	·22	·01	·17	·12	·00	·00	·00	·00	·00	·00	·04	·00	13
14	·00	·01	·40	·38	·00	·05	·00	·00	·09	·51	·33	·00	14
15	·03	·00	·03	·19	·15	·00	·01	·00	1·18	·05	·11	·00	15
16	·00	·02	·01	·21	·00	·05	·00	·00	·13	·00	·00	·00	16
17	·02	·00	·00	·01	·00	·00	·01	·00	1·45	·00	·00	·20	17
18	·05	·00	·01	·01	·03	·00	·00	·98	·18	·00	·00	·10	18
19	·12	·00	·00	·35	·00	·00	·00	·00	·00	·00	·00	·08	19
20	·05	·19	·00	·44	·00	·50	·00	·00	·10	·00	·00	·00	20
21	·00	·00	·00	·01	·00	·00	·74	·01	·58	·00	·00	·12	21
22	·01	·00	·00	·42	·00	·00	·00	·00	·12	·00	·00	·31	22
23	·00	·00	·00	·00	·00	·00	·38	·00	·00	·00	·00	·41	23
24	·00	·00	·06	·00	·00	·00	·00	·00	·00	·00	·00	·02	24
25	·00	·04	·01	·02	·00	·00	·30	·00	·02	·00	·00	·00	25
26	·03	·00	·12	·02	·00	·02	·00	·00	·00	·00	·00	·04	26
27	·34	·06	·01	·18	·00	·08	·04	·00	·00	·00	·45	·22	27
28	·61	·00	·18	·02	·09	·00	·10	·00	·00	·00	·04	·05	28
29	·63	·00	·09	·02	·00	·00	·00	·00	·00	·00	·09	·27	29
30	·04	╳	·00	·01	·01	·05	·13	·00	·28	·00	·31	·18	30
31	·23	╳	·00	╳	·04	╳	·00	·00	╳	·47	╳	·21	31
TOTAL	3·66	·62	1·64	3·70	·75	1·81	4·85	1·77	4·29	1·67	1·42	2·98	YEAR'S TOTAL 29·16
Days with ·01 in. or more	19	11	17	25	12	9	17	6	13	6	9	19	163
Days with ·04 in. or more	15	~~5~~ 6	~~8~~ 11	~~12~~ 15	6	7	14 5	4	11	6	8	17	~~124~~ 121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.